

Impact of Lifetime Trauma, Abuse and Violence on Women Living with HIV (WLHIV)

Building a Trauma-Informed Nation September 30, 2015 Washington, DC #pwnspeaks




Women's lives and experiences are intersectional








Social – Ecological Model for Understanding Sexual Violence






Dahlberg LL, Krug EG. Violence-a global public health problem. In: Krug E, Dahlberg LL, Mercy JA, Zwi AB, Lozano R, eds. World Report on Violence and Health. Geneva, Switzerland: World Health Organization; 2002:1–56.

Trauma experiences




erasure conflicts
historyblightedrenewal suprootingsign-of-hopes
decentering-neighborhoods
unhealthy-for-the-community
remnant recovery-of-memory
culture-of-respect gresistance
memories bodies suburied





Joy DeGruy

Structural Violence



Employment & Economics

Under Surveillance by Medicaid

by ADMIN on APRIL 19, 2012 - LEAVE A COMMENT



By Kat Griffith in Peoria, IL

"But I also know that this woman actually has control over what ultimately is a life or death decision with the stroke of her pen. And clearly she is in a bad mood... What I have is a very expensive medical condition and no way to pay for it... it is that simple. I need help. We as women living with HIV are driven into poverty and held there, and we are drowning."

Can I Reach for the American Dream?

Posted on April 20, 2012 by pwnusa

Can I Reach for the American Dream?

by Sonia Rastogi




April 17th, 2012 was Tax Day as well as Equal Pay Day (read Teresa Sullivan's Wage Gap blog), a day established to bring attention to the pay gap for women in the U.S. For many women living with HIV, Tax Day brings home the truth that regardless of a woman's financial status, an HIV diagnosis is frequently a sentence to a lifetime of poverty.

HIV CRIMINALIZATION

Are You At Risk?

Laws and policies criminalizing HIV exposure and mandating disclosure may increase potential for coercion and abuse, and can make it harder for WLHIV to leave violent, unhealthy or abusive relationships





I was in an abusive relationship for 4 years. When I attempted to leave, he threatened to come after me under HIV criminalization laws because I didn't disclose to him when we first got involved. He also threatened to have my kids taken

WLHIV face internalized stigma

"There is a big black X from head to toe. I am diseased and unworthy of feeling good about my body again."

"I feel dirty and ashamed."

"It caused me to loose [sic] all hope as a woman where I felt ugly and that I had to settle for whatever man wanted to date me."


"I have had a guy tell me that I should have told him before kissing him that I was positive. He was convinced HIV is transmitted through saliva. **He even threw in that he could prosecute me for murder**. Apparently there is grave misunderstanding about disclosure laws amongst the general public."

... these and other factors (housing instability, economic insecurity) may complicate leaving an abusive relationship



... which is often not addressed by healthcare providers

In a survey conducted in 2013 and repeated in 2015, **nearly half of women living with HIV** had never been told by a provider that viral suppression was an effective HIV prevention strategy.





Motherhood & partnership

- -Increasingly "parenthood"
- -For many WLHIV, motherhood may be the only socially valued identity available to them (Barnes, et al 2009)
- Critical for providers to understand motivation, including cultural factors related to conception, sexuality, and relationships for PLHIV



Community violence disproportionately impacts transgender women of color

- Almost three-quarters of LGBTQ homicide victims in 2013 were transgender women. 67% were transgender women of color
- Transgender women were 6 times more likely to experience physical violence when interacting with the police than other LGBTQ survivors of violence
- Transgender people of color were 1.8 times more likely to experience violence in shelters than other LGBTQ survivors of violence
- National Coalition of Anti-Violence Programs (NCAVP) Annual Report, 2014

www.pwn-usa.org

Rates of trauma and PTSD in WLHIV are much higher than the general population

Meta-analysis of all studies among US WLHIV

Categories	Number of Studies	Pooled n	Prevalence (%)	95% Confidence Interval	Reference Prevalence
Intimate Partner Violence	8	2285	55.3	36.1 - 73.8	24.8
Childhood Sexual Abuse	7	3013	39.3	33.9 - 44.8	16.2
Childhood Physical Abuse	6	1582	42.7	31.5 - 54.4	22.9
Childhood Abuse Unspecified	2	232	58.2	36.0 - 78.8	31.9
Lifetime Sexual Abuse	8	1182	61.1	47.7 - 73.8	12.0
Lifetime Abuse Unspecified	6	1065	71.6	61.0 - 81.1	39.0
Recent PTSD	6	499	30.0	18.8 - 42.7	5.2

29 studies met our inclusion criteria, resulting in a sample of 5,930 individuals.



Rates of trauma and PTSD in WLHIV are much higher than the general population

Meta-analysis of all studies among US WLHIV

Categories	Number of Studies	Pooled n	Prevalence (%)	95% Confidence Interval	Reference Prevalence
Intimate Partner Violence	8	2285	55.3	36.1 - 73.8	24.8
Childhood Sexual Abuse	7	3013	39.3	33.9 - 44.8	16.2
Childhood Physical Abuse	6	1582	42.7	31.5 - 54.4	22.9
Childhood Abuse Unspecified	2	232	58.2	36.0 - 78.8	31.9
Lifetime Sexual Abuse	8	1182	61.1	47.7 - 73.8	12.0
Lifetime Abuse Unspecified	6	1065	71.6	61.0 - 81.1	39.0
Recent PTSD	6	499	30.0	18.8 - 42.7	5.2



Rates of trauma and PTSD in WLHIV are much higher than the general population

Meta-analysis of all studies among US WLHIV

Categories	Number of Studies	Pooled n	Prevalence (%)	95% Confidence Interval	Reference Prevalence
Intimate Partner Violence	8	2285	55.3	36.1 - 73.8	24.8
Childhood Sexual Abuse	7	3013	39.3	33.9 - 44.8	16.2
Childhood Physical Abuse	6	1582	42.7	31.5 - 54.4	22.9
Childhood Abuse Unspecified	2	232	58.2	36.0 - 78.8	31.9
Lifetime Sexual Abuse	8	1182	61.1	47.7 - 73.8	12.0
Lifetime Abuse Unspecified	6	1065	71.6	61.0 - 81.1	39.0
Recent PTSD	6	499	30.0	18.8 - 42.7	5.2



Table 2 Heath-related Characteristics

Description	Sample size	Number (percent) of participants with each characteristic
Mental health	111	
Depression		53 (47.7%)
Bipolar		8 (7.2%)
Anxiety		9 (8.1%)
Schizophrenia/psychosis		3 (2.7%)
Other		4 (3.6%)
Low self efficacy	109	18 (16.5%)
Trauma		
Abused, threatened, and/or victim of	110	19 (17.3%)
violence in the past 30 days	110	70 (71 00/)
Abused, threatened, and/or victim of violence in lifetime	110	79 (71.8%)
Coerced to have sex in the past 30 days	110	9 (8.2%)
Coerced to have sex in lifetime	110	71 (64.5%)
Median CD4 count (cells/μl) at survey	93	387 (range 0 – 1363)
Viral load (copies/ml) at survey	90	
<75		33 (36.7%)
75-9,999		30 (33.3%)
10,000+		27 (30.0%)
Antiretroviral therapy		
On ART*	112	63 (56.2%)
On ART and detectable viral load	90	17 (18.9%)
Self-reported adherence < 90% by VAS**	63	15 (23.8%)

*ART = highly active antiretroviral therapy; **VAS = visual analog scale



Machtinger EL, et al. Recent trauma is associated with antiretroviral failure and transmission risk behavior among HIV-positive women and female-identified transgenders AIDS and Behavior. March 12, 2012



Empowering women to overcome trauma.







ABOUT

CARE

RESEARCH

LEADERSHIP

RESOURCES

MEDIA

TRAUMA

DONATE

News

Women's HIV Program → News

- Resources Overview
- HIV Information & Community
- HIV Information
- A Girl Like Me Blog
- [>] Join The Well Project Community
- Additional Resources
- Make an Appointment

WHP establishes a formal partnership with Positive Women's Network-USA (PWN-USA), the largest membership and advocacy group of HIV-positive women in the United States


WHP and Positive Women's Network-USA (PWN-USA) have established a formal partnership to realize a new model of trauma informed primary care for US women living with HIV.



This partnership is exciting for many reasons because

PWN-USA has wide ranging influence, insight and credibility that will ensure that the new model of primary care is truly patient-centered and successful. PWN-USA is among the most effective advocacy organizations in the country. Its work is truly inspired, effective, and grounded in the inherent wisdom of its members.


The HIV Care Continuum in the United States, 2011.



Centers for Disease Control and Prevention. Monitoring selected national HIV prevention and care objectives by using HIV surveillance data—United States and 6 dependent areas—2012. HIV Surveillance Supplemental Report 2014;19(No. 3). http://www.cdc.gov/hiv/library/reports/surveillance/. Published November 2014. Accessed January 16, 2014



The HIV Care Continuum in the United States, 2011.



Siemieniuk RA, et al. AIDS Patient Care STDs. 2010* Siemieniuk,RA, et al. J Acquir Immune Defic Syndr. 2013 Illangasekare, S., et al. *Women's Health Issues*. 2012

Kalokhe, A.S., et al. AIDS Patient Care and STDs. 2012*

et al. AIDS PATIENT CARE and STDs. 2008*


, et al. Psychsomatic Medicine. 2009.*

Machanger EL, et al. AIDS and Behavior. 2012

^{*} Includes both men and women

[¶] Includes "Stressful Life Events

The HIV Care Continuum in the United States, 2011.



Cohen, MH, et al. Medically Eligible Women Who Do Not Use HAART: The Importance of Abuse, Drug Use, and Race. Am J Public Health.2004;94:1147–1151)

Mugavero M, et al. Barriers to antiretroviral adherence: the importance of depression, abuse, and other traumatic events. AIDS patient care and STDs. 2006 Jun;20*

Pence Carlo Childhood trauma and health outcomes in HIV-infected patients: an explose the carlo Carlo

- * Includes both men and women
- + bivariate data; association also significant on multivariate analysis

Impact of trauma on other HIV-specific outcomes

Recent or lifetime trauma associated with:

HIV risk factors/HIV incidence

Maman S, Campbell J, Sweat MD, Gielen AC. The intersections of HIV and violence: directions for future research and interventions. Soc Sci Med. 2000;50:459–78.*

Jewkes RK, Dunkle K, Nduna M, et al. Intimate partner violence, relationship power inequity, and incidence of HIV infection in young women in South Africa: a cohort study. Lancet. 2010;376:41–8.

Faster disease progression

Pence BW, et al. Childhood trauma and health outcomes in HIV-infected patients: an exploration of causal pathways. Journal of acquired immune deficiency syndromes. 2012 Apr 1;59(4):409-16*
Mugavero, MJ, et al. Predictors of AIDS-related morbidity and mortality in a southern U.S. Cohort. AIDS Patient Care STDS 2007 Sep;21(9):681-90.] *

Leserman, J, et al. Progression to AIDS, a clinical AIDS condition and mortality: psychosocial and physiological predictors. Psychol Med Aug;32(6):1059-73.*

More hospitalizations


Pence BW, et al. Childhood trauma and health outcomes in HIV-infected patients: an exploration of causal pathways. Journal of acquired immune deficiency syndromes. 2012 Apr 1;59(4):409-16*.

Almost twice the rate of death*

Weber, K., et al. The effect of gender based violence (GBV) on mortality: a longitudinal study of US women with and at risk for HIV. International AIDS Conference 2012. * = bivariate analysis



Predictors of Mortality in WLHIV over time



French AL, Gawel SH, Hershow R, Benning L, Hessol NA, Levine AM, et al. Trends in mortality and causes of death among women with HIV in the United States: a 10-year study. Journal of acquired immune deficiency syndromes. 2009 Aug 1;51(4):399-406.

'She Killed Me, So I Killed Her': Man Allegedly Stabs Girlfriend to Death after She Tells Him She's HIV Positive

Cicely Bolden's children discovered their mother's body after she was allegedly killed by a boyfriend, angered after she told him she had the virus.

By Madison Gray @madisonjgray | Sept. 12, 2012 | 32 Comments

Dallas Woman Killed By Boyfriend For Admitting To Having HIV [VIDEO]



Clear

Home Local US & World Business Sports Food Entertainment Lifest

California Man Convicted For Murder Of Woman He Thought

Gave Him HIV We're not saying he was right, but we understand. Word to Chris Rock...



Man arrested in San Antonio suspected of killing woman because she had HIV

BY ALIA MALIK, SAN ANTONIO EXPRESS-NEWS: JUNE 17, 2014: Updated: June 17, 2014

Federal Response






Federal Interagency Workgroup: Next Steps (Oct 2014)

- Increased screening for both HIV and IPV in primary care clinics
- Scale up effective interventions to help HIV-negative and HIV-positive women who have experienced violence
- Expand outreach and prevention in communities with high rates of HIV, including economic empowerment



Trauma-Informed Care from a Social Justice Perspective

"Social ideals of equality cannot be pursued in relations that promote inequality. The way we do things is not just a means to an end, but an end in itself."





News

Positive Women's Network Releases New Model for Trauma Awareness

Tuesday May 26, 2015



Positive Women's Network - USA, a national membership body of women with HIV, is proud to announce the release of a new model for bringing trauma awareness and healing into primary healthcare settings.

The conceptual framework, developed in partnership with University of California - San Francisco (UCSF) clinicianresearchers, provides a practical guide to help providers incorporate trauma-informed care into clinical practice.

"Trauma-informed care is the missing ingredient to engage women with HIV in care successfully and to ensure good health

outcomes," said Naina Khanna, Executive Director of PWN-USA, who co-authored the paper presenting the new model.

Trauma-informed Primary Care

SCREENING

Inquiry about current & lifelong abuse, PTSD, depression and substance use

Calm, safe, empowering and staff,

RESPONSE

RESPONSE

And community-based

Onsite and community-based

Onsite and healing.

Safety and healing.


FOUNDATION

Trauma-informed values, robust partnerships, clinic champions, support for providers and ongoing monitoring and evaluation.

© Women's HIV Program (WHP) at UCSF & Positive Women's Network-USA



Retention in Care and Viral Load Suppression by Gender – RSR 2012 data





"Interestingly, while women had higher levels of retention [in the Ryan White program] than men, their viral suppression was lower, suggesting that there may be a significant gap in ART use and/or adherence." – Doshi et al

High Rates of Retention and Viral Suppression in United States HIV Safety Net System: HIV Care Continuum in the Ryan White HIV/AIDS Program, 2011

Clinical Infectious Diseases Advance Access published September 15, 2014



Breaking Our Chains Ending the Culture of Violence



WOMEN LIVING WITH HIV

DCTOBER 23RD | #PWNSPEAKS

National Day of Action to End Violence against Women Living with HIV

October 23 2015 **Everywhere**




Barb Cardell @BarbCardell



Following

Sisterhood, solidarity, action... #endvawhiv #pwnspeaks









Thank you!



Thank you

Naina Khanna Positive Women's Network - USA nkhanna@pwn-usa.org

510.681.1169

@nainadevi

@uspwn

www.pwn-usa.org



In memory of Cicely Bolden Elisha Henson

