

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
1000 South Pine Island Road  
Suite 100  
Fort Lauderdale, FL 33324  
Phone: 954-424-0242 Fax: 954-424-3073



## Citation and Notification of Penalty

**To:**  
Shoreline Foundation, Inc.  
and its successors  
2781 SW 56th Avenue  
Pembroke Park, FL 33023

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015

**Inspection Site:**  
1 East 11th Street - Slip 3  
Riviera Beach, FL 33404

*The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.*

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above.** Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

**Posting** - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

**Informal Conference** - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

**Right to Contest** – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

**Penalty Payment** – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on [www.pay.gov](http://www.pay.gov). On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

**Notification of Corrective Action** – For each violation which you do not contest, you must provide ***abatement certification*** to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that ***abatement documentation*** is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

**Employer Discrimination Unlawful** – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

**Employer Rights and Responsibilities** – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

**Notice to Employees** – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

**Inspection Activity Data** – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at [www.osha.gov](http://www.osha.gov). If you have any dispute with the accuracy of the information displayed, please contact this office.



## NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 06/03/2015. The conference will be held by telephone or at the OSHA office located at 1000 South Pine Island Road, Suite 100, Fort Lauderdale, FL 33324 on \_\_\_\_\_ at \_\_\_\_\_.

Employees and/or representatives of employees have a right to attend an informal conference.

**CERTIFICATION OF CORRECTIVE ACTION WORKSHEET**

**Inspection Number: 1015056**

Company Name: Shoreline Foundation, Inc.  
Inspection Site: 1 East 11th Street - Slip 3, Riviera Beach, FL 33404  
Issuance Date: 06/03/2015

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 1000 South Pine Island Road, Suite 100, Fort Lauderdale, FL 33324**

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Typed or Printed Name

\_\_\_\_\_  
Title

**NOTE: 29 USC 666(g)** whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

**POSTING:** A copy of completed Corrective Action Worksheet should be posted for employee review

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 1** Type of Violation: **Serious**

29 CFR 1910.410(a)(1): Each dive team member did not have the experience or training necessary to perform assigned tasks in a safe and healthful manner, is applicable to the Construction Standard 29 CFR 1926.1071 which incorporates the General Industry Requirements:

On or about February 4, 2015, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure employees who were performing underwater dive operations were experienced or trained in order to perform the assigned task in a safe and healthful manner.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/22/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 2** Type of Violation: **Serious**

29 CFR 1910.410(a)(3): All dive team members were not trained in cardiopulmonary resuscitation and first aid (American Red Cross standard course or equivalent) is applicable to the Construction Standard 29 CFR 1926.1071 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not provide members of a dive team who were engaged in underwater diving operation with cardiopulmonary resuscitation training and first aid (American Red Cross standard course or equivalent).

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/22/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

**Citation 1 Item 3 a** Type of Violation: **Serious**

29 CFR 1910.421(c)(1): A first aid kit appropriate for the diving operation and approved by a physician was not available at the dive location, is applicable to the Construction Standard 29 CFR 1926.1081 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure the first aid kit, was approved by a physician and appropriate for the underwater diving operation conducted at the dive location.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/15/2015
Proposed Penalty:	\$5500.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 3 b** Type of Violation: **Serious**

29 CFR 1910.421(c)(3): A bag-type manual resuscitator with transparent mask and tubing was not available at the dive location, is applicable to the Construction Standard 29 CFR 1926.1081 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida, 33404, the employer did not provide employees who were performing underwater dive operation a first aid handbook or equivalent, and a bag-type manual resuscitator with a transparent mask and tubing available at the dive location.

**Date By Which Violation Must be Abated:**

**06/15/2015**

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 4** Type of Violation: **Serious**

29 CFR 1910.421(d)(2): Planning of a diving operation did not include an assessment of the safety and health aspects of surface and underwater conditions, is applicable to the Construction Standard 29 CFR 1926.1071 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not assess the manmade hazards of the underwater conditions such as, but not limited to, the jagged edges of metal and projections of rebar, marine life and the current caused by the water intakes of the nearby power plant in the diving location, and natural hazards such as the currents, water turbidity and tides.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/11/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 5** Type of Violation: **Serious**

29 CFR 1910.422(c)(1)(i): An operational two-way voice communication system was not provided during a surface supplied air or mixed-gas between the diver and a dive team member at the dive location, is applicable to the Construction Standard 29 CFR 1926.1081 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure an operational two-way voice communication system was used between the divers and a dive team member when performing surface-supplied air diving operations.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/22/2015
Proposed Penalty:	\$7000.00



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

**Citation 1 Item 6 a** Type of Violation: **Serious**

29 CFR 1910.424(c)(2): Diver was not line tended from the surface or accompanied by another diver in the water in continuous visual contact during SCUBA diving operation, is applicable to the Construction Standard 29 CFR 1926.1084 which incorporates the General Industry Requirements:

On or about December 20, 2014, at the jobsite, 1 East 11th Street Slip 3, Riviera Beach, Florida 33404, the employer did not provide the diver a line-tender from the surface, or was accompanied by another diver in the water in continuous visual contact during the scuba-diving operation.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/09/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 6 b Type of Violation: **Serious****

29 CFR 1910.424(c)(3): A diver was not stationed at the underwater point of entry when SCUBA diving was conducted in enclosed or physically confining spaces, is applicable to the Construction Standard 29 CFR 1926.1084 which incorporates the General Industry Requirements:

On or about December 20, 2014, at the above addressed jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida, the employer did not provide a stationed diver at the underwater point of entry when scuba diving is conducted in enclosed or physically confining spaces.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:

06/10/2015

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 7** Type of Violation: **Serious**

29 CFR 1910.425(c)(2): A diver was not stationed at the underwater point of entry when surface-supplied air diving was conducted in enclosed or physically confining spaces is applicable to the Construction Standard 29 CFR 1926.1085 which incorporates the General Industry Requirements:

On or about December 20th, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not station a diver at the underwater point of entry when surface-supplied air diving is conducted in enclosed or physically confining spaces.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/09/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 8** Type of Violation: **Serious**

29 CFR 1910.425(c)(6): A diver-carried reserve breathing gas supply was not provided when the diver was prevented by the configuration of the dive area from ascending directly to the surface during surface-supplied air diving, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements.

On or about December 18th, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer exposed employees to the hazard of drowning and arterial gas embolism, while performing diving operations without an independent backup air supply during underwater diving operations.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/11/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 9** Type of Violation: **Serious**

29 CFR 1910.430(b)(1): Compressors used to supply air to a diver were not equipped with all of the following: a volume tank with a check valve on the inlet side, a pressure gauge, a relief valve, and a drain valve, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

- a) On or about January 27, 2015, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure the Dive Boss air compressor used by divers had a operable tank pressure gauge. The indicating needle of the gauge was stuck at approximately 225 pounds per square inch.
- b) On or about January 20, 2015, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure the Brownie air compressor, which does not have a volume tank, was being used to supply air to the divers.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated: 06/22/2015  
Proposed Penalty: \$7000.00



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 10** Type of Violation: **Serious**

29 CFR 1910.430(b)(4): The output of air compressor systems shall be tested for air purity every 6 months by means of samples taken at the connection to the distribution system, except that non-oil lubricated compressors need not be tested for oil mist, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

- a) On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the supply air of the Dive-Boss air compressor being used by the divers had not been tested for air purity every six months.
- b) On or about January 20, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the supply air of the Brownie air compressor being used by the divers had not been tested for air purity every six months.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/29/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

**Citation 1 Item 11 a**      Type of Violation: **Serious**

29 CFR 1910.430(c)(1)(i): Breathing gas supply hose(s) did not have a working pressure at least equal to the working pressure of the total breathing gas system, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

On or about December 20, 2015, at the above addressed jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer had not tested the breathing gas supply hoses used by the divers, for a working pressure of at least equal to the working pressure of the total breathing gas.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/15/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 11 c**      Type of Violation: **Serious**

29 CFR 1910.430(c)(1)(iii): Breathing gas supply hose(s) were not tested at least annually to 1.5 times their working pressure, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer had not tested the breathing supply hoses used by the divers at least annually to 1.5 times their pressure.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

**Date By Which Violation Must be Abated:** **06/29/2015**

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 11 d**      Type of Violation: **Serious**

29 CFR 1910.430(c)(2)(iii): Breathing gas supply hose connectors were not resistant to accidental disengagement, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure breathing gas supply hose connectors were resistant to accidental disengagement.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:

06/09/2015

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 1 Item 12** Type of Violation: **Serious**

29CFR 1910.430(j)(2) Employees without heavy or SCUBA diving gear were not wearing a safety harness, is applicable to the Construction Standard 29 CFR 1926.1090 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not ensure employees were wearing a safety harness when performing scuba diving operation.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/11/2015
Proposed Penalty:	\$7000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 3 Item 1** Type of Violation: **Other-than-Serious**

29 CFR 1904.4(a): The employer did not keep records of fatalities, injuries and illnesses as required by this part:

On or about December 18th, 2014, at the jobsite, 1 East 11th Street - Slip3, Riviera Beach Florida 33404, the employer did not keep OSHA 300 forms -Log of Work Related Injuries and Illnesses, 300-A form - Summary or Work-Related Injuries and Illnesses; and 301 form - Injury and Illness Incident Report specific for the site.

- a) On or about May 23, 2013, an employee was fatally injured at the worksite.
- b) On or about June 17, 2013, an employee suffered a leg and ankle injury.
- c) On or about March of 2015, an employee injured a leg when a gangway to a barge rolled over.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	06/22/2015
Proposed Penalty:	\$1100.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 3 Item 2** Type of Violation: **Other-than-Serious**

29 CFR 1910.423(b)(1)(i): The employer did not check the physical condition of the diver after the completion of a dive is applicable to the Construction Standard 29 CFR 1926.1083 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not check the physical condition of each diver after completion of their dives.

**Date By Which Violation Must be Abated:**  
**Proposed Penalty:**

**06/09/2015**  
**\$0.00**

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration

**Inspection Number:** 1015056  
**Inspection Date(s):** 12/18/2014 - 06/03/2015  
**Issuance Date:** 06/03/2015



**Citation and Notification of Penalty**

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404

---

**Citation 3 Item 3** Type of Violation: **Other-than-Serious**

29 CFR 1910.423(d)(1)(ii): The date, time, and location for each diving operation were not recorded and maintained, is applicable to the Construction Standard 29 CFR 1926.1083 which incorporates the General Industry Requirements:

On or about December 18, 2014, at the jobsite, 1 East 11th Street - Slip 3, Riviera Beach, Florida 33404, the employer did not record or maintain the date, time, and location for each diving operation.

Date By Which Violation Must be Abated:  
Proposed Penalty:

06/22/2015

\$0.00

A handwritten signature in blue ink, appearing to read "C. Eastmond", written over a horizontal line.

**Condell Eastmond**  
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
1000 South Pine Island Road  
Suite 100  
Fort Lauderdale, FL 33324  
Phone: 954-424-0242 Fax: 954-424-3073



## INVOICE / DEBT COLLECTION NOTICE

---

**Company Name:** Shoreline Foundation, Inc.  
**Inspection Site:** 1 East 11th Street - Slip 3, Riviera Beach, FL 33404  
**Issuance Date:** 06/03/2015

<b>Summary of Penalties for Inspection Number</b>	<b>1015056</b>
<b>Citation 1, Serious</b>	<b>\$82500.00</b>
<b>Citation 3, Other-than-Serious</b>	<b>\$1100.00</b>
<b>TOTAL PROPOSED PENALTIES</b>	<b>\$83600.00</b>

---

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on [www.pay.gov](http://www.pay.gov). On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed


account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.


**Interest:** Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

**Delinquent Charges:** A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

**Administrative Costs:** Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



**Condell Eastmond**  
Area Director



Date