

Este documento es muy importante. Si ud. No habla inglés,
busque un traductor o llame al (904) 232-2895.

U.S. Department of Labor Occupational Safety and Health Administration
1851 Executive Center Drive Suite 227
Jacksonville, FL 32207
Phone: (904) 232-2895 Fax: (904) 232-1294



March 21, 2016

Dear Craig Moore,

On 01/12/2016, an OSHA compliance officer met with you or your representative as part of an inspection at 5301 West 5th Street Jacksonville, FL 32254. This letter includes the citations for the violations that were found (see summary below). Please choose one of the three options from the box to the right and complete the associated steps found on the following page **within 15 working days**. Please call us if you have any questions about the enclosed citation and/or penalties; we are here to help you choose the best option to resolve your citation as quickly as possible.

Sincerely,

Brian J. Sturtecky, Area Director

Your Citation Summary
Eastern Wire Products, Inc.
Inspection Number: 1117151

Total Amount Due: \$41,504.00
Payment Due Date: 15 working days
after receipt of
this letter

You must correct each violation by the date listed in the Citation and Notification of Penalty. Please see the violations and the correction deadline for each violation starting on page 6.

Total Number of Violations : 17
Your First Correction Deadline is: 3/29/16

Step 1 – Choose a Response
Option and
Act within 15 working days

Respond now before you lose the ability to discuss potential adjustments to penalty amounts and/or due dates. Please choose one option below and complete the steps on the next page.

Option #1 – Discuss with OSHA

I would like to discuss the citation with an OSHA representative. This may lead to changes in the penalty amount, due date or correction deadlines (if appropriate).

Option #2 – Correct and Pay

I agree with the citation, penalties, and correction deadlines, and do not contest.

Option #3 – Contest the Citation

I do not agree with the citation, penalties, and/or correction deadlines, and would like to contest.

Questions or Concerns?

If you have any questions or concerns regarding the citation, penalties, and/or correction deadlines, please call us at (904) 232-2895.

Step 2 – Complete One Option Checklist

Please post a copy of the citation at or near the place where each violation occurred, even if you plan to contest. You can use the checklist to the right to help plan your next steps. Please do not send in your checklist.

Option #1 – Discuss with OSHA

I will complete by:



1. Call: Brian J. Sturtecky, Area Director, at (904) 232-2895 as soon as possible to schedule a meeting with an OSHA representative that must occur **within 15 working days** of receiving this citation. Bring supporting documentation of existing conditions and corrections done thus far. If necessary, you can still contest the citation after this meeting. ****This meeting does NOT extend your 15 working day deadline to contest the citation.****

___ / ___



2. Fill in and post the attached "Notice to Employees OSHA Informal Conference" after scheduling meeting.

___ / ___

Option #2 – Correct Violations and Pay Penalty

I will complete by:



1. Correct violations, then complete and mail the attached "Certification of Corrective Action Worksheet" along with the appropriate evidence of repair (e.g. photos, purchase orders, etc.) to the OSHA office listed on the first page, **postmarked within 10 calendar days** after each violation's correction deadline and include any required evidence. If these documents are transmitted by means other than mailing, the date the Agency received the documents is the date of submission.

___ / ___



2. Pay the **Total Penalty** by using one of the following methods:
****Include your Inspection Number (see first page) on the payment.****

___ / ___

Pay Online: Search "OSHA" on www.pay.gov and complete the "OSHA Penalty Payment Form." Pay by debit, credit or Automated Clearing House (ACH) **within 15 working days**. Penalties over \$25,000 must be paid by ACH and require a Transaction ID (Call 202-693-2170 to obtain one).

Pay by Check: Mail check or money order payable to "DOL-OSHA" for the Total Penalty to the OSHA office listed on the first page **within 15 working days**.

Option #3 – Contest the Citation

I will complete by:



Mail a letter of intent to legally contest to the OSHA office listed on the first page, postmarked within **15 working days**.

___ / ___

U.S. Department of Labor
Occupational Safety and Health Administration
1851 Executive Center Drive
Suite 227
Jacksonville, FL 32207
Phone: 904-232-2895 Fax: 904-232-1294



Citation and Notification of Penalty

To:
Eastern Wire Products, Inc.
5301 West 5th Street
Jacksonville, FL 32254

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016

Inspection Site:
5301 West 5th Street
Jacksonville, FL 32254

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type “OSHA” and click Go. From the results, click on OSHA Penalty Payment Form. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 03/21/2016. The conference will be held by telephone or at the OSHA office located at 1851 Executive Center Drive, Suite 227, Jacksonville, FL 32207 on _____ at

_____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1117151

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254
Issuance Date: 03/21/2016

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 1851 Executive Center Drive, Suite 227, Jacksonville, FL 32207**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.147(c)(4)(i): Procedures were not developed, documented and utilized for the control of hazardous energy when employees were engaged in activities such as service and/ or maintenance of equipment:

a. On January 12, 2016, in department 2, the employer does not have specific lock out tag out procedures for employees servicing the double loop bale tie machines.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

04/21/2016
\$3,273.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.176(b): Material stored in tiers was not stacked, blocked, interlocked or limited in height so that it was stable and secure against sliding and collapse:

a. On January 12, 2016, in department 2, 55 gallon drums are stacked 3 levels high and are unstable, exposing employees to a struck by hazard.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.212(a)(3)(ii): Point(s) of operation of machinery were not guarded to prevent employee(s) from having any part of their body in the danger zone(s) during operating cycle(s):

- a. On January 12, 2016, in department 1, single loop bale tie machine numbers 3, 6, 12, 15, 18, 19, and 20, do not have a point of operation guard at the area of the single loop action, exposing employees to a pinch point hazard.
- b. On January 12, 2016, in department 1, the straight cut machine does not have a point of operation guard, exposing employees to a pinch point hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/07/2016
Proposed Penalty:	\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 4 a Type of Violation: **Serious**

29 CFR 1910.215(a)(4): Work rest(s) on grinding machinery were not adjusted closely to the wheel with a maximum opening of one eighth inch:

- a. On January 12, 2016, in the mechanic shop of department 1, the grinder does not have the work rest adjusted within 1/8 inch of the wheel.
- b. On January 7, 2016, in the mechanic shop of department 2, the Dayton and Palmgren grinders does not have the work rest adjusted within 1/8 inch of the wheel.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 4 b Type of Violation: **Serious**

29 CFR 1910.215(b)(9): The distance between the abrasive wheel periphery(s) and the adjustable tongue or the end of the safety guard peripheral member at the top exceeded one fourth inch:

- a. On January 12, 2016, in the mechanic shop of department 1, the tongue guard on the grinder is not adjusted within 1/4 inch of the wheel, exposing employees to a struck by hazard.
- b. On January 12, 2016, in the mechanic shop of department 2, the tongue guard on the Delta and Palmgren grinder is not adjusted within 1/4 inch of the wheel, exposing employees to a struck by hazard.

Date By Which Violation Must be Abated:

Corrected During Inspection

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.217(c)(1)(i): The employer did not provide and insure the usage of "point of operation guards" or properly applied and adjusted point of operation devices on every operation performed on a mechanical power press:

- a. On January 12, 2016, in department 1, the Cincinnati power press wire chopper does not have an adequate guard at the point of operation, exposing employees to an amputation hazard.
- b. On January 12, 2016, in department 2, the Alamo power press wire chopper does not have an adequate guard at the point of operation, exposing employees to an amputation hazard.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.219(c)(4)(i): Projecting shaft ends projected more than one-half the diameter of the shaft and was not guarded by nonrotating caps or safety sleeves:

a. On January 12, 2016, in department 1, machines such as but not limited to numbers 4, 6, 10, 11, and 18, do not have guards on the ends of the shaft.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

04/07/2016
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 7 Type of Violation: **Serious**

29 CFR 1910.219(d)(1): Pulley(s) with part(s) seven feet or less from the floor or work platform were not guarded in accordance with the requirements specified in 29 CFR 1910.219(m) and (o):

a. On January 12, 2016, in the mechanic shop of department 2, the Dayton drill press does not have a guard on the belt and pulley, exposing employees to a nip point.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/31/2016
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.219(f)(1): Gears were not guarded by a complete enclosure or by one of the methods specified in 29CFR 1910.219(f)(1)(ii) or 1910.219(f)(1)(iii):

- a. On January 12, 2016, in department 1, machines such as but not limited numbers 4, 5, 6, 7, 10, 14, 18, do not have the gears covered or guarded, exposing employees to a nip-point hazard.
- b. On January 12, 2016, in department 2, on the back of machine number 2, the forming gear does not have a guard or cover, exposing employees to a nip-point hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

04/07/2016
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 9 Type of Violation: **Serious**

29 CFR 1910.303(g)(2): Except as elsewhere required or permitted by this standard, live parts of electric equipment operating at 50 volts or more were not guarded against accidental contact by use of approved cabinets or other forms of approved enclosures:

a. On January 12, 2016, in department 2, the panel box on machine #13 is intentionally left open with a fan blowing on the circuitry, exposing employees to an electrical hazard.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$3,273.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 10 Type of Violation: **Serious**

29 CFR 1910.305(a)(2)(x): Flexible cords and cables were not protected from accidental damage:

- a. On January 16, 2016, in department 1, the electrical cord on the back of machine number 2 is damaged revealing the inner insulation, exposing employees to an electrical hazard.
- b. On January 16, 2016, in department 2, the orange extension cord on machine number 19 is damaged revealing the inner insulation, exposing employees to an electrical hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	03/29/2016
Proposed Penalty:	\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 11 Type of Violation: **Serious**

29 CFR 1910.305(b)(1)(i): Conductors entering cutout boxes, cabinets, or fittings were not protected from abrasion, and openings through which conductors enter were not effectively closed:

- a. On January 12, 2016, in department 1, machines such as but not limited to numbers 4, 5, 6, 8, 10, and 20, has openings not closed and conductors entering the cabinet unprotected, exposing employees to an electrical hazard.
- b. On January 12, 2016, in department 2, machine numbers 2 and 13 has openings not closed and conductors entering the cabinet unprotected, exposing employees to an electrical hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	03/31/2016
Proposed Penalty:	\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 12 Type of Violation: **Serious**

29 CFR 1910.305(b)(2)(i): All pull boxes, junction boxes, and fittings were not provided with covers approved for the purpose:

a. On January 12, 2016, in department 2, several machines such as but not limited to numbers 2, 7, 9, 10, 11, 14, and 15, have electrical boxes without covers, exposing employees to an electrical hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/31/2016
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 1 Item 13 Type of Violation: **Serious**

29 CFR 1910.305(g)(2)(ii): Flexible cords were not used in continuous lengths without splice or tap:

a. On January 12, 2016, in department 2, machines such as but not limited to machine numbers 2, 8, 9, and 13, have flexible cords spliced without outer insulation, exposing employees to an electrical hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/31/2016
\$2,618.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 2 Item 1 Type of Violation: **Repeat**

29 CFR 1910.219(f)(3): 29 CFR 1910.219(f)(3): Sprocket wheels and chains that were seven (7) or less feet from the floor or platform were not enclosed:

- a. On January 12, 2016, in department 1, machines such as but not limited to machine numbers 3, 4, 6, 10, 15, 18, 19, and 20 have unguarded chains and sprocket wheels, exposing employees to a nip-point hazard.
- b. On January 12, 2016, in department 2, machine number 2 has an unguarded chain and sprocket, exposing employees to a nip-point hazard.

Eastern Wire Products was previously cited for a violation of this occupational safety and health standard or its equivalent standard 1926.219(f)(3), which was contained in OSHA inspection number 315479691, citation number 1, item number 1 and was affirmed as a final order on October 28, 2011, with respect to a workplace located at 5301 West 5th Street, Jacksonville, Florida.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	03/31/2016
Proposed Penalty:	\$6,160.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 3 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.305(g)(2)(iii): Flexible cords and cables were not connected to devices and fittings so that strain relief was provided that would prevent pull from being directly transmitted to joints or terminal screws:

a. On January 12, 2016, in department 1, the foot pedal to the wire chopper machine does not have strain relief revealing the inner wires, exposing employees to an electrical hazard.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

04/07/2016
\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1117151
Inspection Date(s): 01/12/2016 - 02/08/2016
Issuance Date: 03/21/2016



Citation and Notification of Penalty

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254

Citation 3 Item 2 Type of Violation: **Other-than-Serious**

29 CFR 1910.1200(f)(5)(ii): The employer did not ensure that each container of hazardous chemicals in the workplace was labeled, tagged or marked with the appropriate hazard warnings:

a. On January 7, 2016, in department 1 and department 2, the chemicals stored in 55 gallon drums do not have the appropriate hazard warning labels.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

04/07/2016
\$0.00

A handwritten signature in black ink, appearing to read "Brian J. Sturtecky", written over a horizontal line.

Brian J. Sturtecky
Area Director

U.S. Department of Labor
Occupational Safety and Health Administration
1851 Executive Center Drive
Suite 227
Jacksonville, FL 32207
Phone: 904-232-2895 Fax: 904-232-1294



INVOICE / DEBT COLLECTION NOTICE

Company Name: Eastern Wire Products, Inc.
Inspection Site: 5301 West 5th Street, Jacksonville, FL 32254
Issuance Date: 03/21/2016

Summary of Penalties for Inspection Number	1117151
Citation 1, Serious	\$35,344.00
Citation 2, Repeat	\$6160.00
Citation 3, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES	\$41,504.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the

amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Brian J. Sturtecky
Area Director



Date