

U.S. Department of Labor

Occupational Safety and Health Administration
1141 Montlimar Drive
Suite 1006
Mobile, AL 36609



Notification of Failure to Abate Alleged Violations

To:

Deering Custom Cabinets, LLC
and its successors
8320 LILLIAN HWY
Pensacola, FL 32506

Inspection Site:

8320 LILLIAN HWY
Pensacola, FL 32506

Original Inspection Number: 1510721

Original Inspection Date(s): 01/20/2021 - 05/28/2021

Inspection Number: 1557704

Inspection Date(s): 10/12/2021 - 10/12/2021

Issuance Date: 03/14/2022

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

After the original inspection, a Citation(s) was issued to you in accordance with the provisions of the Occupational Safety and Health Act of 1970 (the Act), notifying you of certain violations of the Act and the dates by which they were to be abated. Based upon re-inspection, it is alleged that you have failed to abate the violation(s) listed below within the time prescribed, and the following additional penalties are proposed. The additional penalty is computed by multiplying a daily penalty times the number of days the violation(s) remained unabated. You are to notify the Area Director in writing of the date and nature of the corrective action taken. If you do not abate the violation(s), further penalties may be proposed and other enforcement action to compel abatement may be taken under section 11(b) of the Act. If you have any questions, please contact this office at (251) 441-6131.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference, you may request one with the Area Director during the 15 working day contest period by calling (251) 441-6131. During such an informal conference, you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Notification, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Notification. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Notification as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement

steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Notification of Corrective Action - For each violation which you do not contest, you are required by 29 CFR 1903.19 to submit an Abatement Certification to the Area Director of the OSHA office issuing the citation and identified above. You must send the certification within 10 calendar days of the abatement date indicated on the citation. For **Willful** and **Repeat** violations, documents (examples: photos, copies of receipts, training records, etc.) demonstrating that abatement is complete must accompany the certification. Where the citation is classified as **Serious** and the citation states the abatement documentation is required, documents such as those described above are required to be submitted along with the abatement certificate. If the citation indicates that the violation was corrected during the inspection, no abatement certificate is required for that item.

All abatement verification documents must contain the following information: 1) Your name and address; 2) the inspection number (identified above); 3) the citation and citation item number(s) to which the submission relates; 4) a statement that the information is accurate; 5) the signature of the employer or employer's authorized representative; 6) the date the hazard was corrected; 7) a brief statement of how the hazard was corrected; and 8) a statement that affected employees and their representatives have been informed of the abatement.

The law also requires a copy of all abatement verification documents, required by 29 CFR 1903.19 to be sent to OSHA, also be posted at the location where the violation appeared and the corrective action took place.

You are further notified that you must pay the ADDITIONAL PENALTY unless you inform the Area Director in writing that you intend to contest the Notification or the Additional Penalty within 15 working days (excluding weekends and Federal holidays) from your receipt of this notification. If you do not contest within 15 working days after receipt, the Notification and the additional penalties will become the final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency. Issuance of this Notification does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the Notification is affirmed by the Review Commission.

Make your check or money order payable to "DOL-OSHA". Please indicate the Inspection Number on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "OSHA" in the Search field and select Search. From **OSHA Penalty Payment Form** search result, select Continue. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Inspection Activity Data - You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the Notification of Failure to Abate Alleged Violations issued on 03/14/2022. The conference will be held by telephone or at the OSHA office located at 1141 Montlimar Drive, Suite 1006, Mobile, AL 36609 on _____ at _____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Original Inspection Number: 1510721

Company Name: Deering Custom Cabinets, LLC
Inspection Site: 8320 LILLIAN HWY, Pensacola, FL 32506
Issuance Date: 03/14/2022

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 1141 Montlamar Drive, Suite 1006, Mobile, AL 36609.**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review.

U.S. Department of Labor
Occupational Safety and Health Administration



Notification of Failure to Abate Alleged Violation

Original Inspection Number: 1510721

Original Inspection Date(s): 01/20/2021 - 05/28/2021

Inspection Number: 1557704

Inspection Date(s): 10/12/2021 - 10/12/2021

Issuance Date: 03/14/2022

Company Name: Deering Custom Cabinets, LLC

Inspection Site: 8320 LILLIAN HWY, Pensacola, FL 32506

Citation 1 Item 2 b Type of Violation: **FTA - Serious**

29 CFR 1910.107(b)(5)(iv): Space within the spray booth on the downstream and upstream sides of filters were not protected with approved automatic sprinklers:

a) Spray Paint Booth: On or about October 12, 2021 and at times prior, the employer exposed employees to fire and explosion hazards by not protecting space within the spray booth with sprinklers on the downstream and upstream side of the filters while performing spray painting operations.

Date By Which Violation Must be Abated:
Proposed Penalty:

March 22, 2022
\$52659.00

U.S. Department of Labor
Occupational Safety and Health Administration



Notification of Failure to Abate Alleged Violation

Original Inspection Number: 1510721

Original Inspection Date(s): 01/20/2021 - 05/28/2021

Inspection Number: 1557704

Inspection Date(s): 10/12/2021 - 10/12/2021

Issuance Date: 03/14/2022

Company Name: Deering Custom Cabinets, LLC

Inspection Site: 8320 LILLIAN HWY, Pensacola, FL 32506

Citation 1 Item 2 c Type of Violation: **FTA - Serious**

29 CFR 1910.107(b)(10): Transparent panels used for illumination of spray booth(s) did not effectively isolate the spraying area from the area in which the lighting unit(s) were located:

A) Spray Paint Booth: On or about October 12, 2021 and at times prior to, the employer exposed employees to fire hazards by permitting employee to performed painting and clear coating operations without effectively isolating the spraying area from the lighting unit.

Date By Which Violation Must be Abated:

March 22, 2022

Proposed Penalty:

\$52659.00

U.S. Department of Labor
Occupational Safety and Health Administration



Notification of Failure to Abate Alleged Violation

Original Inspection Number: 1510721

Original Inspection Date(s): 01/20/2021 - 05/28/2021

Inspection Number: 1557704

Inspection Date(s): 10/12/2021 - 10/12/2021

Issuance Date: 03/14/2022

Company Name: Deering Custom Cabinets, LLC

Inspection Site: 8320 LILLIAN HWY, Pensacola, FL 32506

Citation 1 Item 2 d Type of Violation: **FTA - Serious**

29 CFR 1910.107(c)(6):Electrical wiring and equipment not subject to deposits of combustible residues but located in a spraying area as herein defined were not explosion-proof type approved for Class I, group D locations and did not otherwise conform to the provisions of subpart S of this part, for Class I, Division 1, Hazardous Locations:

a) Spray Paint Booth: On or about October 12, 2021 and at times prior to, the employer exposed employees to fire hazards by not ensuring 110 volt electrical light switch in the paint booth was electrically rated for a Class I, Div. 1 hazardous location.

b) Spray Paint Booth: On or about October 12, 2021 and at times prior to, the employer exposed employees to fire hazards by not ensuring 110 volt electrical outlet next to the sliding entrance door in the paint booth was electrically rated for a Class I, Div. 1 hazardous location.

c) Spray Paint Booth: On or about October 12, 2021 and at times prior to, the employer exposed employees to fire hazards by not ensuring the ceiling mounted LED lights were electrically rated for a Class I, Div. 1 hazardous locations.


d) Spray Paint Booth: On or about October 12, 2021 and at times prior to, the employer exposed employees to fire hazards by not ensuring 110 volt electrical light switch in the paint booth on the wall the exhaust fan is located was electrically rated for a Class I, Div. 1 hazardous location.

Date By Which Violation Must be Abated:

March 22, 2022

Proposed Penalty:

\$52659.00



Jose A. Gonzalez
Area Director

U.S. Department of Labor
Occupational Safety and Health Administration
1141 Montlimar Drive
Suite 1006
Mobile, AL 36609



INVOICE / DEBT COLLECTION NOTICE

Company Name: Deering Custom Cabinets, LLC
Inspection Site: 8320 LILLIAN HWY, Pensacola, FL 32506
Issuance Date: 03/14/2022

Summary of Penalties for Inspection Number: 1510721
Follow-up Inspection Number: 1557704

Citation 1 Item 2b, FTA - Serious	\$52,659.00
Citation 1 Item 2c, FTA - Serious	\$52,659.00
Citation 1 Item 2d, FTA - Serious	\$52,659.00

TOTAL PROPOSED PENALTIES: \$157,977.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "OSHA" in the Search field and select Search. From **OSHA Penalty Payment Form** search result, select Continue. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order or electronic payment for less than full amount due, and will process the payments as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on


your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to two times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice to contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Jose A. Gonzalez
Area Director

3/14/2022

Date