

U.S. Department of Labor Occupational Safety and Health Administration
701 Route 73 South
Building 2, Suite 120
Marlton, NJ 08053



09/02/2022

The Engineered Precision Casting Company
and its successors
952 PALMER AVENUE
Middletown, NJ 07748

Dear Employer:

Enclosed you will find citations for violations of the Occupational Safety and Health Act of 1970 (the Act) which may have accompanying proposed penalties. Also enclosed is a booklet entitled, "Employer Rights and Responsibilities Following an OSHA Inspection", (OSHA 3000-04R) revised 2018, which explains your rights and responsibilities under the Act. If you have any questions about the enclosed citations and penalties, I would welcome further discussions in person or by telephone. Please contact me at (856) 596-5200.

You will note on page 6 of the booklet that, for violations which you do not contest, you must (1) notify this office promptly by letter that you have taken appropriate corrective action within the time set forth on the citation; and (2) pay any penalties assessed. Please inform me of the abatement steps you have taken and of their dates together with adequate supporting documentation; e.g., drawings or photographs of corrected conditions, purchase/work orders related to abatement actions, air sampling results. This information will allow us to close the case.

As indicated on page 3 of the booklet, you may request an informal conference with me during the 15-working-day notice of contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation or the penalty.

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of the citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete the attached notice at the bottom of this letter and post it next to the Citations as soon as the time, date and the place of the informal conference have been determined. Be sure to bring to the conference with you any and all supporting documentation of existing conditions as well as of any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

Sincerely,

Marie Lord
for
Paula Dixon-Roderick
Area Director

Enclosures

U.S. Department of Labor
Occupational Safety and Health Administration
701 Route 73 South
Building 2, Suite 120
Marlton, NJ 08053



Citation and Notification of Penalty

To:
The Engineered Precision Casting Company
and its successors
952 PALMER AVENUE
Middletown, NJ 07748

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022

Inspection Site:
952 PALMER AVENUE
Middletown, NJ 07748

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period by calling (856) 596-5200. During such an informal conference, you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the [pay.gov](http://www.pay.gov) homepage, type "OSHA" in the Search field and select Search. From **OSHA Penalty Payment Form** search result, select Continue. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide **abatement certification** to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that **abatement documentation** is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 09/02/2022. The conference will be held by telephone or at the OSHA office located at 701 Route 73 South, Building 2, Suite 120, Marlton, NJ 08053 on _____ at _____.

Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1582892

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748
Issuance Date: 09/02/2022

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 701 Route 73 South, Building 2, Suite 120, Marlton, NJ 08053.**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.133(a)(3): The employer did not ensure that each affected employee who wore prescription lenses while engaged in operations that involved eye hazards wore eye protection that incorporated the prescription in its design, or wore eye protection that can be worn over the prescription lenses without disturbing the proper position of the prescription lenses or the protective lenses:

a) Finishing department: On or about 3/9/2022, the employer did not ensure that employees engaged in activities such as, but not limited to grinding, used appropriate eye protection when wearing prescription lenses.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$5,801.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 2 a Type of Violation: **Serious**

29 CFR 1910.134(c)(1): A written respiratory protection program that included the provisions in 29 CFR 1910.134(c)(1)(i) - (ix) with worksite specific procedures was not established and implemented for required respirator use:

a) Engineered Precision Castings Co.: On or about 3/9/2022, the employer did not establish and implement a written respiratory protection program with worksite specific procedures for employees required to wear 3M 8511 N95 respirators.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$4,351.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 2 b Type of Violation: **Serious**

29 CFR 1910.134(e)(1):The employer did not provide a medical evaluation to determine the employee's ability to use a respirator, before the employee was fit tested or required to use the respirator in the workplace:

a) Engineered Precision Casting Co.: On or about 3/9/2022, the employer did not provide medical evaluation for employee's required by the employer to wear 3M 8511 N95 respirators.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.136(a):The employer did not ensure that each affected employee used protective footwear when working in areas where there was a danger of foot injuries due to falling or rolling objects, or objects piercing the sole, and where such employee's feet were exposed to electrical hazards:

a) Finishing department: The employer did not ensure that employees working in the finishing department wore protective footwear to protect from crushing hazards from falling metal or casts. Observed on or about 3/9/22 and 3/30/22

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$5,801.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.147(c)(4)(ii): Energy control procedures did not clearly and specifically outline the scope, purpose, authorization, rules, and techniques to be utilized for the control of hazardous energy, including, but not limited to Items of this section:

a)Facility: On or about 3/9/2022, energy control procedures for equipment, including but not limited to the Mueller Phipps International Wax Machine Model 0685, did not include the scope, purpose, authorization, rules and techniques to use when locking out equipment during servicing and or repair.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	September 29, 2022
Proposed Penalty:	\$10,151.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.147(c)(7)(iii)(A): Retraining was not provided for authorized and affected employees when there was a change in their job assignments, a change in machines, equipment or processes that presented a new hazard, or when there was a change in the energy control procedures

a)Facility: On or about 3/9/2022, the employer did not provide Maintenance employees with Authorized Employee retraining after a change in job assignment to ensure the purpose and function of the energy control program was understood.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	September 29, 2022
Proposed Penalty:	\$10,151.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.151(c): Where employees were exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body were not provided within the work area for immediate emergency use:

- a) Finishing Department: The employer did not ensure the eyewash station in front of the caustic room, where 95% Sodium Hydroxide, a corrosive chemical, is used, was available for immediate emergency use due to blockage from boxes, equipment parts, and drums. Observed on or about 3/9/22 and 3/30/22
- b) Finishing Department: The employer did not ensure the safety shower in front of the caustic room where 95% Sodium Hydroxide, a corrosive chemical, is used, was available for immediate emergency use. Observed on or about 3/9/22

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	September 29, 2022
Proposed Penalty:	\$7,252.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 7 Type of Violation: **Serious**

29 CFR 1910.179(j)(2): The following items were not be inspected for defects at intervals as defined in paragraph (j)(1)(ii) of this section or as specifically indicated, including observation during operation for any defects which might appear between regular inspections:

- a) Caustic room: A CM Lodestar 1 ton overhead gantry crane, Sissco ID Number 08455, used to lift a basket of products into a sodium hydroxide bath was not frequently inspected for defects. he last inspection conducted was in 12/2021, observed on or about 3/30/22.
- b) Caustic room: A CM Lodestar 1 ton overhead gantry crane, Sissco ID Number 08777, used to lift a basket of products into sodium hydroxide bath was not frequently inspected for defects. The last inspection conducted was in 12/2021, observed on or about 3/30/22.
- c) Knockout room: A Dayton 1 ton overhead cantilever wall crane, model number 3034460-1, used to lift heavy product trees during the knockout process was not frequently inspected for defects. The last inspection conducted was in 12/2021, observed on or about 3/30/22
- c) Foundry: A CM Lodestar 1 ton overhead gantry crane with a blank Sissco ID tag, used to lift trees for dewaxing was not frequently inspected for defects. Observed on or about 6/28/2022.
- d) Foundry: A CM Lodestar 1 ton overhead head gantry crane with a Blank Sissco ID tag used to lift pots of molten metal to pour into molds was not frequently inspected for defects. Observed on or about 6/28/2022.
- e) Foundry: A CM Lodestar 1 ton overhead gantry crane with no ID tag used to lift pots of molten metal to pour into molds was not frequently inspected for defects. Observed on or about 6/28/2022.
- f) Foundry - Aluminum: A Dayton 300lb overhead gantry crane with no ID tag used to lift the pot of molten metal to pour into molds was not frequently inspected for defects. Observed on or about 6/28/2022.

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

g) Foundry - Aluminum: A Dayton 300lb overhead gantry crane with no ID tag used to lift the pot of molten metal to pour into molds was not frequently inspected for defects. Observed on or about 6/28/2022.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$8,702.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.179(j)(3): A complete periodic inspection of crane(s) had not been conducted in the past 12 months:

- a) Finishing Department Caustic room: A CM Lodestar 1 ton overhead gantry crane, Sissco ID Number 08455, used to lift basket of product into sodium hydroxide bath did not have a current periodic inspection. The last inspection conducted was in 2014, observed on or about 3/30/22.
- b) Finishing Department Caustic room: A CM Lodestar 1 ton overhead gantry crane, Sissco ID Number 08777, used to lift basket of product into sodium hydroxide bath had not been inspected in the last 12 months. The last inspection conducted was in 2014, observed on or about 3/30/22.
- c) Foundry: A CM Lodestar 1 ton overhead gantry crane with a blank Sissco ID tag, used to lift trees for dewaxing had not been inspected in the last 12 months. Observed on or about 6/28/2022.
- d) Foundry: A CM Lodestar 1 ton overhead head gantry crane with a Blank Sissco ID tag used to lift pots of molten metal to pour into molds had not been inspected in the last 12 months. Observed on or about 6/28/2022.
- e) Foundry: A CM Lodestar 1 ton overhead gantry crane with no ID tag used to lift pots of molten metal to pour into molds had not been inspected in the last 12 months. Observed on or about 6/28/2022.
- f) Foundry - Aluminum: A Dayton 300lb overhead gantry crane with no ID tag used to lift the pot of molten metal to pour into molds had not been inspected in the last 12 months. Observed on or about 6/28/2022.
- g) Foundry - Aluminum: A Dayton 300lb overhead gantry crane with no ID tag used to lift the pot of molten metal to pour into molds had not been inspected in the last 12 months. Observed on or about 6/28/2022.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: **September 29, 2022**
Proposed Penalty: **\$8,702.00**

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 1 Item 9 Type of Violation: **Serious**

29 CFR 1910.304(f)(1)(iv): Overcurrent devices for circuits rated 600 volts, nominal, or less, were not readily accessible to each employee or authorized building management personnel:

a) Finishing Department Cutoff Room: The space in front of a 480 volt electrical panel that powered the cut off saws and ventilation was used to store empty drums and drums used to hold excess cutoff material. Observed on or about 3/9/22.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$10,151.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 2 Item 1 Type of Violation: **Willful - Serious**

29 CFR 1910.147(c)(7)(i)(B): Affected employees were not instructed in the purpose and use of the energy control procedure:

a)Facility: On or about 3/9/2022, the employer did not train affected employees on the purpose and function of the energy control procedures.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: September 29, 2022
Proposed Penalty: \$116,022.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 2 Item 2 Type of Violation: **Willful - Serious**

29 CFR 1910.1200(h)(1): Employees were not provided effective information and training on hazardous chemicals in their work area at the time of their initial assignment and whenever a new hazard that the employees had not been previously trained about was introduced into their work area:

a) Facility: On or about 3/9/2022, employees did not receive training on hazardous chemical in the work area including, but not limited to, 95% sodium hydroxide, fluorescein green, silica, and ethylene glycol.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

THE ENGINEERED PRECISION CASTING COMPANY WAS PREVIOUSLY CITED FOR A VIOLATION OF THIS OCCUPATIONAL SAFETY AND HEALTH STANDARD, ITS EQUIVALENT, OR ESSENTIALLY SIMILAR STANDARD, 1910.1200(h)(1) WHICH WAS CONTAINED IN OSHA INSPECTION NUMBER 924632 CITATION NUMBER 2, ITEM NUMBER 7, ISSUED ON 1/10/2014. NOTE: FINAL ORDER DATE - 2/7/2014.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: September 29, 2022
Proposed Penalty: \$116,022.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 3 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.1200(e)(1)(i): The employer did not compile a list of the hazardous chemicals known to be present using a product identifier that was referenced on the appropriate safety data sheet.

a) Facility: On or about 3/9/2022, the employer did not develop and implement a hazard communication program that included a list of the hazardous chemicals known to be present, such as, but not limited to, 95% sodium hydroxide, fluorescein green, silica, and ethylene glycol, using a product identifier that was referenced on the appropriate safety data sheet.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	September 29, 2022
Proposed Penalty:	\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1582892
Inspection Date(s): 03/09/2022 - 09/02/2022
Issuance Date: 09/02/2022



Citation and Notification of Penalty

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748

Citation 3 Item 2 Type of Violation: **Other-than-Serious**

29 CFR 1910.1200(g)(1): Employers did not have a safety data sheet in the workplace for each hazardous chemical which they used:

a) Engineered Precision Castings Co.: On or about 3/9/2022, the employer did not have up-to-date safety data sheets available to employees for the chemicals used on site, including, but not limited to 95% sodium hydroxide, fluorescein green, silica, and ethylene glycol.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:
Proposed Penalty:

September 29, 2022
\$0.00

Paula Dixon-Roderick
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration
701 Route 73 South
Building 2, Suite 120
Marlton, NJ 08053



**INVOICE /
DEBT COLLECTION NOTICE**

Company Name: The Engineered Precision Casting Company
Inspection Site: 952 PALMER AVENUE, Middletown, NJ 07748
Issuance Date: 09/02/2022

Summary of Penalties for Inspection Number: 1582892

Citation 1 Item 1, Serious	\$5,801.00
Citation 1 Item 2a, Serious	\$4,351.00
Citation 1 Item 2b, Serious	\$0.00
Citation 1 Item 3, Serious	\$5,801.00
Citation 1 Item 4, Serious	\$10,151.00
Citation 1 Item 5, Serious	\$10,151.00
Citation 1 Item 6, Serious	\$7,252.00
Citation 1 Item 7, Serious	\$8,702.00
Citation 1 Item 8, Serious	\$8,702.00
Citation 1 Item 9, Serious	\$10,151.00
Citation 2 Item 1, Willful - Serious	\$116,022.00
Citation 2 Item 2, Willful - Serious	\$116,022.00
Citation 3 Item 1, Other-than-Serious	\$0.00
Citation 3 Item 2, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES:	\$303,106.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "OSHA" in the Search field and select Search. From the **OSHA Penalty Payment Form** search result, select Continue. The direct link is: <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to two times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.

Marie Lord

for Paula Dixon-Roderick
Area Director

9/2/22

Date

