

U.S. Department of Labor Occupational Safety and Health Administration
2296 Henderson Mill Road
Suite 200
Atlanta, GA 30345



04/27/2023

ARCH WOOD PROTECTION, INC.
and its successors
1579 KOPPER ROAD
Conley, GA 30288

Dear Employer:

Enclosed you will find citations for violations of the Occupational Safety and Health Act of 1970 (the Act) which may have accompanying proposed penalties. Also enclosed is a booklet entitled, "Employer Rights and Responsibilities Following an OSHA Inspection", (OSHA 3000-04R) revised 2018, which explains your rights and responsibilities under the Act. If you have any questions about the enclosed citations and penalties, I would welcome further discussions in person or by telephone. Please contact me at (770) 493-6644.

You will note on page 6 of the booklet that, for violations which you do not contest, you must (1) notify this office promptly by letter that you have taken appropriate corrective action within the time set forth on the citation; and (2) pay any penalties assessed. Please inform me of the abatement steps you have taken and of their dates together with adequate supporting documentation; e.g., drawings or photographs of corrected conditions, purchase/work orders related to abatement actions, air sampling results. This information will allow us to close the case.


As indicated on page 3 of the booklet, you may request an informal conference with me during the 15-working-day notice of contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation or the penalty.

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of the citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete the attached notice at the bottom of this letter and post it next to the Citations as soon as the time, date and the place of the informal conference have been determined. Be sure to bring to the conference with you any and all supporting documentation of existing conditions as well as of any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Joshua W. Turner', with a long horizontal flourish extending to the right.

Joshua W. Turner
Area Director

Enclosures

U.S. Department of Labor
Occupational Safety and Health Administration
2296 Henderson Mill Road
Suite 200
Atlanta, GA 30345



Citation and Notification of Penalty

To:
ARCH WOOD PROTECTION, INC.
and its successors
1579 KOPPER ROAD
Conley, GA 30288

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023

Inspection Site:
1579 KOPPER ROAD
Conley, GA 30288

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period by calling (770) 493-6644. During such an informal conference, you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "OSHA" in the Search field and select Search. From **OSHA Penalty Payment Form** search result, select Continue. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 04/27/2023. The conference will be held by telephone or at the OSHA office located at 2296 Henderson Mill Road, Suite 200, Atlanta, GA 30345 on _____ at

_____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1634096

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288
Issuance Date: 04/27/2023

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 2296 Henderson Mill Road, Suite 200, Atlanta, GA 30345.**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.133(a)(1): The employer did not ensure that each affected employee uses appropriate eye or face protection when exposed to eye or face hazards from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation:

(a) Acid Plant Control Room: On or about February 16, 2023, the employer failed to provide the adequate eye protection to a Material Handler exposed to an arsenic hazard. The employees were utilizing safety glasses that did not protect the employee from hazards such as but not limited to liquid chemicals, acids or caustic liquids, chemical gases, or vapors.

Date By Which Violation Must be Abated:
Proposed Penalty:

May 31, 2023
\$14,733.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.151(c): Where employees were exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body were not provided within the work area for immediate emergency use:

(a) Mixing Area: On or about February 16, 2023, employees were exposed to chemical hazards in that the emergency eyewash/shower was blocked with pallets of material. Several drums of arsenic trioxide and arsenic acid drums, and corrosives, were stored in this area.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

May 03, 2023
\$15,625.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC. :
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288 :

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 3 a Type of Violation: **Serious**

29 CFR 1910.1018(c): Employee(s) were exposed to inorganic arsenic at concentrations greater than ten micrograms per cubic meter of air, averaged over an 8-hour period:

- a) Acid Plant: On February 16, 2023, a material handler conducting drum dumping was exposed to arsenic at an 8-hour TWA of 199.4 $\mu\text{g}/\text{m}^3$; approximately 20 times above the permissible exposure limit of 10 $\mu\text{g}/\text{m}^3$. The exposure level was derived from one sample collected over a 437-minute sample period. Zero exposure was assumed for the unsampled period of 43 minutes.
- b) Acid Plant: On February 16, 2023, a material handler conducting drum dumping was exposed to arsenic at an 8-hour TWA of 38 $\mu\text{g}/\text{m}^3$; approximately 3.8 times above the permissible exposure limit of 10 $\mu\text{g}/\text{m}^3$. The exposure limit was derived from one sample collected over a 440-minute sample period. Zero exposure was assumed for the unsampled period of 40 minutes.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

June 14, 2023
\$15,625.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 3 b Type of Violation: **Serious**

29 CFR 1910.1018(g)(1)(i): Engineering and work practice controls were not instituted to reduce inorganic arsenic exposure to or below permissible exposure limit:

a) Acid Plant: On February 16, 2023, a material handler conducting drum dumping was exposed to arsenic at an 8-hour TWA of 199.4 $\mu\text{g}/\text{m}^3$; approximately 20 times above the permissible exposure limit of 10 $\mu\text{g}/\text{m}^3$. The exposure level was derived from one sample collected over a 437-minute sample period. Zero exposure was assumed for the unsampled period of 43 minutes. Engineering and/or work practice controls were not implemented to reduce employee exposures to inorganic arsenic.

b) Acid Plant: On February 16, 2023, a material handler conducting drum dumping was exposed to arsenic at an 8-hour TWA of 38 $\mu\text{g}/\text{m}^3$; approximately 3.8 times above the permissible exposure limit of 10 $\mu\text{g}/\text{m}^3$. The exposure limit was derived from one sample collected over a 440-minute sample period. Zero exposure was assumed for the unsampled period of 40 minutes. Engineering and/or work practice controls were not implemented to reduce employee exposures to inorganic arsenic.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	September 11, 2023
Proposed Penalty:	\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.1018(e)(4): Additional monitoring was not conducted when there was a production, process, control or personnel change, or other reason to suspect a change which may result in new or additional exposure(s) to inorganic arsenic:

(a) Production Area: On or about October 28, 2022, and times prior to, employees performing activities such as but not limited to the repair and maintenance of equipment were exposed to Arsenic, and additional monitoring had not been conducted.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

June 14, 2023
\$15,625.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.1018(k)(1): All surfaces were not maintained as free as practicable of accumulations of inorganic arsenic:

- (a) Workstation desk: On or about February 16, 2023, employees and contractors were exposed to 44.53 micrograms of inorganic arsenic dust accumulated on the desk surface.
- (b) Maintenance control room desk: On or about February 16, 2023, employees and contractors were exposed to 60.13 micrograms of inorganic arsenic dust accumulated on packaging of a food.
- (c) Acid Plant Control Room: On or about February 16, 2023, employees and contractors were exposed to 10.4 micrograms of Inorganic arsenic dust accumulated on the refrigerator door.
- (d) Mix Plant: On or about February 16, 2023, employees and contractors were exposed to 26.61 micrograms of inorganic arsenic dust accumulated on top of lockers.
- (e) Respirator: On or about February 16, 2023, employees and contractors were exposed to 4.19 micrograms of inorganic arsenic dust accumulated inner surfaces of the respirator used by employees.

Date By Which Violation Must be Abated:
Proposed Penalty:

June 14, 2023
\$12,278.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 6 a Type of Violation: **Serious**

29 CFR 1910.134(g)(1)(i)(A): Respirators with tight-fitting facepieces were worn by employees who had facial hair that came between the sealing surface of the facepiece and the face or that interfered with valve function:

(a) Acid Plant: On or about February 16, 2023, employees required to wear a full-face, tight-fitting, negative pressure, respirator while working in the regulated area were not required to remove facial hair that would come between the sealing surface of the facepiece and the face, exposing them to hazards related to inorganic arsenic.

Date By Which Violation Must be Abated:
Proposed Penalty:

May 09, 2023
\$12,278.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 6 b Type of Violation: **Serious**

29 CFR 1910.134(h)(2)(i): Respirators were not stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals or were not packed or stored to prevent deformation of the facepiece and exhalation valve:

(a) Production Area: On or about February 16, 2023, employees were exposed to hazards associated with arsenic due to respirators stored in locations, such as but not limited to desks, cabinets, bookcases, breakrooms, and on top of lockers where physical damage, dust, sunlight, damaging chemicals, and accumulations of inorganic arsenic and hexavalent chromium (CrVI) can occur.

Date By Which Violation Must be Abated:
Proposed Penalty:

May 09, 2023
\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 6 c Type of Violation: **Serious**

29 CFR 1910.1018(f)(4): All persons entering an inorganic arsenic related area were not supplied with a respirator, selected in accordance with 29 CFR 1910.1018 (h)(2):

(a) Acid Plant: On or about February 16, 2023, employees were exposed to hazards associated with arsenic when entering the regulated area without a respirator while the arsenic drum dumping process was being conducted.

Date By Which Violation Must be Abated:
Proposed Penalty:

May 03, 2023
\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 7 Type of Violation: **Serious**

29 CFR 1910.1018(m)(1): Clean change rooms equipped with storage facilities for street clothes and separate storage facilities for protective clothing and equipment, in accordance with 29 CFR 1910.141(e), were not provided for employees working in regulated areas or in areas subject to the possibility of skin or eye irritation from inorganic arsenic:

(a) Production Area: On or about October 28, 2022, the employer did not ensure that a contractor employee working in regulated areas exposed to skin and eye irritation while working with inorganic arsenic changed their clothing at the end of the shift.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

June 14, 2023
\$15,625.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.1018(m)(2)(i): The employer shall assure that employees working in regulated areas or subject to the possibility of skin or eye irritation from inorganic arsenic shower at the end of the work shift.

(a) Production Area: On or about October 28, 2022, the employer did not ensure that temporary and contractor employees working in regulated areas working with inorganic arsenic performed personal decontamination at the end of each work shift leading to increased employee exposure and secondary exposures to inorganic arsenic.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

June 14, 2023
\$15,625.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1634096
Inspection Date(s): 10/28/2022 - 04/24/2023
Issuance Date: 04/27/2023



Citation and Notification of Penalty

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288


Citation 1 Item 9 Type of Violation: **Serious**

29 CFR 1910.1026(j)(1)(i): The employer did not ensure that all surfaces were maintained as free as practicable of accumulations of chromium (VI):

- (a) Mixing Room-Break Room: On or about February 16, 2023, employees and contractors were exposed to 3.96 micrograms of chromium (VI) accumulated on the computer.
- (b) Mixing Room: On or about February 16, 2023, employees and contractors were exposed to 35 micrograms of chromium (VI) accumulated on the face shield stored on top of a locker.
- (c) Mixing Room: on or about February 16, 2023, employees and contractors were exposed to 105 micrograms of chromium (VI) accumulated on the top of locker.

Date By Which Violation Must be Abated:
Proposed Penalty:

May 23, 2023
\$7,366.00



Joshua W. Turner
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration
2296 Henderson Mill Road
Suite 200
Atlanta, GA 30345



**INVOICE /
DEBT COLLECTION NOTICE**

Company Name: ARCH WOOD PROTECTION, INC.
Inspection Site: 1579 KOPPER ROAD, Conley, GA 30288
Issuance Date: 04/27/2023

Summary of Penalties for Inspection Number: 1634096

Citation 1 Item 1, Serious	\$14,733.00
Citation 1 Item 2, Serious	\$15,625.00
Citation 1 Item 3a, Serious	\$15,625.00
Citation 1 Item 3b, Serious	\$0.00
Citation 1 Item 4, Serious	\$15,625.00
Citation 1 Item 5, Serious	\$12,278.00
Citation 1 Item 6a, Serious	\$12,278.00
Citation 1 Item 6b, Serious	\$0.00
Citation 1 Item 6c, Serious	\$0.00
Citation 1 Item 7, Serious	\$15,625.00
Citation 1 Item 8, Serious	\$15,625.00
Citation 1 Item 9, Serious	\$7,366.00

TOTAL PROPOSED PENALTIES: \$124,780.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please

indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the [pay.gov](http://www.pay.gov) homepage, type "OSHA" in the Search field and select Search. From the **OSHA Penalty Payment Form** search result, select Continue. The direct link is: <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.


If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to two times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Joshua W. Turner

April 27, 2023

Date

Area Director