U.S. Department of Labor Occupational Safety and Health Administration 1100 East Campbell Road, Suite 250 Richardson, TX 75081



02/05/2024

The Sherwin-Williams Company, dba Sherwin-Williams and its successors 701 South Shiloh Road Garland, TX 75042

Dear Employer:

Enclosed you will find citations for violations of the Occupational Safety and Health Act of 1970 (the Act) which may have accompanying proposed penalties. Also enclosed is a booklet entitled, "Employer Rights and Responsibilities Following an OSHA Inspection", (OSHA 3000-04R) revised 2018, which explains your rights and responsibilities under the Act. If you have any questions about the enclosed citations and penalties, I would welcome further discussions in person or by telephone. Please contact me at (972) 952-1330.

You will note on page 6 of the booklet that, for violations which you do not contest, you must (1) notify this office promptly by letter that you have taken appropriate corrective action within the time set forth on the citation; and (2) pay any penalties assessed. Please inform me of the abatement steps you have taken and of their dates together with adequate supporting documentation; e.g., drawings or photographs of corrected conditions, purchase/work orders related to abatement actions, air sampling results. This information will allow us to close the case.

As indicated on page 3 of the booklet, you may request an informal conference with me during the 15-workingday notice of contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation or the penalty.

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of the citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete the attached notice at the bottom of this letter and post it next to the Citations as soon as the time, date and the place of the informal conference have been determined. Be sure to bring to the conference with you any and all supporting documentation of existing conditions as well as of any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

Sincerely,

Timothy A. Minor Timothy Minor Area Director

Enclosures

Occupational Safety and Health Administration 1100 East Campbell Road, Suite 250 Richardson, TX 75081



Citation and Notification of Penalty

To:

The Sherwin-Williams Company, dba Sherwin-Williams and its successors 701 South Shiloh Road Garland, TX 75042

Inspection Site:

701 South Shiloh Road Garland, TX 75042

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period by calling (972) 952-1330. During such an informal conference, you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest — You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. <u>Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.</u>

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to "DOL-OSHA". Please indicate the Inspection Number on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "**OSHA**" in the Search field and select Search. From **OSHA Penalty Payment Form** search result, select Continue. The direct link is:

https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that

he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

Occupational Safety and Health Administration



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

informal conference.	
Employees and/or representatives of employees have a right to attend	d an
East Campbell Road, Suite 250, Richardson, TX 75081 on at	
02/05/2024. The conference will be held by telephone or at the OSHA office located at 110	0
An informal conference has been scheduled with OSHA to discuss the citation(s) issued on	

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1689164

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Issuance Date: 02/05/2024

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: U.S. Department of Labor – Occupational Safety and Health Administration, 1100 East Campbell Road, Suite 250, Richardson, TX 75081.

By (Method of Abatement):		orrected on
Citation Number and Item 1	Number was co	orrected on
By (Method of Abatement):	Number was co	orrected on
Citation Number and Item I By (Method of Abatement):	Number was co	orrected on
Citation Number and Item I By (Method of Abatement):	Number was co	orrected on
Citation Number and Item 1	Number was co	orrected on
I certify that the information conta representatives have been informe	ined in this document	is accurate and that the affected employees and their
Signature		Date
Typed or Printed Name	_	Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review.

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 1 Type of Violation: **Serious**

OSH ACT of 1970 Section (5)(a)(1): The employer did not furnish employment and a place of employment which was free from recognized hazards that were causing or likely to cause death or serious physical harm to employees in that employees were exposed to an unstable chemical reaction from improperly stored Organic Peroxide compound Luperox 26 A:

a) On or about August 7, 2023, and times prior thereto, employees were exposed to fire and explosion hazards from unstable chemical reaction due to the improper storage of Luperox 26 A which was not stored in a temperature-controlled environment.

Among other methods, feasible and acceptable means to abate the hazard includes but is not limited to enforcing the employer's guidelines: Safe Storage and Handling of Organic Peroxides, Section 5.2.6 which states "Peroxides shall be stored in a refrigerated room or refrigerator unit."

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.119(d)(3)(i)(D): Relief system design and design basis;

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility located in Garland, Texas, relief valve PSV-5408 was not included in the relief system design or design basis associated with the pressure vessel CAT-5 written process safety information. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

<u>Citation 1 Item 3</u> Type of Violation: **Serious**

29 CFR 1910.119(e)(3)(i): The process hazard analysis did not address the hazards of the process.

(a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the 2021 Process Hazard Analysis did not identify the hazards of self-reactive, thermally sensitive chemicals and potential for high ambient temperatures on vessel CAT-5 charged with organic oxidizers. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.119(e)(3)(v): The process hazard analysis did not address the hazards related to facility siting:

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility located in Garland, Texas, the employer did not address process equipment siting near the control room when it evaluated the facility siting in the Process Hazard Analysis. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 5 a Type of Violation: **Serious**

29 CFR 1910.119(f)(1)(ii): The employer did not develop and implement written operating procedures that provided clear instructions for safely conducting activities involved in each covered process consistent with the process safety information that addressed operating limits.

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the normal operating procedure, SQ4736P, did not list the operating limits, including specific upper temperature limits, for Luperox-26 (organic peroxide) used in CAT-5. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: March 22, 2024 Proposed Penalty: \$16,131.00

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 5 b Type of Violation: **Serious**

29 CFR 1910.119(f)(1)(ii)(A): The employer did not develop and implement written operating procedures that addressed the consequences of deviations from the operating limits in the covered process;

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not address the consequences of deviation from operating limits. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: March 22, 2024
Proposed Penalty: \$0.00

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.119(g)(2): Refresher training was not provided at least every three years to each employee involved in operating a process to assure that the employee understands and adheres to the current operating procedures of the process:

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility located in Garland, Texas, the employer did not provide operator refresher training at least every three years or more often, if necessary. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: March 22, 2024
Proposed Penalty: \$16,131.00

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 7 Type of Violation: **Serious**

Refresher training was not provided at least every three years to each employee involved in operating a process to assure that the employee understands and adheres to the current operating procedures of the process:

a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility located in Garland, Texas, the employer did not provide operator refresher training at least every three years or more often, if necessary. This condition exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.119(j)(2): The employer did not establish written procedures to maintain the on-going integrity of process equipment:

- (a) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not establish written procedures for inspecting pressure vessels.
- (b) On or about August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not establish written procedures for inspecting piping systems.
- (c) On or about August 7, 2023, and at times prior, at the Sherwin Williams facility located in Garland, Texas, the employer did not develop a mechanical integrity program for corrosion under insulation inspections

These conditions exposed employees to struck-by hazards.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Occupational Safety and Health Administration

Inspection Number: 1689164

Inspection Date(s): 08/07/2023 - 02/05/2024

Issuance Date: 02/05/2024



Citation and Notification of Penalty

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

<u>Citation 2 Item 1</u> Type of Violation: **Repeat - Serious**

29 CFR 1910.119(j)(4)(i): The employer did not perform inspection and tests on process equipment:

- (a) On August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not inspect the 1/2"-150 psig process piping from vessel CAT-5 to reactor R-5
- (b) On August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not inspect the 3"-150 psig process piping from reactor R5 to Tank TD-4 (RI-103-CI-3-N).
- (c) On August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not inspect the 3"-150 psig process piping from reactor R5 to Tank TD-5 (RI-101-CI-3-N)
- (d) On August 7, 2023, and at times prior, at the Sherwin-Williams facility in Garland, Texas, the employer did not inspect the process piping from vessel WT-5B to reactor R5.
- (e) On August 7, 2023, and at times prior, at the Sherwin-Williams facility located in Garland, Texas, the employer did inspect the process piping from the PM Acetate tank to WT-5B

These conditions exposed employees to struck-by hazards.

The Sherwin-Williams Company was previously cited for a Serious violation of this occupational safety and health standard or its equivalent standard 1910.119(j)(4)(i), which was contained in OSHA inspection number 1572722, Citation Number 1, Item number 5, and was affirmed as a final order on July 7, 2022, with a final abatement date on July 8, 2022, with respect to a workplace located at 301 Plant Road Ennis, Texas 75119.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence of abatement, or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

March 22, 2024

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

Proposed Penalty: \$161,310.00

Timothy A. Minor
Timothy Minor

Area Director

Occupational Safety and Health Administration 1100 East Campbell Road, Suite 250 Richardson, TX 75081



INVOICE / DEBT COLLECTION NOTICE

Company Name: The Sherwin-Williams Company, dba Sherwin-Williams

Inspection Site: 701 South Shiloh Road, Garland, TX 75042

Issuance Date: 02/05/2024

Summary of Penalties for Inspection Number: 1689164

Citation 1 Item 1, Serious	\$16,131.00
Citation 1 Item 2, Serious	\$16,131.00
Citation 1 Item 3, Serious	\$16,131.00
Citation 1 Item 4, Serious	\$16,131.00
Citation 1 Item 5a, Serious	\$16,131.00
Citation 1 Item 5b, Serious	\$0.00
Citation 1 Item 6, Serious	\$16,131.00
Citation 1 Item 7, Serious	\$16,131.00
Citation 1 Item 8, Serious	\$16,131.00
Citation 2 Item 1, Repeat - Serious	\$161,310.00

TOTAL PROPOSED PENALTIES:

\$290,358.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically at www.pay.gov. At the top of the pay.gov homepage, type "OSHA" in the Search field and select Search. From the OSHA Penalty Payment Form search result, select Continue. The direct link is: https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the

amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to two times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

<u>Interest</u>: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

<u>Delinquent Charges</u>: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

<u>Administrative Costs</u>: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.

Timothy A. Minor	February 5, 2024
Timothy Minor	Date

Area Director