

U.S. Department of Labor
Occupational Safety and Health Administration
420 Madison Ave
Suite 600
Toledo, OH 43604
Phone: 419-259-7542 Fax: 419-259-6355



Citation and Notification of Penalty

To:
Wilbert, Inc., dba Wilbert Plastic Services
and its successors
635 Southwest St.
Bellevue, OH 44811

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018

Inspection Site:
635 Southwest St.
Bellevue, OH 44811

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type “OSHA” and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 04/16/2018. The conference will be held by telephone or at the OSHA office located at 420 Madison Ave, Suite 600, Toledo, OH 43604 on _____ at _____.

Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1275039

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811
Issuance Date: 04/16/2018

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 420 Madison Ave, Suite 600, Toledo, OH 43604**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.137(c)(2)(viii): Electrical protective equipment was not subjected to periodic electrical tests. Test voltages and the maximum intervals between tests were not in accordance with Table I-4 and Table I-5.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about November 1, 2017, the employer did not ensure electrical protective gloves located in the maintenance department and available for use by employees, were tested every six months.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/25/2018
Proposed Penalty:	\$10,163.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.303(b)(7)(iv): There were damaged parts that adversely affected safe operation or mechanical strength of the equipment, such as parts that were broken, bent, cut, or deteriorated by corrosion, chemical action, or overheating.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about November 1, 2017, the employer did not ensure the main electrical disconnect for plastic injection molding press A15 was in working order. The mechanical linkage that disconnects the electrical power inside of the cabinet was missing which required employees to reach into the energized cabinet to disconnect the power.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/25/2018
Proposed Penalty:	\$10,163.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 3 a Type of Violation: **Serious**

29 CFR 1910.333(a): Safety-related work practices were not employed to prevent electric shock or other injuries resulting from either direct or indirect electrical contacts, when work was performed near or on equipment or circuits which was or may be energized. The specific safety-related work practices were not consistent with the nature and extent of the associated electrical hazards.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing Press A8 shut off the main electrical disconnect and placed a lockout device on the disconnect prior to replacing a heater band on the barrel.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing Press C2 placed a lockout device on the main electrical disconnect before verifying zero energy on the heater band.

c. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing Press C2 and A8 performed a functional check of his voltage meter before using the meter to test for the presence or absence of electrical energy on the heater bands.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/25/2018
Proposed Penalty:	\$10,163.00



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 1 Item 3 b Type of Violation: **Serious**

29 CFR 1910.333(a)(2): Exposed live parts were not deenergized (i.e., for reasons of increased or additional hazards or infeasibility) and other safety-related work practices were not used to protect employees who may be exposed to the electrical hazards involved. Such work practices did not protect employees against contact with energized circuit parts directly with any part of their body or indirectly through some other conductive object. The work practices that were used were not suitable for the conditions under which the work was to be performed and for the voltage level of the exposed electric conductors or circuit parts. Specific work practice requirements are detailed in paragraph (c) of this section.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing Press A8 was protected from the release of potentially hazardous electrical energy. The employee did not lockout the electrical disconnect and was exposed to electrical hazards from the press electrical system when replacing a heater band.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing Press C2 was protected from the release of potentially hazardous electrical energy. The employee did not lockout the electrical disconnect and was exposed to electrical hazards from the press electrical system when verifying zero energy on the heater band prior to removing the barrel screw.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

04/25/2018

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 4 a Type of Violation: **Serious**

29 CFR 1910.335(a)(1)(i): Employees working in areas where there are potential electrical hazards were not provided with, and did not use, electrical protective equipment that was appropriate for the specific parts of the body to be protected and for the work to be performed.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press A8 with a digital volt meter was wearing arc rated clothing.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press C2 with a digital volt meter to verify zero energy, was wearing arc rated clothing.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

04/25/2018

Proposed Penalty:

\$10,163.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 1 Item 4 b Type of Violation: **Serious**

29 CFR 1910.335(a)(1)(iv): Employees did not wear nonconductive head protection wherever there was a danger of head injury from electric shock or burns due to contact with exposed energized parts.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press A8 with a digital volt meter was wearing an arc rated hard hat.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press C2 with a digital volt meter to verify zero energy, was wearing an arc rated hard hat.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

04/25/2018

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 1 Item 4 c Type of Violation: **Serious**

29 CFR 1910.335(a)(1)(v): Employees did not wear protective equipment for the eyes or face wherever there was danger of injury to the eyes or face from electric arcs or flashes or from flying objects resulting from electrical explosion.

- a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press A8 with a digital volt meter was wearing an arc rated face shield.
- b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee who was testing electrical systems on Press C2 with a digital volt meter to verify zero energy, was wearing an arc rated face shield.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

04/25/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 2 Item 1 Type of Violation: **Repeat**

29 CFR 1910.22(c): The employer did not provide, and ensure each employee used, a safe means of access and egress to and from walking-working surfaces.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 30, 2017, the employer did not ensure a maintenance employee repairing Press A5 was provided with a safe means of access and egress to the top of the press when repairing a hydraulic seal. While accessing the top of the equipment by climbing on the exterior of the frame, the employee was exposed to slip and fall hazards due to oil on the frame and uneven hand and footholds.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about February 12, 2018, the employer did not ensure an employee removing plastic pellets from the material hopper on B19 was provided with a safe means of access and egress to the machine frame. While accessing the area adjacent to the barrel by climbing on the exterior of the frame, the employee was exposed to slip and fall hazards.

Wilbert, Inc. was previously cited for a violation of an equivalent occupational safety and health standard 1910.24(b), which was contained in OSHA inspection number 1063115, citation number 1, item number 2 and was affirmed as a final order on April 13, 2016, with respect to a workplace located at 635 Southwest St., Bellevue, Ohio.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: 04/25/2018
Proposed Penalty: \$40,651.00



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 2 Item 2 Type of Violation: **Repeat**

29 CFR 1910.28(b)(1)(i): Except as provided elsewhere in this section, the employer did not ensure that each employee on a walking-working surface with an unprotected side or edge that is 4 feet (1.2 m) or more above a lower level was protected from falling.

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee performing work on top of press A5 was protected from fall hazards of 8 feet 9 inches to the concrete.

Wilbert, Inc. was previously cited for a violation of an equivalent occupational safety and health standard 1910.23(c)(1), which was contained in OSHA inspection number 1063115, citation number 1, item number 2a and was affirmed as a final order on April 13, 2016, with respect to a workplace located at 635 Southwest St., Bellevue, Ohio.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/25/2018
Proposed Penalty:	\$50,815.00



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

Citation 2 Item 3 Type of Violation: **Repeat**

29 CFR 1910.147(d): The established procedures for the application of energy control (the lockout or tagout procedures) did not cover the following elements and actions and were not done in the following sequence:

a. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing a hydraulic seal on press A5 was protected from the release of potentially hazardous energy. The employee was exposed to hydraulic pressure from the press's hydraulic system and struck-by hazards from the press's robot when the press was shut down using a lockable e-stop on the control panel.

As a result, the remaining applicable energy control elements, involving machine isolation [1910.147(d)(3)], lockout/tagout device application [1910.147(d)(4)], dissipation of residual energy [1910.147(d)(5)(i)], and verification of isolation [1910.147(d)(6)] were not implemented to protect employees from machine servicing hazards.

b. Wilbert, Inc. located in Bellevue, Ohio: On or about October 23, 2017, the employer did not ensure a maintenance employee repairing press C2 was protected from the release of potentially hazardous energy. The employee was exposed to the rotational energy of the motor, coupling, and barrel screw when the press was shut down using the electrical disconnect without applying a lockout device.

As a result, the remaining applicable energy control elements, involving machine isolation [1910.147(d)(3)], lockout/tagout device application [1910.147(d)(4)], dissipation of residual energy [1910.147(d)(5)(i)], and verification of isolation [1910.147(d)(6)] were not implemented to protect employees from machine servicing hazards.

c. Wilbert, Inc. located in Bellevue, Ohio: On or about February 12, 2018, the employer did not ensure employees inserting and removing tooling from press 9a were protected from the release of potentially hazardous energy. The employees were exposed to crushing hazards from the press's hydraulic system and struck-by hazards from the press's robot when the press was shut down using a lockable e-stop on the control panel.

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811

As a result, the remaining applicable energy control elements, involving machine isolation [1910.147(d)(3)], lockout/tagout device application [1910.147(d)(4)], dissipation of residual energy [1910.147(d)(5)(i)], and verification of isolation [1910.147(d)(6)] were not implemented to protect employees from machine servicing hazards.

Wilbert, Inc. was previously cited for a violation of an equivalent occupational safety and health standard 29 CFR 1910.147(d)(4), which was contained in OSHA inspection number 1174670, citation number 2, item number 1 and was affirmed as a final order on January 9, 2017, with respect to a workplace located at 635 Southwest St., Bellevue, Ohio.

Wilbert, Inc. was previously cited for a violation of an equivalent occupational safety and health standard 29 CFR 1910.147(d)(5)(i), which was contained in OSHA inspection number 1129402, citation number 1, item number 1d, and was affirmed as a final order on May 18, 2016, with respect to a workplace located at 635 Southwest St., Bellevue, Ohio.

Wilbert, Inc. was previously cited for a violation of an equivalent occupational safety and health standard 29 CFR 1910.147(d)(2), which was contained in OSHA inspection number 1063115, citation number 1, item number 8a and was affirmed as a final order on April 13, 2016, with respect to a workplace located at 635 Southwest St., Bellevue, Ohio.

In accordance with 29 CFR 1903.19(d), abatement certification is required for this violation (using the CERTIFICATION OF CORRECTIVE ACTION WORKSHEET), and in addition, documentation demonstrating that abatement is complete must be included with your certification. This documentation may include, but is not limited to, evidence of the purchase or repair of the equipment, photographic or video evidence, or written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	04/25/2018
Proposed Penalty:	\$129,336.00


U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1275039
Inspection Date(s): 11/01/2017 - 02/20/2018
Issuance Date: 04/16/2018



Citation and Notification of Penalty

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811



Kimberly Nelson
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration
420 Madison Ave
Suite 600
Toledo, OH 43604
Phone: 419-259-7542 Fax: 419-259-6355



INVOICE / DEBT COLLECTION NOTICE

Company Name: Wilbert, Inc., dba Wilbert Plastic Services
Inspection Site: 635 Southwest St., Bellevue, OH 44811
Issuance Date: 04/16/2018

Summary of Penalties for Inspection Number	1275039
Citation 1, Serious	\$40652.00
Citation 2, Repeat	\$220802.00
TOTAL PROPOSED PENALTIES	\$261454.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed


account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Kimberly Nelson
Area Director



Date