

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
141.0	MAL NEO TONGUE BASE	c01	CN
142.0	MALIG NEO PAROTID	c07	CN
142.1	MALIG NEO SUBMANDIBULAR	c08.0	CN
142.2	MALIG NEO SUBLINGUAL	c08.1	CN
142.8	MAL NEO MAJ SALIVARY NEC	c08.9	CN
142.9	MAL NEO SALIVARY NOS	c08.9	CN
145.3	MAL NEO SOFT PALATE	c05.1	CN
146.0	MALIGNANT NEOPL TONSIL	c09.9	CN
146.1	MAL NEO TONSILLAR FOSSA	c09.0	CN
146.2	MAL NEO TONSIL PILLARS	c09.1	CN
146.3	MALIGN NEOPL VALLECULA	c10.0	CN
146.6	MAL NEO LAT OROPHARYNX	c10.2	CN
146.7	MAL NEO POST OROPHARYNX	c10.3	CN
146.8	MAL NEO OROPHARYNX NEC	c10.8	CN
146.9	MALIG NEO OROPHARYNX NOS	c10.9	CN
147.0	MALIGNANT NEO NASOPHARYNX	c11.0	CN
147.1	MAL NEO POST NASOPHARYNX	c11.1	CN
147.2	MAL NEO LAT NASOPHARYNX	c11.2	CN
147.3	MAL NEO ANT NASOPHARYNX	c11.3	CN
147.8	MAL NEO NASOPHARYNX NEC	c11.8	CN
147.9	MAL NEO NASOPHARYNX NOS	c11.9	CN
148.0	MAL NEO POSTCRICOID	c13.0	CN
148.1	MAL NEO PYRIFORM SINUS	c12	CN
148.2	MAL NEO ARYEPIGLOTT FOLD	c13.1	CN
148.3	MAL NEO POST HYPOPHARYNX	c13.2	CN
148.8	MAL NEO HYPOPHARYNX NEC	c13.8	CN
148.9	MAL NEO HYPOPHARYNX NOS	c13.9	CN
149.0	MAL NEO PHARYNX NOS	c14.0	CN
149.1	MAL NEO SOFT PALATE	c14.2	CN
149.8	MAL NEO OTHER	c14.8	CN
150.0	MAL NEO CERVICAL ESOPHAG	c15.3	CN
150.1	MAL NEO THORACIC ESOPHAG	c15.4	CN
150.2	MAL NEO ABDOMIN ESOPHAG	c15.5	CN
150.3	MAL NEO UPPER 3RD ESOPH	c15.3	CN
150.4	MAL NEO MIDDLE 3RD ESOPH	c15.4	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
150.5	MAL NEO LOWER 3RD ESOPH	c15.5	CN
150.8	MAL NEO ESOPHAGUS NEC	c15.8	CN
150.9	MAL NEO ESOPHAGUS NOS	c15.9	CN
151.0	MAL NEO STOMACH CARDIA	c16.0	CN
151.1	MALIGNANT NEO PYLORUS	c16.4	CN
151.2	MAL NEO PYLORIC ANTRUM	c16.3	CN
151.3	MAL NEO STOMACH FUNDUS	c16.1	CN
151.4	MAL NEO STOMACH BODY	c16.2	CN
151.5	MAL NEO STOM LESSER CURV	c16.5	CN
151.6	MAL NEO STOM GREAT CURV	c16.6	CN
151.8	MALIG NEOPL STOMACH NEC	c16.8	CN
151.9	MALIG NEOPL STOMACH NOS	c16.9	CN
152.0	MALIGNANT NEOPL DUODENUM	c17.0	CN
152.1	MALIGNANT NEOPL JEJUNUM	c17.1	CN
152.2	MALIGNANT NEOPLASM ILEUM	c17.2	CN
152.3	MAL NEO MECKEL'S DIVERT	c17.3	CN
152.8	MAL NEO SMALL BOWEL NEC	c17.8	CN
152.9	MAL NEO SMALL BOWEL NOS	c17.9	CN
153.0	MAL NEO HEPATIC FLEXURE	c18.3	CN
153.1	MAL NEO TRANSVERSE COLON	c18.4	CN
153.2	MAL NEO DESCEND COLON	c18.6	CN
153.3	MAL NEO SIGMOID COLON	c18.7	CN
153.4	MALIGNANT NEOPLASM CECUM	c18.0	CN
153.5	MALIGNANT NEO APPENDIX	c18.1	CN
153.6	MALIG NEO ASCEND COLON	c18.2	CN
153.7	MAL NEO SPLENIC FLEXURE	c18.5	CN
153.8	MALIGNANT NEO COLON NEC	c18.8	CN
153.9	MALIGNANT NEO COLON NOS	c18.9	CN
154.0	MAL NEO RECTOSIGMOID JCT	c19	CN
154.1	MALIGNANT NEOPL RECTUM	c20	CN
154.8	MAL NEO RECTUM/ANUS NEC	c21.8	CN
155.0	MALIGNANT NEOPLASM OF LIVER	c22.8	CN
155.1	MAL NEO INTRAHEPAT DUCTS	c22.1	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
155.2	MALIGNANT NEO LIVER NOS	c22.9	CN
156	MALIG NEO GALLBLADDER	c23	CN
156.1	MAL NEO EXTRAHEPAT DUCTS	c24.0	CN
156.2	MAL NEO AMPULLA OF VATER	c24.1	CN
156.8	MALIG NEO BILIARY NEC	c24.8	CN
156.9	MAL NEO BILIARY TRACT, UNSPECIFIED	c24.9	CN
157.0	MAL NEO PANCREAS HEAD	c25.0	CN
157.1	MAL NEO PANCREAS BODY	c25.1	CN
157.2	MAL NEO PANCREAS TAIL	c25.2	CN
157.3	MAL NEO PANCREATIC DUCT	c25.3	CN
157.4	MAL NEO ISLET LANGERHANS	c25.4	CN
157.8	MALIG NEO PANCREAS NEC	c25.8	CN
157.9	MALIG NEO PANCREAS NOS	c25.9	CN
162.0	MALIGNANT NEO TRACHEA	c33	CN
162.2	MALIG NEO MAIN BRONCHUS	c34.00	CN
162.3	MAL NEO UPPER LOBE LUNG	c34.10	CN
162.4	MAL NEO MIDDLE LOBE LUNG	c34.2	CN
162.5	MAL NEO LOWER LOBE LUNG	c34.30	CN
162.8	MAL NEO BRONCH/LUNG NEC	c34.80	CN
162.9	MAL NEO BRONCH/LUNG NOS	c34.90	CN
165.0	MAL NEO UPPER RESPIRATORY TRACK	c39.0	CN
170.0	MAL NEO SKULL/FACE BONE	c41.0	CN
170.1	MALIGNANT NEO MANDIBLE	c41.1	CN
170.2	MALIG NEO VERTEBRAE	c41.2	CN
170.3	MAL NEO RIBS/STERN/CLAV	c41.3	CN
170.4	MAL NEO LONG BONES ARM	c40.00	CN
170.5	MAL NEO BONES WRIST/HAND	c40.10	CN
170.6	MAL NEO PELVIC GIRDLE	c41.4	CN
170.7	MAL NEO LONG BONES LEG	c40.20	CN
170.8	MAL NEO BONES ANKLE/FOOT	c40.30	CN
170.9	MALIG NEOPL BONE NOS	c41.9	CN
174.0	MALIG NEO NIPPLE	c50.019	CN
174.1	MAL NEO BREAST-CENTRAL	c50.119	CN
174.2	MAL NEO BREAST UP-INNER	c50.219	CN
174.3	MAL NEO BREAST LOW-INNER	c50.319	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
174.4	MAL NEO BREAST UP-OUTER	c50.419	CN
174.5	MAL NEO BREAST LOW-OUTER	c50.519	CN
174.6	MAL NEO BREAST-AXILLARY	c50.619	CN
174.8	MALIGN NEOPL BREAST NEC	c50.819	CN
174.9	MALIGN NEOPL BREAST NOS	c50.919	CN
175.0	MAL NEO MALE NIPPLE	c50.029	CN
175.9	MAL NEO MALE BREAST NEC	c50.929	CN
176.4	LUNG - KAPOSI'S SARCOMA	c46.50	CN
183.0	MAL NEO OVARY	c56.9	CN
188.0	MAL NEO BLADDER-TRIGONE	c67.0	CN
188.1	MAL NEO BLADDER-DOME	c67.1	CN
188.2	MAL NEO BLADDER-LATERAL	c67.2	CN
188.3	MAL NEO BLADDER-ANTERIOR	c67.3	CN
188.4	MAL NEO BLADDER-POST	c67.4	CN
188.5	MAL NEO BLADDER NECK	c67.5	CN
188.6	MAL NEO URETERIC ORIFICE	c67.6	CN
188.7	MALIG NEO URACHUS	c67.7	CN
188.8	MALIG NEO BLADDER NEC	c67.8	CN
188.9	MALIG NEO BLADDER NOS	c67.9	CN
189.0	MALIG NEOPL KIDNEY	c64.9	CN
189.1	MALIG NEO RENAL PELVIS	c65.9	CN
191.0	MALIGN NEOPL CEREBRUM	c71.0	CN
191.1	MALIG NEO FRONTAL LOBE	c71.1	CN
191.2	MAL NEO TEMPORAL LOBE	c71.2	CN
191.3	MAL NEO PARIETAL LOBE	c71.3	CN
191.4	MAL NEO OCCIPITAL LOBE	c71.4	CN
191.5	MAL NEO CEREB VENTRICLE	c71.5	CN
191.6	MAL NEO CEREBELLUM NOS	c71.6	CN
191.7	MAL NEO BRAIN STEM	c71.7	CN
191.8	MALIG NEO BRAIN NEC	c71.8	CN
191.9	MALIG NEO BRAIN NOS	c71.9	CN
193	MALIGN NEOPL THYROID	c73	CN
197.0	SECONDARY MALIG NEO LUNG	c78.00	CN
197.3	SEC MALIG NEO RESP NEC	c78.39	CN
198.0	SECOND MALIG NEO KIDNEY	c79.00	CN
198.5	SECONDARY MALIG NEO BONE	c79.51, c79.52	CN
200.00	RETICULOSARCOMA	c83.39	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
200.10	LYMPHOSARCOMA	c83.50	CN
200.20	BURKITT'S TUMOR OR LYMPHOMA	c83.79	CN
200.80	OTLYMPHOSARCOMA/RETICULOSAR	c83.39	CN
202.00	NODULAR LYMPHOMA	c82.99	CN
202.10	MYCOSIS FUNGOIDES	c84.09	CN
202.20	SEZARY'S DISEASE	c84.19	CN
202.30	MALIGNANT HISTIOCYTOSIS	c96.A	CN
202.40	LEUKEMIC RETICULOENDOTHEL	c94.40	CN
202.50	LETTERER-SIWE DISEASE	c96.0	CN
202.60	MALIGNANT MAST CELL TUMORS	c96.2	CN
202.70	PERIPHERAL T-CELL LYMPHOMA	c84.49	CN
202.80	OTHER MALIGNANT LYMPHOMAS	c85.89	CN
202.90	OT MAL NEO LYMPHOID/HISTIO	c96.z	CN
203.00	MULTIPLE MYELOMA	c90.00	CN
203.10	PLASMA CELL LEUKEMIA	c90.10	CN
203.80	OT IMMUNOPROLIF NEOPLASM	c88.8	CN
204.00	LYMPHOID LEUKEMIA ACUTE	c91.00	CN
204.20	LYMPHOID LEUKEMIA SUBACUTE	c91.z0	CN
204.80	OTHER LYMPHOID LEUKEMIA	c91.z0	CN
204.90	UNSPEC LYMPHOID LEUKEMIA	c91.90	CN
205.00	MYELOID LEUKEMIA ACUTE	c92.90	CN
205.10	MYELOID LEUKEMIA CHRONIC	c92.10	CN
205.20	MYELOID LEUKEMIA SUBACUTE	c92.z0	CN
205.30	MYELOID SARCOMA	c92.30	CN
205.80	OTHER MYELOID LEUKEMIA	c92.z0	CN
205.90	UNSPECIFIED MYELOID LEUKEMIA	c92.90	CN
206.00	MONOCYTIC LEUKEMIA ACUTE	c93.00	CN
206.10	MONOCYTIC LEUKEMIA CHRONIC	c93.10	CN
206.20	MONOCYTIC LEUKEMIA SUBACUTE	c93.90	CN
206.80	OTHER MONOCYTIC LEUKEMIA	c93.z0	CN
206.90	UNSPEC MONOCYTIC LEUKEMIA	c93.90	CN
207.00	AC ERYTHREMIA/ERYTHROLEUKEM	c94.00	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
207.10	CHRONIC ERYTHREMIA	L53.8	CN
207.20	MEGAKARYOCYTIC LEUKEMIA	c94.20	CN
207.80	OTHER SPECIFIED LEUKEMIA	c94.80	CN
208.10	LEUKEMIA UNSPECIFIED TYPE CH	c95.10	CN
200.80	Lymphosarcoma unspecified site extradodal organ sites	C83.00	CN
200.81	Lymphosarcoma and reticulosarcoma of lymph nodes of head face and neck	C83.01	CN
200.82	Other named variants of Lymphosarcoma and Reticulosarcoma of Intrathoracic Lymph nodes	C83.02	CN
200.83	Other named variants of Lymphosarcoma and Reticulosarcoma of Intra-Abdonminal Lymph nodes	C83.03	CN
200.84	Other named variants of Lymphosarcoma and Reticulosarcoma of Lymph Nodes of Axilla and Upper Limb	C83.04	CN
200.85	Other named variants of Lymphosarcoma and Reticulosarcoma of Lymph Noes of Inguinal Region and Lower Limb	C83.05	CN
200.86	Other named variants of Lymphosarcoma and Reticulosarcoma of Intrapelvic Lymph Nodes	C83.06,C83.36,C83.86,C83.96	CN
200.87	Other named variants of Lymphosarcoma and Reticulosarcoma of Spleen	C83.07,C83.37,C83.87,C83.97	CN
200.88	Other named variants of Lymphosarcoma and Reticulosarcoma of Lymph nodes of Multiple Sites	C83.08,C83.38,C83.88,C83.98	CN

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
230.0	CA IN SITU ORAL CAV/PHAR	D00.00	CN
230.1	CA IN SITU ESOPHAGUS	D00.1	CN
230.2	CA IN SITU STOMACH	D00.2	CN
230.3	CA IN SITU COLON	D01.0	CN
230.4	CA IN SITU RECTUM	D01.2	CN
230.7	CA IN SITU BOWEL NEC/NOS	D01.49	CN
230.8	CA IN SITU LIVER/BILIARY	D01.5	CN
230.9	CA IN SITU GI NEC/NOS	D01.7	CN
231.0	CA IN SITU LARYNX	D02.0	CN
231.1	CA IN SITU TRACHEA	D02.1	CN
231.2	CA IN SITU BRONCHUS/LUNG	D02.20	CN
233.0	CA IN SITU BREAST	D05.90	CN
233.39	Carcinoma in situ, other female genital organ	D07.39	CN
233.7	CA IN SITU BLADDER	D09.0	CN
233.9	CA IN SITU URINARY NEC	D09.19	CN
234.8	CA IN SITU NEC	D09.8	CN
238.4	POLYCYTHEMIA VERA	D45	CN
238.6	PLASMACYTOMA NOS	D47.z9	CN
238.76	Myelofibrosis with Myeloid Metaplasia	D47.1	
238.79	LYMPHOPROLIFERAT DIS NOS	z47.z9	
273.3	MACROGLOBULINEMIA	c88.0	
209.03	Malignant carcinoid tumor of the ileum	c7A.012	
209.17	Malignant carcinoid tumor of the rectum	c7A.026	
209.27	Malignant carcinoid tumor of the hindgut NOS	c7A.096	
209.10	Malignant carcinoid tumor of the appendix, large intestine and rectum	c7A.029	
209.12	Carcinoid Tumor of the Cecum	C7A.029	
209.13	Carcinoid Tumor of the ascending Colon	C7A.022	
209.14	Carcinoid Tumor of the Transverse Colon	C7A.023	

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.

SPECIAL EXPOSURE COHORT (SEC) CODING REFERENCE

ICD-9 CODE	ICD-9 DESCRIPTION	ICD-10 CODE	CONDITION TYPE
209.15	Carcinoid Tumor of the Descending Colon	C7A.024	
209.16	Carcinoid Tumor of the Sigmoid Colon	C7A.025	
209.17	Carcinoid Tumor of the Rectum	C7A.026	
209.21	Carcinoid Tumor of the Bronchus and Lung	C7A.090	
209.22	Carcinoid Tumor of the Thymus	C7A.091	
209.23	Carcinoid Tumor of the Stomach	C7A.092	
209.24	Carcinoid Tumor of the Kidney	C7A.093	
230.4	CA IN SITU RECTUM	D01.2	
238.71	ESSENTIAL THROMBOCYTOSIS	D47.3	
238.72	LOW GRADE MYELOYDYSPLASTIC SYNDROME	D46.9	
238.73	HIGH GRADE MYELOYDYSPLASTIC SYNDROME	D46.22	
238.74	MYELOYDYSPLASTIC SYNDROME WITH 5Q DELETION	D46.c	
238.75	MYELOYDYSPLASTIC SYNDROME, UNSPECIFIED	D46.9	
273.3	Waldenstrom's Macroglobulinemia	C88.0	

Disclaimer: Special Exposure Cohort (SEC) coding reference reflects potentially usable ICD coding for SEC qualifying diagnoses. ICD codes should be verified using the following website: <https://www.medicalcodeexpert.com/expert> or the ICD-10 CM coding book.

Claims Examiners must evaluate the evidence independent from the SEC coding reference to ensure that the circumstances of the claim correctly establish that the employee's diagnosis qualifies him or her for the SEC class.