

U.S. DEPARTMENT OF LABOR, OFFICE OF WORKERS' COMPENSATION PROGRAMS  
OWCP MEDICAL FEE SCHEDULE -- FECA Program, 2009  
Table of RVU & Conversion Factor values by CPT/HCPCS codes  
May 12, 2009

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 00100      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00102      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00103      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00104      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00120      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00124      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00126      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00140      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00142      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00144      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00145      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00147      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00148      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00160      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00162      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00164      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00170      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00172      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00174      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00176      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00190      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00192      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00210      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00211      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00212      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00214      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00215      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00216      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00218      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00220      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00222      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00300      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00320      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00322      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00326      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00350      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00352      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00400      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 00402      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00404      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00406      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00410      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00450      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00452      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00454      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00470      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00472      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00474      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00500      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00520      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00522      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00524      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00528      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00529      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00530      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00532      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00534      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00537      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00539      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00540      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00541      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00542      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00546      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00548      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00550      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00560      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00561      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00562      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00563      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00566      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00567      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00580      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00600      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00604      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00620      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00622      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00625      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00626      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00630      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00632      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 00634      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 00635      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00640      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00670      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00700      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00702      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00730      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00740      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00750      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00752      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00754      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00756      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00770      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00790      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00792      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00794      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00796      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00797      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00800      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00802      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00810      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00820      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00830      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00832      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00834      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00836      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00840      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00842      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00844      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00846      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00848      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00851      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00860      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00862      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00864      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00865      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00866      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00868      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00870      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00872      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00873      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00880      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00882      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 00902      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA<br>HCPCS | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|---------------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 00904               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00906               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00908               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00910               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00912               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00914               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00916               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00918               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00920               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00921               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00922               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00924               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00926               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00928               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00930               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00932               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00934               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00936               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00938               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00940               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00942               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00944               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00948               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00950               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 00952               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01112               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01120               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01130               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01140               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01150               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01160               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01170               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01173               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01180               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01190               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01200               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01202               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01210               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01212               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01214               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01215               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01220               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01230               |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 01232      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01234      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01250      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01260      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01270      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01272      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01274      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01320      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01340      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01360      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01380      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01382      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01390      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01392      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01400      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01402      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01404      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01420      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01430      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01432      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01440      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01442      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01444      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01462      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01464      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01470      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01472      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01474      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01480      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01482      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01484      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01486      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01490      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01500      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01502      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01520      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01522      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01610      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01620      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01622      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01630      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01632      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 01634      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 01636      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01638      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01652      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01654      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01656      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01670      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01680      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01682      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01712      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01714      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01716      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01730      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01732      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01742      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01744      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01756      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01758      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01760      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01770      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01772      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01780      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01782      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01810      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01820      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01829      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01830      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01832      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01840      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01842      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01844      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01850      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01852      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01916      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01922      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01924      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01925      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01926      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 01931      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01932      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01933      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01935      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01936      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01951      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01952      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01953      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01958      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01960      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01961      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01962      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01963      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01965      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01966      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01967      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01968      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01969      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01990      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01991      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01992      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01996      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 01999      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 10021      |               | C             | 1.27        | 2.15                       | 0.43                  | 0.10       | XXX              | 53.10                     |             |                                |
| 10022      |               | C             | 1.27        | 2.26                       | 0.43                  | 0.08       | XXX              | 53.10                     |             |                                |
| 10040      |               | C             | 1.19        | 1.26                       | 0.95                  | 0.05       | 010              | 53.10                     |             |                                |
| 10060      |               | C             | 1.19        | 1.41                       | 1.04                  | 0.12       | 010              | 53.10                     |             |                                |
| 10061      |               | C             | 2.42        | 1.99                       | 1.50                  | 0.26       | 010              | 53.10                     |             |                                |
| 10080      |               | C             | 1.19        | 2.74                       | 1.10                  | 0.11       | 010              | 53.10                     |             |                                |
| 10081      |               | C             | 2.47        | 3.64                       | 1.48                  | 0.24       | 010              | 53.10                     |             |                                |
| 10120      |               | C             | 1.23        | 1.98                       | 0.95                  | 0.12       | 010              | 53.10                     |             |                                |
| 10121      |               | C             | 2.71        | 3.46                       | 1.68                  | 0.33       | 010              | 53.10                     |             |                                |
| 10140      |               | C             | 1.55        | 2.10                       | 1.28                  | 0.19       | 010              | 53.10                     |             |                                |
| 10160      |               | C             | 1.22        | 1.76                       | 1.07                  | 0.14       | 010              | 53.10                     |             |                                |
| 10180      |               | C             | 2.27        | 3.17                       | 1.86                  | 0.35       | 010              | 53.10                     |             |                                |
| 11000      |               | C             | 0.60        | 0.68                       | 0.18                  | 0.07       | 000              | 53.10                     |             |                                |
| 11001      |               | C             | 0.30        | 0.23                       | 0.09                  | 0.04       | ZZZ              | 53.10                     |             |                                |
| 11004      |               | C             | 10.80       | 3.56                       | 3.56                  | 0.67       | 000              | 53.10                     |             |                                |
| 11005      |               | C             | 14.24       | 4.43                       | 4.43                  | 0.96       | 000              | 53.10                     |             |                                |
| 11006      |               | C             | 13.10       | 4.34                       | 4.34                  | 1.28       | 000              | 53.10                     |             |                                |
| 11008      |               | C             | 5.00        | 1.56                       | 1.56                  | 0.61       | ZZZ              | 53.10                     |             |                                |
| 11010      |               | C             | 4.19        | 6.85                       | 2.49                  | 0.66       | 010              | 53.10                     |             |                                |
| 11011      |               | C             | 4.94        | 7.35                       | 2.21                  | 0.74       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 11012      |               | C             | 6.87        | 9.81                       | 3.44            | 1.16      | 000        |                  | 53.10                     |             |                                |
| 11040      |               | C             | 0.50        | 0.62                       | 0.17            | 0.06      | 000        |                  | 53.10                     |             |                                |
| 11041      |               | C             | 0.60        | 0.69                       | 0.22            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 11042      |               | C             | 0.80        | 0.95                       | 0.30            | 0.13      | 000        |                  | 53.10                     |             |                                |
| 11043      |               | C             | 3.04        | 3.44                       | 2.59            | 0.32      | 010        |                  | 53.10                     |             |                                |
| 11044      |               | C             | 4.11        | 4.75                       | 3.65            | 0.43      | 010        |                  | 53.10                     |             |                                |
| 11055      |               | C             | 0.43        | 0.73                       | 0.13            | 0.05      | 000        |                  | 53.10                     |             |                                |
| 11056      |               | C             | 0.61        | 0.80                       | 0.18            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 11057      |               | C             | 0.79        | 0.90                       | 0.23            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 11100      |               | C             | 0.81        | 1.71                       | 0.40            | 0.03      | 000        |                  | 53.10                     |             |                                |
| 11101      |               | C             | 0.41        | 0.40                       | 0.21            | 0.02      | ZZZ        |                  | 53.10                     |             |                                |
| 11200      |               | C             | 0.79        | 1.18                       | 0.87            | 0.04      | 010        |                  | 53.10                     |             |                                |
| 11201      |               | C             | 0.29        | 0.16                       | 0.12            | 0.02      | ZZZ        |                  | 53.10                     |             |                                |
| 11300      |               | C             | 0.51        | 1.13                       | 0.22            | 0.03      | 000        |                  | 53.10                     |             |                                |
| 11301      |               | C             | 0.85        | 1.40                       | 0.40            | 0.04      | 000        |                  | 53.10                     |             |                                |
| 11302      |               | C             | 1.05        | 1.64                       | 0.50            | 0.05      | 000        |                  | 53.10                     |             |                                |
| 11303      |               | C             | 1.24        | 1.91                       | 0.57            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 11305      |               | C             | 0.67        | 0.99                       | 0.23            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 11306      |               | C             | 0.99        | 1.32                       | 0.40            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 11307      |               | C             | 1.14        | 1.60                       | 0.51            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 11308      |               | C             | 1.41        | 1.63                       | 0.54            | 0.13      | 000        |                  | 53.10                     |             |                                |
| 11310      |               | C             | 0.73        | 1.31                       | 0.33            | 0.04      | 000        |                  | 53.10                     |             |                                |
| 11311      |               | C             | 1.05        | 1.54                       | 0.51            | 0.05      | 000        |                  | 53.10                     |             |                                |
| 11312      |               | C             | 1.20        | 1.79                       | 0.59            | 0.06      | 000        |                  | 53.10                     |             |                                |
| 11313      |               | C             | 1.62        | 2.10                       | 0.76            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 11400      |               | C             | 0.87        | 1.91                       | 0.93            | 0.06      | 010        |                  | 53.10                     |             |                                |
| 11401      |               | C             | 1.25        | 2.15                       | 1.13            | 0.10      | 010        |                  | 53.10                     |             |                                |
| 11402      |               | C             | 1.42        | 2.36                       | 1.20            | 0.13      | 010        |                  | 53.10                     |             |                                |
| 11403      |               | C             | 1.81        | 2.52                       | 1.52            | 0.17      | 010        |                  | 53.10                     |             |                                |
| 11404      |               | C             | 2.08        | 2.84                       | 1.61            | 0.21      | 010        |                  | 53.10                     |             |                                |
| 11406      |               | C             | 3.47        | 3.44                       | 2.03            | 0.32      | 010        |                  | 53.10                     |             |                                |
| 11420      |               | C             | 1.00        | 1.79                       | 0.93            | 0.09      | 010        |                  | 53.10                     |             |                                |
| 11421      |               | C             | 1.44        | 2.17                       | 1.16            | 0.13      | 010        |                  | 53.10                     |             |                                |
| 11422      |               | C             | 1.65        | 2.37                       | 1.49            | 0.16      | 010        |                  | 53.10                     |             |                                |
| 11423      |               | C             | 2.03        | 2.64                       | 1.62            | 0.20      | 010        |                  | 53.10                     |             |                                |
| 11424      |               | C             | 2.45        | 2.92                       | 1.74            | 0.25      | 010        |                  | 53.10                     |             |                                |
| 11426      |               | C             | 4.04        | 3.59                       | 2.31            | 0.44      | 010        |                  | 53.10                     |             |                                |
| 11440      |               | C             | 1.02        | 2.05                       | 1.32            | 0.08      | 010        |                  | 53.10                     |             |                                |
| 11441      |               | C             | 1.50        | 2.37                       | 1.55            | 0.13      | 010        |                  | 53.10                     |             |                                |
| 11442      |               | C             | 1.74        | 2.61                       | 1.65            | 0.16      | 010        |                  | 53.10                     |             |                                |
| 11443      |               | C             | 2.31        | 2.89                       | 1.86            | 0.22      | 010        |                  | 53.10                     |             |                                |
| 11444      |               | C             | 3.16        | 3.38                       | 2.17            | 0.30      | 010        |                  | 53.10                     |             |                                |
| 11446      |               | C             | 4.75        | 4.13                       | 2.78            | 0.43      | 010        |                  | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 11450      |               | C             | 3.14        | 5.09                       | 2.34                  | 0.34       | 090              | 53.10                     |             |                                |
| 11451      |               | C             | 4.35        | 6.35                       | 2.83                  | 0.53       | 090              | 53.10                     |             |                                |
| 11462      |               | C             | 2.92        | 5.22                       | 2.36                  | 0.32       | 090              | 53.10                     |             |                                |
| 11463      |               | C             | 4.35        | 6.66                       | 2.98                  | 0.54       | 090              | 53.10                     |             |                                |
| 11470      |               | C             | 3.66        | 5.35                       | 2.57                  | 0.40       | 090              | 53.10                     |             |                                |
| 11471      |               | C             | 4.81        | 6.46                       | 2.97                  | 0.58       | 090              | 53.10                     |             |                                |
| 11600      |               | C             | 1.58        | 2.69                       | 1.11                  | 0.10       | 010              | 53.10                     |             |                                |
| 11601      |               | C             | 2.02        | 3.26                       | 1.47                  | 0.12       | 010              | 53.10                     |             |                                |
| 11602      |               | C             | 2.22        | 3.59                       | 1.63                  | 0.12       | 010              | 53.10                     |             |                                |
| 11603      |               | C             | 2.77        | 3.81                       | 1.79                  | 0.16       | 010              | 53.10                     |             |                                |
| 11604      |               | C             | 3.12        | 4.13                       | 1.87                  | 0.20       | 010              | 53.10                     |             |                                |
| 11606      |               | C             | 4.97        | 5.17                       | 2.37                  | 0.36       | 010              | 53.10                     |             |                                |
| 11620      |               | C             | 1.59        | 2.78                       | 1.15                  | 0.09       | 010              | 53.10                     |             |                                |
| 11621      |               | C             | 2.03        | 3.30                       | 1.50                  | 0.12       | 010              | 53.10                     |             |                                |
| 11622      |               | C             | 2.36        | 3.67                       | 1.71                  | 0.14       | 010              | 53.10                     |             |                                |
| 11623      |               | C             | 3.06        | 3.95                       | 1.93                  | 0.20       | 010              | 53.10                     |             |                                |
| 11624      |               | C             | 3.57        | 4.28                       | 2.07                  | 0.27       | 010              | 53.10                     |             |                                |
| 11626      |               | C             | 4.56        | 4.91                       | 2.42                  | 0.45       | 010              | 53.10                     |             |                                |
| 11640      |               | C             | 1.62        | 2.94                       | 1.26                  | 0.11       | 010              | 53.10                     |             |                                |
| 11641      |               | C             | 2.12        | 3.47                       | 1.63                  | 0.16       | 010              | 53.10                     |             |                                |
| 11642      |               | C             | 2.57        | 3.87                       | 1.85                  | 0.19       | 010              | 53.10                     |             |                                |
| 11643      |               | C             | 3.37        | 4.17                       | 2.13                  | 0.26       | 010              | 53.10                     |             |                                |
| 11644      |               | C             | 4.29        | 4.98                       | 2.53                  | 0.37       | 010              | 53.10                     |             |                                |
| 11646      |               | C             | 6.21        | 5.91                       | 3.32                  | 0.61       | 010              | 53.10                     |             |                                |
| 11719      |               | C             | 0.17        | 0.34                       | 0.05                  | 0.02       | 000              | 53.10                     |             |                                |
| 11720      |               | C             | 0.32        | 0.42                       | 0.09                  | 0.04       | 000              | 53.10                     |             |                                |
| 11721      |               | C             | 0.54        | 0.51                       | 0.16                  | 0.07       | 000              | 53.10                     |             |                                |
| 11730      |               | C             | 1.10        | 1.23                       | 0.32                  | 0.14       | 000              | 53.10                     |             |                                |
| 11732      |               | C             | 0.57        | 0.51                       | 0.17                  | 0.07       | ZZZ              | 53.10                     |             |                                |
| 11740      |               | C             | 0.37        | 0.71                       | 0.40                  | 0.04       | 000              | 53.10                     |             |                                |
| 11750      |               | C             | 2.40        | 2.70                       | 1.82                  | 0.22       | 010              | 53.10                     |             |                                |
| 11752      |               | C             | 3.48        | 3.75                       | 2.82                  | 0.35       | 010              | 53.10                     |             |                                |
| 11755      |               | C             | 1.31        | 1.87                       | 0.76                  | 0.14       | 000              | 53.10                     |             |                                |
| 11760      |               | C             | 1.60        | 3.18                       | 1.52                  | 0.21       | 010              | 53.10                     |             |                                |
| 11762      |               | C             | 2.91        | 3.44                       | 1.85                  | 0.36       | 010              | 53.10                     |             |                                |
| 11765      |               | C             | 0.71        | 2.38                       | 0.92                  | 0.08       | 010              | 53.10                     |             |                                |
| 11770      |               | C             | 2.63        | 3.45                       | 1.53                  | 0.33       | 010              | 53.10                     |             |                                |
| 11771      |               | C             | 5.98        | 6.44                       | 3.68                  | 0.74       | 090              | 53.10                     |             |                                |
| 11772      |               | C             | 7.23        | 7.85                       | 5.45                  | 0.89       | 090              | 53.10                     |             |                                |
| 11900      |               | C             | 0.52        | 0.85                       | 0.25                  | 0.02       | 000              | 53.10                     |             |                                |
| 11901      |               | C             | 0.80        | 0.93                       | 0.40                  | 0.03       | 000              | 53.10                     |             |                                |
| 11920      |               | C             | 1.61        | 2.69                       | 1.12                  | 0.24       | 000              | 53.10                     |             |                                |
| 11921      |               | C             | 1.93        | 2.96                       | 1.28                  | 0.29       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 11922      |               | C             | 0.49        | 0.96                       | 0.23                  | 0.07       | ZZZ              | 53.10                     |             |                                |
| 11950      |               | C             | 0.84        | 0.98                       | 0.40                  | 0.06       | 000              | 53.10                     |             |                                |
| 11951      |               | C             | 1.19        | 1.22                       | 0.52                  | 0.11       | 000              | 53.10                     |             |                                |
| 11952      |               | C             | 1.69        | 1.70                       | 0.78                  | 0.16       | 000              | 53.10                     |             |                                |
| 11954      |               | C             | 1.85        | 1.98                       | 0.88                  | 0.25       | 000              | 53.10                     |             |                                |
| 11960      |               | C             | 11.01       | 10.66                      | 10.66                 | 1.31       | 090              | 53.10                     |             |                                |
| 11970      |               | C             | 7.86        | 6.22                       | 6.22                  | 1.05       | 090              | 53.10                     |             |                                |
| 11971      |               | C             | 3.21        | 7.69                       | 3.92                  | 0.32       | 090              | 53.10                     |             |                                |
| 11975      |               | D             | 1.48        | 1.71                       | 0.52                  | 0.17       | XXX              | 53.10                     |             |                                |
| 11976      |               | D             | 1.78        | 1.79                       | 0.55                  | 0.21       | 000              | 53.10                     |             |                                |
| 11977      |               | D             | 3.30        | 2.41                       | 1.15                  | 0.37       | XXX              | 53.10                     |             |                                |
| 11980      |               | D             | 1.48        | 1.06                       | 0.51                  | 0.13       | 000              | 53.10                     |             |                                |
| 11981      |               | C             | 1.48        | 1.85                       | 0.63                  | 0.12       | XXX              | 53.10                     |             |                                |
| 11982      |               | C             | 1.78        | 2.03                       | 0.78                  | 0.17       | XXX              | 53.10                     |             |                                |
| 11983      |               | C             | 3.30        | 2.61                       | 1.44                  | 0.23       | XXX              | 53.10                     |             |                                |
| 12001      |               | C             | 1.72        | 1.77                       | 0.74                  | 0.15       | 010              | 53.10                     |             |                                |
| 12002      |               | C             | 1.88        | 1.83                       | 0.85                  | 0.17       | 010              | 53.10                     |             |                                |
| 12004      |               | C             | 2.26        | 2.11                       | 0.94                  | 0.21       | 010              | 53.10                     |             |                                |
| 12005      |               | C             | 2.88        | 2.56                       | 1.10                  | 0.27       | 010              | 53.10                     |             |                                |
| 12006      |               | C             | 3.68        | 3.06                       | 1.34                  | 0.35       | 010              | 53.10                     |             |                                |
| 12007      |               | C             | 4.13        | 3.47                       | 1.58                  | 0.45       | 010              | 53.10                     |             |                                |
| 12011      |               | C             | 1.78        | 1.93                       | 0.76                  | 0.16       | 010              | 53.10                     |             |                                |
| 12013      |               | C             | 2.01        | 2.08                       | 0.89                  | 0.18       | 010              | 53.10                     |             |                                |
| 12014      |               | C             | 2.48        | 2.33                       | 1.00                  | 0.23       | 010              | 53.10                     |             |                                |
| 12015      |               | C             | 3.21        | 2.83                       | 1.15                  | 0.29       | 010              | 53.10                     |             |                                |
| 12016      |               | C             | 3.94        | 3.26                       | 1.37                  | 0.37       | 010              | 53.10                     |             |                                |
| 12017      |               | C             | 4.72        | 1.58                       | 1.58                  | 0.47       | 010              | 53.10                     |             |                                |
| 12018      |               | C             | 5.54        | 2.23                       | 2.23                  | 0.64       | 010              | 53.10                     |             |                                |
| 12020      |               | C             | 2.64        | 3.68                       | 1.80                  | 0.30       | 010              | 53.10                     |             |                                |
| 12021      |               | C             | 1.86        | 1.84                       | 1.35                  | 0.24       | 010              | 53.10                     |             |                                |
| 12031      |               | C             | 2.17        | 3.49                       | 1.61                  | 0.17       | 010              | 53.10                     |             |                                |
| 12032      |               | C             | 2.49        | 4.85                       | 2.20                  | 0.16       | 010              | 53.10                     |             |                                |
| 12034      |               | C             | 2.94        | 4.22                       | 1.89                  | 0.25       | 010              | 53.10                     |             |                                |
| 12035      |               | C             | 3.44        | 5.24                       | 2.16                  | 0.39       | 010              | 53.10                     |             |                                |
| 12036      |               | C             | 4.06        | 5.37                       | 2.33                  | 0.55       | 010              | 53.10                     |             |                                |
| 12037      |               | C             | 4.68        | 5.93                       | 2.75                  | 0.66       | 010              | 53.10                     |             |                                |
| 12041      |               | C             | 2.39        | 3.53                       | 1.65                  | 0.19       | 010              | 53.10                     |             |                                |
| 12042      |               | C             | 2.76        | 4.18                       | 2.00                  | 0.17       | 010              | 53.10                     |             |                                |
| 12044      |               | C             | 3.16        | 4.80                       | 1.90                  | 0.27       | 010              | 53.10                     |             |                                |
| 12045      |               | C             | 3.65        | 5.09                       | 2.16                  | 0.41       | 010              | 53.10                     |             |                                |
| 12046      |               | C             | 4.26        | 6.06                       | 2.55                  | 0.54       | 010              | 53.10                     |             |                                |
| 12047      |               | C             | 4.66        | 6.41                       | 2.80                  | 0.58       | 010              | 53.10                     |             |                                |
| 12051      |               | C             | 2.49        | 3.88                       | 1.84                  | 0.20       | 010              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 12052 |       | C      | 2.81  | 4.45     | 2.32     | 0.17 | 010    | 53.10   |      |                                |
| 12053 |       | C      | 3.14  | 4.81     | 2.02     | 0.23 | 010    | 53.10   |      |                                |
| 12054 |       | C      | 3.47  | 4.90     | 1.97     | 0.30 | 010    | 53.10   |      |                                |
| 12055 |       | C      | 4.44  | 5.58     | 2.13     | 0.45 | 010    | 53.10   |      |                                |
| 12056 |       | C      | 5.25  | 6.54     | 2.75     | 0.59 | 010    | 53.10   |      |                                |
| 12057 |       | C      | 5.97  | 7.27     | 3.27     | 0.56 | 010    | 53.10   |      |                                |
| 13100 |       | C      | 3.14  | 4.40     | 2.52     | 0.26 | 010    | 53.10   |      |                                |
| 13101 |       | C      | 3.93  | 5.64     | 2.98     | 0.26 | 010    | 53.10   |      |                                |
| 13102 |       | C      | 1.24  | 1.31     | 0.56     | 0.13 | ZZZ    | 53.10   |      |                                |
| 13120 |       | C      | 3.32  | 4.52     | 2.60     | 0.26 | 010    | 53.10   |      |                                |
| 13121 |       | C      | 4.36  | 6.26     | 3.51     | 0.25 | 010    | 53.10   |      |                                |
| 13122 |       | C      | 1.44  | 1.41     | 0.62     | 0.15 | ZZZ    | 53.10   |      |                                |
| 13131 |       | C      | 3.80  | 4.87     | 2.90     | 0.26 | 010    | 53.10   |      |                                |
| 13132 |       | C      | 6.48  | 7.46     | 4.89     | 0.32 | 010    | 53.10   |      |                                |
| 13133 |       | C      | 2.19  | 1.86     | 1.05     | 0.18 | ZZZ    | 53.10   |      |                                |
| 13150 |       | C      | 3.82  | 4.76     | 2.79     | 0.34 | 010    | 53.10   |      |                                |
| 13151 |       | C      | 4.46  | 5.37     | 3.29     | 0.31 | 010    | 53.10   |      |                                |
| 13152 |       | C      | 6.34  | 7.22     | 4.09     | 0.40 | 010    | 53.10   |      |                                |
| 13153 |       | C      | 2.38  | 2.04     | 1.10     | 0.24 | ZZZ    | 53.10   |      |                                |
| 13160 |       | C      | 11.84 | 7.19     | 7.19     | 1.54 | 090    | 53.10   |      |                                |
| 14000 |       | C      | 6.19  | 8.43     | 5.74     | 0.59 | 090    | 53.10   |      |                                |
| 14001 |       | C      | 8.58  | 10.38    | 7.22     | 0.82 | 090    | 53.10   |      |                                |
| 14020 |       | C      | 7.02  | 9.46     | 6.66     | 0.64 | 090    | 53.10   |      |                                |
| 14021 |       | C      | 9.52  | 11.35    | 8.16     | 0.81 | 090    | 53.10   |      |                                |
| 14040 |       | C      | 8.44  | 9.92     | 7.18     | 0.62 | 090    | 53.10   |      |                                |
| 14041 |       | C      | 10.63 | 12.24    | 8.68     | 0.73 | 090    | 53.10   |      |                                |
| 14060 |       | C      | 9.07  | 9.56     | 7.40     | 0.68 | 090    | 53.10   |      |                                |
| 14061 |       | C      | 11.25 | 13.27    | 9.36     | 0.76 | 090    | 53.10   |      |                                |
| 14300 |       | C      | 13.26 | 13.02    | 9.58     | 1.16 | 090    | 53.10   |      |                                |
| 14350 |       | C      | 10.82 | 6.93     | 6.93     | 1.34 | 090    | 53.10   |      |                                |
| 15002 |       | C      | 3.65  | 4.18     | 1.73     | 0.49 | 000    | 53.10   |      |                                |
| 15003 |       | C      | 0.80  | 0.90     | 0.28     | 0.11 | ZZZ    | 53.10   |      |                                |
| 15004 |       | C      | 4.58  | 4.90     | 2.14     | 0.62 | 000    | 53.10   |      |                                |
| 15005 |       | C      | 1.60  | 1.23     | 0.54     | 0.22 | ZZZ    | 53.10   |      |                                |
| 15040 |       | C      | 2.00  | 4.05     | 1.05     | 0.24 | 000    | 53.10   |      |                                |
| 15050 |       | C      | 5.37  | 7.40     | 5.05     | 0.57 | 090    | 53.10   |      |                                |
| 15100 |       | C      | 9.74  | 10.51    | 7.07     | 1.28 | 090    | 53.10   |      |                                |
| 15101 |       | C      | 1.72  | 2.77     | 0.95     | 0.24 | ZZZ    | 53.10   |      |                                |
| 15110 |       | C      | 10.88 | 9.06     | 6.41     | 1.31 | 090    | 53.10   |      |                                |
| 15111 |       | C      | 1.85  | 1.01     | 0.70     | 0.26 | ZZZ    | 53.10   |      |                                |
| 15115 |       | C      | 11.19 | 9.11     | 6.86     | 1.15 | 090    | 53.10   |      |                                |
| 15116 |       | C      | 2.50  | 1.40     | 1.04     | 0.33 | ZZZ    | 53.10   |      |                                |
| 15120 |       | C      | 10.96 | 11.19    | 7.63     | 1.16 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 15121      |               | C             | 2.67        | 3.65                       | 1.42            | 0.36       | ZZZ              | 53.10                     |             |                                |
| 15130      |               | C             | 7.41        | 8.36                       | 5.76            | 0.97       | 090              | 53.10                     |             |                                |
| 15131      |               | C             | 1.50        | 0.83                       | 0.59            | 0.21       | ZZZ              | 53.10                     |             |                                |
| 15135      |               | C             | 10.91       | 9.41                       | 7.24            | 1.23       | 090              | 53.10                     |             |                                |
| 15136      |               | C             | 1.50        | 0.64                       | 0.48            | 0.20       | ZZZ              | 53.10                     |             |                                |
| 15150      |               | C             | 9.30        | 7.09                       | 5.71            | 1.14       | 090              | 53.10                     |             |                                |
| 15151      |               | C             | 2.00        | 1.01                       | 0.76            | 0.28       | ZZZ              | 53.10                     |             |                                |
| 15152      |               | C             | 2.50        | 1.43                       | 1.15            | 0.35       | ZZZ              | 53.10                     |             |                                |
| 15155      |               | C             | 10.05       | 7.30                       | 6.15            | 1.05       | 090              | 53.10                     |             |                                |
| 15156      |               | C             | 2.75        | 1.45                       | 1.22            | 0.36       | ZZZ              | 53.10                     |             |                                |
| 15157      |               | C             | 3.00        | 1.64                       | 1.31            | 0.39       | ZZZ              | 53.10                     |             |                                |
| 15170      |               | C             | 5.99        | 4.11                       | 2.71            | 0.55       | 090              | 53.10                     |             |                                |
| 15171      |               | C             | 1.55        | 0.67                       | 0.56            | 0.19       | ZZZ              | 53.10                     |             |                                |
| 15175      |               | C             | 7.99        | 4.77                       | 3.45            | 0.82       | 090              | 53.10                     |             |                                |
| 15176      |               | C             | 2.45        | 1.11                       | 0.90            | 0.29       | ZZZ              | 53.10                     |             |                                |
| 15200      |               | C             | 8.97        | 9.98                       | 6.55            | 0.98       | 090              | 53.10                     |             |                                |
| 15201      |               | C             | 1.32        | 2.18                       | 0.57            | 0.19       | ZZZ              | 53.10                     |             |                                |
| 15220      |               | C             | 7.95        | 10.16                      | 6.80            | 0.84       | 090              | 53.10                     |             |                                |
| 15221      |               | C             | 1.19        | 2.08                       | 0.55            | 0.16       | ZZZ              | 53.10                     |             |                                |
| 15240      |               | C             | 10.15       | 11.64                      | 8.80            | 0.92       | 090              | 53.10                     |             |                                |
| 15241      |               | C             | 1.86        | 2.50                       | 0.87            | 0.23       | ZZZ              | 53.10                     |             |                                |
| 15260      |               | C             | 11.39       | 12.44                      | 9.35            | 0.69       | 090              | 53.10                     |             |                                |
| 15261      |               | C             | 2.23        | 2.89                       | 1.26            | 0.21       | ZZZ              | 53.10                     |             |                                |
| 15300      |               | C             | 4.65        | 3.43                       | 2.24            | 0.49       | 090              | 53.10                     |             |                                |
| 15301      |               | C             | 1.00        | 0.49                       | 0.37            | 0.14       | ZZZ              | 53.10                     |             |                                |
| 15320      |               | C             | 5.36        | 3.73                       | 2.42            | 0.58       | 090              | 53.10                     |             |                                |
| 15321      |               | C             | 1.50        | 0.72                       | 0.56            | 0.21       | ZZZ              | 53.10                     |             |                                |
| 15330      |               | C             | 3.99        | 3.46                       | 2.24            | 0.49       | 090              | 53.10                     |             |                                |
| 15331      |               | C             | 1.00        | 0.49                       | 0.38            | 0.14       | ZZZ              | 53.10                     |             |                                |
| 15335      |               | C             | 4.50        | 3.32                       | 2.13            | 0.55       | 090              | 53.10                     |             |                                |
| 15336      |               | C             | 1.43        | 0.64                       | 0.46            | 0.20       | ZZZ              | 53.10                     |             |                                |
| 15340      |               | C             | 3.76        | 3.75                       | 2.67            | 0.41       | 010              | 53.10                     |             |                                |
| 15341      |               | C             | 0.50        | 0.62                       | 0.16            | 0.06       | ZZZ              | 53.10                     |             |                                |
| 15360      |               | C             | 3.93        | 4.61                       | 3.34            | 0.43       | 090              | 53.10                     |             |                                |
| 15361      |               | C             | 1.15        | 0.53                       | 0.37            | 0.14       | ZZZ              | 53.10                     |             |                                |
| 15365      |               | C             | 4.21        | 4.16                       | 3.02            | 0.46       | 090              | 53.10                     |             |                                |
| 15366      |               | C             | 1.45        | 0.62                       | 0.45            | 0.17       | ZZZ              | 53.10                     |             |                                |
| 15400      |               | C             | 4.38        | 4.96                       | 4.02            | 0.47       | 090              | 53.10                     |             |                                |
| 15401      |               | C             | 1.00        | 1.22                       | 0.36            | 0.14       | ZZZ              | 53.10                     |             |                                |
| 15420      |               | C             | 4.89        | 5.65                       | 4.43            | 0.52       | 090              | 53.10                     |             |                                |
| 15421      |               | C             | 1.50        | 1.20                       | 0.53            | 0.21       | ZZZ              | 53.10                     |             |                                |
| 15430      |               | C             | 5.93        | 6.45                       | 5.99            | 0.66       | 090              | 53.10                     |             |                                |
| 15431      |               | C             | 171.00      | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 15570      |               | C             | 10.00       | 10.65                      | 6.76            | 1.34       | 090              | 53.10                     |             |                                |
| 15572      |               | C             | 9.94        | 10.16                      | 7.14            | 1.20       | 090              | 53.10                     |             |                                |
| 15574      |               | C             | 10.52       | 10.73                      | 7.57            | 1.20       | 090              | 53.10                     |             |                                |
| 15576      |               | C             | 9.24        | 9.78                       | 6.77            | 0.87       | 090              | 53.10                     |             |                                |
| 15600      |               | C             | 1.95        | 5.83                       | 2.82            | 0.27       | 090              | 53.10                     |             |                                |
| 15610      |               | C             | 2.46        | 5.30                       | 3.16            | 0.35       | 090              | 53.10                     |             |                                |
| 15620      |               | C             | 3.62        | 6.75                       | 3.90            | 0.35       | 090              | 53.10                     |             |                                |
| 15630      |               | C             | 3.95        | 7.03                       | 4.30            | 0.34       | 090              | 53.10                     |             |                                |
| 15650      |               | C             | 4.64        | 7.58                       | 4.63            | 0.42       | 090              | 53.10                     |             |                                |
| 15731      |               | C             | 14.12       | 12.79                      | 10.17           | 1.28       | 090              | 53.10                     |             |                                |
| 15732      |               | C             | 19.70       | 15.70                      | 11.66           | 2.00       | 090              | 53.10                     |             |                                |
| 15734      |               | C             | 19.62       | 16.39                      | 12.17           | 2.62       | 090              | 53.10                     |             |                                |
| 15736      |               | C             | 16.92       | 14.90                      | 10.40           | 2.46       | 090              | 53.10                     |             |                                |
| 15738      |               | C             | 18.92       | 15.00                      | 10.85           | 2.66       | 090              | 53.10                     |             |                                |
| 15740      |               | C             | 11.57       | 12.86                      | 9.36            | 0.63       | 090              | 53.10                     |             |                                |
| 15750      |               | C             | 12.73       | 8.93                       | 8.93            | 1.42       | 090              | 53.10                     |             |                                |
| 15756      |               | C             | 36.74       | 19.67                      | 19.67           | 4.62       | 090              | 53.10                     |             |                                |
| 15757      |               | C             | 36.95       | 19.34                      | 19.34           | 3.90       | 090              | 53.10                     |             |                                |
| 15758      |               | C             | 36.70       | 19.41                      | 19.41           | 4.24       | 090              | 53.10                     |             |                                |
| 15760      |               | C             | 9.68        | 10.38                      | 7.24            | 0.85       | 090              | 53.10                     |             |                                |
| 15770      |               | C             | 8.73        | 6.77                       | 6.77            | 1.05       | 090              | 53.10                     |             |                                |
| 15775      |               | C             | 3.95        | 3.68                       | 1.59            | 0.52       | 000              | 53.10                     |             |                                |
| 15776      |               | C             | 5.53        | 5.04                       | 2.40            | 0.72       | 000              | 53.10                     |             |                                |
| 15780      |               | C             | 8.50        | 11.38                      | 7.05            | 0.67       | 090              | 53.10                     |             |                                |
| 15781      |               | C             | 4.91        | 7.91                       | 5.41            | 0.34       | 090              | 53.10                     |             |                                |
| 15782      |               | C             | 4.36        | 9.23                       | 5.55            | 0.34       | 090              | 53.10                     |             |                                |
| 15783      |               | C             | 4.33        | 7.36                       | 4.62            | 0.28       | 090              | 53.10                     |             |                                |
| 15786      |               | C             | 2.05        | 3.70                       | 1.30            | 0.11       | 010              | 53.10                     |             |                                |
| 15787      |               | C             | 0.33        | 0.84                       | 0.12            | 0.04       | ZZZ              | 53.10                     |             |                                |
| 15788      |               | C             | 2.09        | 8.22                       | 3.66            | 0.11       | 090              | 53.10                     |             |                                |
| 15789      |               | C             | 4.91        | 8.81                       | 5.47            | 0.20       | 090              | 53.10                     |             |                                |
| 15792      |               | C             | 1.86        | 8.27                       | 4.46            | 0.13       | 090              | 53.10                     |             |                                |
| 15793      |               | C             | 3.82        | 7.58                       | 4.78            | 0.19       | 090              | 53.10                     |             |                                |
| 15819      |               | D             | 10.45       | 7.11                       | 7.11            | 0.97       | 090              | 53.10                     |             |                                |
| 15820      |               | D             | 6.09        | 6.67                       | 5.43            | 0.40       | 090              | 53.10                     |             |                                |
| 15821      |               | D             | 6.66        | 6.89                       | 5.53            | 0.45       | 090              | 53.10                     |             |                                |
| 15822      |               | D             | 4.51        | 5.45                       | 4.27            | 0.37       | 090              | 53.10                     |             |                                |
| 15823      |               | C             | 8.12        | 7.66                       | 6.37            | 0.50       | 090              | 53.10                     |             |                                |
| 15824      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 15825      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 15826      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 15828      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 15829      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 15830 |       | C      | 16.90 | 10.13    | 10.13    | 2.93 | 090    | 53.10   |      |                                |
| 15832 |       | D      | 12.65 | 8.27     | 8.27     | 1.66 | 090    | 53.10   |      |                                |
| 15833 |       | D      | 11.70 | 8.09     | 8.09     | 1.49 | 090    | 53.10   |      |                                |
| 15834 |       | D      | 11.97 | 7.64     | 7.64     | 1.61 | 090    | 53.10   |      |                                |
| 15835 |       | D      | 12.79 | 8.01     | 8.01     | 1.60 | 090    | 53.10   |      |                                |
| 15836 |       | D      | 10.41 | 6.93     | 6.93     | 1.34 | 090    | 53.10   |      |                                |
| 15837 |       | D      | 9.37  | 8.74     | 6.35     | 1.18 | 090    | 53.10   |      |                                |
| 15838 |       | D      | 8.07  | 5.77     | 5.77     | 0.58 | 090    | 53.10   |      |                                |
| 15839 |       | D      | 10.32 | 9.77     | 6.74     | 1.22 | 090    | 53.10   |      |                                |
| 15840 |       | C      | 14.76 | 9.43     | 9.43     | 1.32 | 090    | 53.10   |      |                                |
| 15841 |       | C      | 25.69 | 14.53    | 14.53    | 2.55 | 090    | 53.10   |      |                                |
| 15842 |       | C      | 40.68 | 22.23    | 22.23    | 4.94 | 090    | 53.10   |      |                                |
| 15845 |       | C      | 14.04 | 8.93     | 8.93     | 0.81 | 090    | 53.10   |      |                                |
| 15847 |       | C      | 2.26  | 1.43     | 1.43     | 0.13 | YYY    | 53.10   |      |                                |
| 15850 |       | C      | 0.78  | 1.43     | 0.27     | 0.05 | XXX    | 53.10   |      |                                |
| 15851 |       | C      | 0.86  | 1.39     | 0.26     | 0.06 | 000    | 53.10   |      |                                |
| 15852 |       | C      | 0.86  | 0.29     | 0.29     | 0.09 | 000    | 53.10   |      |                                |
| 15860 |       | C      | 1.95  | 0.72     | 0.72     | 0.27 | 000    | 53.10   |      |                                |
| 15876 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | 000    | 0.00    |      |                                |
| 15877 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | 000    | 0.00    |      |                                |
| 15878 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | 000    | 0.00    |      |                                |
| 15879 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | 000    | 0.00    |      |                                |
| 15920 |       | C      | 8.15  | 5.61     | 5.61     | 1.04 | 090    | 53.10   |      |                                |
| 15922 |       | C      | 10.23 | 7.19     | 7.19     | 1.42 | 090    | 53.10   |      |                                |
| 15931 |       | C      | 9.96  | 5.65     | 5.65     | 1.25 | 090    | 53.10   |      |                                |
| 15933 |       | C      | 11.60 | 7.65     | 7.65     | 1.52 | 090    | 53.10   |      |                                |
| 15934 |       | C      | 13.54 | 7.84     | 7.84     | 1.79 | 090    | 53.10   |      |                                |
| 15935 |       | C      | 15.58 | 9.90     | 9.90     | 2.10 | 090    | 53.10   |      |                                |
| 15936 |       | C      | 13.04 | 7.67     | 7.67     | 1.77 | 090    | 53.10   |      |                                |
| 15937 |       | C      | 15.00 | 9.22     | 9.22     | 2.07 | 090    | 53.10   |      |                                |
| 15940 |       | C      | 10.11 | 5.93     | 5.93     | 1.31 | 090    | 53.10   |      |                                |
| 15941 |       | C      | 12.24 | 8.65     | 8.65     | 1.66 | 090    | 53.10   |      |                                |
| 15944 |       | C      | 12.27 | 8.29     | 8.29     | 1.65 | 090    | 53.10   |      |                                |
| 15945 |       | C      | 13.57 | 9.26     | 9.26     | 1.85 | 090    | 53.10   |      |                                |
| 15946 |       | C      | 23.80 | 14.30    | 14.30    | 3.17 | 090    | 53.10   |      |                                |
| 15950 |       | C      | 7.91  | 5.42     | 5.42     | 1.04 | 090    | 53.10   |      |                                |
| 15951 |       | C      | 11.41 | 7.59     | 7.59     | 1.49 | 090    | 53.10   |      |                                |
| 15952 |       | C      | 12.14 | 7.81     | 7.81     | 1.60 | 090    | 53.10   |      |                                |
| 15953 |       | C      | 13.39 | 8.82     | 8.82     | 1.80 | 090    | 53.10   |      |                                |
| 15956 |       | C      | 16.59 | 10.10    | 10.10    | 2.22 | 090    | 53.10   |      |                                |
| 15958 |       | C      | 16.55 | 10.70    | 10.70    | 2.26 | 090    | 53.10   |      |                                |
| 15999 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 16000 |       | C      | 0.89  | 0.75     | 0.24     | 0.08 | 000    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 16020      |               | C             | 0.80        | 1.14                       | 0.56            | 0.08       | 000              | 53.10                     |             |                                |
| 16025      |               | C             | 1.85        | 1.63                       | 0.91            | 0.19       | 000              | 53.10                     |             |                                |
| 16030      |               | C             | 2.08        | 2.08                       | 1.04            | 0.24       | 000              | 53.10                     |             |                                |
| 16035      |               | C             | 3.74        | 1.36                       | 1.36            | 0.46       | 000              | 53.10                     |             |                                |
| 16036      |               | C             | 1.50        | 0.52                       | 0.52            | 0.20       | ZZZ              | 53.10                     |             |                                |
| 17000      |               | C             | 0.62        | 1.29                       | 0.70            | 0.03       | 010              | 53.10                     |             |                                |
| 17003      |               | C             | 0.07        | 0.11                       | 0.04            | 0.01       | ZZZ              | 53.10                     |             |                                |
| 17004      |               | C             | 1.82        | 2.42                       | 1.47            | 0.11       | 010              | 53.10                     |             |                                |
| 17106      |               | C             | 3.61        | 4.63                       | 3.11            | 0.35       | 090              | 53.10                     |             |                                |
| 17107      |               | C             | 4.68        | 6.13                       | 4.10            | 0.63       | 090              | 53.10                     |             |                                |
| 17108      |               | C             | 6.37        | 7.61                       | 5.26            | 0.54       | 090              | 53.10                     |             |                                |
| 17110      |               | C             | 0.67        | 1.98                       | 0.97            | 0.05       | 010              | 53.10                     |             |                                |
| 17111      |               | C             | 0.94        | 2.21                       | 1.11            | 0.05       | 010              | 53.10                     |             |                                |
| 17250      |               | C             | 0.50        | 1.28                       | 0.37            | 0.06       | 000              | 53.10                     |             |                                |
| 17260      |               | C             | 0.93        | 1.37                       | 0.71            | 0.04       | 010              | 53.10                     |             |                                |
| 17261      |               | C             | 1.19        | 2.25                       | 1.03            | 0.05       | 010              | 53.10                     |             |                                |
| 17262      |               | C             | 1.60        | 2.59                       | 1.24            | 0.06       | 010              | 53.10                     |             |                                |
| 17263      |               | C             | 1.81        | 2.81                       | 1.33            | 0.07       | 010              | 53.10                     |             |                                |
| 17264      |               | C             | 1.96        | 2.98                       | 1.39            | 0.08       | 010              | 53.10                     |             |                                |
| 17266      |               | C             | 2.36        | 3.25                       | 1.54            | 0.09       | 010              | 53.10                     |             |                                |
| 17270      |               | C             | 1.34        | 2.23                       | 1.06            | 0.05       | 010              | 53.10                     |             |                                |
| 17271      |               | C             | 1.51        | 2.43                       | 1.19            | 0.06       | 010              | 53.10                     |             |                                |
| 17272      |               | C             | 1.79        | 2.72                       | 1.34            | 0.07       | 010              | 53.10                     |             |                                |
| 17273      |               | C             | 2.07        | 2.96                       | 1.46            | 0.08       | 010              | 53.10                     |             |                                |
| 17274      |               | C             | 2.61        | 3.34                       | 1.72            | 0.10       | 010              | 53.10                     |             |                                |
| 17276      |               | C             | 3.22        | 3.64                       | 1.96            | 0.16       | 010              | 53.10                     |             |                                |
| 17280      |               | C             | 1.19        | 2.16                       | 0.99            | 0.05       | 010              | 53.10                     |             |                                |
| 17281      |               | C             | 1.74        | 2.53                       | 1.30            | 0.07       | 010              | 53.10                     |             |                                |
| 17282      |               | C             | 2.06        | 2.89                       | 1.47            | 0.08       | 010              | 53.10                     |             |                                |
| 17283      |               | C             | 2.66        | 3.31                       | 1.75            | 0.11       | 010              | 53.10                     |             |                                |
| 17284      |               | C             | 3.23        | 3.71                       | 2.03            | 0.13       | 010              | 53.10                     |             |                                |
| 17286      |               | C             | 4.45        | 4.28                       | 2.58            | 0.23       | 010              | 53.10                     |             |                                |
| 17311      |               | C             | 6.20        | 10.65                      | 3.26            | 0.24       | 000              | 53.10                     |             |                                |
| 17312      |               | C             | 3.30        | 6.81                       | 1.73            | 0.13       | ZZZ              | 53.10                     |             |                                |
| 17313      |               | C             | 5.56        | 9.82                       | 2.93            | 0.22       | 000              | 53.10                     |             |                                |
| 17314      |               | C             | 3.06        | 6.31                       | 1.61            | 0.12       | ZZZ              | 53.10                     |             |                                |
| 17315      |               | C             | 0.87        | 1.14                       | 0.46            | 0.03       | ZZZ              | 53.10                     |             |                                |
| 17340      |               | C             | 0.76        | 0.41                       | 0.37            | 0.05       | 010              | 53.10                     |             |                                |
| 17360      |               | C             | 1.44        | 1.76                       | 1.01            | 0.06       | 010              | 53.10                     |             |                                |
| 17380      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 17999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 19000      |               | C             | 0.84        | 1.93                       | 0.30            | 0.08       | 000              | 53.10                     |             |                                |
| 19001      |               | C             | 0.42        | 0.26                       | 0.15            | 0.04       | ZZZ              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 19020      |               | C             | 3.74        | 6.51                       | 2.96            | 0.45      | 0.90       | 53.10            |                           |             |                                |
| 19030      |               | C             | 1.53        | 2.74                       | 0.57            | 0.09      | 0.00       | 53.10            |                           |             |                                |
| 19100      |               | C             | 1.27        | 2.07                       | 0.37            | 0.16      | 0.00       | 53.10            |                           |             |                                |
| 19101      |               | C             | 3.20        | 4.39                       | 1.84            | 0.39      | 0.10       | 53.10            |                           |             |                                |
| 19102      |               | C             | 2.00        | 3.58                       | 0.73            | 0.14      | 0.00       | 53.10            |                           |             |                                |
| 19103      |               | C             | 3.69        | 10.42                      | 1.29            | 0.30      | 0.00       | 53.10            |                           |             |                                |
| 19105      |               | C             | 3.69        | 51.22                      | 1.30            | 0.30      | 0.00       | 53.10            |                           |             |                                |
| 19110      |               | C             | 4.35        | 6.20                       | 3.17            | 0.57      | 0.90       | 53.10            |                           |             |                                |
| 19112      |               | C             | 3.72        | 6.19                       | 3.06            | 0.48      | 0.90       | 53.10            |                           |             |                                |
| 19120      |               | C             | 5.84        | 4.97                       | 3.35            | 0.73      | 0.90       | 53.10            |                           |             |                                |
| 19125      |               | C             | 6.59        | 5.38                       | 3.61            | 0.80      | 0.90       | 53.10            |                           |             |                                |
| 19126      |               | C             | 2.93        | 0.85                       | 0.85            | 0.38      | ZZZ        | 53.10            |                           |             |                                |
| 19260      |               | C             | 17.60       | 10.58                      | 10.58           | 2.14      | 0.90       | 53.10            |                           |             |                                |
| 19271      |               | C             | 21.86       | 16.64                      | 16.64           | 2.63      | 0.90       | 53.10            |                           |             |                                |
| 19272      |               | C             | 24.82       | 17.77                      | 17.77           | 3.00      | 0.90       | 53.10            |                           |             |                                |
| 19290      |               | C             | 1.27        | 2.89                       | 0.47            | 0.07      | 0.00       | 53.10            |                           |             |                                |
| 19291      |               | C             | 0.63        | 1.16                       | 0.23            | 0.04      | ZZZ        | 53.10            |                           |             |                                |
| 19295      |               | C             | 0.00        | 2.35                       | 2.35            | 0.01      | ZZZ        | 53.10            |                           |             |                                |
| 19296      |               | C             | 3.63        | 94.49                      | 1.32            | 0.36      | 0.00       | 53.10            |                           |             |                                |
| 19297      |               | C             | 1.72        | 0.51                       | 0.51            | 0.17      | ZZZ        | 53.10            |                           |             |                                |
| 19298      |               | C             | 6.00        | 27.10                      | 2.27            | 0.43      | 0.00       | 53.10            |                           |             |                                |
| 19300      |               | C             | 5.20        | 6.41                       | 3.75            | 0.69      | 0.90       | 53.10            |                           |             |                                |
| 19301      |               | C             | 10.00       | 4.43                       | 4.43            | 0.79      | 0.90       | 53.10            |                           |             |                                |
| 19302      |               | C             | 13.88       | 6.35                       | 6.35            | 1.80      | 0.90       | 53.10            |                           |             |                                |
| 19303      |               | C             | 15.67       | 6.67                       | 6.67            | 1.18      | 0.90       | 53.10            |                           |             |                                |
| 19304      |               | C             | 7.81        | 4.93                       | 4.93            | 1.04      | 0.90       | 53.10            |                           |             |                                |
| 19305      |               | C             | 17.23       | 8.21                       | 8.21            | 1.93      | 0.90       | 53.10            |                           |             |                                |
| 19306      |               | C             | 17.85       | 8.78                       | 8.78            | 2.08      | 0.90       | 53.10            |                           |             |                                |
| 19307      |               | C             | 17.95       | 8.81                       | 8.81            | 2.13      | 0.90       | 53.10            |                           |             |                                |
| 19316      |               | C             | 10.98       | 7.13                       | 7.13            | 1.64      | 0.90       | 53.10            |                           |             |                                |
| 19318      |               | C             | 15.91       | 10.42                      | 10.42           | 2.93      | 0.90       | 53.10            |                           |             |                                |
| 19324      |               | C             | 6.65        | 4.51                       | 4.51            | 0.84      | 0.90       | 53.10            |                           |             |                                |
| 19325      |               | C             | 8.52        | 6.52                       | 6.52            | 1.33      | 0.90       | 53.10            |                           |             |                                |
| 19328      |               | C             | 6.35        | 5.06                       | 5.06            | 0.91      | 0.90       | 53.10            |                           |             |                                |
| 19330      |               | C             | 8.39        | 6.22                       | 6.22            | 1.26      | 0.90       | 53.10            |                           |             |                                |
| 19340      |               | C             | 6.32        | 2.99                       | 2.99            | 1.06      | ZZZ        | 53.10            |                           |             |                                |
| 19342      |               | C             | 12.40       | 9.09                       | 9.09            | 1.84      | 0.90       | 53.10            |                           |             |                                |
| 19350      |               | C             | 8.99        | 10.86                      | 6.81            | 1.41      | 0.90       | 53.10            |                           |             |                                |
| 19355      |               | C             | 8.37        | 8.26                       | 4.84            | 0.92      | 0.90       | 53.10            |                           |             |                                |
| 19357      |               | C             | 20.57       | 15.64                      | 15.64           | 2.94      | 0.90       | 53.10            |                           |             |                                |
| 19361      |               | C             | 23.17       | 15.86                      | 15.86           | 2.93      | 0.90       | 53.10            |                           |             |                                |
| 19364      |               | C             | 42.40       | 23.36                      | 23.36           | 6.24      | 0.90       | 53.10            |                           |             |                                |
| 19366      |               | C             | 21.70       | 10.62                      | 10.62           | 3.25      | 0.90       | 53.10            |                           |             |                                |



| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 19367 |       | C      | 26.59 | 15.96    | 15.96    | 4.04 | 090    | 53.10   |      |                                |
| 19368 |       | C      | 33.61 | 18.76    | 18.76    | 5.54 | 090    | 53.10   |      |                                |
| 19369 |       | C      | 31.02 | 17.07    | 17.07    | 4.51 | 090    | 53.10   |      |                                |
| 19370 |       | C      | 8.99  | 6.90     | 6.90     | 1.29 | 090    | 53.10   |      |                                |
| 19371 |       | C      | 10.42 | 7.82     | 7.82     | 1.62 | 090    | 53.10   |      |                                |
| 19380 |       | C      | 10.21 | 7.73     | 7.73     | 1.44 | 090    | 53.10   |      |                                |
| 19396 |       | C      | 2.17  | 3.02     | 0.98     | 0.30 | 000    | 53.10   |      |                                |
| 19499 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 20000 |       | C      | 2.14  | 2.73     | 1.58     | 0.25 | 010    | 53.10   |      |                                |
| 20005 |       | C      | 3.55  | 3.62     | 2.10     | 0.46 | 010    | 53.10   |      |                                |
| 20100 |       | C      | 10.33 | 3.68     | 3.68     | 1.21 | 010    | 53.10   |      |                                |
| 20101 |       | C      | 3.22  | 6.15     | 1.56     | 0.44 | 010    | 53.10   |      |                                |
| 20102 |       | C      | 3.95  | 7.03     | 1.91     | 0.49 | 010    | 53.10   |      |                                |
| 20103 |       | C      | 5.31  | 7.96     | 3.01     | 0.75 | 010    | 53.10   |      |                                |
| 20150 |       | C      | 14.60 | 8.12     | 8.12     | 2.04 | 090    | 53.10   |      |                                |
| 20200 |       | C      | 1.46  | 3.08     | 0.73     | 0.23 | 000    | 53.10   |      |                                |
| 20205 |       | C      | 2.35  | 3.83     | 1.16     | 0.33 | 000    | 53.10   |      |                                |
| 20206 |       | C      | 0.99  | 5.52     | 0.61     | 0.07 | 000    | 53.10   |      |                                |
| 20220 |       | C      | 1.27  | 3.18     | 0.73     | 0.08 | 000    | 53.10   |      |                                |
| 20225 |       | C      | 1.87  | 15.08    | 1.10     | 0.22 | 000    | 53.10   |      |                                |
| 20240 |       | C      | 3.25  | 2.19     | 2.19     | 0.44 | 010    | 53.10   |      |                                |
| 20245 |       | C      | 8.77  | 6.01     | 6.01     | 1.31 | 010    | 53.10   |      |                                |
| 20250 |       | C      | 5.16  | 3.58     | 3.58     | 1.02 | 010    | 53.10   |      |                                |
| 20251 |       | C      | 5.69  | 3.99     | 3.99     | 1.15 | 010    | 53.10   |      |                                |
| 20500 |       | C      | 1.25  | 1.58     | 1.06     | 0.12 | 010    | 53.10   |      |                                |
| 20501 |       | C      | 0.76  | 2.51     | 0.29     | 0.04 | 000    | 53.10   |      |                                |
| 20520 |       | C      | 1.87  | 2.66     | 1.53     | 0.21 | 010    | 53.10   |      |                                |
| 20525 |       | C      | 3.51  | 7.57     | 2.35     | 0.51 | 010    | 53.10   |      |                                |
| 20526 |       | C      | 0.94  | 0.86     | 0.45     | 0.13 | 000    | 53.10   |      |                                |
| 20550 |       | C      | 0.75  | 0.65     | 0.27     | 0.09 | 000    | 53.10   |      |                                |
| 20551 |       | C      | 0.75  | 0.64     | 0.30     | 0.08 | 000    | 53.10   |      |                                |
| 20552 |       | C      | 0.66  | 0.62     | 0.24     | 0.05 | 000    | 53.10   |      |                                |
| 20553 |       | C      | 0.75  | 0.69     | 0.26     | 0.04 | 000    | 53.10   |      |                                |
| 20555 |       | C      | 6.00  | 2.33     | 2.33     | 0.43 | 000    | 53.10   |      |                                |
| 20600 |       | C      | 0.66  | 0.66     | 0.32     | 0.08 | 000    | 53.10   |      |                                |
| 20605 |       | C      | 0.68  | 0.74     | 0.34     | 0.08 | 000    | 53.10   |      |                                |
| 20610 |       | C      | 0.79  | 1.04     | 0.42     | 0.11 | 000    | 53.10   |      |                                |
| 20612 |       | C      | 0.70  | 0.70     | 0.34     | 0.10 | 000    | 53.10   |      |                                |
| 20615 |       | C      | 2.30  | 2.93     | 1.56     | 0.20 | 010    | 53.10   |      |                                |
| 20650 |       | C      | 2.25  | 2.42     | 1.48     | 0.31 | 010    | 53.10   |      |                                |
| 20660 |       | C      | 4.00  | 1.96     | 1.60     | 0.59 | 000    | 53.10   |      |                                |
| 20661 |       | C      | 5.14  | 5.65     | 5.65     | 1.14 | 090    | 53.10   |      |                                |
| 20662 |       | C      | 6.26  | 5.31     | 5.31     | 0.56 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 20663      |               | C             | 5.62        | 4.81                       | 4.81            | 0.94       | 090              | 53.10                     |             |                                |
| 20664      |               | C             | 9.86        | 7.87                       | 7.87            | 1.75       | 090              | 53.10                     |             |                                |
| 20665      |               | C             | 1.33        | 1.57                       | 1.08            | 0.19       | 010              | 53.10                     |             |                                |
| 20670      |               | C             | 1.76        | 7.74                       | 1.78            | 0.28       | 010              | 53.10                     |             |                                |
| 20680      |               | C             | 5.90        | 8.27                       | 4.04            | 0.56       | 090              | 53.10                     |             |                                |
| 20690      |               | C             | 8.65        | 4.50                       | 4.50            | 0.59       | 090              | 53.10                     |             |                                |
| 20692      |               | C             | 16.00       | 8.64                       | 8.64            | 1.05       | 090              | 53.10                     |             |                                |
| 20693      |               | C             | 5.97        | 4.83                       | 4.83            | 0.98       | 090              | 53.10                     |             |                                |
| 20694      |               | C             | 4.20        | 5.78                       | 3.70            | 0.71       | 090              | 53.10                     |             |                                |
| 20696      |               | C             | 17.32       | 7.96                       | 7.96            | 2.86       | 090              | 53.10                     |             |                                |
| 20697      |               | C             | 0.00        | 33.08                      | 0.00            | 0.01       | 090              | 53.10                     |             |                                |
| 20802      |               | C             | 42.30       | 17.19                      | 17.19           | 3.82       | 090              | 53.10                     |             |                                |
| 20805      |               | C             | 51.14       | 21.66                      | 21.66           | 4.85       | 090              | 53.10                     |             |                                |
| 20808      |               | C             | 62.77       | 35.82                      | 35.82           | 6.88       | 090              | 53.10                     |             |                                |
| 20816      |               | C             | 31.74       | 22.39                      | 22.39           | 4.53       | 090              | 53.10                     |             |                                |
| 20822      |               | C             | 26.42       | 19.27                      | 19.27           | 4.19       | 090              | 53.10                     |             |                                |
| 20824      |               | C             | 31.74       | 22.10                      | 22.10           | 4.62       | 090              | 53.10                     |             |                                |
| 20827      |               | C             | 27.24       | 20.72                      | 20.72           | 3.67       | 090              | 53.10                     |             |                                |
| 20838      |               | C             | 42.56       | 19.38                      | 19.38           | 1.12       | 090              | 53.10                     |             |                                |
| 20900      |               | C             | 3.00        | 6.81                       | 3.04            | 0.94       | 090              | 53.10                     |             |                                |
| 20902      |               | C             | 4.58        | 3.75                       | 3.75            | 1.30       | 090              | 53.10                     |             |                                |
| 20910      |               | C             | 5.41        | 4.89                       | 4.89            | 0.71       | 090              | 53.10                     |             |                                |
| 20912      |               | C             | 6.42        | 5.20                       | 5.20            | 0.69       | 090              | 53.10                     |             |                                |
| 20920      |               | C             | 5.42        | 4.32                       | 4.32            | 0.66       | 090              | 53.10                     |             |                                |
| 20922      |               | C             | 6.84        | 7.78                       | 5.16            | 0.70       | 090              | 53.10                     |             |                                |
| 20924      |               | C             | 6.59        | 5.32                       | 5.32            | 1.04       | 090              | 53.10                     |             |                                |
| 20926      |               | C             | 5.70        | 4.60                       | 4.60            | 0.87       | 090              | 53.10                     |             |                                |
| 20930      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 20931      |               | C             | 1.81        | 0.78                       | 0.78            | 0.43       | ZZZ              | 53.10                     |             |                                |
| 20936      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 20937      |               | C             | 2.79        | 1.23                       | 1.23            | 0.54       | ZZZ              | 53.10                     |             |                                |
| 20938      |               | C             | 3.02        | 1.31                       | 1.31            | 0.64       | ZZZ              | 53.10                     |             |                                |
| 20950      |               | C             | 1.26        | 4.68                       | 0.90            | 0.20       | 000              | 53.10                     |             |                                |
| 20955      |               | C             | 40.02       | 21.25                      | 21.25           | 4.90       | 090              | 53.10                     |             |                                |
| 20956      |               | C             | 40.93       | 21.76                      | 21.76           | 7.03       | 090              | 53.10                     |             |                                |
| 20957      |               | C             | 42.33       | 17.17                      | 17.17           | 7.07       | 090              | 53.10                     |             |                                |
| 20962      |               | C             | 39.21       | 22.45                      | 22.45           | 6.57       | 090              | 53.10                     |             |                                |
| 20969      |               | C             | 45.11       | 23.15                      | 23.15           | 4.80       | 090              | 53.10                     |             |                                |
| 20970      |               | C             | 44.26       | 23.17                      | 23.17           | 6.62       | 090              | 53.10                     |             |                                |
| 20972      |               | C             | 44.19       | 17.73                      | 17.73           | 5.32       | 090              | 53.10                     |             |                                |
| 20973      |               | C             | 46.95       | 18.03                      | 18.03           | 5.56       | 090              | 53.10                     |             |                                |
| 20974      |               | C             | 0.62        | 0.93                       | 0.51            | 0.11       | 000              | 53.10                     |             |                                |
| 20975      |               | C             | 2.60        | 1.57                       | 1.57            | 0.51       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 20979      |               | C             | 0.62        | 0.65                       | 0.24            | 0.09      | 000        |                  | 53.10                     |             |                                |
| 20982      |               | C             | 7.27        | 86.54                      | 2.91            | 0.69      | 000        |                  | 53.10                     |             |                                |
| 20985      |               | C             | 2.50        | 1.06                       | 1.06            | 0.48      | ZZZ        |                  | 53.10                     |             |                                |
| 20986      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      | 12/31/2008  |                                |
| 20987      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      | 12/31/2008  |                                |
| 20999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | YYY        |                  | 0.00                      |             |                                |
| 21010      |               | C             | 10.90       | 6.53                       | 6.53            | 1.11      | 090        |                  | 53.10                     |             |                                |
| 21015      |               | C             | 5.59        | 4.56                       | 4.56            | 0.70      | 090        |                  | 53.10                     |             |                                |
| 21025      |               | C             | 9.87        | 11.11                      | 7.88            | 1.32      | 090        |                  | 53.10                     |             |                                |
| 21026      |               | C             | 5.54        | 8.54                       | 6.05            | 0.60      | 090        |                  | 53.10                     |             |                                |
| 21029      |               | C             | 8.26        | 9.54                       | 6.72            | 0.94      | 090        |                  | 53.10                     |             |                                |
| 21030      |               | C             | 4.80        | 6.95                       | 4.80            | 0.54      | 090        |                  | 53.10                     |             |                                |
| 21031      |               | C             | 3.26        | 5.75                       | 3.56            | 0.48      | 090        |                  | 53.10                     |             |                                |
| 21032      |               | C             | 3.28        | 5.86                       | 3.44            | 0.47      | 090        |                  | 53.10                     |             |                                |
| 21034      |               | C             | 17.17       | 14.61                      | 11.00           | 1.72      | 090        |                  | 53.10                     |             |                                |
| 21040      |               | C             | 4.80        | 7.05                       | 4.74            | 0.54      | 090        |                  | 53.10                     |             |                                |
| 21044      |               | C             | 12.61       | 8.58                       | 8.58            | 1.12      | 090        |                  | 53.10                     |             |                                |
| 21045      |               | C             | 18.13       | 11.43                      | 11.43           | 1.52      | 090        |                  | 53.10                     |             |                                |
| 21046      |               | C             | 13.97       | 11.88                      | 11.88           | 1.86      | 090        |                  | 53.10                     |             |                                |
| 21047      |               | C             | 19.83       | 11.42                      | 11.42           | 2.13      | 090        |                  | 53.10                     |             |                                |
| 21048      |               | C             | 14.47       | 11.79                      | 11.79           | 1.77      | 090        |                  | 53.10                     |             |                                |
| 21049      |               | C             | 19.08       | 11.46                      | 11.46           | 1.59      | 090        |                  | 53.10                     |             |                                |
| 21050      |               | C             | 11.54       | 9.04                       | 9.04            | 1.47      | 090        |                  | 53.10                     |             |                                |
| 21060      |               | C             | 10.91       | 7.85                       | 7.85            | 1.38      | 090        |                  | 53.10                     |             |                                |
| 21070      |               | C             | 8.50        | 6.66                       | 6.66            | 1.27      | 090        |                  | 53.10                     |             |                                |
| 21073      |               | C             | 3.33        | 5.40                       | 2.33            | 0.43      | 090        |                  | 53.10                     |             |                                |
| 21076      |               | C             | 13.40       | 9.37                       | 6.32            | 2.00      | 010        |                  | 53.10                     |             |                                |
| 21077      |               | C             | 33.70       | 22.65                      | 16.48           | 4.56      | 090        |                  | 53.10                     |             |                                |
| 21079      |               | C             | 22.31       | 16.22                      | 10.82           | 3.16      | 090        |                  | 53.10                     |             |                                |
| 21080      |               | C             | 25.06       | 18.60                      | 12.08           | 3.75      | 090        |                  | 53.10                     |             |                                |
| 21081      |               | C             | 22.85       | 17.14                      | 11.10           | 3.21      | 090        |                  | 53.10                     |             |                                |
| 21082      |               | C             | 20.84       | 16.31                      | 10.53           | 3.12      | 090        |                  | 53.10                     |             |                                |
| 21083      |               | C             | 19.27       | 16.07                      | 9.77            | 2.89      | 090        |                  | 53.10                     |             |                                |
| 21084      |               | C             | 22.48       | 18.49                      | 11.53           | 2.19      | 090        |                  | 53.10                     |             |                                |
| 21085      |               | C             | 8.99        | 7.34                       | 4.48            | 1.27      | 010        |                  | 53.10                     |             |                                |
| 21086      |               | C             | 24.88       | 15.98                      | 11.64           | 3.72      | 090        |                  | 53.10                     |             |                                |
| 21087      |               | C             | 24.88       | 16.00                      | 11.68           | 3.45      | 090        |                  | 53.10                     |             |                                |
| 21088      |               | C             | 866.24      | 0.00                       | 0.00            | 0.00      | 090        |                  | 2.50                      |             |                                |
| 21089      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | 090        |                  | 0.00                      |             |                                |
| 21100      |               | C             | 4.56        | 12.67                      | 5.09            | 0.34      | 090        |                  | 53.10                     |             |                                |
| 21110      |               | C             | 5.80        | 12.07                      | 9.34            | 0.72      | 090        |                  | 53.10                     |             |                                |
| 21116      |               | C             | 0.81        | 2.86                       | 0.26            | 0.06      | 000        |                  | 53.10                     |             |                                |
| 21120      |               | C             | 4.99        | 9.85                       | 6.86            | 0.60      | 090        |                  | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 21121      |               | C             | 7.70        | 10.68                      | 7.91                  | 0.90       | 090              | 53.10                     |             |                                |
| 21122      |               | C             | 8.59        | 8.56                       | 8.56                  | 1.07       | 090              | 53.10                     |             |                                |
| 21123      |               | C             | 11.22       | 9.20                       | 9.20                  | 1.40       | 090              | 53.10                     |             |                                |
| 21125      |               | C             | 10.68       | 63.64                      | 7.43                  | 0.79       | 090              | 53.10                     |             |                                |
| 21127      |               | C             | 12.24       | 75.85                      | 8.53                  | 1.52       | 090              | 53.10                     |             |                                |
| 21137      |               | C             | 10.12       | 6.96                       | 6.96                  | 1.32       | 090              | 53.10                     |             |                                |
| 21138      |               | C             | 12.73       | 8.53                       | 8.53                  | 1.75       | 090              | 53.10                     |             |                                |
| 21139      |               | C             | 14.90       | 9.46                       | 9.46                  | 1.18       | 090              | 53.10                     |             |                                |
| 21141      |               | C             | 19.27       | 12.91                      | 12.91                 | 2.36       | 090              | 53.10                     |             |                                |
| 21142      |               | C             | 19.98       | 11.74                      | 11.74                 | 2.39       | 090              | 53.10                     |             |                                |
| 21143      |               | C             | 20.75       | 12.72                      | 12.72                 | 1.66       | 090              | 53.10                     |             |                                |
| 21145      |               | C             | 23.64       | 13.18                      | 13.18                 | 2.85       | 090              | 53.10                     |             |                                |
| 21146      |               | C             | 24.54       | 14.77                      | 14.77                 | 3.10       | 090              | 53.10                     |             |                                |
| 21147      |               | C             | 26.14       | 15.19                      | 15.19                 | 1.85       | 090              | 53.10                     |             |                                |
| 21150      |               | C             | 25.78       | 14.77                      | 14.77                 | 2.56       | 090              | 53.10                     |             |                                |
| 21151      |               | C             | 28.84       | 20.84                      | 20.84                 | 2.31       | 090              | 53.10                     |             |                                |
| 21154      |               | C             | 31.05       | 18.93                      | 18.93                 | 2.49       | 090              | 53.10                     |             |                                |
| 21155      |               | C             | 34.98       | 19.13                      | 19.13                 | 6.66       | 090              | 53.10                     |             |                                |
| 21159      |               | C             | 42.90       | 22.42                      | 22.42                 | 8.20       | 090              | 53.10                     |             |                                |
| 21160      |               | C             | 46.95       | 23.04                      | 23.04                 | 4.14       | 090              | 53.10                     |             |                                |
| 21172      |               | C             | 28.07       | 14.32                      | 14.32                 | 3.56       | 090              | 53.10                     |             |                                |
| 21175      |               | C             | 33.43       | 17.42                      | 17.42                 | 4.84       | 090              | 53.10                     |             |                                |
| 21179      |               | C             | 22.53       | 12.67                      | 12.67                 | 2.81       | 090              | 53.10                     |             |                                |
| 21180      |               | C             | 25.46       | 14.49                      | 14.49                 | 3.49       | 090              | 53.10                     |             |                                |
| 21181      |               | C             | 10.18       | 6.63                       | 6.63                  | 1.32       | 090              | 53.10                     |             |                                |
| 21182      |               | C             | 32.45       | 17.04                      | 17.04                 | 2.81       | 090              | 53.10                     |             |                                |
| 21183      |               | C             | 35.57       | 18.92                      | 18.92                 | 4.48       | 090              | 53.10                     |             |                                |
| 21184      |               | C             | 38.49       | 19.12                      | 19.12                 | 5.72       | 090              | 53.10                     |             |                                |
| 21188      |               | C             | 22.97       | 16.74                      | 16.74                 | 1.70       | 090              | 53.10                     |             |                                |
| 21193      |               | C             | 18.65       | 10.99                      | 10.99                 | 2.24       | 090              | 53.10                     |             |                                |
| 21194      |               | C             | 21.54       | 12.65                      | 12.65                 | 2.03       | 090              | 53.10                     |             |                                |
| 21195      |               | C             | 18.88       | 13.49                      | 13.49                 | 1.64       | 090              | 53.10                     |             |                                |
| 21196      |               | C             | 20.55       | 14.53                      | 14.53                 | 2.08       | 090              | 53.10                     |             |                                |
| 21198      |               | C             | 15.48       | 12.27                      | 12.27                 | 1.44       | 090              | 53.10                     |             |                                |
| 21199      |               | C             | 16.62       | 8.33                       | 8.33                  | 1.39       | 090              | 53.10                     |             |                                |
| 21206      |               | C             | 15.36       | 12.03                      | 12.03                 | 1.33       | 090              | 53.10                     |             |                                |
| 21208      |               | C             | 11.15       | 30.53                      | 8.70                  | 1.09       | 090              | 53.10                     |             |                                |
| 21209      |               | C             | 7.58        | 11.88                      | 7.67                  | 0.90       | 090              | 53.10                     |             |                                |
| 21210      |               | C             | 11.40       | 38.53                      | 8.28                  | 1.30       | 090              | 53.10                     |             |                                |
| 21215      |               | C             | 11.94       | 73.68                      | 8.46                  | 1.53       | 090              | 53.10                     |             |                                |
| 21230      |               | C             | 11.06       | 7.23                       | 7.23                  | 1.29       | 090              | 53.10                     |             |                                |
| 21235      |               | C             | 7.31        | 10.08                      | 6.34                  | 0.61       | 090              | 53.10                     |             |                                |
| 21240      |               | C             | 15.77       | 10.43                      | 10.43                 | 2.25       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 21242 |       | C      | 14.32 | 9.87     | 9.87     | 1.79 | 090    | 53.10   |      |                                |
| 21243 |       | C      | 24.03 | 15.45    | 15.45    | 3.26 | 090    | 53.10   |      |                                |
| 21244 |       | C      | 13.35 | 11.82    | 11.82    | 1.25 | 090    | 53.10   |      |                                |
| 21245 |       | C      | 12.88 | 14.41    | 9.19     | 1.19 | 090    | 53.10   |      |                                |
| 21246 |       | C      | 12.78 | 7.65     | 7.65     | 1.35 | 090    | 53.10   |      |                                |
| 21247 |       | C      | 24.05 | 14.55    | 14.55    | 2.84 | 090    | 53.10   |      |                                |
| 21248 |       | C      | 12.54 | 12.84    | 8.35     | 1.55 | 090    | 53.10   |      |                                |
| 21249 |       | C      | 18.57 | 16.38    | 10.86    | 2.49 | 090    | 53.10   |      |                                |
| 21255 |       | C      | 18.14 | 16.23    | 16.23    | 2.39 | 090    | 53.10   |      |                                |
| 21256 |       | C      | 17.42 | 10.83    | 10.83    | 1.50 | 090    | 53.10   |      |                                |
| 21260 |       | C      | 17.74 | 14.67    | 14.67    | 0.97 | 090    | 53.10   |      |                                |
| 21261 |       | C      | 33.78 | 20.32    | 20.32    | 3.43 | 090    | 53.10   |      |                                |
| 21263 |       | C      | 30.72 | 18.26    | 18.26    | 2.63 | 090    | 53.10   |      |                                |
| 21267 |       | C      | 20.45 | 17.00    | 17.00    | 1.71 | 090    | 53.10   |      |                                |
| 21268 |       | C      | 26.78 | 18.65    | 18.65    | 3.66 | 090    | 53.10   |      |                                |
| 21270 |       | C      | 10.52 | 11.43    | 6.45     | 0.72 | 090    | 53.10   |      |                                |
| 21275 |       | C      | 11.65 | 7.62     | 7.62     | 1.29 | 090    | 53.10   |      |                                |
| 21280 |       | C      | 6.92  | 5.81     | 5.81     | 0.42 | 090    | 53.10   |      |                                |
| 21282 |       | C      | 4.11  | 4.33     | 4.33     | 0.26 | 090    | 53.10   |      |                                |
| 21295 |       | C      | 1.82  | 2.39     | 2.39     | 0.16 | 090    | 53.10   |      |                                |
| 21296 |       | C      | 4.67  | 5.59     | 5.59     | 0.34 | 090    | 53.10   |      |                                |
| 21299 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 21310 |       | C      | 0.58  | 2.00     | 0.12     | 0.05 | 000    | 53.10   |      |                                |
| 21315 |       | C      | 1.78  | 4.51     | 1.79     | 0.14 | 010    | 53.10   |      |                                |
| 21320 |       | C      | 1.86  | 4.16     | 1.44     | 0.18 | 010    | 53.10   |      |                                |
| 21325 |       | C      | 4.07  | 7.29     | 7.29     | 0.31 | 090    | 53.10   |      |                                |
| 21330 |       | C      | 5.68  | 8.12     | 8.12     | 0.56 | 090    | 53.10   |      |                                |
| 21335 |       | C      | 8.91  | 8.87     | 8.87     | 0.74 | 090    | 53.10   |      |                                |
| 21336 |       | C      | 6.56  | 8.89     | 8.89     | 0.55 | 090    | 53.10   |      |                                |
| 21337 |       | C      | 3.26  | 6.10     | 3.58     | 0.28 | 090    | 53.10   |      |                                |
| 21338 |       | C      | 6.76  | 10.83    | 10.83    | 0.82 | 090    | 53.10   |      |                                |
| 21339 |       | C      | 8.39  | 11.16    | 11.16    | 0.96 | 090    | 53.10   |      |                                |
| 21340 |       | C      | 11.33 | 7.97     | 7.97     | 1.15 | 090    | 53.10   |      |                                |
| 21343 |       | C      | 14.11 | 13.46    | 13.46    | 1.47 | 090    | 53.10   |      |                                |
| 21344 |       | C      | 21.36 | 14.45    | 14.45    | 2.44 | 090    | 53.10   |      |                                |
| 21345 |       | C      | 8.87  | 10.27    | 6.81     | 0.92 | 090    | 53.10   |      |                                |
| 21346 |       | C      | 11.29 | 11.56    | 11.56    | 1.21 | 090    | 53.10   |      |                                |
| 21347 |       | C      | 13.37 | 13.07    | 13.07    | 1.47 | 090    | 53.10   |      |                                |
| 21348 |       | C      | 17.36 | 9.98     | 9.98     | 2.49 | 090    | 53.10   |      |                                |
| 21355 |       | C      | 4.32  | 6.17     | 3.49     | 0.34 | 010    | 53.10   |      |                                |
| 21356 |       | C      | 4.70  | 7.00     | 4.23     | 0.46 | 010    | 53.10   |      |                                |
| 21360 |       | C      | 7.03  | 5.61     | 5.61     | 0.74 | 090    | 53.10   |      |                                |
| 21365 |       | C      | 16.52 | 9.83     | 9.83     | 1.70 | 090    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 21366 |       | C      | 18.44 | 10.43    | 10.43    | 2.50 | 090    | 53.10   |      |                                |
| 21385 |       | C      | 9.46  | 7.62     | 7.62     | 0.97 | 090    | 53.10   |      |                                |
| 21386 |       | C      | 9.46  | 6.42     | 6.42     | 0.97 | 090    | 53.10   |      |                                |
| 21387 |       | C      | 10.00 | 7.77     | 7.77     | 1.08 | 090    | 53.10   |      |                                |
| 21390 |       | C      | 11.07 | 7.45     | 7.45     | 0.90 | 090    | 53.10   |      |                                |
| 21395 |       | C      | 14.62 | 8.52     | 8.52     | 1.44 | 090    | 53.10   |      |                                |
| 21400 |       | C      | 1.44  | 2.78     | 2.01     | 0.15 | 090    | 53.10   |      |                                |
| 21401 |       | C      | 3.57  | 7.70     | 3.45     | 0.38 | 090    | 53.10   |      |                                |
| 21406 |       | C      | 7.31  | 5.60     | 5.60     | 0.73 | 090    | 53.10   |      |                                |
| 21407 |       | C      | 8.91  | 6.32     | 6.32     | 0.94 | 090    | 53.10   |      |                                |
| 21408 |       | C      | 12.67 | 8.17     | 8.17     | 1.44 | 090    | 53.10   |      |                                |
| 21421 |       | C      | 5.80  | 11.51    | 8.92     | 0.73 | 090    | 53.10   |      |                                |
| 21422 |       | C      | 8.62  | 7.34     | 7.34     | 0.99 | 090    | 53.10   |      |                                |
| 21423 |       | C      | 10.71 | 8.18     | 8.18     | 1.27 | 090    | 53.10   |      |                                |
| 21431 |       | C      | 7.74  | 9.99     | 9.99     | 0.70 | 090    | 53.10   |      |                                |
| 21432 |       | C      | 8.76  | 7.27     | 7.27     | 0.81 | 090    | 53.10   |      |                                |
| 21433 |       | C      | 26.13 | 14.49    | 14.49    | 2.79 | 090    | 53.10   |      |                                |
| 21435 |       | C      | 20.02 | 12.17    | 12.17    | 1.99 | 090    | 53.10   |      |                                |
| 21436 |       | C      | 30.01 | 17.23    | 17.23    | 3.10 | 090    | 53.10   |      |                                |
| 21440 |       | C      | 3.28  | 9.42     | 7.23     | 0.38 | 090    | 53.10   |      |                                |
| 21445 |       | C      | 6.04  | 11.81    | 8.62     | 0.78 | 090    | 53.10   |      |                                |
| 21450 |       | C      | 3.55  | 9.72     | 7.51     | 0.33 | 090    | 53.10   |      |                                |
| 21451 |       | C      | 5.46  | 11.92    | 9.28     | 0.63 | 090    | 53.10   |      |                                |
| 21452 |       | C      | 2.29  | 12.20    | 5.68     | 0.27 | 090    | 53.10   |      |                                |
| 21453 |       | C      | 6.40  | 13.71    | 11.40    | 0.74 | 090    | 53.10   |      |                                |
| 21454 |       | C      | 7.17  | 5.97     | 5.97     | 0.82 | 090    | 53.10   |      |                                |
| 21461 |       | C      | 9.07  | 37.04    | 12.86    | 0.98 | 090    | 53.10   |      |                                |
| 21462 |       | C      | 10.77 | 38.91    | 13.39    | 1.27 | 090    | 53.10   |      |                                |
| 21465 |       | C      | 12.88 | 8.79     | 8.79     | 1.50 | 090    | 53.10   |      |                                |
| 21470 |       | C      | 17.24 | 11.02    | 11.02    | 1.97 | 090    | 53.10   |      |                                |
| 21480 |       | C      | 0.61  | 1.57     | 0.18     | 0.06 | 000    | 53.10   |      |                                |
| 21485 |       | C      | 4.58  | 11.00    | 8.68     | 0.51 | 090    | 53.10   |      |                                |
| 21490 |       | C      | 12.71 | 8.96     | 8.96     | 1.97 | 090    | 53.10   |      |                                |
| 21495 |       | C      | 6.55  | 9.93     | 9.93     | 0.46 | 090    | 53.10   |      |                                |
| 21497 |       | C      | 4.45  | 11.30    | 8.97     | 0.50 | 090    | 53.10   |      |                                |
| 21499 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 21501 |       | C      | 3.87  | 6.50     | 3.62     | 0.43 | 090    | 53.10   |      |                                |
| 21502 |       | C      | 7.43  | 4.90     | 4.90     | 0.97 | 090    | 53.10   |      |                                |
| 21510 |       | C      | 6.06  | 4.89     | 4.89     | 0.80 | 090    | 53.10   |      |                                |
| 21550 |       | C      | 2.08  | 4.08     | 1.77     | 0.16 | 010    | 53.10   |      |                                |
| 21555 |       | C      | 4.40  | 5.73     | 3.42     | 0.56 | 090    | 53.10   |      |                                |
| 21556 |       | C      | 5.63  | 4.18     | 4.18     | 0.65 | 090    | 53.10   |      |                                |
| 21557 |       | C      | 8.91  | 4.85     | 4.85     | 1.08 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 21600      |               | C             | 7.14        | 5.92                       | 5.92                  | 0.99       | 090              | 53.10                     |             |                                |
| 21610      |               | C             | 15.76       | 8.83                       | 8.83                  | 3.08       | 090              | 53.10                     |             |                                |
| 21615      |               | C             | 10.31       | 5.55                       | 5.55                  | 1.45       | 090              | 53.10                     |             |                                |
| 21616      |               | C             | 12.54       | 7.71                       | 7.71                  | 1.87       | 090              | 53.10                     |             |                                |
| 21620      |               | C             | 7.16        | 5.22                       | 5.22                  | 0.98       | 090              | 53.10                     |             |                                |
| 21627      |               | C             | 7.18        | 5.84                       | 5.84                  | 1.02       | 090              | 53.10                     |             |                                |
| 21630      |               | C             | 19.01       | 11.11                      | 11.11                 | 2.59       | 090              | 53.10                     |             |                                |
| 21632      |               | C             | 19.51       | 10.20                      | 10.20                 | 2.66       | 090              | 53.10                     |             |                                |
| 21685      |               | C             | 14.89       | 9.26                       | 9.26                  | 1.06       | 090              | 53.10                     |             |                                |
| 21700      |               | C             | 6.23        | 4.12                       | 4.12                  | 0.32       | 090              | 53.10                     |             |                                |
| 21705      |               | C             | 9.83        | 5.44                       | 5.44                  | 1.43       | 090              | 53.10                     |             |                                |
| 21720      |               | C             | 5.72        | 3.87                       | 3.87                  | 0.91       | 090              | 53.10                     |             |                                |
| 21725      |               | C             | 7.10        | 5.34                       | 5.34                  | 1.21       | 090              | 53.10                     |             |                                |
| 21740      |               | C             | 17.47       | 8.35                       | 8.35                  | 2.37       | 090              | 53.10                     |             |                                |
| 21742      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | 090              | 0.00                      |             |                                |
| 21743      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | 090              | 0.00                      |             |                                |
| 21750      |               | C             | 11.35       | 5.74                       | 5.74                  | 1.63       | 090              | 53.10                     |             |                                |
| 21800      |               | C             | 0.98        | 1.34                       | 1.38                  | 0.09       | 090              | 53.10                     |             |                                |
| 21805      |               | C             | 2.80        | 3.32                       | 3.32                  | 0.38       | 090              | 53.10                     |             |                                |
| 21810      |               | C             | 6.92        | 4.90                       | 4.90                  | 0.94       | 090              | 53.10                     |             |                                |
| 21820      |               | C             | 1.31        | 1.76                       | 1.80                  | 0.16       | 090              | 53.10                     |             |                                |
| 21825      |               | C             | 7.65        | 5.75                       | 5.75                  | 1.11       | 090              | 53.10                     |             |                                |
| 21899      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 21920      |               | C             | 2.08        | 4.08                       | 1.78                  | 0.14       | 010              | 53.10                     |             |                                |
| 21925      |               | C             | 4.54        | 5.33                       | 3.38                  | 0.60       | 090              | 53.10                     |             |                                |
| 21930      |               | C             | 5.06        | 5.96                       | 3.72                  | 0.66       | 090              | 53.10                     |             |                                |
| 21935      |               | C             | 18.38       | 9.02                       | 9.02                  | 2.48       | 090              | 53.10                     |             |                                |
| 22010      |               | C             | 12.57       | 8.69                       | 8.69                  | 1.74       | 090              | 53.10                     |             |                                |
| 22015      |               | C             | 12.46       | 8.69                       | 8.69                  | 1.72       | 090              | 53.10                     |             |                                |
| 22100      |               | C             | 10.80       | 8.03                       | 8.03                  | 2.14       | 090              | 53.10                     |             |                                |
| 22101      |               | C             | 10.88       | 8.05                       | 8.05                  | 1.91       | 090              | 53.10                     |             |                                |
| 22102      |               | C             | 10.88       | 7.99                       | 7.99                  | 1.88       | 090              | 53.10                     |             |                                |
| 22103      |               | C             | 2.34        | 1.03                       | 1.03                  | 0.44       | ZZZ              | 53.10                     |             |                                |
| 22110      |               | C             | 13.80       | 9.51                       | 9.51                  | 2.77       | 090              | 53.10                     |             |                                |
| 22112      |               | C             | 13.87       | 8.79                       | 8.79                  | 2.53       | 090              | 53.10                     |             |                                |
| 22114      |               | C             | 13.87       | 9.36                       | 9.36                  | 2.64       | 090              | 53.10                     |             |                                |
| 22116      |               | C             | 2.32        | 0.99                       | 0.99                  | 0.50       | ZZZ              | 53.10                     |             |                                |
| 22206      |               | C             | 37.00       | 18.64                      | 18.64                 | 6.23       | 090              | 53.10                     |             |                                |
| 22207      |               | C             | 36.50       | 18.47                      | 18.47                 | 6.07       | 090              | 53.10                     |             |                                |
| 22208      |               | C             | 9.66        | 3.99                       | 3.99                  | 2.07       | ZZZ              | 53.10                     |             |                                |
| 22210      |               | C             | 25.13       | 15.20                      | 15.20                 | 5.46       | 090              | 53.10                     |             |                                |
| 22212      |               | C             | 20.74       | 13.03                      | 13.03                 | 3.91       | 090              | 53.10                     |             |                                |
| 22214      |               | C             | 20.77       | 13.22                      | 13.22                 | 3.92       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 22216      |               | C             | 6.03        | 2.66                       | 2.66                  | 1.29       | ZZZ              | 53.10                     |             |                                |
| 22220      |               | C             | 22.69       | 13.51                      | 13.51                 | 5.08       | 090              | 53.10                     |             |                                |
| 22222      |               | C             | 22.84       | 10.47                      | 10.47                 | 4.13       | 090              | 53.10                     |             |                                |
| 22224      |               | C             | 22.84       | 13.55                      | 13.55                 | 4.19       | 090              | 53.10                     |             |                                |
| 22226      |               | C             | 6.03        | 2.62                       | 2.62                  | 1.29       | ZZZ              | 53.10                     |             |                                |
| 22305      |               | C             | 2.08        | 2.20                       | 1.85                  | 0.39       | 090              | 53.10                     |             |                                |
| 22310      |               | C             | 3.69        | 2.99                       | 2.52                  | 0.50       | 090              | 53.10                     |             |                                |
| 22315      |               | C             | 9.91        | 9.79                       | 7.47                  | 1.86       | 090              | 53.10                     |             |                                |
| 22318      |               | C             | 22.54       | 13.47                      | 13.47                 | 5.30       | 090              | 53.10                     |             |                                |
| 22319      |               | C             | 25.15       | 14.26                      | 14.26                 | 6.05       | 090              | 53.10                     |             |                                |
| 22325      |               | C             | 19.62       | 12.44                      | 12.44                 | 3.88       | 090              | 53.10                     |             |                                |
| 22326      |               | C             | 20.64       | 12.51                      | 12.51                 | 4.43       | 090              | 53.10                     |             |                                |
| 22327      |               | C             | 20.52       | 12.65                      | 12.65                 | 3.99       | 090              | 53.10                     |             |                                |
| 22328      |               | C             | 4.60        | 1.97                       | 1.97                  | 0.94       | ZZZ              | 53.10                     |             |                                |
| 22505      |               | C             | 1.87        | 0.96                       | 0.96                  | 0.36       | 010              | 53.10                     |             |                                |
| 22520      |               | C             | 9.17        | 47.11                      | 4.48                  | 1.72       | 010              | 53.10                     |             |                                |
| 22521      |               | C             | 8.60        | 46.27                      | 4.28                  | 1.60       | 010              | 53.10                     |             |                                |
| 22522      |               | C             | 4.30        | 1.67                       | 1.67                  | 0.82       | ZZZ              | 53.10                     |             |                                |
| 22523      |               | C             | 9.21        | 5.14                       | 5.14                  | 1.72       | 010              | 53.10                     |             |                                |
| 22524      |               | C             | 8.81        | 4.97                       | 4.97                  | 1.60       | 010              | 53.10                     |             |                                |
| 22525      |               | C             | 4.47        | 1.92                       | 1.92                  | 0.82       | ZZZ              | 53.10                     |             |                                |
| 22526      |               | C             | 6.07        | 41.57                      | 1.91                  | 1.16       | 010              | 53.10                     |             |                                |
| 22527      |               | C             | 3.03        | 34.18                      | 0.57                  | 0.58       | ZZZ              | 53.10                     |             |                                |
| 22532      |               | C             | 25.81       | 14.41                      | 14.41                 | 4.35       | 090              | 53.10                     |             |                                |
| 22533      |               | C             | 24.61       | 13.92                      | 13.92                 | 3.16       | 090              | 53.10                     |             |                                |
| 22534      |               | C             | 5.99        | 2.60                       | 2.60                  | 1.25       | ZZZ              | 53.10                     |             |                                |
| 22548      |               | C             | 26.86       | 15.31                      | 15.31                 | 5.61       | 090              | 53.10                     |             |                                |
| 22554      |               | C             | 17.54       | 11.26                      | 11.26                 | 4.46       | 090              | 53.10                     |             |                                |
| 22556      |               | C             | 24.50       | 13.73                      | 13.73                 | 4.35       | 090              | 53.10                     |             |                                |
| 22558      |               | C             | 23.33       | 12.36                      | 12.36                 | 3.16       | 090              | 53.10                     |             |                                |
| 22585      |               | C             | 5.52        | 2.35                       | 2.35                  | 1.25       | ZZZ              | 53.10                     |             |                                |
| 22590      |               | C             | 21.56       | 13.40                      | 13.40                 | 4.79       | 090              | 53.10                     |             |                                |
| 22595      |               | C             | 20.44       | 12.85                      | 12.85                 | 4.41       | 090              | 53.10                     |             |                                |
| 22600      |               | C             | 17.20       | 11.38                      | 11.38                 | 3.73       | 090              | 53.10                     |             |                                |
| 22610      |               | C             | 17.08       | 11.23                      | 11.23                 | 3.53       | 090              | 53.10                     |             |                                |
| 22612      |               | C             | 23.38       | 13.32                      | 13.32                 | 4.47       | 090              | 53.10                     |             |                                |
| 22614      |               | C             | 6.43        | 2.81                       | 2.81                  | 1.38       | ZZZ              | 53.10                     |             |                                |
| 22630      |               | C             | 21.89       | 13.12                      | 13.12                 | 4.73       | 090              | 53.10                     |             |                                |
| 22632      |               | C             | 5.22        | 2.26                       | 2.26                  | 1.16       | ZZZ              | 53.10                     |             |                                |
| 22800      |               | C             | 19.30       | 11.92                      | 11.92                 | 3.76       | 090              | 53.10                     |             |                                |
| 22802      |               | C             | 31.91       | 17.58                      | 17.58                 | 6.17       | 090              | 53.10                     |             |                                |
| 22804      |               | C             | 37.30       | 19.95                      | 19.95                 | 7.00       | 090              | 53.10                     |             |                                |
| 22808      |               | C             | 27.31       | 15.01                      | 15.01                 | 4.93       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 22810      |               | C             | 31.30       | 16.12                      | 16.12                 | 5.15       | 090              | 53.10                     |             |                                |
| 22812      |               | C             | 34.00       | 18.13                      | 18.13                 | 5.30       | 090              | 53.10                     |             |                                |
| 22818      |               | C             | 34.18       | 17.60                      | 17.60                 | 6.47       | 090              | 53.10                     |             |                                |
| 22819      |               | C             | 39.18       | 20.33                      | 20.33                 | 7.67       | 090              | 53.10                     |             |                                |
| 22830      |               | C             | 11.13       | 7.45                       | 7.45                  | 2.30       | 090              | 53.10                     |             |                                |
| 22840      |               | C             | 12.52       | 5.45                       | 5.45                  | 2.79       | ZZZ              | 53.10                     |             |                                |
| 22841      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 22842      |               | C             | 12.56       | 5.48                       | 5.48                  | 2.75       | ZZZ              | 53.10                     |             |                                |
| 22843      |               | C             | 13.44       | 5.81                       | 5.81                  | 2.86       | ZZZ              | 53.10                     |             |                                |
| 22844      |               | C             | 16.42       | 7.38                       | 7.38                  | 3.19       | ZZZ              | 53.10                     |             |                                |
| 22845      |               | C             | 11.94       | 5.12                       | 5.12                  | 2.86       | ZZZ              | 53.10                     |             |                                |
| 22846      |               | C             | 12.40       | 5.32                       | 5.32                  | 2.96       | ZZZ              | 53.10                     |             |                                |
| 22847      |               | C             | 13.78       | 5.95                       | 5.95                  | 3.00       | ZZZ              | 53.10                     |             |                                |
| 22848      |               | C             | 5.99        | 2.69                       | 2.69                  | 1.15       | ZZZ              | 53.10                     |             |                                |
| 22849      |               | C             | 19.08       | 10.92                      | 10.92                 | 3.90       | 090              | 53.10                     |             |                                |
| 22850      |               | C             | 9.74        | 6.69                       | 6.69                  | 2.05       | 090              | 53.10                     |             |                                |
| 22851      |               | C             | 6.70        | 2.88                       | 2.88                  | 1.49       | ZZZ              | 53.10                     |             |                                |
| 22852      |               | C             | 9.29        | 6.46                       | 6.46                  | 1.90       | 090              | 53.10                     |             |                                |
| 22855      |               | C             | 15.77       | 9.49                       | 9.49                  | 3.52       | 090              | 53.10                     |             |                                |
| 22856      |               | C             | 23.90       | 13.63                      | 13.63                 | 5.62       | 090              | 53.10                     |             |                                |
| 22857      |               | C             | 26.93       | 13.76                      | 13.76                 | 3.56       | 090              | 53.10                     |             |                                |
| 22861      |               | C             | 33.21       | 13.54                      | 13.54                 | 5.49       | 090              | 53.10                     |             |                                |
| 22862      |               | C             | 32.43       | 13.72                      | 13.72                 | 5.36       | 090              | 53.10                     |             |                                |
| 22864      |               | C             | 29.25       | 12.22                      | 12.22                 | 7.04       | 090              | 53.10                     |             |                                |
| 22865      |               | C             | 31.55       | 18.22                      | 18.22                 | 5.18       | 090              | 53.10                     |             |                                |
| 22899      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 22900      |               | C             | 6.14        | 3.52                       | 3.52                  | 0.76       | 090              | 53.10                     |             |                                |
| 22999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 23000      |               | C             | 4.40        | 8.09                       | 3.99                  | 0.68       | 090              | 53.10                     |             |                                |
| 23020      |               | C             | 9.24        | 6.90                       | 6.90                  | 1.54       | 090              | 53.10                     |             |                                |
| 23030      |               | C             | 3.44        | 6.51                       | 2.56                  | 0.57       | 010              | 53.10                     |             |                                |
| 23031      |               | C             | 2.76        | 6.37                       | 2.22                  | 0.46       | 010              | 53.10                     |             |                                |
| 23035      |               | C             | 9.04        | 7.01                       | 7.01                  | 1.47       | 090              | 53.10                     |             |                                |
| 23040      |               | C             | 9.63        | 7.18                       | 7.18                  | 1.60       | 090              | 53.10                     |             |                                |
| 23044      |               | C             | 7.48        | 5.87                       | 5.87                  | 1.24       | 090              | 53.10                     |             |                                |
| 23065      |               | C             | 2.28        | 2.82                       | 1.72                  | 0.20       | 010              | 53.10                     |             |                                |
| 23066      |               | C             | 4.21        | 7.68                       | 3.73                  | 0.63       | 090              | 53.10                     |             |                                |
| 23075      |               | C             | 2.41        | 3.67                       | 1.76                  | 0.34       | 010              | 53.10                     |             |                                |
| 23076      |               | C             | 7.77        | 5.43                       | 5.43                  | 1.13       | 090              | 53.10                     |             |                                |
| 23077      |               | C             | 18.08       | 9.97                       | 9.97                  | 2.34       | 090              | 53.10                     |             |                                |
| 23100      |               | C             | 6.09        | 5.28                       | 5.28                  | 1.04       | 090              | 53.10                     |             |                                |
| 23101      |               | C             | 5.63        | 4.82                       | 4.82                  | 0.96       | 090              | 53.10                     |             |                                |
| 23105      |               | C             | 8.36        | 6.50                       | 6.50                  | 1.42       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 23106      |               | C             | 6.02        | 5.09                       | 5.09            | 0.99       | 090              | 53.10                     |             |                                |
| 23107      |               | C             | 8.75        | 6.68                       | 6.68            | 1.49       | 090              | 53.10                     |             |                                |
| 23120      |               | C             | 7.23        | 6.16                       | 6.16            | 1.23       | 090              | 53.10                     |             |                                |
| 23125      |               | C             | 9.52        | 6.87                       | 6.87            | 1.62       | 090              | 53.10                     |             |                                |
| 23130      |               | C             | 7.63        | 6.45                       | 6.45            | 1.30       | 090              | 53.10                     |             |                                |
| 23140      |               | C             | 7.01        | 4.99                       | 4.99            | 1.08       | 090              | 53.10                     |             |                                |
| 23145      |               | C             | 9.28        | 6.88                       | 6.88            | 1.49       | 090              | 53.10                     |             |                                |
| 23146      |               | C             | 7.96        | 6.04                       | 6.04            | 1.35       | 090              | 53.10                     |             |                                |
| 23150      |               | C             | 8.79        | 6.56                       | 6.56            | 1.32       | 090              | 53.10                     |             |                                |
| 23155      |               | C             | 10.72       | 7.74                       | 7.74            | 1.81       | 090              | 53.10                     |             |                                |
| 23156      |               | C             | 8.99        | 6.72                       | 6.72            | 1.50       | 090              | 53.10                     |             |                                |
| 23170      |               | C             | 7.10        | 5.28                       | 5.28            | 1.12       | 090              | 53.10                     |             |                                |
| 23172      |               | C             | 7.20        | 5.59                       | 5.59            | 1.01       | 090              | 53.10                     |             |                                |
| 23174      |               | C             | 9.90        | 7.69                       | 7.69            | 1.65       | 090              | 53.10                     |             |                                |
| 23180      |               | C             | 8.85        | 7.18                       | 7.18            | 1.47       | 090              | 53.10                     |             |                                |
| 23182      |               | C             | 8.47        | 7.03                       | 7.03            | 1.37       | 090              | 53.10                     |             |                                |
| 23184      |               | C             | 9.76        | 7.68                       | 7.68            | 1.63       | 090              | 53.10                     |             |                                |
| 23190      |               | C             | 7.36        | 5.65                       | 5.65            | 1.17       | 090              | 53.10                     |             |                                |
| 23195      |               | C             | 10.24       | 7.33                       | 7.33            | 1.71       | 090              | 53.10                     |             |                                |
| 23200      |               | C             | 12.69       | 8.09                       | 8.09            | 1.94       | 090              | 53.10                     |             |                                |
| 23210      |               | C             | 13.16       | 8.58                       | 8.58            | 2.03       | 090              | 53.10                     |             |                                |
| 23220      |               | C             | 15.36       | 9.73                       | 9.73            | 2.49       | 090              | 53.10                     |             |                                |
| 23221      |               | C             | 18.41       | 10.77                      | 10.77           | 3.06       | 090              | 53.10                     |             |                                |
| 23222      |               | C             | 25.44       | 14.43                      | 14.43           | 3.95       | 090              | 53.10                     |             |                                |
| 23330      |               | C             | 1.87        | 3.42                       | 1.64            | 0.24       | 010              | 53.10                     |             |                                |
| 23331      |               | C             | 7.51        | 6.20                       | 6.20            | 1.27       | 090              | 53.10                     |             |                                |
| 23332      |               | C             | 12.23       | 8.52                       | 8.52            | 2.03       | 090              | 53.10                     |             |                                |
| 23350      |               | C             | 1.00        | 2.91                       | 0.37            | 0.06       | 000              | 53.10                     |             |                                |
| 23395      |               | C             | 18.29       | 11.95                      | 11.95           | 2.94       | 090              | 53.10                     |             |                                |
| 23397      |               | C             | 16.62       | 10.39                      | 10.39           | 2.74       | 090              | 53.10                     |             |                                |
| 23400      |               | C             | 13.73       | 9.18                       | 9.18            | 2.30       | 090              | 53.10                     |             |                                |
| 23405      |               | C             | 8.43        | 6.32                       | 6.32            | 1.45       | 090              | 53.10                     |             |                                |
| 23406      |               | C             | 10.90       | 7.49                       | 7.49            | 1.88       | 090              | 53.10                     |             |                                |
| 23410      |               | C             | 11.23       | 8.17                       | 8.17            | 2.17       | 090              | 53.10                     |             |                                |
| 23412      |               | C             | 11.77       | 8.47                       | 8.47            | 2.32       | 090              | 53.10                     |             |                                |
| 23415      |               | C             | 9.07        | 7.13                       | 7.13            | 1.74       | 090              | 53.10                     |             |                                |
| 23420      |               | C             | 13.35       | 9.52                       | 9.52            | 2.32       | 090              | 53.10                     |             |                                |
| 23430      |               | C             | 10.05       | 7.27                       | 7.27            | 1.74       | 090              | 53.10                     |             |                                |
| 23440      |               | C             | 10.53       | 7.31                       | 7.31            | 1.83       | 090              | 53.10                     |             |                                |
| 23450      |               | C             | 13.58       | 8.78                       | 8.78            | 2.33       | 090              | 53.10                     |             |                                |
| 23455      |               | C             | 14.55       | 9.29                       | 9.29            | 2.50       | 090              | 53.10                     |             |                                |
| 23460      |               | C             | 15.68       | 10.15                      | 10.15           | 2.67       | 090              | 53.10                     |             |                                |
| 23462      |               | C             | 15.60       | 9.75                       | 9.75            | 2.60       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 23465      |               | C             | 16.16       | 10.25                      | 10.25                 | 2.77       | 090              | 53.10                     |             |                                |
| 23466      |               | C             | 15.55       | 10.66                      | 10.66                 | 2.47       | 090              | 53.10                     |             |                                |
| 23470      |               | C             | 17.75       | 11.00                      | 11.00                 | 2.99       | 090              | 53.10                     |             |                                |
| 23472      |               | C             | 22.47       | 13.15                      | 13.15                 | 3.67       | 090              | 53.10                     |             |                                |
| 23480      |               | C             | 11.42       | 7.83                       | 7.83                  | 1.95       | 090              | 53.10                     |             |                                |
| 23485      |               | C             | 13.79       | 8.93                       | 8.93                  | 2.34       | 090              | 53.10                     |             |                                |
| 23490      |               | C             | 12.04       | 7.95                       | 7.95                  | 1.47       | 090              | 53.10                     |             |                                |
| 23491      |               | C             | 14.40       | 9.52                       | 9.52                  | 2.47       | 090              | 53.10                     |             |                                |
| 23500      |               | C             | 2.13        | 2.69                       | 2.66                  | 0.30       | 090              | 53.10                     |             |                                |
| 23505      |               | C             | 3.74        | 4.13                       | 3.70                  | 0.61       | 090              | 53.10                     |             |                                |
| 23515      |               | C             | 9.53        | 7.06                       | 7.06                  | 1.28       | 090              | 53.10                     |             |                                |
| 23520      |               | C             | 2.21        | 2.77                       | 2.80                  | 0.34       | 090              | 53.10                     |             |                                |
| 23525      |               | C             | 3.67        | 4.12                       | 3.60                  | 0.46       | 090              | 53.10                     |             |                                |
| 23530      |               | C             | 7.37        | 5.19                       | 5.19                  | 1.20       | 090              | 53.10                     |             |                                |
| 23532      |               | C             | 8.08        | 6.38                       | 6.38                  | 1.38       | 090              | 53.10                     |             |                                |
| 23540      |               | C             | 2.28        | 2.67                       | 2.60                  | 0.29       | 090              | 53.10                     |             |                                |
| 23545      |               | C             | 3.32        | 3.88                       | 3.30                  | 0.35       | 090              | 53.10                     |             |                                |
| 23550      |               | C             | 7.48        | 5.87                       | 5.87                  | 1.25       | 090              | 53.10                     |             |                                |
| 23552      |               | C             | 8.70        | 6.66                       | 6.66                  | 1.46       | 090              | 53.10                     |             |                                |
| 23570      |               | C             | 2.28        | 2.85                       | 2.92                  | 0.36       | 090              | 53.10                     |             |                                |
| 23575      |               | C             | 4.12        | 4.66                       | 4.14                  | 0.59       | 090              | 53.10                     |             |                                |
| 23585      |               | C             | 14.07       | 8.56                       | 8.56                  | 1.54       | 090              | 53.10                     |             |                                |
| 23600      |               | C             | 3.00        | 4.19                       | 3.63                  | 0.48       | 090              | 53.10                     |             |                                |
| 23605      |               | C             | 4.94        | 5.60                       | 4.76                  | 0.84       | 090              | 53.10                     |             |                                |
| 23615      |               | C             | 12.12       | 8.47                       | 8.47                  | 1.62       | 090              | 53.10                     |             |                                |
| 23616      |               | C             | 18.19       | 11.72                      | 11.72                 | 3.70       | 090              | 53.10                     |             |                                |
| 23620      |               | C             | 2.46        | 3.46                       | 3.11                  | 0.40       | 090              | 53.10                     |             |                                |
| 23625      |               | C             | 3.99        | 4.56                       | 4.02                  | 0.67       | 090              | 53.10                     |             |                                |
| 23630      |               | C             | 10.39       | 7.37                       | 7.37                  | 1.27       | 090              | 53.10                     |             |                                |
| 23650      |               | C             | 3.44        | 3.35                       | 2.76                  | 0.30       | 090              | 53.10                     |             |                                |
| 23655      |               | C             | 4.64        | 4.20                       | 4.20                  | 0.69       | 090              | 53.10                     |             |                                |
| 23660      |               | C             | 7.55        | 5.97                       | 5.97                  | 1.29       | 090              | 53.10                     |             |                                |
| 23665      |               | C             | 4.54        | 5.00                       | 4.42                  | 0.71       | 090              | 53.10                     |             |                                |
| 23670      |               | C             | 12.12       | 7.87                       | 7.87                  | 1.36       | 090              | 53.10                     |             |                                |
| 23675      |               | C             | 6.13        | 6.28                       | 5.32                  | 1.01       | 090              | 53.10                     |             |                                |
| 23680      |               | C             | 12.99       | 8.47                       | 8.47                  | 1.76       | 090              | 53.10                     |             |                                |
| 23700      |               | C             | 2.54        | 2.00                       | 2.00                  | 0.44       | 010              | 53.10                     |             |                                |
| 23800      |               | C             | 14.59       | 9.56                       | 9.56                  | 2.36       | 090              | 53.10                     |             |                                |
| 23802      |               | C             | 18.17       | 11.26                      | 11.26                 | 2.71       | 090              | 53.10                     |             |                                |
| 23900      |               | C             | 20.57       | 10.64                      | 10.64                 | 3.19       | 090              | 53.10                     |             |                                |
| 23920      |               | C             | 16.03       | 9.33                       | 9.33                  | 2.47       | 090              | 53.10                     |             |                                |
| 23921      |               | C             | 5.61        | 3.65                       | 3.65                  | 0.78       | 090              | 53.10                     |             |                                |
| 23929      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 23930 |       | C      | 2.96  | 5.33     | 2.11     | 0.43 | 010    | 53.10   |      |                                |
| 23931 |       | C      | 1.81  | 4.70     | 1.87     | 0.28 | 010    | 53.10   |      |                                |
| 23935 |       | C      | 6.27  | 5.29     | 5.29     | 1.05 | 090    | 53.10   |      |                                |
| 24000 |       | C      | 5.99  | 5.02     | 5.02     | 0.97 | 090    | 53.10   |      |                                |
| 24006 |       | C      | 9.62  | 7.03     | 7.03     | 1.50 | 090    | 53.10   |      |                                |
| 24065 |       | C      | 2.10  | 3.91     | 1.90     | 0.17 | 010    | 53.10   |      |                                |
| 24066 |       | C      | 5.26  | 8.42     | 4.02     | 0.80 | 090    | 53.10   |      |                                |
| 24075 |       | C      | 3.96  | 7.19     | 3.34     | 0.56 | 090    | 53.10   |      |                                |
| 24076 |       | C      | 6.36  | 4.72     | 4.72     | 0.95 | 090    | 53.10   |      |                                |
| 24077 |       | C      | 11.95 | 7.17     | 7.17     | 1.73 | 090    | 53.10   |      |                                |
| 24100 |       | C      | 4.98  | 4.40     | 4.40     | 0.85 | 090    | 53.10   |      |                                |
| 24101 |       | C      | 6.19  | 5.38     | 5.38     | 1.03 | 090    | 53.10   |      |                                |
| 24102 |       | C      | 8.15  | 6.18     | 6.18     | 1.33 | 090    | 53.10   |      |                                |
| 24105 |       | C      | 3.67  | 4.15     | 4.15     | 0.61 | 090    | 53.10   |      |                                |
| 24110 |       | C      | 7.46  | 6.08     | 6.08     | 1.28 | 090    | 53.10   |      |                                |
| 24115 |       | C      | 10.00 | 7.06     | 7.06     | 1.68 | 090    | 53.10   |      |                                |
| 24116 |       | C      | 12.11 | 8.11     | 8.11     | 2.06 | 090    | 53.10   |      |                                |
| 24120 |       | C      | 6.71  | 5.44     | 5.44     | 1.10 | 090    | 53.10   |      |                                |
| 24125 |       | C      | 8.02  | 6.16     | 6.16     | 1.06 | 090    | 53.10   |      |                                |
| 24126 |       | C      | 8.50  | 6.53     | 6.53     | 1.16 | 090    | 53.10   |      |                                |
| 24130 |       | C      | 6.31  | 5.44     | 5.44     | 1.04 | 090    | 53.10   |      |                                |
| 24134 |       | C      | 10.10 | 7.52     | 7.52     | 1.64 | 090    | 53.10   |      |                                |
| 24136 |       | C      | 8.29  | 5.58     | 5.58     | 1.38 | 090    | 53.10   |      |                                |
| 24138 |       | C      | 8.33  | 7.13     | 7.13     | 1.34 | 090    | 53.10   |      |                                |
| 24140 |       | C      | 9.43  | 7.39     | 7.39     | 1.51 | 090    | 53.10   |      |                                |
| 24145 |       | C      | 7.70  | 6.41     | 6.41     | 1.25 | 090    | 53.10   |      |                                |
| 24147 |       | C      | 7.69  | 6.97     | 6.97     | 1.30 | 090    | 53.10   |      |                                |
| 24149 |       | C      | 15.92 | 11.25    | 11.25    | 2.35 | 090    | 53.10   |      |                                |
| 24150 |       | C      | 13.70 | 9.10     | 9.10     | 2.33 | 090    | 53.10   |      |                                |
| 24151 |       | C      | 16.08 | 10.18    | 10.18    | 2.60 | 090    | 53.10   |      |                                |
| 24152 |       | C      | 10.24 | 7.08     | 7.08     | 1.48 | 090    | 53.10   |      |                                |
| 24153 |       | C      | 11.73 | 7.37     | 7.37     | 0.74 | 090    | 53.10   |      |                                |
| 24155 |       | C      | 11.97 | 7.94     | 7.94     | 1.93 | 090    | 53.10   |      |                                |
| 24160 |       | C      | 7.89  | 6.22     | 6.22     | 1.30 | 090    | 53.10   |      |                                |
| 24164 |       | C      | 6.34  | 5.21     | 5.21     | 1.03 | 090    | 53.10   |      |                                |
| 24200 |       | C      | 1.78  | 2.86     | 1.42     | 0.20 | 010    | 53.10   |      |                                |
| 24201 |       | C      | 4.61  | 8.25     | 3.86     | 0.72 | 090    | 53.10   |      |                                |
| 24220 |       | C      | 1.31  | 2.97     | 0.50     | 0.08 | 000    | 53.10   |      |                                |
| 24300 |       | C      | 3.86  | 5.28     | 5.28     | 0.65 | 090    | 53.10   |      |                                |
| 24301 |       | C      | 10.26 | 7.38     | 7.38     | 1.66 | 090    | 53.10   |      |                                |
| 24305 |       | C      | 7.51  | 6.03     | 6.03     | 1.15 | 090    | 53.10   |      |                                |
| 24310 |       | C      | 6.03  | 5.04     | 5.04     | 0.96 | 090    | 53.10   |      |                                |
| 24320 |       | C      | 10.74 | 7.41     | 7.41     | 1.74 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 24330      |               | C             | 9.67        | 7.08                       | 7.08                  | 1.60       | 090              | 53.10                     |             |                                |
| 24331      |               | C             | 10.83       | 7.69                       | 7.69                  | 1.78       | 090              | 53.10                     |             |                                |
| 24332      |               | C             | 7.77        | 6.34                       | 6.34                  | 1.23       | 090              | 53.10                     |             |                                |
| 24340      |               | C             | 7.96        | 6.32                       | 6.32                  | 1.36       | 090              | 53.10                     |             |                                |
| 24341      |               | C             | 9.24        | 7.73                       | 7.73                  | 1.36       | 090              | 53.10                     |             |                                |
| 24342      |               | C             | 10.74       | 7.61                       | 7.61                  | 1.86       | 090              | 53.10                     |             |                                |
| 24343      |               | C             | 8.99        | 7.43                       | 7.43                  | 1.43       | 090              | 53.10                     |             |                                |
| 24344      |               | C             | 14.97       | 10.56                      | 10.56                 | 2.37       | 090              | 53.10                     |             |                                |
| 24345      |               | C             | 8.99        | 7.31                       | 7.31                  | 1.44       | 090              | 53.10                     |             |                                |
| 24346      |               | C             | 14.97       | 10.64                      | 10.64                 | 2.34       | 090              | 53.10                     |             |                                |
| 24357      |               | C             | 5.32        | 4.98                       | 4.98                  | 0.87       | 090              | 53.10                     |             |                                |
| 24358      |               | C             | 6.54        | 5.59                       | 5.59                  | 1.07       | 090              | 53.10                     |             |                                |
| 24359      |               | C             | 8.86        | 6.37                       | 6.37                  | 1.41       | 090              | 53.10                     |             |                                |
| 24360      |               | C             | 12.53       | 8.62                       | 8.62                  | 2.06       | 090              | 53.10                     |             |                                |
| 24361      |               | C             | 14.27       | 9.53                       | 9.53                  | 2.19       | 090              | 53.10                     |             |                                |
| 24362      |               | C             | 15.18       | 9.80                       | 9.80                  | 2.61       | 090              | 53.10                     |             |                                |
| 24363      |               | C             | 22.47       | 12.99                      | 12.99                 | 3.02       | 090              | 53.10                     |             |                                |
| 24365      |               | C             | 8.51        | 6.44                       | 6.44                  | 1.41       | 090              | 53.10                     |             |                                |
| 24366      |               | C             | 9.25        | 6.76                       | 6.76                  | 1.52       | 090              | 53.10                     |             |                                |
| 24400      |               | C             | 11.19       | 8.08                       | 8.08                  | 1.93       | 090              | 53.10                     |             |                                |
| 24410      |               | C             | 14.96       | 9.59                       | 9.59                  | 2.58       | 090              | 53.10                     |             |                                |
| 24420      |               | C             | 13.58       | 9.64                       | 9.64                  | 2.18       | 090              | 53.10                     |             |                                |
| 24430      |               | C             | 15.07       | 9.65                       | 9.65                  | 2.22       | 090              | 53.10                     |             |                                |
| 24435      |               | C             | 14.74       | 10.33                      | 10.33                 | 2.28       | 090              | 53.10                     |             |                                |
| 24470      |               | C             | 8.81        | 5.86                       | 5.86                  | 1.48       | 090              | 53.10                     |             |                                |
| 24495      |               | C             | 8.30        | 7.22                       | 7.22                  | 1.18       | 090              | 53.10                     |             |                                |
| 24498      |               | C             | 12.16       | 8.30                       | 8.30                  | 2.07       | 090              | 53.10                     |             |                                |
| 24500      |               | C             | 3.29        | 4.55                       | 3.79                  | 0.50       | 090              | 53.10                     |             |                                |
| 24505      |               | C             | 5.25        | 6.04                       | 5.04                  | 0.89       | 090              | 53.10                     |             |                                |
| 24515      |               | C             | 11.97       | 8.57                       | 8.57                  | 2.03       | 090              | 53.10                     |             |                                |
| 24516      |               | C             | 12.07       | 8.23                       | 8.23                  | 2.03       | 090              | 53.10                     |             |                                |
| 24530      |               | C             | 3.57        | 4.85                       | 4.03                  | 0.57       | 090              | 53.10                     |             |                                |
| 24535      |               | C             | 6.96        | 7.13                       | 6.12                  | 1.18       | 090              | 53.10                     |             |                                |
| 24538      |               | C             | 9.63        | 7.74                       | 7.74                  | 1.64       | 090              | 53.10                     |             |                                |
| 24545      |               | C             | 12.99       | 8.56                       | 8.56                  | 1.83       | 090              | 53.10                     |             |                                |
| 24546      |               | C             | 14.73       | 9.92                       | 9.92                  | 2.74       | 090              | 53.10                     |             |                                |
| 24560      |               | C             | 2.87        | 4.18                       | 3.36                  | 0.44       | 090              | 53.10                     |             |                                |
| 24565      |               | C             | 5.64        | 5.97                       | 5.07                  | 0.93       | 090              | 53.10                     |             |                                |
| 24566      |               | C             | 8.86        | 7.56                       | 7.56                  | 1.30       | 090              | 53.10                     |             |                                |
| 24575      |               | C             | 9.53        | 7.55                       | 7.55                  | 1.87       | 090              | 53.10                     |             |                                |
| 24576      |               | C             | 2.94        | 4.48                       | 3.70                  | 0.46       | 090              | 53.10                     |             |                                |
| 24577      |               | C             | 5.87        | 6.22                       | 5.25                  | 0.95       | 090              | 53.10                     |             |                                |
| 24579      |               | C             | 11.26       | 8.21                       | 8.21                  | 2.03       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 24582 |       | C      | 9.89  | 8.41     | 8.41     | 1.48 | 090    | 53.10   |      |                                |
| 24586 |       | C      | 15.64 | 10.12    | 10.12    | 2.65 | 090    | 53.10   |      |                                |
| 24587 |       | C      | 15.65 | 10.07    | 10.07    | 2.53 | 090    | 53.10   |      |                                |
| 24600 |       | C      | 4.28  | 4.01     | 3.25     | 0.50 | 090    | 53.10   |      |                                |
| 24605 |       | C      | 5.50  | 5.09     | 5.09     | 0.89 | 090    | 53.10   |      |                                |
| 24615 |       | C      | 9.72  | 7.04     | 7.04     | 1.60 | 090    | 53.10   |      |                                |
| 24620 |       | C      | 7.07  | 5.73     | 5.73     | 1.07 | 090    | 53.10   |      |                                |
| 24635 |       | C      | 8.64  | 8.58     | 8.58     | 2.29 | 090    | 53.10   |      |                                |
| 24640 |       | C      | 1.22  | 1.55     | 0.79     | 0.12 | 010    | 53.10   |      |                                |
| 24650 |       | C      | 2.22  | 3.51     | 2.94     | 0.35 | 090    | 53.10   |      |                                |
| 24655 |       | C      | 4.48  | 5.36     | 4.51     | 0.70 | 090    | 53.10   |      |                                |
| 24665 |       | C      | 8.22  | 6.88     | 6.88     | 1.41 | 090    | 53.10   |      |                                |
| 24666 |       | C      | 9.74  | 7.40     | 7.40     | 1.62 | 090    | 53.10   |      |                                |
| 24670 |       | C      | 2.60  | 3.83     | 3.15     | 0.41 | 090    | 53.10   |      |                                |
| 24675 |       | C      | 4.79  | 5.56     | 4.71     | 0.81 | 090    | 53.10   |      |                                |
| 24685 |       | C      | 8.21  | 6.89     | 6.89     | 1.52 | 090    | 53.10   |      |                                |
| 24800 |       | C      | 11.27 | 7.42     | 7.42     | 1.63 | 090    | 53.10   |      |                                |
| 24802 |       | C      | 14.18 | 9.30     | 9.30     | 2.38 | 090    | 53.10   |      |                                |
| 24900 |       | C      | 10.04 | 6.81     | 6.81     | 1.53 | 090    | 53.10   |      |                                |
| 24920 |       | C      | 10.02 | 6.66     | 6.66     | 1.61 | 090    | 53.10   |      |                                |
| 24925 |       | C      | 7.19  | 5.83     | 5.83     | 1.14 | 090    | 53.10   |      |                                |
| 24930 |       | C      | 10.72 | 6.99     | 6.99     | 1.68 | 090    | 53.10   |      |                                |
| 24931 |       | C      | 13.32 | 6.45     | 6.45     | 1.90 | 090    | 53.10   |      |                                |
| 24935 |       | C      | 16.30 | 7.80     | 7.80     | 2.14 | 090    | 53.10   |      |                                |
| 24940 |       | C      | 15.67 | 9.45     | 9.45     | 2.48 | 090    | 53.10   |      |                                |
| 24999 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 25000 |       | C      | 3.44  | 4.74     | 4.74     | 0.55 | 090    | 53.10   |      |                                |
| 25001 |       | C      | 3.68  | 4.04     | 4.04     | 0.55 | 090    | 53.10   |      |                                |
| 25020 |       | C      | 5.97  | 7.57     | 7.57     | 0.93 | 090    | 53.10   |      |                                |
| 25023 |       | C      | 13.69 | 12.19    | 12.19    | 2.04 | 090    | 53.10   |      |                                |
| 25024 |       | C      | 10.62 | 7.51     | 7.51     | 1.36 | 090    | 53.10   |      |                                |
| 25025 |       | C      | 17.77 | 10.36    | 10.36    | 1.83 | 090    | 53.10   |      |                                |
| 25028 |       | C      | 5.30  | 6.77     | 6.77     | 0.81 | 090    | 53.10   |      |                                |
| 25031 |       | C      | 4.18  | 4.67     | 4.67     | 0.63 | 090    | 53.10   |      |                                |
| 25035 |       | C      | 7.54  | 7.67     | 7.67     | 1.24 | 090    | 53.10   |      |                                |
| 25040 |       | C      | 7.41  | 6.00     | 6.00     | 1.15 | 090    | 53.10   |      |                                |
| 25065 |       | C      | 2.01  | 3.97     | 1.95     | 0.15 | 010    | 53.10   |      |                                |
| 25066 |       | C      | 4.18  | 4.68     | 4.68     | 0.64 | 090    | 53.10   |      |                                |
| 25075 |       | C      | 3.78  | 3.98     | 3.98     | 0.55 | 090    | 53.10   |      |                                |
| 25076 |       | C      | 4.97  | 5.52     | 5.52     | 0.74 | 090    | 53.10   |      |                                |
| 25077 |       | C      | 9.90  | 7.76     | 7.76     | 1.42 | 090    | 53.10   |      |                                |
| 25085 |       | C      | 5.55  | 5.31     | 5.31     | 0.85 | 090    | 53.10   |      |                                |
| 25100 |       | C      | 3.94  | 4.15     | 4.15     | 0.59 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 25101      |               | C             | 4.74        | 4.76                       | 4.76            | 0.75       | 090              | 53.10                     |             |                                |
| 25105      |               | C             | 5.91        | 5.63                       | 5.63            | 0.92       | 090              | 53.10                     |             |                                |
| 25107      |               | C             | 7.50        | 6.95                       | 6.95            | 0.99       | 090              | 53.10                     |             |                                |
| 25109      |               | C             | 6.81        | 5.45                       | 5.45            | 0.96       | 090              | 53.10                     |             |                                |
| 25110      |               | C             | 3.96        | 4.52                       | 4.52            | 0.62       | 090              | 53.10                     |             |                                |
| 25111      |               | C             | 3.44        | 3.92                       | 3.92            | 0.53       | 090              | 53.10                     |             |                                |
| 25112      |               | C             | 4.58        | 4.38                       | 4.38            | 0.70       | 090              | 53.10                     |             |                                |
| 25115      |               | C             | 9.89        | 9.16                       | 9.16            | 1.31       | 090              | 53.10                     |             |                                |
| 25116      |               | C             | 7.38        | 8.00                       | 8.00            | 1.11       | 090              | 53.10                     |             |                                |
| 25118      |               | C             | 4.42        | 4.58                       | 4.58            | 0.68       | 090              | 53.10                     |             |                                |
| 25119      |               | C             | 6.10        | 5.78                       | 5.78            | 0.96       | 090              | 53.10                     |             |                                |
| 25120      |               | C             | 6.16        | 6.93                       | 6.93            | 1.00       | 090              | 53.10                     |             |                                |
| 25125      |               | C             | 7.55        | 7.75                       | 7.75            | 1.06       | 090              | 53.10                     |             |                                |
| 25126      |               | C             | 7.62        | 7.70                       | 7.70            | 1.27       | 090              | 53.10                     |             |                                |
| 25130      |               | C             | 5.32        | 5.24                       | 5.24            | 0.80       | 090              | 53.10                     |             |                                |
| 25135      |               | C             | 6.96        | 6.21                       | 6.21            | 1.02       | 090              | 53.10                     |             |                                |
| 25136      |               | C             | 6.03        | 5.53                       | 5.53            | 1.03       | 090              | 53.10                     |             |                                |
| 25145      |               | C             | 6.43        | 7.02                       | 7.02            | 1.01       | 090              | 53.10                     |             |                                |
| 25150      |               | C             | 7.27        | 6.33                       | 6.33            | 1.14       | 090              | 53.10                     |             |                                |
| 25151      |               | C             | 7.57        | 7.54                       | 7.54            | 1.18       | 090              | 53.10                     |             |                                |
| 25170      |               | C             | 11.34       | 9.59                       | 9.59            | 1.78       | 090              | 53.10                     |             |                                |
| 25210      |               | C             | 6.01        | 5.56                       | 5.56            | 0.88       | 090              | 53.10                     |             |                                |
| 25215      |               | C             | 8.02        | 6.85                       | 6.85            | 1.19       | 090              | 53.10                     |             |                                |
| 25230      |               | C             | 5.28        | 4.96                       | 4.96            | 0.79       | 090              | 53.10                     |             |                                |
| 25240      |               | C             | 5.22        | 5.16                       | 5.16            | 0.81       | 090              | 53.10                     |             |                                |
| 25246      |               | C             | 1.45        | 2.89                       | 0.54            | 0.09       | 000              | 53.10                     |             |                                |
| 25248      |               | C             | 5.20        | 5.19                       | 5.19            | 0.72       | 090              | 53.10                     |             |                                |
| 25250      |               | C             | 6.66        | 5.59                       | 5.59            | 1.01       | 090              | 53.10                     |             |                                |
| 25251      |               | C             | 9.70        | 7.11                       | 7.11            | 1.26       | 090              | 53.10                     |             |                                |
| 25259      |               | C             | 3.86        | 5.33                       | 5.33            | 0.62       | 090              | 53.10                     |             |                                |
| 25260      |               | C             | 7.89        | 8.18                       | 8.18            | 1.19       | 090              | 53.10                     |             |                                |
| 25263      |               | C             | 7.90        | 8.15                       | 8.15            | 1.18       | 090              | 53.10                     |             |                                |
| 25265      |               | C             | 9.96        | 9.04                       | 9.04            | 1.47       | 090              | 53.10                     |             |                                |
| 25270      |               | C             | 6.06        | 6.85                       | 6.85            | 0.95       | 090              | 53.10                     |             |                                |
| 25272      |               | C             | 7.10        | 7.40                       | 7.40            | 1.11       | 090              | 53.10                     |             |                                |
| 25274      |               | C             | 8.82        | 8.33                       | 8.33            | 1.36       | 090              | 53.10                     |             |                                |
| 25275      |               | C             | 8.82        | 6.93                       | 6.93            | 1.31       | 090              | 53.10                     |             |                                |
| 25280      |               | C             | 7.28        | 7.44                       | 7.44            | 1.08       | 090              | 53.10                     |             |                                |
| 25290      |               | C             | 5.34        | 7.21                       | 7.21            | 0.82       | 090              | 53.10                     |             |                                |
| 25295      |               | C             | 6.61        | 7.10                       | 7.10            | 1.00       | 090              | 53.10                     |             |                                |
| 25300      |               | C             | 8.88        | 7.22                       | 7.22            | 1.26       | 090              | 53.10                     |             |                                |
| 25301      |               | C             | 8.47        | 6.80                       | 6.80            | 1.29       | 090              | 53.10                     |             |                                |
| 25310      |               | C             | 7.94        | 7.97                       | 7.97            | 1.21       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 25312      |               | C             | 9.70        | 8.71                       | 8.71            | 1.41       | 090              | 53.10                     |             |                                |
| 25315      |               | C             | 10.56       | 9.13                       | 9.13            | 1.58       | 090              | 53.10                     |             |                                |
| 25316      |               | C             | 12.76       | 10.06                      | 10.06           | 1.75       | 090              | 53.10                     |             |                                |
| 25320      |               | C             | 12.38       | 10.40                      | 10.40           | 1.61       | 090              | 53.10                     |             |                                |
| 25332      |               | C             | 11.60       | 8.23                       | 8.23            | 1.84       | 090              | 53.10                     |             |                                |
| 25335      |               | C             | 13.25       | 9.37                       | 9.37            | 1.93       | 090              | 53.10                     |             |                                |
| 25337      |               | C             | 11.44       | 9.44                       | 9.44            | 1.61       | 090              | 53.10                     |             |                                |
| 25350      |               | C             | 8.97        | 8.46                       | 8.46            | 1.46       | 090              | 53.10                     |             |                                |
| 25355      |               | C             | 10.41       | 9.12                       | 9.12            | 1.74       | 090              | 53.10                     |             |                                |
| 25360      |               | C             | 8.62        | 8.30                       | 8.30            | 1.41       | 090              | 53.10                     |             |                                |
| 25365      |               | C             | 12.77       | 10.09                      | 10.09           | 2.16       | 090              | 53.10                     |             |                                |
| 25370      |               | C             | 13.93       | 11.03                      | 11.03           | 2.29       | 090              | 53.10                     |             |                                |
| 25375      |               | C             | 13.41       | 10.64                      | 10.64           | 2.27       | 090              | 53.10                     |             |                                |
| 25390      |               | C             | 10.58       | 9.13                       | 9.13            | 1.65       | 090              | 53.10                     |             |                                |
| 25391      |               | C             | 14.14       | 10.82                      | 10.82           | 2.22       | 090              | 53.10                     |             |                                |
| 25392      |               | C             | 14.44       | 10.99                      | 10.99           | 2.11       | 090              | 53.10                     |             |                                |
| 25393      |               | C             | 16.42       | 11.89                      | 11.89           | 2.77       | 090              | 53.10                     |             |                                |
| 25394      |               | C             | 10.71       | 7.57                       | 7.57            | 1.59       | 090              | 53.10                     |             |                                |
| 25400      |               | C             | 11.16       | 9.45                       | 9.45            | 1.83       | 090              | 53.10                     |             |                                |
| 25405      |               | C             | 14.87       | 11.32                      | 11.32           | 2.33       | 090              | 53.10                     |             |                                |
| 25415      |               | C             | 13.66       | 10.96                      | 10.96           | 2.18       | 090              | 53.10                     |             |                                |
| 25420      |               | C             | 16.89       | 12.39                      | 12.39           | 2.62       | 090              | 53.10                     |             |                                |
| 25425      |               | C             | 13.58       | 11.87                      | 11.87           | 2.09       | 090              | 53.10                     |             |                                |
| 25426      |               | C             | 16.31       | 10.06                      | 10.06           | 2.55       | 090              | 53.10                     |             |                                |
| 25430      |               | C             | 9.57        | 7.22                       | 7.22            | 1.27       | 090              | 53.10                     |             |                                |
| 25431      |               | C             | 10.75       | 7.51                       | 7.51            | 1.91       | 090              | 53.10                     |             |                                |
| 25440      |               | C             | 10.56       | 7.77                       | 7.77            | 1.63       | 090              | 53.10                     |             |                                |
| 25441      |               | C             | 13.15       | 8.99                       | 8.99            | 2.08       | 090              | 53.10                     |             |                                |
| 25442      |               | C             | 10.98       | 8.05                       | 8.05            | 1.53       | 090              | 53.10                     |             |                                |
| 25443      |               | C             | 10.52       | 7.80                       | 7.80            | 1.37       | 090              | 53.10                     |             |                                |
| 25444      |               | C             | 11.28       | 8.09                       | 8.09            | 1.72       | 090              | 53.10                     |             |                                |
| 25445      |               | C             | 9.76        | 7.17                       | 7.17            | 1.55       | 090              | 53.10                     |             |                                |
| 25446      |               | C             | 17.16       | 10.76                      | 10.76           | 2.48       | 090              | 53.10                     |             |                                |
| 25447      |               | C             | 10.95       | 8.25                       | 8.25            | 1.61       | 090              | 53.10                     |             |                                |
| 25449      |               | C             | 14.80       | 9.63                       | 9.63            | 2.22       | 090              | 53.10                     |             |                                |
| 25450      |               | C             | 7.94        | 6.21                       | 6.21            | 1.36       | 090              | 53.10                     |             |                                |
| 25455      |               | C             | 9.57        | 6.94                       | 6.94            | 0.96       | 090              | 53.10                     |             |                                |
| 25490      |               | C             | 9.61        | 8.37                       | 8.37            | 1.43       | 090              | 53.10                     |             |                                |
| 25491      |               | C             | 10.03       | 8.89                       | 8.89            | 1.60       | 090              | 53.10                     |             |                                |
| 25492      |               | C             | 12.52       | 10.13                      | 10.13           | 2.15       | 090              | 53.10                     |             |                                |
| 25500      |               | C             | 2.51        | 3.37                       | 2.83            | 0.35       | 090              | 53.10                     |             |                                |
| 25505      |               | C             | 5.30        | 6.04                       | 5.14            | 0.90       | 090              | 53.10                     |             |                                |
| 25515      |               | C             | 8.64        | 6.87                       | 6.87            | 1.59       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 25520      |               | C             | 6.35        | 6.10                       | 5.49            | 1.08       | 090              | 53.10                     |             |                                |
| 25525      |               | C             | 10.37       | 8.24                       | 8.24            | 2.13       | 090              | 53.10                     |             |                                |
| 25526      |               | C             | 12.96       | 10.16                      | 10.16           | 2.20       | 090              | 53.10                     |             |                                |
| 25530      |               | C             | 2.15        | 3.55                       | 2.95            | 0.34       | 090              | 53.10                     |             |                                |
| 25535      |               | C             | 5.22        | 5.76                       | 5.04            | 0.89       | 090              | 53.10                     |             |                                |
| 25545      |               | C             | 7.78        | 6.71                       | 6.71            | 1.53       | 090              | 53.10                     |             |                                |
| 25560      |               | C             | 2.50        | 3.46                       | 2.81            | 0.35       | 090              | 53.10                     |             |                                |
| 25565      |               | C             | 5.71        | 6.17                       | 5.13            | 0.93       | 090              | 53.10                     |             |                                |
| 25574      |               | C             | 8.64        | 6.85                       | 6.85            | 1.21       | 090              | 53.10                     |             |                                |
| 25575      |               | C             | 12.10       | 8.86                       | 8.86            | 1.82       | 090              | 53.10                     |             |                                |
| 25600      |               | C             | 2.69        | 3.78                       | 3.13            | 0.42       | 090              | 53.10                     |             |                                |
| 25605      |               | C             | 7.02        | 7.00                       | 6.22            | 1.00       | 090              | 53.10                     |             |                                |
| 25606      |               | C             | 8.10        | 7.38                       | 7.38            | 1.26       | 090              | 53.10                     |             |                                |
| 25607      |               | C             | 9.35        | 7.37                       | 7.37            | 1.36       | 090              | 53.10                     |             |                                |
| 25608      |               | C             | 10.86       | 8.02                       | 8.02            | 1.84       | 090              | 53.10                     |             |                                |
| 25609      |               | C             | 14.12       | 9.96                       | 9.96            | 2.38       | 090              | 53.10                     |             |                                |
| 25622      |               | C             | 2.68        | 3.97                       | 3.28            | 0.41       | 090              | 53.10                     |             |                                |
| 25624      |               | C             | 4.62        | 5.83                       | 4.89            | 0.76       | 090              | 53.10                     |             |                                |
| 25628      |               | C             | 9.51        | 7.28                       | 7.28            | 1.37       | 090              | 53.10                     |             |                                |
| 25630      |               | C             | 2.94        | 3.85                       | 3.17            | 0.45       | 090              | 53.10                     |             |                                |
| 25635      |               | C             | 4.47        | 5.40                       | 4.30            | 0.74       | 090              | 53.10                     |             |                                |
| 25645      |               | C             | 7.31        | 5.86                       | 5.86            | 1.20       | 090              | 53.10                     |             |                                |
| 25650      |               | C             | 3.12        | 3.97                       | 3.39            | 0.45       | 090              | 53.10                     |             |                                |
| 25651      |               | C             | 5.68        | 5.31                       | 5.31            | 0.86       | 090              | 53.10                     |             |                                |
| 25652      |               | C             | 7.92        | 6.50                       | 6.50            | 1.21       | 090              | 53.10                     |             |                                |
| 25660      |               | C             | 4.84        | 4.43                       | 4.43            | 0.58       | 090              | 53.10                     |             |                                |
| 25670      |               | C             | 7.98        | 6.24                       | 6.24            | 1.28       | 090              | 53.10                     |             |                                |
| 25671      |               | C             | 6.32        | 5.74                       | 5.74            | 1.00       | 090              | 53.10                     |             |                                |
| 25675      |               | C             | 4.75        | 5.04                       | 4.25            | 0.62       | 090              | 53.10                     |             |                                |
| 25676      |               | C             | 8.17        | 6.55                       | 6.55            | 1.34       | 090              | 53.10                     |             |                                |
| 25680      |               | C             | 6.08        | 4.55                       | 4.55            | 0.78       | 090              | 53.10                     |             |                                |
| 25685      |               | C             | 9.97        | 7.12                       | 7.12            | 1.60       | 090              | 53.10                     |             |                                |
| 25690      |               | C             | 5.58        | 5.11                       | 5.11            | 0.88       | 090              | 53.10                     |             |                                |
| 25695      |               | C             | 8.40        | 6.38                       | 6.38            | 1.32       | 090              | 53.10                     |             |                                |
| 25800      |               | C             | 9.95        | 7.53                       | 7.53            | 1.57       | 090              | 53.10                     |             |                                |
| 25805      |               | C             | 11.59       | 8.56                       | 8.56            | 1.81       | 090              | 53.10                     |             |                                |
| 25810      |               | C             | 11.75       | 8.69                       | 8.69            | 1.68       | 090              | 53.10                     |             |                                |
| 25820      |               | C             | 7.52        | 6.82                       | 6.82            | 1.22       | 090              | 53.10                     |             |                                |
| 25825      |               | C             | 9.54        | 8.19                       | 8.19            | 1.41       | 090              | 53.10                     |             |                                |
| 25830      |               | C             | 10.69       | 11.63                      | 11.63           | 1.55       | 090              | 53.10                     |             |                                |
| 25900      |               | C             | 9.46        | 8.28                       | 8.28            | 1.30       | 090              | 53.10                     |             |                                |
| 25905      |               | C             | 9.48        | 7.98                       | 7.98            | 1.40       | 090              | 53.10                     |             |                                |
| 25907      |               | C             | 7.98        | 7.35                       | 7.35            | 1.10       | 090              | 53.10                     |             |                                |

| CPT<br>ADA<br>HCPCS | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|---------------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 25909               |               | C             | 9.20        | 7.93                       | 7.93                  | 1.44       | 090              | 53.10                     |             |                                |
| 25915               |               | C             | 17.38       | 12.30                      | 12.30                 | 2.94       | 090              | 53.10                     |             |                                |
| 25920               |               | C             | 8.92        | 7.18                       | 7.18                  | 1.35       | 090              | 53.10                     |             |                                |
| 25922               |               | C             | 7.54        | 6.08                       | 6.08                  | 1.12       | 090              | 53.10                     |             |                                |
| 25924               |               | C             | 8.70        | 7.02                       | 7.02                  | 1.32       | 090              | 53.10                     |             |                                |
| 25927               |               | C             | 8.98        | 9.49                       | 9.49                  | 1.27       | 090              | 53.10                     |             |                                |
| 25929               |               | C             | 7.71        | 5.42                       | 5.42                  | 1.14       | 090              | 53.10                     |             |                                |
| 25931               |               | C             | 7.93        | 8.91                       | 8.91                  | 1.15       | 090              | 53.10                     |             |                                |
| 25999               |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 26010               |               | C             | 1.56        | 4.40                       | 1.55                  | 0.18       | 010              | 53.10                     |             |                                |
| 26011               |               | C             | 2.21        | 6.85                       | 2.08                  | 0.33       | 010              | 53.10                     |             |                                |
| 26020               |               | C             | 4.97        | 4.95                       | 4.95                  | 0.73       | 090              | 53.10                     |             |                                |
| 26025               |               | C             | 4.99        | 4.67                       | 4.67                  | 0.76       | 090              | 53.10                     |             |                                |
| 26030               |               | C             | 6.16        | 5.24                       | 5.24                  | 0.92       | 090              | 53.10                     |             |                                |
| 26034               |               | C             | 6.49        | 5.86                       | 5.86                  | 1.01       | 090              | 53.10                     |             |                                |
| 26035               |               | C             | 11.14       | 8.16                       | 8.16                  | 1.47       | 090              | 53.10                     |             |                                |
| 26037               |               | C             | 7.48        | 5.79                       | 5.79                  | 1.13       | 090              | 53.10                     |             |                                |
| 26040               |               | C             | 3.38        | 3.73                       | 3.73                  | 0.53       | 090              | 53.10                     |             |                                |
| 26045               |               | C             | 5.62        | 5.14                       | 5.14                  | 0.93       | 090              | 53.10                     |             |                                |
| 26055               |               | C             | 3.00        | 10.28                      | 3.87                  | 0.43       | 090              | 53.10                     |             |                                |
| 26060               |               | C             | 2.85        | 3.24                       | 3.24                  | 0.45       | 090              | 53.10                     |             |                                |
| 26070               |               | C             | 3.73        | 3.22                       | 3.22                  | 0.48       | 090              | 53.10                     |             |                                |
| 26075               |               | C             | 3.83        | 3.52                       | 3.52                  | 0.53       | 090              | 53.10                     |             |                                |
| 26080               |               | C             | 4.36        | 4.50                       | 4.50                  | 0.66       | 090              | 53.10                     |             |                                |
| 26100               |               | C             | 3.71        | 3.74                       | 3.74                  | 0.54       | 090              | 53.10                     |             |                                |
| 26105               |               | C             | 3.75        | 3.85                       | 3.85                  | 0.59       | 090              | 53.10                     |             |                                |
| 26110               |               | C             | 3.57        | 3.75                       | 3.75                  | 0.53       | 090              | 53.10                     |             |                                |
| 26115               |               | C             | 3.92        | 10.57                      | 4.39                  | 0.59       | 090              | 53.10                     |             |                                |
| 26116               |               | C             | 5.61        | 5.54                       | 5.54                  | 0.84       | 090              | 53.10                     |             |                                |
| 26117               |               | C             | 8.62        | 6.52                       | 6.52                  | 1.26       | 090              | 53.10                     |             |                                |
| 26121               |               | C             | 7.61        | 6.30                       | 6.30                  | 1.17       | 090              | 53.10                     |             |                                |
| 26123               |               | C             | 10.63       | 8.52                       | 8.52                  | 1.43       | 090              | 53.10                     |             |                                |
| 26125               |               | C             | 4.60        | 2.12                       | 2.12                  | 0.70       | ZZZ              | 53.10                     |             |                                |
| 26130               |               | C             | 5.48        | 5.02                       | 5.02                  | 0.94       | 090              | 53.10                     |             |                                |
| 26135               |               | C             | 7.02        | 5.81                       | 5.81                  | 1.07       | 090              | 53.10                     |             |                                |
| 26140               |               | C             | 6.23        | 5.47                       | 5.47                  | 0.92       | 090              | 53.10                     |             |                                |
| 26145               |               | C             | 6.38        | 5.49                       | 5.49                  | 0.97       | 090              | 53.10                     |             |                                |
| 26160               |               | C             | 3.46        | 9.79                       | 4.01                  | 0.49       | 090              | 53.10                     |             |                                |
| 26170               |               | C             | 4.82        | 4.56                       | 4.56                  | 0.69       | 090              | 53.10                     |             |                                |
| 26180               |               | C             | 5.24        | 5.00                       | 5.00                  | 0.78       | 090              | 53.10                     |             |                                |
| 26185               |               | C             | 6.32        | 6.00                       | 6.00                  | 0.81       | 090              | 53.10                     |             |                                |
| 26200               |               | C             | 5.56        | 4.90                       | 4.90                  | 0.88       | 090              | 53.10                     |             |                                |
| 26205               |               | C             | 7.82        | 6.22                       | 6.22                  | 1.20       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 26210      |               | C             | 5.21        | 4.97                       | 4.97            | 0.79       | 090              | 53.10                     |             |                                |
| 26215      |               | C             | 7.16        | 5.79                       | 5.79            | 0.98       | 090              | 53.10                     |             |                                |
| 26230      |               | C             | 6.38        | 5.31                       | 5.31            | 1.01       | 090              | 53.10                     |             |                                |
| 26235      |               | C             | 6.24        | 5.27                       | 5.27            | 0.95       | 090              | 53.10                     |             |                                |
| 26236      |               | C             | 5.37        | 4.85                       | 4.85            | 0.81       | 090              | 53.10                     |             |                                |
| 26250      |               | C             | 7.61        | 6.02                       | 6.02            | 1.07       | 090              | 53.10                     |             |                                |
| 26255      |               | C             | 12.80       | 7.89                       | 7.89            | 1.69       | 090              | 53.10                     |             |                                |
| 26260      |               | C             | 7.09        | 5.67                       | 5.67            | 1.01       | 090              | 53.10                     |             |                                |
| 26261      |               | C             | 9.28        | 6.60                       | 6.60            | 1.14       | 090              | 53.10                     |             |                                |
| 26262      |               | C             | 5.72        | 4.91                       | 4.91            | 0.88       | 090              | 53.10                     |             |                                |
| 26320      |               | C             | 4.02        | 3.96                       | 3.96            | 0.59       | 090              | 53.10                     |             |                                |
| 26340      |               | C             | 2.62        | 4.65                       | 4.65            | 0.39       | 090              | 53.10                     |             |                                |
| 26350      |               | C             | 6.07        | 10.76                      | 10.76           | 0.93       | 090              | 53.10                     |             |                                |
| 26352      |               | C             | 7.75        | 11.33                      | 11.33           | 1.13       | 090              | 53.10                     |             |                                |
| 26356      |               | C             | 10.22       | 14.89                      | 14.89           | 1.21       | 090              | 53.10                     |             |                                |
| 26357      |               | C             | 8.65        | 11.76                      | 11.76           | 1.33       | 090              | 53.10                     |             |                                |
| 26358      |               | C             | 9.22        | 12.38                      | 12.38           | 1.38       | 090              | 53.10                     |             |                                |
| 26370      |               | C             | 7.17        | 10.97                      | 10.97           | 1.12       | 090              | 53.10                     |             |                                |
| 26372      |               | C             | 8.89        | 12.07                      | 12.07           | 1.40       | 090              | 53.10                     |             |                                |
| 26373      |               | C             | 8.29        | 11.70                      | 11.70           | 1.23       | 090              | 53.10                     |             |                                |
| 26390      |               | C             | 9.31        | 10.17                      | 10.17           | 1.40       | 090              | 53.10                     |             |                                |
| 26392      |               | C             | 10.38       | 12.45                      | 12.45           | 1.57       | 090              | 53.10                     |             |                                |
| 26410      |               | C             | 4.68        | 8.71                       | 8.71            | 0.73       | 090              | 53.10                     |             |                                |
| 26412      |               | C             | 6.37        | 9.83                       | 9.83            | 0.97       | 090              | 53.10                     |             |                                |
| 26415      |               | C             | 8.40        | 8.65                       | 8.65            | 0.98       | 090              | 53.10                     |             |                                |
| 26416      |               | C             | 9.44        | 8.99                       | 8.99            | 0.79       | 090              | 53.10                     |             |                                |
| 26418      |               | C             | 4.33        | 9.16                       | 9.16            | 0.67       | 090              | 53.10                     |             |                                |
| 26420      |               | C             | 6.83        | 9.96                       | 9.96            | 1.07       | 090              | 53.10                     |             |                                |
| 26426      |               | C             | 6.21        | 7.24                       | 7.24            | 0.95       | 090              | 53.10                     |             |                                |
| 26428      |               | C             | 7.28        | 10.39                      | 10.39           | 1.09       | 090              | 53.10                     |             |                                |
| 26432      |               | C             | 4.07        | 7.64                       | 7.64            | 0.64       | 090              | 53.10                     |             |                                |
| 26433      |               | C             | 4.61        | 7.93                       | 7.93            | 0.72       | 090              | 53.10                     |             |                                |
| 26434      |               | C             | 6.15        | 8.85                       | 8.85            | 0.93       | 090              | 53.10                     |             |                                |
| 26437      |               | C             | 5.88        | 8.75                       | 8.75            | 0.89       | 090              | 53.10                     |             |                                |
| 26440      |               | C             | 5.07        | 9.73                       | 9.73            | 0.75       | 090              | 53.10                     |             |                                |
| 26442      |               | C             | 9.50        | 12.86                      | 12.86           | 1.20       | 090              | 53.10                     |             |                                |
| 26445      |               | C             | 4.36        | 9.41                       | 9.41            | 0.65       | 090              | 53.10                     |             |                                |
| 26449      |               | C             | 8.34        | 9.54                       | 9.54            | 1.06       | 090              | 53.10                     |             |                                |
| 26450      |               | C             | 3.71        | 5.72                       | 5.72            | 0.59       | 090              | 53.10                     |             |                                |
| 26455      |               | C             | 3.68        | 5.69                       | 5.69            | 0.58       | 090              | 53.10                     |             |                                |
| 26460      |               | C             | 3.50        | 5.62                       | 5.62            | 0.55       | 090              | 53.10                     |             |                                |
| 26471      |               | C             | 5.79        | 8.62                       | 8.62            | 0.88       | 090              | 53.10                     |             |                                |
| 26474      |               | C             | 5.38        | 8.50                       | 8.50            | 0.76       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 26476      |               | C             | 5.24        | 8.24                       | 8.24                  | 0.79       | 090              | 53.10                     |             |                                |
| 26477      |               | C             | 5.21        | 8.38                       | 8.38                  | 0.81       | 090              | 53.10                     |             |                                |
| 26478      |               | C             | 5.86        | 8.88                       | 8.88                  | 0.90       | 090              | 53.10                     |             |                                |
| 26479      |               | C             | 5.80        | 8.76                       | 8.76                  | 0.92       | 090              | 53.10                     |             |                                |
| 26480      |               | C             | 6.76        | 11.02                      | 11.02                 | 1.02       | 090              | 53.10                     |             |                                |
| 26483      |               | C             | 8.36        | 11.64                      | 11.64                 | 1.26       | 090              | 53.10                     |             |                                |
| 26485      |               | C             | 7.77        | 11.43                      | 11.43                 | 1.15       | 090              | 53.10                     |             |                                |
| 26489      |               | C             | 9.74        | 11.00                      | 11.00                 | 1.26       | 090              | 53.10                     |             |                                |
| 26490      |               | C             | 8.48        | 10.00                      | 10.00                 | 1.21       | 090              | 53.10                     |             |                                |
| 26492      |               | C             | 9.70        | 10.86                      | 10.86                 | 1.40       | 090              | 53.10                     |             |                                |
| 26494      |               | C             | 8.54        | 10.13                      | 10.13                 | 1.28       | 090              | 53.10                     |             |                                |
| 26496      |               | C             | 9.66        | 10.55                      | 10.55                 | 1.45       | 090              | 53.10                     |             |                                |
| 26497      |               | C             | 9.64        | 10.61                      | 10.61                 | 1.41       | 090              | 53.10                     |             |                                |
| 26498      |               | C             | 14.07       | 12.83                      | 12.83                 | 2.11       | 090              | 53.10                     |             |                                |
| 26499      |               | C             | 9.05        | 10.30                      | 10.30                 | 1.35       | 090              | 53.10                     |             |                                |
| 26500      |               | C             | 6.02        | 8.69                       | 8.69                  | 0.90       | 090              | 53.10                     |             |                                |
| 26502      |               | C             | 7.20        | 9.33                       | 9.33                  | 1.13       | 090              | 53.10                     |             |                                |
| 26508      |               | C             | 6.07        | 8.67                       | 8.67                  | 0.98       | 090              | 53.10                     |             |                                |
| 26510      |               | C             | 5.49        | 8.58                       | 8.58                  | 0.79       | 090              | 53.10                     |             |                                |
| 26516      |               | C             | 7.21        | 9.29                       | 9.29                  | 1.10       | 090              | 53.10                     |             |                                |
| 26517      |               | C             | 8.96        | 10.39                      | 10.39                 | 1.41       | 090              | 53.10                     |             |                                |
| 26518      |               | C             | 9.15        | 10.43                      | 10.43                 | 1.35       | 090              | 53.10                     |             |                                |
| 26520      |               | C             | 5.36        | 10.10                      | 10.10                 | 0.80       | 090              | 53.10                     |             |                                |
| 26525      |               | C             | 5.39        | 10.13                      | 10.13                 | 0.81       | 090              | 53.10                     |             |                                |
| 26530      |               | C             | 6.76        | 5.68                       | 5.68                  | 1.04       | 090              | 53.10                     |             |                                |
| 26531      |               | C             | 7.99        | 6.52                       | 6.52                  | 1.17       | 090              | 53.10                     |             |                                |
| 26535      |               | C             | 5.30        | 4.07                       | 4.07                  | 0.71       | 090              | 53.10                     |             |                                |
| 26536      |               | C             | 6.44        | 9.35                       | 9.35                  | 0.96       | 090              | 53.10                     |             |                                |
| 26540      |               | C             | 6.49        | 9.03                       | 9.03                  | 0.99       | 090              | 53.10                     |             |                                |
| 26541      |               | C             | 8.69        | 10.23                      | 10.23                 | 1.28       | 090              | 53.10                     |             |                                |
| 26542      |               | C             | 6.84        | 9.21                       | 9.21                  | 1.02       | 090              | 53.10                     |             |                                |
| 26545      |               | C             | 6.99        | 9.34                       | 9.34                  | 1.05       | 090              | 53.10                     |             |                                |
| 26546      |               | C             | 10.53       | 12.42                      | 12.42                 | 1.44       | 090              | 53.10                     |             |                                |
| 26548      |               | C             | 8.10        | 9.85                       | 9.85                  | 1.20       | 090              | 53.10                     |             |                                |
| 26550      |               | C             | 21.54       | 13.71                      | 13.71                 | 2.46       | 090              | 53.10                     |             |                                |
| 26551      |               | C             | 48.23       | 26.80                      | 26.80                 | 7.98       | 090              | 53.10                     |             |                                |
| 26553      |               | C             | 47.92       | 20.70                      | 20.70                 | 2.42       | 090              | 53.10                     |             |                                |
| 26554      |               | C             | 56.73       | 28.90                      | 28.90                 | 9.44       | 090              | 53.10                     |             |                                |
| 26555      |               | C             | 16.94       | 15.32                      | 15.32                 | 2.49       | 090              | 53.10                     |             |                                |
| 26556      |               | C             | 49.43       | 21.41                      | 21.41                 | 2.58       | 090              | 53.10                     |             |                                |
| 26560      |               | C             | 5.43        | 7.94                       | 7.94                  | 0.85       | 090              | 53.10                     |             |                                |
| 26561      |               | C             | 10.98       | 10.39                      | 10.39                 | 1.45       | 090              | 53.10                     |             |                                |
| 26562      |               | C             | 16.40       | 14.62                      | 14.62                 | 2.24       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 26565      |               | C             | 6.80        | 9.11                       | 9.11            | 1.00       | 090              | 53.10                     |             |                                |
| 26567      |               | C             | 6.88        | 9.17                       | 9.17            | 1.04       | 090              | 53.10                     |             |                                |
| 26568      |               | C             | 9.15        | 11.90                      | 11.90           | 1.49       | 090              | 53.10                     |             |                                |
| 26580      |               | C             | 19.50       | 13.50                      | 13.50           | 2.29       | 090              | 53.10                     |             |                                |
| 26587      |               | C             | 14.36       | 8.25                       | 8.25            | 1.53       | 090              | 53.10                     |             |                                |
| 26590      |               | C             | 18.51       | 11.06                      | 11.06           | 2.78       | 090              | 53.10                     |             |                                |
| 26591      |               | C             | 3.30        | 7.05                       | 7.05            | 0.48       | 090              | 53.10                     |             |                                |
| 26593      |               | C             | 5.38        | 8.66                       | 8.66            | 0.78       | 090              | 53.10                     |             |                                |
| 26596      |               | C             | 9.02        | 8.07                       | 8.07            | 1.43       | 090              | 53.10                     |             |                                |
| 26600      |               | C             | 2.48        | 3.77                       | 3.28            | 0.30       | 090              | 53.10                     |             |                                |
| 26605      |               | C             | 2.92        | 4.20                       | 3.55            | 0.49       | 090              | 53.10                     |             |                                |
| 26607      |               | C             | 5.40        | 4.70                       | 4.70            | 0.87       | 090              | 53.10                     |             |                                |
| 26608      |               | C             | 5.43        | 5.55                       | 5.55            | 0.88       | 090              | 53.10                     |             |                                |
| 26615      |               | C             | 6.91        | 5.93                       | 5.93            | 0.86       | 090              | 53.10                     |             |                                |
| 26641      |               | C             | 4.01        | 4.28                       | 3.55            | 0.39       | 090              | 53.10                     |             |                                |
| 26645      |               | C             | 4.47        | 4.85                       | 4.10            | 0.67       | 090              | 53.10                     |             |                                |
| 26650      |               | C             | 5.19        | 5.76                       | 5.76            | 0.94       | 090              | 53.10                     |             |                                |
| 26665      |               | C             | 7.78        | 6.51                       | 6.51            | 0.90       | 090              | 53.10                     |             |                                |
| 26670      |               | C             | 3.74        | 3.72                       | 2.97            | 0.39       | 090              | 53.10                     |             |                                |
| 26675      |               | C             | 4.71        | 5.20                       | 4.42            | 0.77       | 090              | 53.10                     |             |                                |
| 26676      |               | C             | 5.60        | 5.92                       | 5.92            | 0.91       | 090              | 53.10                     |             |                                |
| 26685      |               | C             | 6.91        | 6.13                       | 6.13            | 1.09       | 090              | 53.10                     |             |                                |
| 26686      |               | C             | 8.06        | 6.37                       | 6.37            | 1.24       | 090              | 53.10                     |             |                                |
| 26700      |               | C             | 3.74        | 3.39                       | 2.89            | 0.35       | 090              | 53.10                     |             |                                |
| 26705      |               | C             | 4.26        | 4.86                       | 4.09            | 0.66       | 090              | 53.10                     |             |                                |
| 26706      |               | C             | 5.19        | 4.78                       | 4.78            | 0.81       | 090              | 53.10                     |             |                                |
| 26715      |               | C             | 6.87        | 5.96                       | 5.96            | 0.91       | 090              | 53.10                     |             |                                |
| 26720      |               | C             | 1.70        | 2.61                       | 2.23            | 0.24       | 090              | 53.10                     |             |                                |
| 26725      |               | C             | 3.39        | 4.25                       | 3.44            | 0.53       | 090              | 53.10                     |             |                                |
| 26727      |               | C             | 5.30        | 5.51                       | 5.51            | 0.84       | 090              | 53.10                     |             |                                |
| 26735      |               | C             | 7.26        | 6.10                       | 6.10            | 0.95       | 090              | 53.10                     |             |                                |
| 26740      |               | C             | 1.99        | 3.01                       | 2.69            | 0.31       | 090              | 53.10                     |             |                                |
| 26742      |               | C             | 3.90        | 4.47                       | 3.68            | 0.58       | 090              | 53.10                     |             |                                |
| 26746      |               | C             | 9.59        | 6.93                       | 6.93            | 0.91       | 090              | 53.10                     |             |                                |
| 26750      |               | C             | 1.74        | 2.29                       | 2.18            | 0.22       | 090              | 53.10                     |             |                                |
| 26755      |               | C             | 3.15        | 3.91                       | 2.97            | 0.42       | 090              | 53.10                     |             |                                |
| 26756      |               | C             | 4.46        | 5.09                       | 5.09            | 0.71       | 090              | 53.10                     |             |                                |
| 26765      |               | C             | 5.70        | 5.24                       | 5.24            | 0.66       | 090              | 53.10                     |             |                                |
| 26770      |               | C             | 3.07        | 3.00                       | 2.47            | 0.27       | 090              | 53.10                     |             |                                |
| 26775      |               | C             | 3.78        | 4.78                       | 3.88            | 0.54       | 090              | 53.10                     |             |                                |
| 26776      |               | C             | 4.87        | 5.28                       | 5.28            | 0.77       | 090              | 53.10                     |             |                                |
| 26785      |               | C             | 6.44        | 5.52                       | 5.52            | 0.68       | 090              | 53.10                     |             |                                |
| 26820      |               | C             | 8.33        | 10.13                      | 10.13           | 1.30       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 26841 |       | C      | 7.21  | 9.90     | 9.90     | 1.18 | 090    | 53.10   |      |                                |
| 26842 |       | C      | 8.37  | 10.19    | 10.19    | 1.32 | 090    | 53.10   |      |                                |
| 26843 |       | C      | 7.67  | 9.56     | 9.56     | 1.15 | 090    | 53.10   |      |                                |
| 26844 |       | C      | 8.86  | 10.33    | 10.33    | 1.33 | 090    | 53.10   |      |                                |
| 26850 |       | C      | 7.03  | 9.32     | 9.32     | 1.06 | 090    | 53.10   |      |                                |
| 26852 |       | C      | 8.59  | 10.15    | 10.15    | 1.22 | 090    | 53.10   |      |                                |
| 26860 |       | C      | 4.76  | 8.44     | 8.44     | 0.73 | 090    | 53.10   |      |                                |
| 26861 |       | C      | 1.74  | 0.79     | 0.79     | 0.27 | ZZZ    | 53.10   |      |                                |
| 26862 |       | C      | 7.44  | 9.61     | 9.61     | 1.10 | 090    | 53.10   |      |                                |
| 26863 |       | C      | 3.89  | 1.78     | 1.78     | 0.56 | ZZZ    | 53.10   |      |                                |
| 26910 |       | C      | 7.67  | 9.06     | 9.06     | 1.16 | 090    | 53.10   |      |                                |
| 26951 |       | C      | 5.85  | 8.81     | 8.81     | 0.71 | 090    | 53.10   |      |                                |
| 26952 |       | C      | 6.37  | 8.86     | 8.86     | 0.95 | 090    | 53.10   |      |                                |
| 26989 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 26990 |       | C      | 7.84  | 6.58     | 6.58     | 1.22 | 090    | 53.10   |      |                                |
| 26991 |       | C      | 6.97  | 9.33     | 5.15     | 1.11 | 090    | 53.10   |      |                                |
| 26992 |       | C      | 13.37 | 9.19     | 9.19     | 2.17 | 090    | 53.10   |      |                                |
| 27000 |       | C      | 5.66  | 4.75     | 4.75     | 0.98 | 090    | 53.10   |      |                                |
| 27001 |       | C      | 7.05  | 5.54     | 5.54     | 1.24 | 090    | 53.10   |      |                                |
| 27003 |       | C      | 7.70  | 5.96     | 5.96     | 1.12 | 090    | 53.10   |      |                                |
| 27005 |       | C      | 9.96  | 7.08     | 7.08     | 1.73 | 090    | 53.10   |      |                                |
| 27006 |       | C      | 9.99  | 7.26     | 7.26     | 1.70 | 090    | 53.10   |      |                                |
| 27025 |       | C      | 12.66 | 8.37     | 8.37     | 1.85 | 090    | 53.10   |      |                                |
| 27027 |       | C      | 12.90 | 7.57     | 7.57     | 1.89 | 090    | 53.10   |      |                                |
| 27030 |       | C      | 13.54 | 8.70     | 8.70     | 2.27 | 090    | 53.10   |      |                                |
| 27033 |       | C      | 13.99 | 9.05     | 9.05     | 2.33 | 090    | 53.10   |      |                                |
| 27035 |       | C      | 17.23 | 8.84     | 8.84     | 2.16 | 090    | 53.10   |      |                                |
| 27036 |       | C      | 14.18 | 9.45     | 9.45     | 2.27 | 090    | 53.10   |      |                                |
| 27040 |       | C      | 2.89  | 5.25     | 1.98     | 0.27 | 010    | 53.10   |      |                                |
| 27041 |       | C      | 10.07 | 6.21     | 6.21     | 1.35 | 090    | 53.10   |      |                                |
| 27047 |       | C      | 7.51  | 7.05     | 4.62     | 1.03 | 090    | 53.10   |      |                                |
| 27048 |       | C      | 6.44  | 4.73     | 4.73     | 0.92 | 090    | 53.10   |      |                                |
| 27049 |       | C      | 15.20 | 8.40     | 8.40     | 2.07 | 090    | 53.10   |      |                                |
| 27050 |       | C      | 4.65  | 3.57     | 3.57     | 0.60 | 090    | 53.10   |      |                                |
| 27052 |       | C      | 7.27  | 5.77     | 5.77     | 1.08 | 090    | 53.10   |      |                                |
| 27054 |       | C      | 9.09  | 6.83     | 6.83     | 1.47 | 090    | 53.10   |      |                                |
| 27057 |       | C      | 14.77 | 8.32     | 8.32     | 1.52 | 090    | 53.10   |      |                                |
| 27060 |       | C      | 5.78  | 4.32     | 4.32     | 0.80 | 090    | 53.10   |      |                                |
| 27062 |       | C      | 5.66  | 4.83     | 4.83     | 0.93 | 090    | 53.10   |      |                                |
| 27065 |       | C      | 6.44  | 5.28     | 5.28     | 1.01 | 090    | 53.10   |      |                                |
| 27066 |       | C      | 11.06 | 7.89     | 7.89     | 1.80 | 090    | 53.10   |      |                                |
| 27067 |       | C      | 14.57 | 9.76     | 9.76     | 1.85 | 090    | 53.10   |      |                                |
| 27070 |       | C      | 11.44 | 8.50     | 8.50     | 1.75 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 27071      |               | C             | 12.25       | 9.12                       | 9.12            | 1.93       | 090              | 53.10                     |             |                                |
| 27075      |               | C             | 36.77       | 17.81                      | 17.81           | 5.66       | 090              | 53.10                     |             |                                |
| 27076      |               | C             | 24.25       | 13.54                      | 13.54           | 3.71       | 090              | 53.10                     |             |                                |
| 27077      |               | C             | 42.54       | 20.81                      | 20.81           | 6.14       | 090              | 53.10                     |             |                                |
| 27078      |               | C             | 14.54       | 9.42                       | 9.42            | 2.23       | 090              | 53.10                     |             |                                |
| 27079      |               | C             | 14.91       | 8.14                       | 8.14            | 1.95       | 090              | 53.10                     |             |                                |
| 27080      |               | C             | 6.80        | 4.80                       | 4.80            | 0.93       | 090              | 53.10                     |             |                                |
| 27086      |               | C             | 1.89        | 3.91                       | 1.61            | 0.25       | 010              | 53.10                     |             |                                |
| 27087      |               | C             | 8.72        | 6.11                       | 6.11            | 1.35       | 090              | 53.10                     |             |                                |
| 27090      |               | C             | 11.57       | 7.96                       | 7.96            | 1.95       | 090              | 53.10                     |             |                                |
| 27091      |               | C             | 24.15       | 13.64                      | 13.64           | 3.85       | 090              | 53.10                     |             |                                |
| 27093      |               | C             | 1.30        | 3.47                       | 0.50            | 0.13       | 000              | 53.10                     |             |                                |
| 27095      |               | C             | 1.50        | 4.27                       | 0.56            | 0.14       | 000              | 53.10                     |             |                                |
| 27096      |               | C             | 1.40        | 3.00                       | 0.35            | 0.08       | 000              | 53.10                     |             |                                |
| 27097      |               | C             | 9.16        | 6.40                       | 6.40            | 1.57       | 090              | 53.10                     |             |                                |
| 27098      |               | C             | 9.20        | 5.66                       | 5.66            | 0.95       | 090              | 53.10                     |             |                                |
| 27100      |               | C             | 11.21       | 8.03                       | 8.03            | 1.86       | 090              | 53.10                     |             |                                |
| 27105      |               | C             | 11.90       | 8.39                       | 8.39            | 1.73       | 090              | 53.10                     |             |                                |
| 27110      |               | C             | 13.63       | 8.86                       | 8.86            | 2.19       | 090              | 53.10                     |             |                                |
| 27111      |               | C             | 12.46       | 7.60                       | 7.60            | 1.95       | 090              | 53.10                     |             |                                |
| 27120      |               | C             | 19.10       | 11.32                      | 11.32           | 3.09       | 090              | 53.10                     |             |                                |
| 27122      |               | C             | 15.95       | 10.12                      | 10.12           | 2.62       | 090              | 53.10                     |             |                                |
| 27125      |               | C             | 16.46       | 10.16                      | 10.16           | 2.55       | 090              | 53.10                     |             |                                |
| 27130      |               | C             | 21.61       | 12.58                      | 12.58           | 3.51       | 090              | 53.10                     |             |                                |
| 27132      |               | C             | 25.49       | 14.50                      | 14.50           | 4.05       | 090              | 53.10                     |             |                                |
| 27134      |               | C             | 30.13       | 16.10                      | 16.10           | 4.95       | 090              | 53.10                     |             |                                |
| 27137      |               | C             | 22.55       | 12.74                      | 12.74           | 3.68       | 090              | 53.10                     |             |                                |
| 27138      |               | C             | 23.55       | 13.17                      | 13.17           | 3.85       | 090              | 53.10                     |             |                                |
| 27140      |               | C             | 12.66       | 8.50                       | 8.50            | 2.12       | 090              | 53.10                     |             |                                |
| 27146      |               | C             | 18.72       | 11.14                      | 11.14           | 2.97       | 090              | 53.10                     |             |                                |
| 27147      |               | C             | 21.87       | 12.85                      | 12.85           | 3.58       | 090              | 53.10                     |             |                                |
| 27151      |               | C             | 23.92       | 12.12                      | 12.12           | 3.92       | 090              | 53.10                     |             |                                |
| 27156      |               | C             | 26.03       | 14.45                      | 14.45           | 4.22       | 090              | 53.10                     |             |                                |
| 27158      |               | C             | 20.89       | 11.79                      | 11.79           | 3.17       | 090              | 53.10                     |             |                                |
| 27161      |               | C             | 17.74       | 11.09                      | 11.09           | 2.95       | 090              | 53.10                     |             |                                |
| 27165      |               | C             | 20.06       | 12.27                      | 12.27           | 3.11       | 090              | 53.10                     |             |                                |
| 27170      |               | C             | 17.46       | 10.46                      | 10.46           | 2.82       | 090              | 53.10                     |             |                                |
| 27175      |               | C             | 9.29        | 6.30                       | 6.30            | 1.46       | 090              | 53.10                     |             |                                |
| 27176      |               | C             | 12.78       | 8.63                       | 8.63            | 2.23       | 090              | 53.10                     |             |                                |
| 27177      |               | C             | 15.94       | 10.25                      | 10.25           | 2.62       | 090              | 53.10                     |             |                                |
| 27178      |               | C             | 12.78       | 8.48                       | 8.48            | 2.09       | 090              | 53.10                     |             |                                |
| 27179      |               | C             | 13.83       | 9.07                       | 9.07            | 2.26       | 090              | 53.10                     |             |                                |
| 27181      |               | C             | 15.98       | 10.15                      | 10.15           | 1.57       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 27185      |               | C             | 9.67        | 5.98                       | 5.98            | 2.40      | 090        | 53.10            |                           |             |                                |
| 27187      |               | C             | 14.09       | 9.35                       | 9.35            | 2.38      | 090        | 53.10            |                           |             |                                |
| 27193      |               | C             | 5.98        | 4.83                       | 4.93            | 0.96      | 090        | 53.10            |                           |             |                                |
| 27194      |               | C             | 10.08       | 6.67                       | 6.67            | 1.65      | 090        | 53.10            |                           |             |                                |
| 27200      |               | C             | 1.87        | 2.10                       | 2.19            | 0.28      | 090        | 53.10            |                           |             |                                |
| 27202      |               | C             | 7.25        | 7.93                       | 7.93            | 1.06      | 090        | 53.10            |                           |             |                                |
| 27215      |               | C             | 10.45       | 6.71                       | 6.71            | 1.98      | 090        | 53.10            |                           |             |                                |
| 27216      |               | C             | 15.73       | 9.53                       | 9.53            | 2.64      | 090        | 53.10            |                           |             |                                |
| 27217      |               | C             | 14.65       | 9.31                       | 9.31            | 2.42      | 090        | 53.10            |                           |             |                                |
| 27218      |               | C             | 20.93       | 11.68                      | 11.68           | 3.49      | 090        | 53.10            |                           |             |                                |
| 27220      |               | C             | 6.72        | 5.47                       | 5.38            | 1.07      | 090        | 53.10            |                           |             |                                |
| 27222      |               | C             | 13.97       | 9.09                       | 9.09            | 2.20      | 090        | 53.10            |                           |             |                                |
| 27226      |               | C             | 15.45       | 8.99                       | 8.99            | 2.49      | 090        | 53.10            |                           |             |                                |
| 27227      |               | C             | 25.21       | 14.37                      | 14.37           | 4.06      | 090        | 53.10            |                           |             |                                |
| 27228      |               | C             | 29.13       | 16.19                      | 16.19           | 4.67      | 090        | 53.10            |                           |             |                                |
| 27230      |               | C             | 5.69        | 5.16                       | 5.01            | 0.95      | 090        | 53.10            |                           |             |                                |
| 27232      |               | C             | 11.66       | 6.58                       | 6.58            | 1.86      | 090        | 53.10            |                           |             |                                |
| 27235      |               | C             | 12.88       | 8.59                       | 8.59            | 2.12      | 090        | 53.10            |                           |             |                                |
| 27236      |               | C             | 17.43       | 10.70                      | 10.70           | 2.72      | 090        | 53.10            |                           |             |                                |
| 27238      |               | C             | 5.64        | 4.87                       | 4.87            | 0.89      | 090        | 53.10            |                           |             |                                |
| 27240      |               | C             | 13.66       | 8.83                       | 8.83            | 2.17      | 090        | 53.10            |                           |             |                                |
| 27244      |               | C             | 18.00       | 10.95                      | 10.95           | 2.78      | 090        | 53.10            |                           |             |                                |
| 27245      |               | C             | 18.00       | 11.58                      | 11.58           | 3.53      | 090        | 53.10            |                           |             |                                |
| 27246      |               | C             | 4.75        | 4.11                       | 4.13            | 0.81      | 090        | 53.10            |                           |             |                                |
| 27248      |               | C             | 10.64       | 7.05                       | 7.05            | 1.82      | 090        | 53.10            |                           |             |                                |
| 27250      |               | C             | 3.82        | 1.72                       | 1.72            | 0.62      | 090        | 53.10            |                           |             |                                |
| 27252      |               | C             | 10.92       | 6.88                       | 6.88            | 1.66      | 090        | 53.10            |                           |             |                                |
| 27253      |               | C             | 13.46       | 8.82                       | 8.82            | 2.25      | 090        | 53.10            |                           |             |                                |
| 27254      |               | C             | 18.80       | 11.23                      | 11.23           | 3.18      | 090        | 53.10            |                           |             |                                |
| 27256      |               | C             | 4.25        | 2.70                       | 1.58            | 0.46      | 010        | 53.10            |                           |             |                                |
| 27257      |               | C             | 5.35        | 2.62                       | 2.62            | 0.69      | 010        | 53.10            |                           |             |                                |
| 27258      |               | C             | 16.04       | 10.08                      | 10.08           | 2.65      | 090        | 53.10            |                           |             |                                |
| 27259      |               | C             | 23.03       | 13.59                      | 13.59           | 3.75      | 090        | 53.10            |                           |             |                                |
| 27265      |               | C             | 5.12        | 4.08                       | 4.08            | 0.63      | 090        | 53.10            |                           |             |                                |
| 27266      |               | C             | 7.67        | 5.84                       | 5.84            | 1.29      | 090        | 53.10            |                           |             |                                |
| 27267      |               | C             | 5.38        | 4.28                       | 4.28            | 0.89      | 090        | 53.10            |                           |             |                                |
| 27268      |               | C             | 7.00        | 4.93                       | 4.93            | 1.16      | 090        | 53.10            |                           |             |                                |
| 27269      |               | C             | 18.75       | 9.89                       | 9.89            | 2.93      | 090        | 53.10            |                           |             |                                |
| 27275      |               | C             | 2.29        | 1.91                       | 1.91            | 0.39      | 010        | 53.10            |                           |             |                                |
| 27280      |               | C             | 14.49       | 9.62                       | 9.62            | 2.54      | 090        | 53.10            |                           |             |                                |
| 27282      |               | C             | 11.71       | 7.26                       | 7.26            | 1.87      | 090        | 53.10            |                           |             |                                |
| 27284      |               | C             | 24.91       | 11.73                      | 11.73           | 3.93      | 090        | 53.10            |                           |             |                                |
| 27286      |               | C             | 24.97       | 14.43                      | 14.43           | 3.13      | 090        | 53.10            |                           |             |                                |



| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 27290 |       | C      | 24.38 | 12.94    | 12.94    | 3.44 | 090    | 53.10   |      |                                |
| 27295 |       | C      | 19.54 | 10.48    | 10.48    | 2.96 | 090    | 53.10   |      |                                |
| 27299 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 27301 |       | C      | 6.67  | 8.72     | 4.88     | 1.04 | 090    | 53.10   |      |                                |
| 27303 |       | C      | 8.52  | 6.39     | 6.39     | 1.43 | 090    | 53.10   |      |                                |
| 27305 |       | C      | 6.09  | 4.80     | 4.80     | 1.01 | 090    | 53.10   |      |                                |
| 27306 |       | C      | 4.66  | 4.13     | 4.13     | 0.85 | 090    | 53.10   |      |                                |
| 27307 |       | C      | 5.97  | 4.86     | 4.86     | 1.04 | 090    | 53.10   |      |                                |
| 27310 |       | C      | 9.88  | 7.14     | 7.14     | 1.61 | 090    | 53.10   |      |                                |
| 27323 |       | C      | 2.30  | 4.01     | 1.95     | 0.24 | 010    | 53.10   |      |                                |
| 27324 |       | C      | 4.95  | 3.97     | 3.97     | 0.75 | 090    | 53.10   |      |                                |
| 27325 |       | C      | 7.09  | 5.24     | 5.24     | 1.09 | 090    | 53.10   |      |                                |
| 27326 |       | C      | 6.36  | 4.98     | 4.98     | 1.06 | 090    | 53.10   |      |                                |
| 27327 |       | C      | 4.52  | 6.02     | 3.66     | 0.64 | 090    | 53.10   |      |                                |
| 27328 |       | C      | 5.62  | 4.21     | 4.21     | 0.84 | 090    | 53.10   |      |                                |
| 27329 |       | C      | 15.68 | 8.84     | 8.84     | 2.15 | 090    | 53.10   |      |                                |
| 27330 |       | C      | 5.02  | 4.28     | 4.28     | 0.86 | 090    | 53.10   |      |                                |
| 27331 |       | C      | 5.93  | 5.06     | 5.06     | 1.02 | 090    | 53.10   |      |                                |
| 27332 |       | C      | 8.34  | 6.55     | 6.55     | 1.43 | 090    | 53.10   |      |                                |
| 27333 |       | C      | 7.43  | 6.08     | 6.08     | 1.26 | 090    | 53.10   |      |                                |
| 27334 |       | C      | 9.07  | 6.79     | 6.79     | 1.51 | 090    | 53.10   |      |                                |
| 27335 |       | C      | 10.43 | 7.49     | 7.49     | 1.75 | 090    | 53.10   |      |                                |
| 27340 |       | C      | 4.23  | 4.22     | 4.22     | 0.72 | 090    | 53.10   |      |                                |
| 27345 |       | C      | 5.98  | 5.17     | 5.17     | 1.00 | 090    | 53.10   |      |                                |
| 27347 |       | C      | 6.58  | 5.44     | 5.44     | 0.98 | 090    | 53.10   |      |                                |
| 27350 |       | C      | 8.54  | 6.64     | 6.64     | 1.41 | 090    | 53.10   |      |                                |
| 27355 |       | C      | 7.89  | 6.17     | 6.17     | 1.32 | 090    | 53.10   |      |                                |
| 27356 |       | C      | 9.97  | 7.26     | 7.26     | 1.65 | 090    | 53.10   |      |                                |
| 27357 |       | C      | 11.02 | 8.00     | 8.00     | 1.96 | 090    | 53.10   |      |                                |
| 27358 |       | C      | 4.73  | 2.14     | 2.14     | 0.82 | ZZZ    | 53.10   |      |                                |
| 27360 |       | C      | 11.34 | 8.59     | 8.59     | 1.84 | 090    | 53.10   |      |                                |
| 27365 |       | C      | 17.93 | 11.05    | 11.05    | 2.80 | 090    | 53.10   |      |                                |
| 27370 |       | C      | 0.96  | 3.14     | 0.36     | 0.08 | 000    | 53.10   |      |                                |
| 27372 |       | C      | 5.12  | 8.77     | 4.28     | 0.84 | 090    | 53.10   |      |                                |
| 27380 |       | C      | 7.34  | 6.46     | 6.46     | 1.24 | 090    | 53.10   |      |                                |
| 27381 |       | C      | 10.64 | 8.12     | 8.12     | 1.80 | 090    | 53.10   |      |                                |
| 27385 |       | C      | 8.00  | 6.76     | 6.76     | 1.36 | 090    | 53.10   |      |                                |
| 27386 |       | C      | 10.99 | 8.47     | 8.47     | 1.86 | 090    | 53.10   |      |                                |
| 27390 |       | C      | 5.44  | 4.79     | 4.79     | 0.92 | 090    | 53.10   |      |                                |
| 27391 |       | C      | 7.38  | 5.94     | 5.94     | 1.23 | 090    | 53.10   |      |                                |
| 27392 |       | C      | 9.51  | 6.88     | 6.88     | 1.57 | 090    | 53.10   |      |                                |
| 27393 |       | C      | 6.50  | 5.30     | 5.30     | 1.10 | 090    | 53.10   |      |                                |
| 27394 |       | C      | 8.68  | 6.55     | 6.55     | 1.47 | 090    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 27395 |       | C      | 12.10 | 8.50     | 8.50     | 2.05 | 090    | 53.10   |      |                                |
| 27396 |       | C      | 8.04  | 6.30     | 6.30     | 1.34 | 090    | 53.10   |      |                                |
| 27397 |       | C      | 12.46 | 8.77     | 8.77     | 1.83 | 090    | 53.10   |      |                                |
| 27400 |       | C      | 9.21  | 6.89     | 6.89     | 1.31 | 090    | 53.10   |      |                                |
| 27403 |       | C      | 8.51  | 6.48     | 6.48     | 1.44 | 090    | 53.10   |      |                                |
| 27405 |       | C      | 8.96  | 6.84     | 6.84     | 1.51 | 090    | 53.10   |      |                                |
| 27407 |       | C      | 10.71 | 7.30     | 7.30     | 1.79 | 090    | 53.10   |      |                                |
| 27409 |       | C      | 13.57 | 9.09     | 9.09     | 2.25 | 090    | 53.10   |      |                                |
| 27412 |       | C      | 24.53 | 14.43    | 14.43    | 4.36 | 090    | 53.10   |      |                                |
| 27415 |       | C      | 19.79 | 12.35    | 12.35    | 4.36 | 090    | 53.10   |      |                                |
| 27416 |       | C      | 14.00 | 8.67     | 8.67     | 2.32 | 090    | 53.10   |      |                                |
| 27418 |       | C      | 11.46 | 8.12     | 8.12     | 1.89 | 090    | 53.10   |      |                                |
| 27420 |       | C      | 10.14 | 7.37     | 7.37     | 1.72 | 090    | 53.10   |      |                                |
| 27422 |       | C      | 10.09 | 7.35     | 7.35     | 1.71 | 090    | 53.10   |      |                                |
| 27424 |       | C      | 10.12 | 7.37     | 7.37     | 1.71 | 090    | 53.10   |      |                                |
| 27425 |       | C      | 5.28  | 4.97     | 4.97     | 0.90 | 090    | 53.10   |      |                                |
| 27427 |       | C      | 9.67  | 7.13     | 7.13     | 1.63 | 090    | 53.10   |      |                                |
| 27428 |       | C      | 15.33 | 10.61    | 10.61    | 2.43 | 090    | 53.10   |      |                                |
| 27429 |       | C      | 17.24 | 11.82    | 11.82    | 2.71 | 090    | 53.10   |      |                                |
| 27430 |       | C      | 10.04 | 7.29     | 7.29     | 1.70 | 090    | 53.10   |      |                                |
| 27435 |       | C      | 10.68 | 7.99     | 7.99     | 1.70 | 090    | 53.10   |      |                                |
| 27437 |       | C      | 8.82  | 6.60     | 6.60     | 1.49 | 090    | 53.10   |      |                                |
| 27438 |       | C      | 11.77 | 7.97     | 7.97     | 1.96 | 090    | 53.10   |      |                                |
| 27440 |       | C      | 10.97 | 7.04     | 7.04     | 1.82 | 090    | 53.10   |      |                                |
| 27441 |       | C      | 11.42 | 7.17     | 7.17     | 1.89 | 090    | 53.10   |      |                                |
| 27442 |       | C      | 12.25 | 8.15     | 8.15     | 2.10 | 090    | 53.10   |      |                                |
| 27443 |       | C      | 11.29 | 7.85     | 7.85     | 1.91 | 090    | 53.10   |      |                                |
| 27445 |       | C      | 18.52 | 11.25    | 11.25    | 3.09 | 090    | 53.10   |      |                                |
| 27446 |       | C      | 16.26 | 10.09    | 10.09    | 2.81 | 090    | 53.10   |      |                                |
| 27447 |       | C      | 23.04 | 13.54    | 13.54    | 3.80 | 090    | 53.10   |      |                                |
| 27448 |       | C      | 11.48 | 7.78     | 7.78     | 1.95 | 090    | 53.10   |      |                                |
| 27450 |       | C      | 14.47 | 9.54     | 9.54     | 2.43 | 090    | 53.10   |      |                                |
| 27454 |       | C      | 18.97 | 11.29    | 11.29    | 3.13 | 090    | 53.10   |      |                                |
| 27455 |       | C      | 13.24 | 8.94     | 8.94     | 2.25 | 090    | 53.10   |      |                                |
| 27457 |       | C      | 13.92 | 8.91     | 8.91     | 2.35 | 090    | 53.10   |      |                                |
| 27465 |       | C      | 18.44 | 10.64    | 10.64    | 2.48 | 090    | 53.10   |      |                                |
| 27466 |       | C      | 17.13 | 10.83    | 10.83    | 2.78 | 090    | 53.10   |      |                                |
| 27468 |       | C      | 19.82 | 11.75    | 11.75    | 3.31 | 090    | 53.10   |      |                                |
| 27470 |       | C      | 16.97 | 10.89    | 10.89    | 2.80 | 090    | 53.10   |      |                                |
| 27472 |       | C      | 18.57 | 11.52    | 11.52    | 3.08 | 090    | 53.10   |      |                                |
| 27475 |       | C      | 8.82  | 6.60     | 6.60     | 1.36 | 090    | 53.10   |      |                                |
| 27477 |       | C      | 10.03 | 7.12     | 7.12     | 1.74 | 090    | 53.10   |      |                                |
| 27479 |       | C      | 13.04 | 8.69     | 8.69     | 2.79 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 27485      |               | C             | 9.02        | 6.67                       | 6.67                  | 1.53       | 090              | 53.10                     |             |                                |
| 27486      |               | C             | 20.92       | 12.51                      | 12.51                 | 3.37       | 090              | 53.10                     |             |                                |
| 27487      |               | C             | 26.91       | 15.18                      | 15.18                 | 4.40       | 090              | 53.10                     |             |                                |
| 27488      |               | C             | 17.40       | 10.94                      | 10.94                 | 2.75       | 090              | 53.10                     |             |                                |
| 27495      |               | C             | 16.40       | 10.37                      | 10.37                 | 2.72       | 090              | 53.10                     |             |                                |
| 27496      |               | C             | 6.66        | 5.13                       | 5.13                  | 0.99       | 090              | 53.10                     |             |                                |
| 27497      |               | C             | 7.70        | 5.06                       | 5.06                  | 1.15       | 090              | 53.10                     |             |                                |
| 27498      |               | C             | 8.54        | 5.38                       | 5.38                  | 1.24       | 090              | 53.10                     |             |                                |
| 27499      |               | C             | 9.31        | 6.07                       | 6.07                  | 1.47       | 090              | 53.10                     |             |                                |
| 27500      |               | C             | 6.21        | 5.65                       | 4.79                  | 1.02       | 090              | 53.10                     |             |                                |
| 27501      |               | C             | 6.34        | 5.30                       | 5.13                  | 1.03       | 090              | 53.10                     |             |                                |
| 27502      |               | C             | 11.24       | 7.26                       | 7.26                  | 1.79       | 090              | 53.10                     |             |                                |
| 27503      |               | C             | 11.13       | 7.68                       | 7.68                  | 1.85       | 090              | 53.10                     |             |                                |
| 27506      |               | C             | 19.42       | 12.09                      | 12.09                 | 3.04       | 090              | 53.10                     |             |                                |
| 27507      |               | C             | 14.39       | 8.84                       | 8.84                  | 2.43       | 090              | 53.10                     |             |                                |
| 27508      |               | C             | 6.08        | 5.92                       | 5.22                  | 0.97       | 090              | 53.10                     |             |                                |
| 27509      |               | C             | 8.02        | 7.02                       | 7.02                  | 1.34       | 090              | 53.10                     |             |                                |
| 27510      |               | C             | 9.68        | 6.70                       | 6.70                  | 1.53       | 090              | 53.10                     |             |                                |
| 27511      |               | C             | 14.97       | 9.18                       | 9.18                  | 2.38       | 090              | 53.10                     |             |                                |
| 27513      |               | C             | 19.11       | 11.18                      | 11.18                 | 3.13       | 090              | 53.10                     |             |                                |
| 27514      |               | C             | 14.46       | 9.55                       | 9.55                  | 3.01       | 090              | 53.10                     |             |                                |
| 27516      |               | C             | 5.45        | 5.84                       | 5.18                  | 0.81       | 090              | 53.10                     |             |                                |
| 27517      |               | C             | 8.98        | 6.90                       | 6.90                  | 1.22       | 090              | 53.10                     |             |                                |
| 27519      |               | C             | 13.11       | 8.71                       | 8.71                  | 2.56       | 090              | 53.10                     |             |                                |
| 27520      |               | C             | 2.93        | 4.21                       | 3.51                  | 0.47       | 090              | 53.10                     |             |                                |
| 27524      |               | C             | 10.25       | 7.43                       | 7.43                  | 1.75       | 090              | 53.10                     |             |                                |
| 27530      |               | C             | 3.97        | 4.96                       | 4.32                  | 0.65       | 090              | 53.10                     |             |                                |
| 27532      |               | C             | 7.43        | 6.73                       | 5.94                  | 1.26       | 090              | 53.10                     |             |                                |
| 27535      |               | C             | 13.27       | 8.36                       | 8.36                  | 2.01       | 090              | 53.10                     |             |                                |
| 27536      |               | C             | 17.19       | 10.87                      | 10.87                 | 2.74       | 090              | 53.10                     |             |                                |
| 27538      |               | C             | 4.95        | 5.70                       | 5.01                  | 0.84       | 090              | 53.10                     |             |                                |
| 27540      |               | C             | 11.16       | 8.16                       | 8.16                  | 2.28       | 090              | 53.10                     |             |                                |
| 27550      |               | C             | 5.84        | 5.51                       | 4.71                  | 0.76       | 090              | 53.10                     |             |                                |
| 27552      |               | C             | 8.04        | 6.42                       | 6.42                  | 1.36       | 090              | 53.10                     |             |                                |
| 27556      |               | C             | 12.86       | 8.60                       | 8.60                  | 2.51       | 090              | 53.10                     |             |                                |
| 27557      |               | C             | 15.76       | 9.94                       | 9.94                  | 2.98       | 090              | 53.10                     |             |                                |
| 27558      |               | C             | 18.25       | 10.76                      | 10.76                 | 3.09       | 090              | 53.10                     |             |                                |
| 27560      |               | C             | 3.88        | 4.53                       | 3.73                  | 0.40       | 090              | 53.10                     |             |                                |
| 27562      |               | C             | 5.86        | 4.85                       | 4.85                  | 0.94       | 090              | 53.10                     |             |                                |
| 27566      |               | C             | 12.59       | 8.44                       | 8.44                  | 2.13       | 090              | 53.10                     |             |                                |
| 27570      |               | C             | 1.76        | 1.68                       | 1.68                  | 0.30       | 010              | 53.10                     |             |                                |
| 27580      |               | C             | 20.90       | 13.25                      | 13.25                 | 3.38       | 090              | 53.10                     |             |                                |
| 27590      |               | C             | 13.35       | 6.32                       | 6.32                  | 1.75       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 27591 |       | C      | 13.82 | 7.91     | 7.91     | 2.03 | 090    | 53.10   |      |                                |
| 27592 |       | C      | 10.86 | 5.85     | 5.85     | 1.45 | 090    | 53.10   |      |                                |
| 27594 |       | C      | 7.17  | 4.93     | 4.93     | 1.02 | 090    | 53.10   |      |                                |
| 27596 |       | C      | 11.15 | 6.32     | 6.32     | 1.57 | 090    | 53.10   |      |                                |
| 27598 |       | C      | 11.08 | 6.64     | 6.64     | 1.65 | 090    | 53.10   |      |                                |
| 27599 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 27600 |       | C      | 5.94  | 4.10     | 4.10     | 0.86 | 090    | 53.10   |      |                                |
| 27601 |       | C      | 5.94  | 4.53     | 4.53     | 0.80 | 090    | 53.10   |      |                                |
| 27602 |       | C      | 7.71  | 4.57     | 4.57     | 1.10 | 090    | 53.10   |      |                                |
| 27603 |       | C      | 5.12  | 7.13     | 4.00     | 0.74 | 090    | 53.10   |      |                                |
| 27604 |       | C      | 4.51  | 6.21     | 3.50     | 0.69 | 090    | 53.10   |      |                                |
| 27605 |       | C      | 2.89  | 5.75     | 1.91     | 0.41 | 010    | 53.10   |      |                                |
| 27606 |       | C      | 4.15  | 2.85     | 2.85     | 0.69 | 010    | 53.10   |      |                                |
| 27607 |       | C      | 8.51  | 5.98     | 5.98     | 1.31 | 090    | 53.10   |      |                                |
| 27610 |       | C      | 9.01  | 6.46     | 6.46     | 1.40 | 090    | 53.10   |      |                                |
| 27612 |       | C      | 8.01  | 5.55     | 5.55     | 1.13 | 090    | 53.10   |      |                                |
| 27613 |       | C      | 2.19  | 3.75     | 1.82     | 0.20 | 010    | 53.10   |      |                                |
| 27614 |       | C      | 5.71  | 7.46     | 4.04     | 0.78 | 090    | 53.10   |      |                                |
| 27615 |       | C      | 12.93 | 7.93     | 7.93     | 1.84 | 090    | 53.10   |      |                                |
| 27618 |       | C      | 5.14  | 6.33     | 3.90     | 0.72 | 090    | 53.10   |      |                                |
| 27619 |       | C      | 8.47  | 9.76     | 5.46     | 1.25 | 090    | 53.10   |      |                                |
| 27620 |       | C      | 6.04  | 4.85     | 4.85     | 0.97 | 090    | 53.10   |      |                                |
| 27625 |       | C      | 8.37  | 5.71     | 5.71     | 1.28 | 090    | 53.10   |      |                                |
| 27626 |       | C      | 8.98  | 6.16     | 6.16     | 1.48 | 090    | 53.10   |      |                                |
| 27630 |       | C      | 4.85  | 7.74     | 3.94     | 0.74 | 090    | 53.10   |      |                                |
| 27635 |       | C      | 7.91  | 6.06     | 6.06     | 1.31 | 090    | 53.10   |      |                                |
| 27637 |       | C      | 10.17 | 7.55     | 7.55     | 1.66 | 090    | 53.10   |      |                                |
| 27638 |       | C      | 10.87 | 7.52     | 7.52     | 1.85 | 090    | 53.10   |      |                                |
| 27640 |       | C      | 12.10 | 8.38     | 8.38     | 1.89 | 090    | 53.10   |      |                                |
| 27641 |       | C      | 9.73  | 6.72     | 6.72     | 1.46 | 090    | 53.10   |      |                                |
| 27645 |       | C      | 14.78 | 9.98     | 9.98     | 2.42 | 090    | 53.10   |      |                                |
| 27646 |       | C      | 13.21 | 8.74     | 8.74     | 2.06 | 090    | 53.10   |      |                                |
| 27647 |       | C      | 12.85 | 6.61     | 6.61     | 1.76 | 090    | 53.10   |      |                                |
| 27648 |       | C      | 0.96  | 2.99     | 0.35     | 0.08 | 000    | 53.10   |      |                                |
| 27650 |       | C      | 9.00  | 6.90     | 6.90     | 1.59 | 090    | 53.10   |      |                                |
| 27652 |       | C      | 10.64 | 6.89     | 6.89     | 1.72 | 090    | 53.10   |      |                                |
| 27654 |       | C      | 10.32 | 6.86     | 6.86     | 1.58 | 090    | 53.10   |      |                                |
| 27656 |       | C      | 4.62  | 8.08     | 3.69     | 0.69 | 090    | 53.10   |      |                                |
| 27658 |       | C      | 5.03  | 4.06     | 4.06     | 0.79 | 090    | 53.10   |      |                                |
| 27659 |       | C      | 6.99  | 4.92     | 4.92     | 1.09 | 090    | 53.10   |      |                                |
| 27664 |       | C      | 4.64  | 4.02     | 4.02     | 0.76 | 090    | 53.10   |      |                                |
| 27665 |       | C      | 5.46  | 4.45     | 4.45     | 0.89 | 090    | 53.10   |      |                                |
| 27675 |       | C      | 7.24  | 4.90     | 4.90     | 1.11 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 27676      |               | C             | 8.61        | 6.11                       | 6.11                  | 1.37       | 090              | 53.10                     |             |                                |
| 27680      |               | C             | 5.79        | 4.49                       | 4.49                  | 0.93       | 090              | 53.10                     |             |                                |
| 27681      |               | C             | 6.94        | 5.28                       | 5.28                  | 1.15       | 090              | 53.10                     |             |                                |
| 27685      |               | C             | 6.57        | 8.31                       | 4.81                  | 0.97       | 090              | 53.10                     |             |                                |
| 27686      |               | C             | 7.64        | 5.71                       | 5.71                  | 1.24       | 090              | 53.10                     |             |                                |
| 27687      |               | C             | 6.30        | 4.70                       | 4.70                  | 1.00       | 090              | 53.10                     |             |                                |
| 27690      |               | C             | 8.96        | 6.22                       | 6.22                  | 1.33       | 090              | 53.10                     |             |                                |
| 27691      |               | C             | 10.28       | 7.48                       | 7.48                  | 1.64       | 090              | 53.10                     |             |                                |
| 27692      |               | C             | 1.87        | 0.79                       | 0.79                  | 0.32       | ZZZ              | 53.10                     |             |                                |
| 27695      |               | C             | 6.58        | 5.14                       | 5.14                  | 1.05       | 090              | 53.10                     |             |                                |
| 27696      |               | C             | 8.46        | 5.52                       | 5.52                  | 1.28       | 090              | 53.10                     |             |                                |
| 27698      |               | C             | 9.49        | 6.19                       | 6.19                  | 1.47       | 090              | 53.10                     |             |                                |
| 27700      |               | C             | 9.54        | 5.35                       | 5.35                  | 1.30       | 090              | 53.10                     |             |                                |
| 27702      |               | C             | 14.28       | 9.31                       | 9.31                  | 2.38       | 090              | 53.10                     |             |                                |
| 27703      |               | C             | 16.79       | 10.50                      | 10.50                 | 2.77       | 090              | 53.10                     |             |                                |
| 27704      |               | C             | 7.69        | 5.72                       | 5.72                  | 1.27       | 090              | 53.10                     |             |                                |
| 27705      |               | C             | 10.74       | 7.37                       | 7.37                  | 1.81       | 090              | 53.10                     |             |                                |
| 27707      |               | C             | 4.67        | 4.63                       | 4.63                  | 0.76       | 090              | 53.10                     |             |                                |
| 27709      |               | C             | 17.32       | 9.72                       | 9.72                  | 1.74       | 090              | 53.10                     |             |                                |
| 27712      |               | C             | 15.67       | 10.22                      | 10.22                 | 2.48       | 090              | 53.10                     |             |                                |
| 27715      |               | C             | 15.36       | 9.87                       | 9.87                  | 2.50       | 090              | 53.10                     |             |                                |
| 27720      |               | C             | 12.22       | 8.52                       | 8.52                  | 2.05       | 090              | 53.10                     |             |                                |
| 27722      |               | C             | 12.31       | 8.37                       | 8.37                  | 2.06       | 090              | 53.10                     |             |                                |
| 27724      |               | C             | 19.18       | 11.19                      | 11.19                 | 3.17       | 090              | 53.10                     |             |                                |
| 27725      |               | C             | 17.15       | 11.25                      | 11.25                 | 2.72       | 090              | 53.10                     |             |                                |
| 27726      |               | C             | 14.20       | 7.87                       | 7.87                  | 1.43       | 090              | 53.10                     |             |                                |
| 27727      |               | C             | 14.69       | 8.21                       | 8.21                  | 2.44       | 090              | 53.10                     |             |                                |
| 27730      |               | C             | 7.59        | 5.97                       | 5.97                  | 1.73       | 090              | 53.10                     |             |                                |
| 27732      |               | C             | 5.37        | 4.11                       | 4.11                  | 0.77       | 090              | 53.10                     |             |                                |
| 27734      |               | C             | 8.72        | 5.37                       | 5.37                  | 1.35       | 090              | 53.10                     |             |                                |
| 27740      |               | C             | 9.49        | 6.07                       | 6.07                  | 1.62       | 090              | 53.10                     |             |                                |
| 27742      |               | C             | 10.49       | 5.83                       | 5.83                  | 1.80       | 090              | 53.10                     |             |                                |
| 27745      |               | C             | 10.37       | 7.42                       | 7.42                  | 1.76       | 090              | 53.10                     |             |                                |
| 27750      |               | C             | 3.26        | 4.43                       | 3.77                  | 0.55       | 090              | 53.10                     |             |                                |
| 27752      |               | C             | 6.15        | 6.17                       | 5.31                  | 1.01       | 090              | 53.10                     |             |                                |
| 27756      |               | C             | 7.33        | 5.99                       | 5.99                  | 1.17       | 090              | 53.10                     |             |                                |
| 27758      |               | C             | 12.40       | 8.52                       | 8.52                  | 2.04       | 090              | 53.10                     |             |                                |
| 27759      |               | C             | 14.31       | 9.35                       | 9.35                  | 2.39       | 090              | 53.10                     |             |                                |
| 27760      |               | C             | 3.09        | 4.35                       | 3.64                  | 0.48       | 090              | 53.10                     |             |                                |
| 27762      |               | C             | 5.33        | 5.73                       | 4.86                  | 0.85       | 090              | 53.10                     |             |                                |
| 27766      |               | C             | 7.73        | 6.49                       | 6.49                  | 1.44       | 090              | 53.10                     |             |                                |
| 27767      |               | C             | 2.50        | 3.46                       | 3.49                  | 0.30       | 090              | 53.10                     |             |                                |
| 27768      |               | C             | 5.00        | 4.41                       | 4.41                  | 0.79       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 27769      |               | C             | 10.00       | 6.34                       | 6.34            | 1.45       | 090              | 53.10                     |             |                                |
| 27780      |               | C             | 2.72        | 3.95                       | 3.30            | 0.41       | 090              | 53.10                     |             |                                |
| 27781      |               | C             | 4.47        | 5.11                       | 4.44            | 0.73       | 090              | 53.10                     |             |                                |
| 27784      |               | C             | 9.51        | 6.89                       | 6.89            | 1.23       | 090              | 53.10                     |             |                                |
| 27786      |               | C             | 2.91        | 4.14                       | 3.41            | 0.46       | 090              | 53.10                     |             |                                |
| 27788      |               | C             | 4.52        | 5.14                       | 4.36            | 0.74       | 090              | 53.10                     |             |                                |
| 27792      |               | C             | 9.55        | 6.98                       | 6.98            | 1.32       | 090              | 53.10                     |             |                                |
| 27808      |               | C             | 2.91        | 4.48                       | 3.70            | 0.46       | 090              | 53.10                     |             |                                |
| 27810      |               | C             | 5.20        | 5.63                       | 4.74            | 0.82       | 090              | 53.10                     |             |                                |
| 27814      |               | C             | 10.46       | 7.74                       | 7.74            | 1.86       | 090              | 53.10                     |             |                                |
| 27816      |               | C             | 2.96        | 4.04                       | 3.32            | 0.43       | 090              | 53.10                     |             |                                |
| 27818      |               | C             | 5.57        | 5.61                       | 4.60            | 0.82       | 090              | 53.10                     |             |                                |
| 27822      |               | C             | 11.03       | 8.98                       | 8.98            | 1.92       | 090              | 53.10                     |             |                                |
| 27823      |               | C             | 12.98       | 9.77                       | 9.77            | 2.26       | 090              | 53.10                     |             |                                |
| 27824      |               | C             | 3.20        | 3.82                       | 3.55            | 0.45       | 090              | 53.10                     |             |                                |
| 27825      |               | C             | 6.60        | 6.08                       | 5.02            | 1.02       | 090              | 53.10                     |             |                                |
| 27826      |               | C             | 10.92       | 8.52                       | 8.52            | 1.47       | 090              | 53.10                     |             |                                |
| 27827      |               | C             | 14.56       | 11.05                      | 11.05           | 2.44       | 090              | 53.10                     |             |                                |
| 27828      |               | C             | 18.20       | 12.49                      | 12.49           | 2.82       | 090              | 53.10                     |             |                                |
| 27829      |               | C             | 8.64        | 7.04                       | 7.04            | 0.95       | 090              | 53.10                     |             |                                |
| 27830      |               | C             | 3.85        | 4.30                       | 3.77            | 0.54       | 090              | 53.10                     |             |                                |
| 27831      |               | C             | 4.62        | 4.19                       | 4.19            | 0.73       | 090              | 53.10                     |             |                                |
| 27832      |               | C             | 10.01       | 6.86                       | 6.86            | 1.03       | 090              | 53.10                     |             |                                |
| 27840      |               | C             | 4.65        | 3.61                       | 3.61            | 0.46       | 090              | 53.10                     |             |                                |
| 27842      |               | C             | 6.34        | 4.99                       | 4.99            | 1.00       | 090              | 53.10                     |             |                                |
| 27846      |               | C             | 10.16       | 7.25                       | 7.25            | 1.71       | 090              | 53.10                     |             |                                |
| 27848      |               | C             | 11.56       | 8.14                       | 8.14            | 1.95       | 090              | 53.10                     |             |                                |
| 27860      |               | C             | 2.36        | 1.86                       | 1.86            | 0.39       | 010              | 53.10                     |             |                                |
| 27870      |               | C             | 15.21       | 9.69                       | 9.69            | 2.37       | 090              | 53.10                     |             |                                |
| 27871      |               | C             | 9.42        | 6.91                       | 6.91            | 1.59       | 090              | 53.10                     |             |                                |
| 27880      |               | C             | 15.24       | 6.98                       | 6.98            | 1.76       | 090              | 53.10                     |             |                                |
| 27881      |               | C             | 13.32       | 7.92                       | 7.92            | 1.99       | 090              | 53.10                     |             |                                |
| 27882      |               | C             | 9.67        | 5.37                       | 5.37            | 1.29       | 090              | 53.10                     |             |                                |
| 27884      |               | C             | 8.64        | 5.33                       | 5.33            | 1.22       | 090              | 53.10                     |             |                                |
| 27886      |               | C             | 9.88        | 6.05                       | 6.05            | 1.40       | 090              | 53.10                     |             |                                |
| 27888      |               | C             | 10.23       | 6.60                       | 6.60            | 1.51       | 090              | 53.10                     |             |                                |
| 27889      |               | C             | 10.72       | 5.72                       | 5.72            | 1.46       | 090              | 53.10                     |             |                                |
| 27892      |               | C             | 7.82        | 5.13                       | 5.13            | 1.10       | 090              | 53.10                     |             |                                |
| 27893      |               | C             | 7.78        | 5.34                       | 5.34            | 1.10       | 090              | 53.10                     |             |                                |
| 27894      |               | C             | 12.42       | 7.75                       | 7.75            | 1.65       | 090              | 53.10                     |             |                                |
| 27899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 28001      |               | C             | 2.75        | 3.66                       | 1.68            | 0.33       | 010              | 53.10                     |             |                                |
| 28002      |               | C             | 5.78        | 6.17                       | 3.62            | 0.61       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 28003      |               | C             | 8.95        | 7.33                       | 4.75            | 1.12       | 090              | 53.10                     |             |                                |
| 28005      |               | C             | 9.30        | 5.67                       | 5.67            | 1.16       | 090              | 53.10                     |             |                                |
| 28008      |               | C             | 4.50        | 5.59                       | 2.99            | 0.57       | 090              | 53.10                     |             |                                |
| 28010      |               | C             | 2.89        | 2.69                       | 2.32            | 0.36       | 090              | 53.10                     |             |                                |
| 28011      |               | C             | 4.19        | 3.66                       | 3.10            | 0.59       | 090              | 53.10                     |             |                                |
| 28020      |               | C             | 5.06        | 6.89                       | 3.70            | 0.72       | 090              | 53.10                     |             |                                |
| 28022      |               | C             | 4.72        | 6.34                       | 3.42            | 0.62       | 090              | 53.10                     |             |                                |
| 28024      |               | C             | 4.43        | 6.09                       | 3.29            | 0.58       | 090              | 53.10                     |             |                                |
| 28035      |               | C             | 5.14        | 6.90                       | 3.72            | 0.70       | 090              | 53.10                     |             |                                |
| 28043      |               | C             | 3.58        | 4.45                       | 2.81            | 0.46       | 090              | 53.10                     |             |                                |
| 28045      |               | C             | 4.77        | 6.50                       | 3.32            | 0.63       | 090              | 53.10                     |             |                                |
| 28046      |               | C             | 10.55       | 9.82                       | 5.94            | 1.36       | 090              | 53.10                     |             |                                |
| 28050      |               | C             | 4.30        | 6.29                       | 3.34            | 0.60       | 090              | 53.10                     |             |                                |
| 28052      |               | C             | 3.98        | 5.80                       | 2.98            | 0.53       | 090              | 53.10                     |             |                                |
| 28054      |               | C             | 3.49        | 5.72                       | 2.87            | 0.46       | 090              | 53.10                     |             |                                |
| 28055      |               | C             | 6.20        | 3.53                       | 3.53            | 0.74       | 090              | 53.10                     |             |                                |
| 28060      |               | C             | 5.29        | 6.57                       | 3.61            | 0.70       | 090              | 53.10                     |             |                                |
| 28062      |               | C             | 6.58        | 7.37                       | 3.85            | 0.83       | 090              | 53.10                     |             |                                |
| 28070      |               | C             | 5.15        | 6.59                       | 3.53            | 0.73       | 090              | 53.10                     |             |                                |
| 28072      |               | C             | 4.63        | 6.97                       | 3.79            | 0.68       | 090              | 53.10                     |             |                                |
| 28080      |               | C             | 4.65        | 6.86                       | 4.00            | 0.47       | 090              | 53.10                     |             |                                |
| 28086      |               | C             | 4.83        | 7.60                       | 3.93            | 0.76       | 090              | 53.10                     |             |                                |
| 28088      |               | C             | 3.90        | 6.67                       | 3.41            | 0.61       | 090              | 53.10                     |             |                                |
| 28090      |               | C             | 4.46        | 6.23                       | 3.22            | 0.59       | 090              | 53.10                     |             |                                |
| 28092      |               | C             | 3.69        | 5.99                       | 3.07            | 0.49       | 090              | 53.10                     |             |                                |
| 28100      |               | C             | 5.72        | 8.03                       | 4.22            | 0.82       | 090              | 53.10                     |             |                                |
| 28102      |               | C             | 7.80        | 5.75                       | 5.75            | 1.14       | 090              | 53.10                     |             |                                |
| 28103      |               | C             | 6.56        | 4.39                       | 4.39            | 0.91       | 090              | 53.10                     |             |                                |
| 28104      |               | C             | 5.17        | 6.63                       | 3.54            | 0.70       | 090              | 53.10                     |             |                                |
| 28106      |               | C             | 7.23        | 4.33                       | 4.33            | 0.97       | 090              | 53.10                     |             |                                |
| 28107      |               | C             | 5.62        | 7.50                       | 3.90            | 0.74       | 090              | 53.10                     |             |                                |
| 28108      |               | C             | 4.21        | 5.76                       | 3.01            | 0.53       | 090              | 53.10                     |             |                                |
| 28110      |               | C             | 4.13        | 6.35                       | 3.07            | 0.54       | 090              | 53.10                     |             |                                |
| 28111      |               | C             | 5.06        | 6.83                       | 3.33            | 0.67       | 090              | 53.10                     |             |                                |
| 28112      |               | C             | 4.54        | 6.73                       | 3.32            | 0.61       | 090              | 53.10                     |             |                                |
| 28113      |               | C             | 5.88        | 7.66                       | 4.50            | 0.63       | 090              | 53.10                     |             |                                |
| 28114      |               | C             | 11.61       | 12.82                      | 8.33            | 1.42       | 090              | 53.10                     |             |                                |
| 28116      |               | C             | 8.94        | 8.51                       | 5.19            | 1.03       | 090              | 53.10                     |             |                                |
| 28118      |               | C             | 6.02        | 7.48                       | 4.15            | 0.84       | 090              | 53.10                     |             |                                |
| 28119      |               | C             | 5.45        | 6.61                       | 3.57            | 0.70       | 090              | 53.10                     |             |                                |
| 28120      |               | C             | 5.64        | 7.75                       | 4.06            | 0.77       | 090              | 53.10                     |             |                                |
| 28122      |               | C             | 7.56        | 7.95                       | 4.89            | 0.98       | 090              | 53.10                     |             |                                |
| 28124      |               | C             | 4.88        | 6.19                       | 3.47            | 0.60       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 28126      |               | C             | 3.56        | 5.41                       | 2.72            | 0.45       | 090              | 53.10                     |             |                                |
| 28130      |               | C             | 9.30        | 6.15                       | 6.15            | 1.26       | 090              | 53.10                     |             |                                |
| 28140      |               | C             | 7.03        | 7.57                       | 4.28            | 0.92       | 090              | 53.10                     |             |                                |
| 28150      |               | C             | 4.14        | 5.84                       | 3.02            | 0.53       | 090              | 53.10                     |             |                                |
| 28153      |               | C             | 3.71        | 5.61                       | 2.81            | 0.47       | 090              | 53.10                     |             |                                |
| 28160      |               | C             | 3.79        | 5.77                       | 3.01            | 0.49       | 090              | 53.10                     |             |                                |
| 28171      |               | C             | 9.85        | 5.22                       | 5.22            | 1.33       | 090              | 53.10                     |             |                                |
| 28173      |               | C             | 9.05        | 8.33                       | 4.76            | 1.12       | 090              | 53.10                     |             |                                |
| 28175      |               | C             | 6.17        | 6.64                       | 3.61            | 0.73       | 090              | 53.10                     |             |                                |
| 28190      |               | C             | 1.98        | 3.78                       | 1.36            | 0.22       | 010              | 53.10                     |             |                                |
| 28192      |               | C             | 4.69        | 6.25                       | 3.26            | 0.61       | 090              | 53.10                     |             |                                |
| 28193      |               | C             | 5.79        | 6.74                       | 3.66            | 0.73       | 090              | 53.10                     |             |                                |
| 28200      |               | C             | 4.65        | 6.29                       | 3.28            | 0.61       | 090              | 53.10                     |             |                                |
| 28202      |               | C             | 6.96        | 7.52                       | 4.07            | 0.91       | 090              | 53.10                     |             |                                |
| 28208      |               | C             | 4.42        | 6.12                       | 3.20            | 0.58       | 090              | 53.10                     |             |                                |
| 28210      |               | C             | 6.41        | 7.11                       | 3.92            | 0.81       | 090              | 53.10                     |             |                                |
| 28220      |               | C             | 4.58        | 5.83                       | 3.12            | 0.57       | 090              | 53.10                     |             |                                |
| 28222      |               | C             | 5.67        | 6.34                       | 3.49            | 0.69       | 090              | 53.10                     |             |                                |
| 28225      |               | C             | 3.70        | 5.37                       | 2.69            | 0.46       | 090              | 53.10                     |             |                                |
| 28226      |               | C             | 4.58        | 6.30                       | 3.39            | 0.58       | 090              | 53.10                     |             |                                |
| 28230      |               | C             | 4.28        | 5.72                       | 3.04            | 0.55       | 090              | 53.10                     |             |                                |
| 28232      |               | C             | 3.43        | 5.47                       | 2.81            | 0.44       | 090              | 53.10                     |             |                                |
| 28234      |               | C             | 3.43        | 5.81                       | 3.12            | 0.44       | 090              | 53.10                     |             |                                |
| 28238      |               | C             | 7.85        | 7.99                       | 4.51            | 1.06       | 090              | 53.10                     |             |                                |
| 28240      |               | C             | 4.40        | 5.88                       | 3.10            | 0.58       | 090              | 53.10                     |             |                                |
| 28250      |               | C             | 5.97        | 7.05                       | 3.95            | 0.82       | 090              | 53.10                     |             |                                |
| 28260      |               | C             | 8.08        | 7.74                       | 4.67            | 1.14       | 090              | 53.10                     |             |                                |
| 28261      |               | C             | 12.91       | 10.08                      | 6.61            | 1.57       | 090              | 53.10                     |             |                                |
| 28262      |               | C             | 17.01       | 14.87                      | 10.09           | 2.60       | 090              | 53.10                     |             |                                |
| 28264      |               | C             | 10.53       | 9.95                       | 6.57            | 1.54       | 090              | 53.10                     |             |                                |
| 28270      |               | C             | 4.82        | 6.30                       | 3.50            | 0.62       | 090              | 53.10                     |             |                                |
| 28272      |               | C             | 3.84        | 5.28                       | 2.66            | 0.46       | 090              | 53.10                     |             |                                |
| 28280      |               | C             | 5.24        | 6.93                       | 3.77            | 0.73       | 090              | 53.10                     |             |                                |
| 28285      |               | C             | 4.65        | 6.13                       | 3.34            | 0.59       | 090              | 53.10                     |             |                                |
| 28286      |               | C             | 4.61        | 5.93                       | 3.06            | 0.57       | 090              | 53.10                     |             |                                |
| 28288      |               | C             | 5.81        | 7.75                       | 4.68            | 0.65       | 090              | 53.10                     |             |                                |
| 28289      |               | C             | 8.11        | 8.90                       | 5.41            | 1.02       | 090              | 53.10                     |             |                                |
| 28290      |               | C             | 5.72        | 7.53                       | 4.12            | 0.82       | 090              | 53.10                     |             |                                |
| 28292      |               | C             | 8.72        | 9.47                       | 5.96            | 0.91       | 090              | 53.10                     |             |                                |
| 28293      |               | C             | 11.10       | 13.23                      | 6.64            | 1.13       | 090              | 53.10                     |             |                                |
| 28294      |               | C             | 8.63        | 8.81                       | 4.75            | 1.09       | 090              | 53.10                     |             |                                |
| 28296      |               | C             | 8.16        | 8.87                       | 5.08            | 1.19       | 090              | 53.10                     |             |                                |
| 28297      |               | C             | 9.31        | 9.94                       | 5.57            | 1.32       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 28298      |               | C             | 8.01        | 8.67                       | 4.71            | 1.05       | 090              | 53.10                     |             |                                |
| 28299      |               | C             | 11.39       | 10.02                      | 5.85            | 1.37       | 090              | 53.10                     |             |                                |
| 28300      |               | C             | 9.61        | 6.38                       | 6.38            | 1.54       | 090              | 53.10                     |             |                                |
| 28302      |               | C             | 9.62        | 6.29                       | 6.29            | 1.42       | 090              | 53.10                     |             |                                |
| 28304      |               | C             | 9.29        | 9.17                       | 5.35            | 1.27       | 090              | 53.10                     |             |                                |
| 28305      |               | C             | 10.63       | 6.33                       | 6.33            | 1.27       | 090              | 53.10                     |             |                                |
| 28306      |               | C             | 5.91        | 8.00                       | 4.02            | 0.84       | 090              | 53.10                     |             |                                |
| 28307      |               | C             | 6.39        | 10.07                      | 4.84            | 0.90       | 090              | 53.10                     |             |                                |
| 28308      |               | C             | 5.36        | 7.28                       | 3.79            | 0.70       | 090              | 53.10                     |             |                                |
| 28309      |               | C             | 13.96       | 7.63                       | 7.63            | 2.05       | 090              | 53.10                     |             |                                |
| 28310      |               | C             | 5.48        | 6.96                       | 3.43            | 0.70       | 090              | 53.10                     |             |                                |
| 28312      |               | C             | 4.60        | 6.80                       | 3.34            | 0.63       | 090              | 53.10                     |             |                                |
| 28313      |               | C             | 5.06        | 6.87                       | 4.03            | 0.73       | 090              | 53.10                     |             |                                |
| 28315      |               | C             | 4.91        | 6.07                       | 3.21            | 0.63       | 090              | 53.10                     |             |                                |
| 28320      |               | C             | 9.25        | 5.89                       | 5.89            | 1.43       | 090              | 53.10                     |             |                                |
| 28322      |               | C             | 8.41        | 9.51                       | 5.60            | 1.27       | 090              | 53.10                     |             |                                |
| 28340      |               | C             | 7.04        | 7.35                       | 3.98            | 0.84       | 090              | 53.10                     |             |                                |
| 28341      |               | C             | 8.60        | 7.95                       | 4.43            | 1.01       | 090              | 53.10                     |             |                                |
| 28344      |               | C             | 4.31        | 6.83                       | 3.48            | 0.51       | 090              | 53.10                     |             |                                |
| 28345      |               | C             | 5.98        | 7.34                       | 4.11            | 0.80       | 090              | 53.10                     |             |                                |
| 28360      |               | C             | 14.67       | 8.57                       | 8.57            | 2.29       | 090              | 53.10                     |             |                                |
| 28400      |               | C             | 2.22        | 3.39                       | 2.92            | 0.35       | 090              | 53.10                     |             |                                |
| 28405      |               | C             | 4.63        | 4.43                       | 3.84            | 0.73       | 090              | 53.10                     |             |                                |
| 28406      |               | C             | 6.44        | 5.93                       | 5.93            | 1.11       | 090              | 53.10                     |             |                                |
| 28415      |               | C             | 15.96       | 11.09                      | 11.09           | 2.67       | 090              | 53.10                     |             |                                |
| 28420      |               | C             | 17.29       | 11.19                      | 11.19           | 2.81       | 090              | 53.10                     |             |                                |
| 28430      |               | C             | 2.14        | 3.12                       | 2.53            | 0.31       | 090              | 53.10                     |             |                                |
| 28435      |               | C             | 3.45        | 3.91                       | 3.35            | 0.55       | 090              | 53.10                     |             |                                |
| 28436      |               | C             | 4.78        | 5.19                       | 5.19            | 0.81       | 090              | 53.10                     |             |                                |
| 28445      |               | C             | 15.53       | 9.93                       | 9.93            | 2.59       | 090              | 53.10                     |             |                                |
| 28446      |               | C             | 17.50       | 10.65                      | 10.65           | 2.45       | 090              | 53.10                     |             |                                |
| 28450      |               | C             | 1.95        | 2.92                       | 2.40            | 0.28       | 090              | 53.10                     |             |                                |
| 28455      |               | C             | 3.15        | 3.58                       | 3.12            | 0.44       | 090              | 53.10                     |             |                                |
| 28456      |               | C             | 2.75        | 3.70                       | 3.70            | 0.44       | 090              | 53.10                     |             |                                |
| 28465      |               | C             | 8.64        | 6.09                       | 6.09            | 1.10       | 090              | 53.10                     |             |                                |
| 28470      |               | C             | 1.99        | 2.86                       | 2.37            | 0.30       | 090              | 53.10                     |             |                                |
| 28475      |               | C             | 2.97        | 3.15                       | 2.67            | 0.44       | 090              | 53.10                     |             |                                |
| 28476      |               | C             | 3.46        | 4.53                       | 4.53            | 0.54       | 090              | 53.10                     |             |                                |
| 28485      |               | C             | 7.28        | 5.51                       | 5.51            | 0.83       | 090              | 53.10                     |             |                                |
| 28490      |               | C             | 1.12        | 2.04                       | 1.64            | 0.14       | 090              | 53.10                     |             |                                |
| 28495      |               | C             | 1.62        | 2.36                       | 1.90            | 0.20       | 090              | 53.10                     |             |                                |
| 28496      |               | C             | 2.39        | 7.36                       | 2.97            | 0.36       | 090              | 53.10                     |             |                                |
| 28505      |               | C             | 7.28        | 8.28                       | 4.60            | 0.56       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 28510      |               | C             | 1.12        | 1.61                       | 1.56            | 0.14       | 090              | 53.10                     |             |                                |
| 28515      |               | C             | 1.50        | 2.10                       | 1.81            | 0.18       | 090              | 53.10                     |             |                                |
| 28525      |               | C             | 5.46        | 7.63                       | 3.96            | 0.49       | 090              | 53.10                     |             |                                |
| 28530      |               | C             | 1.08        | 1.55                       | 1.35            | 0.14       | 090              | 53.10                     |             |                                |
| 28531      |               | C             | 2.51        | 6.09                       | 2.10            | 0.34       | 090              | 53.10                     |             |                                |
| 28540      |               | C             | 2.10        | 2.56                       | 2.25            | 0.26       | 090              | 53.10                     |             |                                |
| 28545      |               | C             | 2.51        | 3.19                       | 2.73            | 0.37       | 090              | 53.10                     |             |                                |
| 28546      |               | C             | 3.28        | 7.59                       | 3.78            | 0.52       | 090              | 53.10                     |             |                                |
| 28555      |               | C             | 9.49        | 10.66                      | 6.29            | 1.04       | 090              | 53.10                     |             |                                |
| 28570      |               | C             | 1.70        | 2.32                       | 1.91            | 0.23       | 090              | 53.10                     |             |                                |
| 28575      |               | C             | 3.38        | 4.24                       | 3.73            | 0.56       | 090              | 53.10                     |             |                                |
| 28576      |               | C             | 4.48        | 3.84                       | 3.84            | 0.69       | 090              | 53.10                     |             |                                |
| 28585      |               | C             | 10.92       | 10.48                      | 6.77            | 1.25       | 090              | 53.10                     |             |                                |
| 28600      |               | C             | 1.94        | 2.92                       | 2.42            | 0.27       | 090              | 53.10                     |             |                                |
| 28605      |               | C             | 2.78        | 3.47                       | 3.05            | 0.40       | 090              | 53.10                     |             |                                |
| 28606      |               | C             | 4.97        | 4.20                       | 4.20            | 0.82       | 090              | 53.10                     |             |                                |
| 28615      |               | C             | 10.46       | 8.14                       | 8.14            | 1.30       | 090              | 53.10                     |             |                                |
| 28630      |               | C             | 1.72        | 1.74                       | 0.93            | 0.20       | 010              | 53.10                     |             |                                |
| 28635      |               | C             | 1.93        | 2.19                       | 1.38            | 0.26       | 010              | 53.10                     |             |                                |
| 28636      |               | C             | 2.77        | 4.02                       | 2.11            | 0.43       | 010              | 53.10                     |             |                                |
| 28645      |               | C             | 7.28        | 7.42                       | 4.30            | 0.57       | 090              | 53.10                     |             |                                |
| 28660      |               | C             | 1.25        | 1.28                       | 0.79            | 0.13       | 010              | 53.10                     |             |                                |
| 28665      |               | C             | 1.94        | 1.71                       | 1.35            | 0.26       | 010              | 53.10                     |             |                                |
| 28666      |               | C             | 2.66        | 2.00                       | 2.00            | 0.43       | 010              | 53.10                     |             |                                |
| 28675      |               | C             | 5.46        | 7.97                       | 4.23            | 0.45       | 090              | 53.10                     |             |                                |
| 28705      |               | C             | 20.12       | 11.34                      | 11.34           | 3.09       | 090              | 53.10                     |             |                                |
| 28715      |               | C             | 14.40       | 8.97                       | 8.97            | 2.17       | 090              | 53.10                     |             |                                |
| 28725      |               | C             | 11.97       | 7.21                       | 7.21            | 1.87       | 090              | 53.10                     |             |                                |
| 28730      |               | C             | 12.21       | 8.02                       | 8.02            | 1.71       | 090              | 53.10                     |             |                                |
| 28735      |               | C             | 12.03       | 7.28                       | 7.28            | 1.69       | 090              | 53.10                     |             |                                |
| 28737      |               | C             | 10.83       | 6.31                       | 6.31            | 1.47       | 090              | 53.10                     |             |                                |
| 28740      |               | C             | 9.09        | 10.74                      | 6.12            | 1.22       | 090              | 53.10                     |             |                                |
| 28750      |               | C             | 8.37        | 10.98                      | 6.13            | 1.13       | 090              | 53.10                     |             |                                |
| 28755      |               | C             | 4.79        | 6.88                       | 3.45            | 0.65       | 090              | 53.10                     |             |                                |
| 28760      |               | C             | 8.94        | 9.37                       | 5.39            | 1.05       | 090              | 53.10                     |             |                                |
| 28800      |               | C             | 8.65        | 5.22                       | 5.22            | 1.15       | 090              | 53.10                     |             |                                |
| 28805      |               | C             | 12.55       | 5.92                       | 5.92            | 1.18       | 090              | 53.10                     |             |                                |
| 28810      |               | C             | 6.52        | 4.18                       | 4.18            | 0.86       | 090              | 53.10                     |             |                                |
| 28820      |               | C             | 4.89        | 7.51                       | 3.60            | 0.61       | 090              | 53.10                     |             |                                |
| 28825      |               | C             | 5.85        | 7.69                       | 3.95            | 0.50       | 090              | 53.10                     |             |                                |
| 28890      |               | C             | 3.36        | 4.79                       | 2.16            | 0.41       | 090              | 53.10                     |             |                                |
| 28899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 29000      |               | C             | 2.25        | 3.98                       | 1.76            | 0.41       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 29010      |               | C             | 2.06        | 3.57                       | 1.59            | 0.45      | 000        | 53.10            |                           |             |                                |
| 29015      |               | C             | 2.41        | 3.16                       | 1.45            | 0.28      | 000        | 53.10            |                           |             |                                |
| 29020      |               | C             | 2.11        | 3.21                       | 1.34            | 0.28      | 000        | 53.10            |                           |             |                                |
| 29025      |               | C             | 2.40        | 3.56                       | 1.74            | 0.44      | 000        | 53.10            |                           |             |                                |
| 29035      |               | C             | 1.77        | 3.83                       | 1.55            | 0.28      | 000        | 53.10            |                           |             |                                |
| 29040      |               | C             | 2.22        | 3.13                       | 1.46            | 0.36      | 000        | 53.10            |                           |             |                                |
| 29044      |               | C             | 2.12        | 3.92                       | 1.73            | 0.35      | 000        | 53.10            |                           |             |                                |
| 29046      |               | C             | 2.41        | 4.16                       | 1.99            | 0.42      | 000        | 53.10            |                           |             |                                |
| 29049      |               | C             | 0.89        | 1.10                       | 0.55            | 0.13      | 000        | 53.10            |                           |             |                                |
| 29055      |               | C             | 1.78        | 2.99                       | 1.39            | 0.30      | 000        | 53.10            |                           |             |                                |
| 29058      |               | C             | 1.31        | 1.26                       | 0.66            | 0.17      | 000        | 53.10            |                           |             |                                |
| 29065      |               | C             | 0.87        | 1.29                       | 0.72            | 0.15      | 000        | 53.10            |                           |             |                                |
| 29075      |               | C             | 0.77        | 1.24                       | 0.67            | 0.13      | 000        | 53.10            |                           |             |                                |
| 29085      |               | C             | 0.87        | 1.27                       | 0.68            | 0.14      | 000        | 53.10            |                           |             |                                |
| 29086      |               | C             | 0.62        | 1.04                       | 0.54            | 0.07      | 000        | 53.10            |                           |             |                                |
| 29105      |               | C             | 0.87        | 1.12                       | 0.53            | 0.12      | 000        | 53.10            |                           |             |                                |
| 29125      |               | C             | 0.59        | 0.97                       | 0.42            | 0.07      | 000        | 53.10            |                           |             |                                |
| 29126      |               | C             | 0.77        | 1.03                       | 0.48            | 0.07      | 000        | 53.10            |                           |             |                                |
| 29130      |               | C             | 0.50        | 0.44                       | 0.19            | 0.06      | 000        | 53.10            |                           |             |                                |
| 29131      |               | C             | 0.55        | 0.64                       | 0.25            | 0.03      | 000        | 53.10            |                           |             |                                |
| 29200      |               | C             | 0.65        | 0.62                       | 0.34            | 0.04      | 000        | 53.10            |                           |             |                                |
| 29220      |               | C             | 0.64        | 0.67                       | 0.39            | 0.04      | 000        | 53.10            |                           |             |                                |
| 29240      |               | C             | 0.71        | 0.70                       | 0.38            | 0.06      | 000        | 53.10            |                           |             |                                |
| 29260      |               | C             | 0.55        | 0.67                       | 0.35            | 0.05      | 000        | 53.10            |                           |             |                                |
| 29280      |               | C             | 0.51        | 0.68                       | 0.35            | 0.03      | 000        | 53.10            |                           |             |                                |
| 29305      |               | C             | 2.03        | 3.35                       | 1.67            | 0.35      | 000        | 53.10            |                           |             |                                |
| 29325      |               | C             | 2.32        | 3.66                       | 1.86            | 0.40      | 000        | 53.10            |                           |             |                                |
| 29345      |               | C             | 1.40        | 1.69                       | 0.99            | 0.24      | 000        | 53.10            |                           |             |                                |
| 29355      |               | C             | 1.53        | 1.66                       | 1.01            | 0.26      | 000        | 53.10            |                           |             |                                |
| 29358      |               | C             | 1.43        | 2.06                       | 1.00            | 0.25      | 000        | 53.10            |                           |             |                                |
| 29365      |               | C             | 1.18        | 1.60                       | 0.90            | 0.20      | 000        | 53.10            |                           |             |                                |
| 29405      |               | C             | 0.86        | 1.19                       | 0.67            | 0.14      | 000        | 53.10            |                           |             |                                |
| 29425      |               | C             | 1.01        | 1.21                       | 0.68            | 0.15      | 000        | 53.10            |                           |             |                                |
| 29435      |               | C             | 1.18        | 1.53                       | 0.85            | 0.20      | 000        | 53.10            |                           |             |                                |
| 29440      |               | C             | 0.57        | 0.65                       | 0.26            | 0.08      | 000        | 53.10            |                           |             |                                |
| 29445      |               | C             | 1.78        | 1.61                       | 0.91            | 0.27      | 000        | 53.10            |                           |             |                                |
| 29450      |               | C             | 2.08        | 1.51                       | 0.93            | 0.27      | 000        | 53.10            |                           |             |                                |
| 29505      |               | C             | 0.69        | 1.08                       | 0.45            | 0.08      | 000        | 53.10            |                           |             |                                |
| 29515      |               | C             | 0.73        | 0.92                       | 0.46            | 0.09      | 000        | 53.10            |                           |             |                                |
| 29520      |               | C             | 0.54        | 0.66                       | 0.37            | 0.03      | 000        | 53.10            |                           |             |                                |
| 29530      |               | C             | 0.57        | 0.67                       | 0.35            | 0.05      | 000        | 53.10            |                           |             |                                |
| 29540      |               | C             | 0.51        | 0.50                       | 0.30            | 0.06      | 000        | 53.10            |                           |             |                                |
| 29550      |               | C             | 0.47        | 0.51                       | 0.29            | 0.06      | 000        | 53.10            |                           |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 29580      |               | C             | 0.55        | 0.69                       | 0.34            | 0.07      | 0.00       | 000              | 53.10                     |             |                                |
| 29590      |               | C             | 0.76        | 0.56                       | 0.27            | 0.09      | 0.00       | 000              | 53.10                     |             |                                |
| 29700      |               | C             | 0.57        | 0.93                       | 0.27            | 0.08      | 0.00       | 000              | 53.10                     |             |                                |
| 29705      |               | C             | 0.76        | 0.79                       | 0.38            | 0.13      | 0.00       | 000              | 53.10                     |             |                                |
| 29710      |               | C             | 1.34        | 1.39                       | 0.63            | 0.20      | 0.00       | 000              | 53.10                     |             |                                |
| 29715      |               | C             | 0.94        | 1.18                       | 0.44            | 0.09      | 0.00       | 000              | 53.10                     |             |                                |
| 29720      |               | C             | 0.68        | 1.16                       | 0.37            | 0.12      | 0.00       | 000              | 53.10                     |             |                                |
| 29730      |               | C             | 0.75        | 0.76                       | 0.35            | 0.12      | 0.00       | 000              | 53.10                     |             |                                |
| 29740      |               | C             | 1.12        | 1.04                       | 0.48            | 0.18      | 0.00       | 000              | 53.10                     |             |                                |
| 29750      |               | C             | 1.26        | 1.09                       | 0.57            | 0.21      | 0.00       | 000              | 53.10                     |             |                                |
| 29799      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | YYY        | 0.00             | 0.00                      |             |                                |
| 29800      |               | C             | 6.73        | 5.49                       | 5.49            | 0.99      | 0.90       | 090              | 53.10                     |             |                                |
| 29804      |               | C             | 8.71        | 6.36                       | 6.36            | 1.38      | 0.90       | 090              | 53.10                     |             |                                |
| 29805      |               | C             | 5.94        | 5.04                       | 5.04            | 1.02      | 0.90       | 090              | 53.10                     |             |                                |
| 29806      |               | C             | 14.95       | 10.09                      | 10.09           | 2.50      | 0.90       | 090              | 53.10                     |             |                                |
| 29807      |               | C             | 14.48       | 9.92                       | 9.92            | 2.42      | 0.90       | 090              | 53.10                     |             |                                |
| 29819      |               | C             | 7.68        | 6.06                       | 6.06            | 1.32      | 0.90       | 090              | 53.10                     |             |                                |
| 29820      |               | C             | 7.12        | 5.56                       | 5.56            | 1.22      | 0.90       | 090              | 53.10                     |             |                                |
| 29821      |               | C             | 7.78        | 6.07                       | 6.07            | 1.33      | 0.90       | 090              | 53.10                     |             |                                |
| 29822      |               | C             | 7.49        | 5.97                       | 5.97            | 1.28      | 0.90       | 090              | 53.10                     |             |                                |
| 29823      |               | C             | 8.24        | 6.48                       | 6.48            | 1.41      | 0.90       | 090              | 53.10                     |             |                                |
| 29824      |               | C             | 8.82        | 6.92                       | 6.92            | 1.42      | 0.90       | 090              | 53.10                     |             |                                |
| 29825      |               | C             | 7.68        | 6.04                       | 6.04            | 1.32      | 0.90       | 090              | 53.10                     |             |                                |
| 29826      |               | C             | 9.05        | 6.67                       | 6.67            | 1.55      | 0.90       | 090              | 53.10                     |             |                                |
| 29827      |               | C             | 15.44       | 10.16                      | 10.16           | 2.67      | 0.90       | 090              | 53.10                     |             |                                |
| 29828      |               | C             | 13.00       | 8.46                       | 8.46            | 2.17      | 0.90       | 090              | 53.10                     |             |                                |
| 29830      |               | C             | 5.80        | 4.79                       | 4.79            | 0.99      | 0.90       | 090              | 53.10                     |             |                                |
| 29834      |               | C             | 6.33        | 5.21                       | 5.21            | 1.08      | 0.90       | 090              | 53.10                     |             |                                |
| 29835      |               | C             | 6.53        | 5.30                       | 5.30            | 1.13      | 0.90       | 090              | 53.10                     |             |                                |
| 29836      |               | C             | 7.61        | 6.04                       | 6.04            | 1.22      | 0.90       | 090              | 53.10                     |             |                                |
| 29837      |               | C             | 6.92        | 5.48                       | 5.48            | 1.19      | 0.90       | 090              | 53.10                     |             |                                |
| 29838      |               | C             | 7.77        | 6.11                       | 6.11            | 1.30      | 0.90       | 090              | 53.10                     |             |                                |
| 29840      |               | C             | 5.59        | 4.88                       | 4.88            | 0.84      | 0.90       | 090              | 53.10                     |             |                                |
| 29843      |               | C             | 6.06        | 5.18                       | 5.18            | 0.92      | 0.90       | 090              | 53.10                     |             |                                |
| 29844      |               | C             | 6.42        | 5.20                       | 5.20            | 1.04      | 0.90       | 090              | 53.10                     |             |                                |
| 29845      |               | C             | 7.58        | 5.82                       | 5.82            | 0.99      | 0.90       | 090              | 53.10                     |             |                                |
| 29846      |               | C             | 6.80        | 5.44                       | 5.44            | 1.07      | 0.90       | 090              | 53.10                     |             |                                |
| 29847      |               | C             | 7.13        | 5.60                       | 5.60            | 1.08      | 0.90       | 090              | 53.10                     |             |                                |
| 29848      |               | C             | 6.24        | 5.44                       | 5.44            | 0.86      | 0.90       | 090              | 53.10                     |             |                                |
| 29850      |               | C             | 8.18        | 5.24                       | 5.24            | 1.25      | 0.90       | 090              | 53.10                     |             |                                |
| 29851      |               | C             | 13.08       | 8.85                       | 8.85            | 2.35      | 0.90       | 090              | 53.10                     |             |                                |
| 29855      |               | C             | 10.60       | 7.84                       | 7.84            | 1.85      | 0.90       | 090              | 53.10                     |             |                                |
| 29856      |               | C             | 14.12       | 9.46                       | 9.46            | 2.40      | 0.90       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 29860      |               | C             | 8.85        | 6.44                       | 6.44            | 1.36       | 090              | 53.10                     |             |                                |
| 29861      |               | C             | 9.95        | 6.96                       | 6.96            | 1.59       | 090              | 53.10                     |             |                                |
| 29862      |               | C             | 10.97       | 8.02                       | 8.02            | 1.62       | 090              | 53.10                     |             |                                |
| 29863      |               | C             | 10.97       | 7.94                       | 7.94            | 1.42       | 090              | 53.10                     |             |                                |
| 29866      |               | C             | 14.48       | 10.10                      | 10.10           | 2.40       | 090              | 53.10                     |             |                                |
| 29867      |               | C             | 18.18       | 11.69                      | 11.69           | 2.79       | 090              | 53.10                     |             |                                |
| 29868      |               | C             | 24.89       | 14.65                      | 14.65           | 4.36       | 090              | 53.10                     |             |                                |
| 29870      |               | C             | 5.11        | 4.44                       | 4.44            | 0.85       | 090              | 53.10                     |             |                                |
| 29871      |               | C             | 6.60        | 5.36                       | 5.36            | 1.14       | 090              | 53.10                     |             |                                |
| 29873      |               | C             | 6.09        | 5.92                       | 5.92            | 1.04       | 090              | 53.10                     |             |                                |
| 29874      |               | C             | 7.10        | 5.50                       | 5.50            | 1.11       | 090              | 53.10                     |             |                                |
| 29875      |               | C             | 6.36        | 5.22                       | 5.22            | 1.09       | 090              | 53.10                     |             |                                |
| 29876      |               | C             | 8.72        | 6.54                       | 6.54            | 1.37       | 090              | 53.10                     |             |                                |
| 29877      |               | C             | 8.15        | 6.30                       | 6.30            | 1.28       | 090              | 53.10                     |             |                                |
| 29879      |               | C             | 8.84        | 6.61                       | 6.61            | 1.39       | 090              | 53.10                     |             |                                |
| 29880      |               | C             | 9.30        | 6.82                       | 6.82            | 1.47       | 090              | 53.10                     |             |                                |
| 29881      |               | C             | 8.56        | 6.48                       | 6.48            | 1.34       | 090              | 53.10                     |             |                                |
| 29882      |               | C             | 9.45        | 6.81                       | 6.81            | 1.50       | 090              | 53.10                     |             |                                |
| 29883      |               | C             | 11.61       | 8.18                       | 8.18            | 1.93       | 090              | 53.10                     |             |                                |
| 29884      |               | C             | 8.13        | 6.28                       | 6.28            | 1.27       | 090              | 53.10                     |             |                                |
| 29885      |               | C             | 10.03       | 7.43                       | 7.43            | 1.58       | 090              | 53.10                     |             |                                |
| 29886      |               | C             | 8.34        | 6.40                       | 6.40            | 1.30       | 090              | 53.10                     |             |                                |
| 29887      |               | C             | 9.98        | 7.38                       | 7.38            | 1.57       | 090              | 53.10                     |             |                                |
| 29888      |               | C             | 14.14       | 9.23                       | 9.23            | 2.42       | 090              | 53.10                     |             |                                |
| 29889      |               | C             | 17.15       | 11.51                      | 11.51           | 2.79       | 090              | 53.10                     |             |                                |
| 29891      |               | C             | 9.47        | 6.96                       | 6.96            | 1.39       | 090              | 53.10                     |             |                                |
| 29892      |               | C             | 10.07       | 6.73                       | 6.73            | 1.41       | 090              | 53.10                     |             |                                |
| 29893      |               | C             | 6.08        | 7.98                       | 4.41            | 0.63       | 090              | 53.10                     |             |                                |
| 29894      |               | C             | 7.26        | 5.00                       | 5.00            | 1.15       | 090              | 53.10                     |             |                                |
| 29895      |               | C             | 7.04        | 4.82                       | 4.82            | 1.11       | 090              | 53.10                     |             |                                |
| 29897      |               | C             | 7.23        | 5.19                       | 5.19            | 1.17       | 090              | 53.10                     |             |                                |
| 29898      |               | C             | 8.38        | 5.52                       | 5.52            | 1.28       | 090              | 53.10                     |             |                                |
| 29899      |               | C             | 15.21       | 9.72                       | 9.72            | 2.41       | 090              | 53.10                     |             |                                |
| 29900      |               | C             | 5.74        | 4.97                       | 4.97            | 0.94       | 090              | 53.10                     |             |                                |
| 29901      |               | C             | 6.45        | 5.27                       | 5.27            | 1.06       | 090              | 53.10                     |             |                                |
| 29902      |               | C             | 7.02        | 5.52                       | 5.52            | 1.12       | 090              | 53.10                     |             |                                |
| 29904      |               | C             | 8.50        | 6.08                       | 6.08            | 1.25       | 090              | 53.10                     |             |                                |
| 29905      |               | C             | 9.00        | 6.71                       | 6.71            | 1.32       | 090              | 53.10                     |             |                                |
| 29906      |               | C             | 9.47        | 7.08                       | 7.08            | 1.39       | 090              | 53.10                     |             |                                |
| 29907      |               | C             | 12.00       | 8.15                       | 8.15            | 1.90       | 090              | 53.10                     |             |                                |
| 29999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 30000      |               | C             | 1.45        | 4.04                       | 1.38            | 0.12       | 010              | 53.10                     |             |                                |
| 30020      |               | C             | 1.45        | 3.86                       | 1.40            | 0.12       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 30100      |               | C             | 0.94        | 2.40                       | 0.78                  | 0.07       | 000              | 53.10                     |             |                                |
| 30110      |               | C             | 1.65        | 3.71                       | 1.50                  | 0.14       | 010              | 53.10                     |             |                                |
| 30115      |               | C             | 4.38        | 5.93                       | 5.93                  | 0.41       | 090              | 53.10                     |             |                                |
| 30117      |               | C             | 3.20        | 16.66                      | 4.83                  | 0.26       | 090              | 53.10                     |             |                                |
| 30118      |               | C             | 9.81        | 8.78                       | 8.78                  | 0.78       | 090              | 53.10                     |             |                                |
| 30120      |               | C             | 5.31        | 7.07                       | 5.47                  | 0.52       | 090              | 53.10                     |             |                                |
| 30124      |               | C             | 3.14        | 3.39                       | 3.39                  | 0.25       | 090              | 53.10                     |             |                                |
| 30125      |               | C             | 7.21        | 7.61                       | 7.61                  | 0.63       | 090              | 53.10                     |             |                                |
| 30130      |               | C             | 3.41        | 5.62                       | 5.62                  | 0.31       | 090              | 53.10                     |             |                                |
| 30140      |               | C             | 3.48        | 6.84                       | 6.84                  | 0.35       | 090              | 53.10                     |             |                                |
| 30150      |               | C             | 9.44        | 9.51                       | 9.51                  | 0.93       | 090              | 53.10                     |             |                                |
| 30160      |               | C             | 9.88        | 9.20                       | 9.20                  | 0.88       | 090              | 53.10                     |             |                                |
| 30200      |               | C             | 0.78        | 1.89                       | 0.69                  | 0.06       | 000              | 53.10                     |             |                                |
| 30210      |               | C             | 1.10        | 2.40                       | 1.29                  | 0.09       | 010              | 53.10                     |             |                                |
| 30220      |               | C             | 1.56        | 5.37                       | 1.47                  | 0.12       | 010              | 53.10                     |             |                                |
| 30300      |               | C             | 1.06        | 4.33                       | 1.87                  | 0.08       | 010              | 53.10                     |             |                                |
| 30310      |               | C             | 1.98        | 2.95                       | 2.95                  | 0.16       | 010              | 53.10                     |             |                                |
| 30320      |               | C             | 4.56        | 6.29                       | 6.29                  | 0.39       | 090              | 53.10                     |             |                                |
| 30400      |               | C             | 10.58       | 14.32                      | 14.32                 | 1.04       | 090              | 53.10                     |             |                                |
| 30410      |               | C             | 13.72       | 15.67                      | 15.67                 | 1.42       | 090              | 53.10                     |             |                                |
| 30420      |               | C             | 16.62       | 16.50                      | 16.50                 | 1.46       | 090              | 53.10                     |             |                                |
| 30430      |               | C             | 7.96        | 13.91                      | 13.91                 | 0.77       | 090              | 53.10                     |             |                                |
| 30435      |               | C             | 12.45       | 16.28                      | 16.28                 | 1.22       | 090              | 53.10                     |             |                                |
| 30450      |               | C             | 19.38       | 18.54                      | 18.54                 | 1.97       | 090              | 53.10                     |             |                                |
| 30460      |               | C             | 10.24       | 8.06                       | 8.06                  | 1.03       | 090              | 53.10                     |             |                                |
| 30462      |               | C             | 20.12       | 16.38                      | 16.38                 | 2.54       | 090              | 53.10                     |             |                                |
| 30465      |               | C             | 12.20       | 11.41                      | 11.41                 | 1.06       | 090              | 53.10                     |             |                                |
| 30520      |               | C             | 6.85        | 7.72                       | 7.72                  | 0.46       | 090              | 53.10                     |             |                                |
| 30540      |               | C             | 7.81        | 8.35                       | 8.35                  | 0.67       | 090              | 53.10                     |             |                                |
| 30545      |               | C             | 11.50       | 11.38                      | 11.38                 | 1.71       | 090              | 53.10                     |             |                                |
| 30560      |               | C             | 1.28        | 5.10                       | 2.05                  | 0.10       | 010              | 53.10                     |             |                                |
| 30580      |               | C             | 6.76        | 8.14                       | 5.10                  | 0.89       | 090              | 53.10                     |             |                                |
| 30600      |               | C             | 6.07        | 7.72                       | 4.51                  | 0.70       | 090              | 53.10                     |             |                                |
| 30620      |               | C             | 6.04        | 8.76                       | 8.76                  | 0.57       | 090              | 53.10                     |             |                                |
| 30630      |               | C             | 7.18        | 7.83                       | 7.83                  | 0.61       | 090              | 53.10                     |             |                                |
| 30801      |               | C             | 1.11        | 4.25                       | 2.08                  | 0.09       | 010              | 53.10                     |             |                                |
| 30802      |               | C             | 2.05        | 4.85                       | 2.48                  | 0.16       | 010              | 53.10                     |             |                                |
| 30901      |               | C             | 1.21        | 1.29                       | 0.32                  | 0.11       | 000              | 53.10                     |             |                                |
| 30903      |               | C             | 1.54        | 3.09                       | 0.46                  | 0.13       | 000              | 53.10                     |             |                                |
| 30905      |               | C             | 1.97        | 3.79                       | 0.60                  | 0.17       | 000              | 53.10                     |             |                                |
| 30906      |               | C             | 2.45        | 4.17                       | 0.92                  | 0.20       | 000              | 53.10                     |             |                                |
| 30915      |               | C             | 7.36        | 6.57                       | 6.57                  | 0.58       | 090              | 53.10                     |             |                                |
| 30920      |               | C             | 11.03       | 9.05                       | 9.05                  | 0.80       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 30930      |               | C             | 1.28        | 1.64                       | 1.64            | 0.12       | 010              | 53.10                     |             |                                |
| 30999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 31000      |               | C             | 1.17        | 3.09                       | 1.36            | 0.09       | 010              | 53.10                     |             |                                |
| 31002      |               | C             | 1.93        | 2.92                       | 2.92            | 0.15       | 010              | 53.10                     |             |                                |
| 31020      |               | C             | 2.99        | 8.52                       | 5.44            | 0.29       | 090              | 53.10                     |             |                                |
| 31030      |               | C             | 5.95        | 10.70                      | 6.57            | 0.60       | 090              | 53.10                     |             |                                |
| 31032      |               | C             | 6.61        | 7.11                       | 7.11            | 0.59       | 090              | 53.10                     |             |                                |
| 31040      |               | C             | 9.66        | 8.35                       | 8.35            | 0.87       | 090              | 53.10                     |             |                                |
| 31050      |               | C             | 5.31        | 6.55                       | 6.55            | 0.49       | 090              | 53.10                     |             |                                |
| 31051      |               | C             | 7.16        | 8.35                       | 8.35            | 0.62       | 090              | 53.10                     |             |                                |
| 31070      |               | C             | 4.32        | 6.13                       | 6.13            | 0.38       | 090              | 53.10                     |             |                                |
| 31075      |               | C             | 9.40        | 9.54                       | 9.54            | 0.75       | 090              | 53.10                     |             |                                |
| 31080      |               | C             | 12.54       | 11.75                      | 11.75           | 1.23       | 090              | 53.10                     |             |                                |
| 31081      |               | C             | 13.99       | 15.05                      | 15.05           | 2.47       | 090              | 53.10                     |             |                                |
| 31084      |               | C             | 14.75       | 13.78                      | 13.78           | 1.19       | 090              | 53.10                     |             |                                |
| 31085      |               | C             | 15.44       | 14.42                      | 14.42           | 1.73       | 090              | 53.10                     |             |                                |
| 31086      |               | C             | 14.16       | 12.88                      | 12.88           | 1.07       | 090              | 53.10                     |             |                                |
| 31087      |               | C             | 14.39       | 12.15                      | 12.15           | 1.44       | 090              | 53.10                     |             |                                |
| 31090      |               | C             | 10.88       | 13.21                      | 13.21           | 0.94       | 090              | 53.10                     |             |                                |
| 31200      |               | C             | 5.03        | 7.94                       | 7.94            | 0.29       | 090              | 53.10                     |             |                                |
| 31201      |               | C             | 8.49        | 9.08                       | 9.08            | 0.82       | 090              | 53.10                     |             |                                |
| 31205      |               | C             | 10.47       | 10.33                      | 10.33           | 0.67       | 090              | 53.10                     |             |                                |
| 31225      |               | C             | 26.44       | 18.27                      | 18.27           | 1.59       | 090              | 53.10                     |             |                                |
| 31230      |               | C             | 30.56       | 19.56                      | 19.56           | 1.78       | 090              | 53.10                     |             |                                |
| 31231      |               | C             | 1.10        | 3.50                       | 0.81            | 0.09       | 000              | 53.10                     |             |                                |
| 31233      |               | C             | 2.18        | 4.25                       | 1.24            | 0.20       | 000              | 53.10                     |             |                                |
| 31235      |               | C             | 2.64        | 4.73                       | 1.43            | 0.26       | 000              | 53.10                     |             |                                |
| 31237      |               | C             | 2.98        | 4.96                       | 1.56            | 0.28       | 000              | 53.10                     |             |                                |
| 31238      |               | C             | 3.26        | 4.93                       | 1.69            | 0.27       | 000              | 53.10                     |             |                                |
| 31239      |               | C             | 9.23        | 7.00                       | 7.00            | 0.62       | 010              | 53.10                     |             |                                |
| 31240      |               | C             | 2.61        | 1.43                       | 1.43            | 0.24       | 000              | 53.10                     |             |                                |
| 31254      |               | C             | 4.64        | 2.25                       | 2.25            | 0.45       | 000              | 53.10                     |             |                                |
| 31255      |               | C             | 6.95        | 3.18                       | 3.18            | 0.73       | 000              | 53.10                     |             |                                |
| 31256      |               | C             | 3.29        | 1.70                       | 1.70            | 0.33       | 000              | 53.10                     |             |                                |
| 31267      |               | C             | 5.45        | 2.57                       | 2.57            | 0.55       | 000              | 53.10                     |             |                                |
| 31276      |               | C             | 8.84        | 3.93                       | 3.93            | 0.92       | 000              | 53.10                     |             |                                |
| 31287      |               | C             | 3.91        | 1.95                       | 1.95            | 0.39       | 000              | 53.10                     |             |                                |
| 31288      |               | C             | 4.57        | 2.22                       | 2.22            | 0.46       | 000              | 53.10                     |             |                                |
| 31290      |               | C             | 18.50       | 10.12                      | 10.12           | 1.40       | 010              | 53.10                     |             |                                |
| 31291      |               | C             | 19.45       | 10.57                      | 10.57           | 1.69       | 010              | 53.10                     |             |                                |
| 31292      |               | C             | 15.79       | 8.98                       | 8.98            | 1.21       | 010              | 53.10                     |             |                                |
| 31293      |               | C             | 17.36       | 9.65                       | 9.65            | 1.28       | 010              | 53.10                     |             |                                |
| 31294      |               | C             | 20.20       | 10.77                      | 10.77           | 1.53       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 31299      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 31300      |               | C             | 15.71       | 14.89                      | 14.89           | 1.17       | 090              | 53.10                     |             |                                |
| 31320      |               | C             | 5.62        | 10.06                      | 10.06           | 0.46       | 090              | 53.10                     |             |                                |
| 31360      |               | C             | 29.57       | 19.60                      | 19.60           | 1.38       | 090              | 53.10                     |             |                                |
| 31365      |               | C             | 38.47       | 22.90                      | 22.90           | 1.98       | 090              | 53.10                     |             |                                |
| 31367      |               | C             | 30.23       | 22.72                      | 22.72           | 1.79       | 090              | 53.10                     |             |                                |
| 31368      |               | C             | 33.85       | 25.17                      | 25.17           | 2.21       | 090              | 53.10                     |             |                                |
| 31370      |               | C             | 27.23       | 22.54                      | 22.54           | 1.75       | 090              | 53.10                     |             |                                |
| 31375      |               | C             | 25.73       | 21.36                      | 21.36           | 1.63       | 090              | 53.10                     |             |                                |
| 31380      |               | C             | 25.23       | 21.11                      | 21.11           | 1.71       | 090              | 53.10                     |             |                                |
| 31382      |               | C             | 28.23       | 22.65                      | 22.65           | 1.68       | 090              | 53.10                     |             |                                |
| 31390      |               | C             | 42.17       | 26.19                      | 26.19           | 2.24       | 090              | 53.10                     |             |                                |
| 31395      |               | C             | 43.46       | 29.00                      | 29.00           | 2.49       | 090              | 53.10                     |             |                                |
| 31400      |               | C             | 11.48       | 12.92                      | 12.92           | 0.83       | 090              | 53.10                     |             |                                |
| 31420      |               | C             | 11.32       | 9.05                       | 9.05            | 0.83       | 090              | 53.10                     |             |                                |
| 31500      |               | C             | 2.33        | 0.46                       | 0.46            | 0.17       | 000              | 53.10                     |             |                                |
| 31502      |               | C             | 0.65        | 0.24                       | 0.24            | 0.05       | 000              | 53.10                     |             |                                |
| 31505      |               | C             | 0.61        | 1.42                       | 0.60            | 0.05       | 000              | 53.10                     |             |                                |
| 31510      |               | C             | 1.92        | 3.24                       | 1.10            | 0.16       | 000              | 53.10                     |             |                                |
| 31511      |               | C             | 2.16        | 2.99                       | 1.07            | 0.19       | 000              | 53.10                     |             |                                |
| 31512      |               | C             | 2.07        | 3.02                       | 1.18            | 0.18       | 000              | 53.10                     |             |                                |
| 31513      |               | C             | 2.10        | 1.22                       | 1.22            | 0.17       | 000              | 53.10                     |             |                                |
| 31515      |               | C             | 1.80        | 3.31                       | 0.96            | 0.14       | 000              | 53.10                     |             |                                |
| 31520      |               | C             | 2.56        | 1.30                       | 1.30            | 0.20       | 000              | 53.10                     |             |                                |
| 31525      |               | C             | 2.63        | 3.49                       | 1.38            | 0.21       | 000              | 53.10                     |             |                                |
| 31526      |               | C             | 2.57        | 1.41                       | 1.41            | 0.21       | 000              | 53.10                     |             |                                |
| 31527      |               | C             | 3.27        | 1.59                       | 1.59            | 0.26       | 000              | 53.10                     |             |                                |
| 31528      |               | C             | 2.37        | 1.26                       | 1.26            | 0.19       | 000              | 53.10                     |             |                                |
| 31529      |               | C             | 2.68        | 1.41                       | 1.41            | 0.22       | 000              | 53.10                     |             |                                |
| 31530      |               | C             | 3.38        | 1.61                       | 1.61            | 0.29       | 000              | 53.10                     |             |                                |
| 31531      |               | C             | 3.58        | 1.81                       | 1.81            | 0.29       | 000              | 53.10                     |             |                                |
| 31535      |               | C             | 3.16        | 1.63                       | 1.63            | 0.26       | 000              | 53.10                     |             |                                |
| 31536      |               | C             | 3.55        | 1.80                       | 1.80            | 0.29       | 000              | 53.10                     |             |                                |
| 31540      |               | C             | 4.12        | 2.03                       | 2.03            | 0.33       | 000              | 53.10                     |             |                                |
| 31541      |               | C             | 4.52        | 2.20                       | 2.20            | 0.37       | 000              | 53.10                     |             |                                |
| 31545      |               | C             | 6.30        | 2.88                       | 2.88            | 0.37       | 000              | 53.10                     |             |                                |
| 31546      |               | C             | 9.73        | 4.11                       | 4.11            | 0.78       | 000              | 53.10                     |             |                                |
| 31560      |               | C             | 5.45        | 2.51                       | 2.51            | 0.43       | 000              | 53.10                     |             |                                |
| 31561      |               | C             | 5.99        | 2.72                       | 2.72            | 0.49       | 000              | 53.10                     |             |                                |
| 31570      |               | C             | 3.86        | 4.65                       | 1.90            | 0.31       | 000              | 53.10                     |             |                                |
| 31571      |               | C             | 4.26        | 2.08                       | 2.08            | 0.35       | 000              | 53.10                     |             |                                |
| 31575      |               | C             | 1.10        | 1.74                       | 0.81            | 0.09       | 000              | 53.10                     |             |                                |
| 31576      |               | C             | 1.97        | 3.57                       | 1.14            | 0.14       | 000              | 53.10                     |             |                                |



| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 31577 |       | C      | 2.47  | 3.47     | 1.28     | 0.21 | 000    | 53.10   |      |                                |
| 31578 |       | C      | 2.84  | 4.07     | 1.43     | 0.23 | 000    | 53.10   |      |                                |
| 31579 |       | C      | 2.26  | 3.10     | 1.27     | 0.18 | 000    | 53.10   |      |                                |
| 31580 |       | C      | 14.46 | 14.83    | 14.83    | 1.00 | 090    | 53.10   |      |                                |
| 31582 |       | C      | 22.87 | 23.59    | 23.59    | 1.76 | 090    | 53.10   |      |                                |
| 31584 |       | C      | 20.35 | 16.61    | 16.61    | 1.72 | 090    | 53.10   |      |                                |
| 31587 |       | C      | 15.12 | 9.12     | 9.12     | 0.97 | 090    | 53.10   |      |                                |
| 31588 |       | C      | 14.62 | 12.93    | 12.93    | 1.06 | 090    | 53.10   |      |                                |
| 31590 |       | C      | 7.63  | 13.93    | 13.93    | 0.84 | 090    | 53.10   |      |                                |
| 31595 |       | C      | 8.75  | 9.91     | 9.91     | 0.68 | 090    | 53.10   |      |                                |
| 31599 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 31600 |       | C      | 7.17  | 2.62     | 2.62     | 0.80 | 000    | 53.10   |      |                                |
| 31601 |       | C      | 4.44  | 2.12     | 2.12     | 0.40 | 000    | 53.10   |      |                                |
| 31603 |       | C      | 4.14  | 1.39     | 1.39     | 0.44 | 000    | 53.10   |      |                                |
| 31605 |       | C      | 3.57  | 0.96     | 0.96     | 0.40 | 000    | 53.10   |      |                                |
| 31610 |       | C      | 9.29  | 7.94     | 7.94     | 0.79 | 090    | 53.10   |      |                                |
| 31611 |       | C      | 5.92  | 7.09     | 7.09     | 0.46 | 090    | 53.10   |      |                                |
| 31612 |       | C      | 0.91  | 1.07     | 0.29     | 0.08 | 000    | 53.10   |      |                                |
| 31613 |       | C      | 4.63  | 6.11     | 6.11     | 0.42 | 090    | 53.10   |      |                                |
| 31614 |       | C      | 8.47  | 9.42     | 9.42     | 0.58 | 090    | 53.10   |      |                                |
| 31615 |       | C      | 2.09  | 2.43     | 1.11     | 0.16 | 000    | 53.10   |      |                                |
| 31620 |       | C      | 1.40  | 5.79     | 0.40     | 0.11 | ZZZ    | 53.10   |      |                                |
| 31622 |       | C      | 2.78  | 5.25     | 0.96     | 0.18 | 000    | 53.10   |      |                                |
| 31623 |       | C      | 2.88  | 5.96     | 0.94     | 0.13 | 000    | 53.10   |      |                                |
| 31624 |       | C      | 2.88  | 5.33     | 0.95     | 0.13 | 000    | 53.10   |      |                                |
| 31625 |       | C      | 3.36  | 5.46     | 1.08     | 0.18 | 000    | 53.10   |      |                                |
| 31628 |       | C      | 3.80  | 6.82     | 1.17     | 0.18 | 000    | 53.10   |      |                                |
| 31629 |       | C      | 4.09  | 12.26    | 1.25     | 0.16 | 000    | 53.10   |      |                                |
| 31630 |       | C      | 3.81  | 1.42     | 1.42     | 0.32 | 000    | 53.10   |      |                                |
| 31631 |       | C      | 4.36  | 1.55     | 1.55     | 0.34 | 000    | 53.10   |      |                                |
| 31632 |       | C      | 1.03  | 0.83     | 0.26     | 0.18 | ZZZ    | 53.10   |      |                                |
| 31633 |       | C      | 1.32  | 0.96     | 0.34     | 0.16 | ZZZ    | 53.10   |      |                                |
| 31635 |       | C      | 3.67  | 5.35     | 1.23     | 0.24 | 000    | 53.10   |      |                                |
| 31636 |       | C      | 4.30  | 1.49     | 1.49     | 0.31 | 000    | 53.10   |      |                                |
| 31637 |       | C      | 1.58  | 0.46     | 0.46     | 0.13 | ZZZ    | 53.10   |      |                                |
| 31638 |       | C      | 4.88  | 1.70     | 1.70     | 0.22 | 000    | 53.10   |      |                                |
| 31640 |       | C      | 4.93  | 1.73     | 1.73     | 0.46 | 000    | 53.10   |      |                                |
| 31641 |       | C      | 5.02  | 1.63     | 1.63     | 0.35 | 000    | 53.10   |      |                                |
| 31643 |       | C      | 3.49  | 1.10     | 1.10     | 0.20 | 000    | 53.10   |      |                                |
| 31645 |       | C      | 3.16  | 4.74     | 1.02     | 0.16 | 000    | 53.10   |      |                                |
| 31646 |       | C      | 2.72  | 4.46     | 0.90     | 0.14 | 000    | 53.10   |      |                                |
| 31656 |       | C      | 2.17  | 6.05     | 0.74     | 0.15 | 000    | 53.10   |      |                                |
| 31715 |       | C      | 1.11  | 0.33     | 0.33     | 0.07 | 000    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 31717 |       | C      | 2.12  | 5.60     | 0.74     | 0.14 | 000    | 53.10   |      |                                |
| 31720 |       | C      | 1.06  | 0.29     | 0.29     | 0.07 | 000    | 53.10   |      |                                |
| 31725 |       | C      | 1.96  | 0.46     | 0.46     | 0.14 | 000    | 53.10   |      |                                |
| 31730 |       | C      | 2.85  | 19.26    | 0.86     | 0.21 | 000    | 53.10   |      |                                |
| 31750 |       | C      | 15.19 | 17.56    | 17.56    | 1.05 | 090    | 53.10   |      |                                |
| 31755 |       | C      | 17.19 | 24.36    | 24.36    | 1.29 | 090    | 53.10   |      |                                |
| 31760 |       | C      | 23.36 | 10.76    | 10.76    | 2.95 | 090    | 53.10   |      |                                |
| 31766 |       | C      | 31.58 | 12.50    | 12.50    | 4.53 | 090    | 53.10   |      |                                |
| 31770 |       | C      | 23.48 | 9.52     | 9.52     | 2.84 | 090    | 53.10   |      |                                |
| 31775 |       | C      | 24.51 | 9.55     | 9.55     | 3.02 | 090    | 53.10   |      |                                |
| 31780 |       | C      | 19.70 | 9.71     | 9.71     | 1.65 | 090    | 53.10   |      |                                |
| 31781 |       | C      | 24.77 | 10.71    | 10.71    | 2.25 | 090    | 53.10   |      |                                |
| 31785 |       | C      | 18.29 | 8.58     | 8.58     | 1.59 | 090    | 53.10   |      |                                |
| 31786 |       | C      | 25.34 | 11.32    | 11.32    | 3.30 | 090    | 53.10   |      |                                |
| 31800 |       | C      | 8.10  | 8.89     | 8.89     | 0.79 | 090    | 53.10   |      |                                |
| 31805 |       | C      | 13.34 | 6.86     | 6.86     | 1.83 | 090    | 53.10   |      |                                |
| 31820 |       | C      | 4.58  | 5.82     | 3.41     | 0.38 | 090    | 53.10   |      |                                |
| 31825 |       | C      | 6.98  | 7.57     | 4.82     | 0.53 | 090    | 53.10   |      |                                |
| 31830 |       | C      | 4.54  | 5.90     | 3.71     | 0.44 | 090    | 53.10   |      |                                |
| 31899 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 32035 |       | C      | 11.20 | 6.20     | 6.20     | 1.26 | 090    | 53.10   |      |                                |
| 32036 |       | C      | 12.21 | 6.62     | 6.62     | 1.43 | 090    | 53.10   |      |                                |
| 32095 |       | C      | 10.06 | 5.36     | 5.36     | 1.22 | 090    | 53.10   |      |                                |
| 32100 |       | C      | 16.08 | 7.51     | 7.51     | 2.24 | 090    | 53.10   |      |                                |
| 32110 |       | C      | 25.15 | 10.49    | 10.49    | 3.22 | 090    | 53.10   |      |                                |
| 32120 |       | C      | 14.27 | 7.13     | 7.13     | 1.63 | 090    | 53.10   |      |                                |
| 32124 |       | C      | 15.33 | 7.31     | 7.31     | 1.90 | 090    | 53.10   |      |                                |
| 32140 |       | C      | 16.54 | 7.72     | 7.72     | 1.97 | 090    | 53.10   |      |                                |
| 32141 |       | C      | 27.10 | 10.16    | 10.16    | 2.01 | 090    | 53.10   |      |                                |
| 32150 |       | C      | 16.70 | 7.73     | 7.73     | 2.01 | 090    | 53.10   |      |                                |
| 32151 |       | C      | 16.82 | 8.18     | 8.18     | 2.04 | 090    | 53.10   |      |                                |
| 32160 |       | C      | 13.02 | 5.89     | 5.89     | 1.31 | 090    | 53.10   |      |                                |
| 32200 |       | C      | 18.48 | 9.02     | 9.02     | 2.14 | 090    | 53.10   |      |                                |
| 32201 |       | C      | 3.99  | 20.04    | 1.50     | 0.24 | 000    | 53.10   |      |                                |
| 32215 |       | C      | 12.93 | 6.70     | 6.70     | 1.69 | 090    | 53.10   |      |                                |
| 32220 |       | C      | 26.41 | 12.69    | 12.69    | 3.57 | 090    | 53.10   |      |                                |
| 32225 |       | C      | 16.63 | 7.79     | 7.79     | 2.07 | 090    | 53.10   |      |                                |
| 32310 |       | C      | 15.16 | 7.31     | 7.31     | 2.00 | 090    | 53.10   |      |                                |
| 32320 |       | C      | 27.04 | 12.17    | 12.17    | 3.52 | 090    | 53.10   |      |                                |
| 32400 |       | C      | 1.76  | 2.17     | 0.60     | 0.10 | 000    | 53.10   |      |                                |
| 32402 |       | C      | 8.89  | 5.02     | 5.02     | 1.07 | 090    | 53.10   |      |                                |
| 32405 |       | C      | 1.93  | 0.74     | 0.73     | 0.11 | 000    | 53.10   |      |                                |
| 32420 |       | C      | 2.18  | 0.76     | 0.76     | 0.12 | 000    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 32421 |       | C      | 1.54  | 2.57     | 0.50     | 0.08 | 000    | 53.10   |      |                                |
| 32422 |       | C      | 2.19  | 2.98     | 1.09     | 0.12 | 000    | 53.10   |      |                                |
| 32440 |       | C      | 27.17 | 11.92    | 11.92    | 3.69 | 090    | 53.10   |      |                                |
| 32442 |       | C      | 56.37 | 18.19    | 18.19    | 3.85 | 090    | 53.10   |      |                                |
| 32445 |       | C      | 63.60 | 21.57    | 21.57    | 3.72 | 090    | 53.10   |      |                                |
| 32480 |       | C      | 25.71 | 11.17    | 11.17    | 3.50 | 090    | 53.10   |      |                                |
| 32482 |       | C      | 27.28 | 12.10    | 12.10    | 3.67 | 090    | 53.10   |      |                                |
| 32484 |       | C      | 25.30 | 10.49    | 10.49    | 3.04 | 090    | 53.10   |      |                                |
| 32486 |       | C      | 42.80 | 15.15    | 15.15    | 3.52 | 090    | 53.10   |      |                                |
| 32488 |       | C      | 42.83 | 15.73    | 15.73    | 3.81 | 090    | 53.10   |      |                                |
| 32491 |       | C      | 25.09 | 11.86    | 11.86    | 2.99 | 090    | 53.10   |      |                                |
| 32500 |       | C      | 24.48 | 11.26    | 11.26    | 3.26 | 090    | 53.10   |      |                                |
| 32501 |       | C      | 4.68  | 1.50     | 1.50     | 0.65 | ZZZ    | 53.10   |      |                                |
| 32503 |       | C      | 31.61 | 13.33    | 13.33    | 4.38 | 090    | 53.10   |      |                                |
| 32504 |       | C      | 36.41 | 15.17    | 15.17    | 5.09 | 090    | 53.10   |      |                                |
| 32540 |       | C      | 30.22 | 11.87    | 11.87    | 2.08 | 090    | 53.10   |      |                                |
| 32550 |       | C      | 4.17  | 16.14    | 1.64     | 0.42 | 000    | 53.10   |      |                                |
| 32551 |       | C      | 3.29  | 1.13     | 1.13     | 0.43 | 000    | 53.10   |      |                                |
| 32560 |       | C      | 2.19  | 5.36     | 0.65     | 0.23 | 000    | 53.10   |      |                                |
| 32601 |       | C      | 5.45  | 2.25     | 2.25     | 0.80 | 000    | 53.10   |      |                                |
| 32602 |       | C      | 5.95  | 2.40     | 2.40     | 0.87 | 000    | 53.10   |      |                                |
| 32603 |       | C      | 7.80  | 3.01     | 3.01     | 1.14 | 000    | 53.10   |      |                                |
| 32604 |       | C      | 8.77  | 3.39     | 3.39     | 1.25 | 000    | 53.10   |      |                                |
| 32605 |       | C      | 6.92  | 2.67     | 2.67     | 1.00 | 000    | 53.10   |      |                                |
| 32606 |       | C      | 8.39  | 3.21     | 3.21     | 1.22 | 000    | 53.10   |      |                                |
| 32650 |       | C      | 10.77 | 5.81     | 5.81     | 1.58 | 090    | 53.10   |      |                                |
| 32651 |       | C      | 18.70 | 7.87     | 7.87     | 1.87 | 090    | 53.10   |      |                                |
| 32652 |       | C      | 29.00 | 11.41    | 11.41    | 2.73 | 090    | 53.10   |      |                                |
| 32653 |       | C      | 18.09 | 7.61     | 7.61     | 1.89 | 090    | 53.10   |      |                                |
| 32654 |       | C      | 20.44 | 8.26     | 8.26     | 1.63 | 090    | 53.10   |      |                                |
| 32655 |       | C      | 16.09 | 7.26     | 7.26     | 1.90 | 090    | 53.10   |      |                                |
| 32656 |       | C      | 13.18 | 6.66     | 6.66     | 1.90 | 090    | 53.10   |      |                                |
| 32657 |       | C      | 12.85 | 6.64     | 6.64     | 2.00 | 090    | 53.10   |      |                                |
| 32658 |       | C      | 11.65 | 6.25     | 6.25     | 1.70 | 090    | 53.10   |      |                                |
| 32659 |       | C      | 11.86 | 6.40     | 6.40     | 1.62 | 090    | 53.10   |      |                                |
| 32660 |       | C      | 17.69 | 8.20     | 8.20     | 2.09 | 090    | 53.10   |      |                                |
| 32661 |       | C      | 13.27 | 6.70     | 6.70     | 1.93 | 090    | 53.10   |      |                                |
| 32662 |       | C      | 14.91 | 7.43     | 7.43     | 2.18 | 090    | 53.10   |      |                                |
| 32663 |       | C      | 24.56 | 10.23    | 10.23    | 2.73 | 090    | 53.10   |      |                                |
| 32664 |       | C      | 14.22 | 6.83     | 6.83     | 2.33 | 090    | 53.10   |      |                                |
| 32665 |       | C      | 21.45 | 8.80     | 8.80     | 2.16 | 090    | 53.10   |      |                                |
| 32800 |       | C      | 15.59 | 7.38     | 7.38     | 1.99 | 090    | 53.10   |      |                                |
| 32810 |       | C      | 14.83 | 7.39     | 7.39     | 1.94 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 32815      |               | C             | 49.79       | 17.52                      | 17.52                 | 3.28       | 090              | 53.10                     |             |                                |
| 32820      |               | C             | 22.33       | 11.01                      | 11.01                 | 2.53       | 090              | 53.10                     |             |                                |
| 32850      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 32851      |               | C             | 40.94       | 23.12                      | 23.12                 | 5.58       | 090              | 53.10                     |             |                                |
| 32852      |               | C             | 44.65       | 26.38                      | 26.38                 | 6.02       | 090              | 53.10                     |             |                                |
| 32853      |               | C             | 50.11       | 26.15                      | 26.15                 | 7.07       | 090              | 53.10                     |             |                                |
| 32854      |               | C             | 53.88       | 29.50                      | 29.50                 | 7.22       | 090              | 53.10                     |             |                                |
| 32855      |               | C             | 317.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 32856      |               | C             | 384.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 32900      |               | C             | 23.69       | 10.07                      | 10.07                 | 2.94       | 090              | 53.10                     |             |                                |
| 32905      |               | C             | 23.17       | 9.96                       | 9.96                  | 3.16       | 090              | 53.10                     |             |                                |
| 32906      |               | C             | 29.18       | 11.92                      | 11.92                 | 3.98       | 090              | 53.10                     |             |                                |
| 32940      |               | C             | 21.22       | 9.14                       | 9.14                  | 2.89       | 090              | 53.10                     |             |                                |
| 32960      |               | C             | 1.84        | 1.70                       | 0.72                  | 0.16       | 000              | 53.10                     |             |                                |
| 32997      |               | C             | 7.31        | 1.86                       | 1.86                  | 0.55       | 000              | 53.10                     |             |                                |
| 32998      |               | C             | 5.68        | 68.21                      | 2.35                  | 0.36       | 000              | 53.10                     |             |                                |
| 32999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 33010      |               | C             | 2.24        | 1.00                       | 1.00                  | 0.14       | 000              | 53.10                     |             |                                |
| 33011      |               | C             | 2.24        | 0.92                       | 0.92                  | 0.15       | 000              | 53.10                     |             |                                |
| 33015      |               | C             | 8.44        | 5.29                       | 5.29                  | 0.65       | 090              | 53.10                     |             |                                |
| 33020      |               | C             | 14.87       | 6.79                       | 6.79                  | 1.80       | 090              | 53.10                     |             |                                |
| 33025      |               | C             | 13.65       | 6.25                       | 6.25                  | 1.81       | 090              | 53.10                     |             |                                |
| 33030      |               | C             | 22.27       | 9.61                       | 9.61                  | 2.84       | 090              | 53.10                     |             |                                |
| 33031      |               | C             | 25.30       | 10.31                      | 10.31                 | 3.14       | 090              | 53.10                     |             |                                |
| 33050      |               | C             | 16.85       | 7.83                       | 7.83                  | 2.15       | 090              | 53.10                     |             |                                |
| 33120      |               | C             | 27.33       | 11.44                      | 11.44                 | 3.70       | 090              | 53.10                     |             |                                |
| 33130      |               | C             | 24.05       | 10.26                      | 10.26                 | 3.01       | 090              | 53.10                     |             |                                |
| 33140      |               | C             | 28.26       | 11.26                      | 11.26                 | 2.86       | 090              | 53.10                     |             |                                |
| 33141      |               | C             | 2.54        | 1.03                       | 1.03                  | 0.69       | ZZZ              | 53.10                     |             |                                |
| 33202      |               | C             | 13.15       | 6.31                       | 6.31                  | 1.71       | 090              | 53.10                     |             |                                |
| 33203      |               | C             | 13.92       | 6.87                       | 6.87                  | 1.39       | 090              | 53.10                     |             |                                |
| 33206      |               | C             | 7.31        | 4.97                       | 4.97                  | 0.52       | 090              | 53.10                     |             |                                |
| 33207      |               | C             | 8.00        | 5.12                       | 5.12                  | 0.59       | 090              | 53.10                     |             |                                |
| 33208      |               | C             | 8.72        | 5.47                       | 5.47                  | 0.56       | 090              | 53.10                     |             |                                |
| 33210      |               | C             | 3.30        | 1.58                       | 1.58                  | 0.18       | 000              | 53.10                     |             |                                |
| 33211      |               | C             | 3.39        | 1.49                       | 1.49                  | 0.21       | 000              | 53.10                     |             |                                |
| 33212      |               | C             | 5.51        | 3.64                       | 3.64                  | 0.43       | 090              | 53.10                     |             |                                |
| 33213      |               | C             | 6.36        | 4.11                       | 4.11                  | 0.45       | 090              | 53.10                     |             |                                |
| 33214      |               | C             | 7.78        | 5.19                       | 5.19                  | 0.58       | 090              | 53.10                     |             |                                |
| 33215      |               | C             | 4.89        | 3.40                       | 3.40                  | 0.37       | 090              | 53.10                     |             |                                |
| 33216      |               | C             | 5.81        | 4.47                       | 4.47                  | 0.36       | 090              | 53.10                     |             |                                |
| 33217      |               | C             | 5.78        | 4.39                       | 4.39                  | 0.39       | 090              | 53.10                     |             |                                |
| 33218      |               | C             | 5.97        | 4.66                       | 4.66                  | 0.37       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 33220 |       | C      | 6.05  | 4.68     | 4.68     | 0.37 | 090    | 53.10   |      |                                |
| 33222 |       | C      | 5.01  | 4.29     | 4.29     | 0.42 | 090    | 53.10   |      |                                |
| 33223 |       | C      | 6.49  | 4.80     | 4.80     | 0.45 | 090    | 53.10   |      |                                |
| 33224 |       | C      | 9.04  | 4.73     | 4.73     | 0.54 | 000    | 53.10   |      |                                |
| 33225 |       | C      | 8.33  | 4.11     | 4.11     | 0.45 | ZZZ    | 53.10   |      |                                |
| 33226 |       | C      | 8.68  | 4.58     | 4.58     | 0.59 | 000    | 53.10   |      |                                |
| 33233 |       | C      | 3.33  | 3.23     | 3.23     | 0.22 | 090    | 53.10   |      |                                |
| 33234 |       | C      | 7.85  | 5.34     | 5.34     | 0.56 | 090    | 53.10   |      |                                |
| 33235 |       | C      | 9.93  | 7.12     | 7.12     | 0.73 | 090    | 53.10   |      |                                |
| 33236 |       | C      | 12.64 | 6.91     | 6.91     | 1.69 | 090    | 53.10   |      |                                |
| 33237 |       | C      | 13.75 | 8.04     | 8.04     | 1.59 | 090    | 53.10   |      |                                |
| 33238 |       | C      | 15.28 | 8.01     | 8.01     | 2.03 | 090    | 53.10   |      |                                |
| 33240 |       | C      | 7.61  | 5.08     | 5.08     | 0.41 | 090    | 53.10   |      |                                |
| 33241 |       | C      | 3.26  | 2.96     | 2.96     | 0.18 | 090    | 53.10   |      |                                |
| 33243 |       | C      | 23.42 | 11.42    | 11.42    | 2.10 | 090    | 53.10   |      |                                |
| 33244 |       | C      | 13.84 | 9.33     | 9.33     | 0.99 | 090    | 53.10   |      |                                |
| 33249 |       | C      | 15.02 | 9.68     | 9.68     | 0.77 | 090    | 53.10   |      |                                |
| 33250 |       | C      | 25.78 | 10.89    | 10.89    | 3.19 | 090    | 53.10   |      |                                |
| 33251 |       | C      | 28.80 | 11.79    | 11.79    | 3.60 | 090    | 53.10   |      |                                |
| 33254 |       | C      | 23.58 | 10.38    | 10.38    | 3.35 | 090    | 53.10   |      |                                |
| 33255 |       | C      | 28.91 | 12.74    | 12.74    | 3.94 | 090    | 53.10   |      |                                |
| 33256 |       | C      | 34.77 | 14.73    | 14.73    | 4.95 | 090    | 53.10   |      |                                |
| 33257 |       | C      | 9.63  | 5.05     | 5.05     | 0.89 | ZZZ    | 53.10   |      |                                |
| 33258 |       | C      | 11.00 | 5.52     | 5.52     | 1.09 | ZZZ    | 53.10   |      |                                |
| 33259 |       | C      | 14.14 | 7.18     | 7.18     | 1.78 | ZZZ    | 53.10   |      |                                |
| 33261 |       | C      | 28.80 | 11.67    | 11.67    | 3.46 | 090    | 53.10   |      |                                |
| 33265 |       | C      | 23.58 | 10.30    | 10.30    | 3.35 | 090    | 53.10   |      |                                |
| 33266 |       | C      | 32.91 | 13.44    | 13.44    | 4.80 | 090    | 53.10   |      |                                |
| 33282 |       | C      | 4.70  | 4.15     | 4.15     | 0.23 | 090    | 53.10   |      |                                |
| 33284 |       | C      | 3.04  | 3.36     | 3.36     | 0.14 | 090    | 53.10   |      |                                |
| 33300 |       | C      | 44.89 | 14.59    | 14.59    | 2.66 | 090    | 53.10   |      |                                |
| 33305 |       | C      | 76.85 | 23.25    | 23.25    | 3.13 | 090    | 53.10   |      |                                |
| 33310 |       | C      | 20.22 | 9.00     | 9.00     | 2.59 | 090    | 53.10   |      |                                |
| 33315 |       | C      | 26.05 | 11.11    | 11.11    | 3.28 | 090    | 53.10   |      |                                |
| 33320 |       | C      | 18.46 | 8.21     | 8.21     | 2.08 | 090    | 53.10   |      |                                |
| 33321 |       | C      | 20.71 | 8.99     | 8.99     | 2.91 | 090    | 53.10   |      |                                |
| 33322 |       | C      | 24.30 | 10.53    | 10.53    | 2.86 | 090    | 53.10   |      |                                |
| 33330 |       | C      | 25.17 | 10.02    | 10.02    | 2.82 | 090    | 53.10   |      |                                |
| 33332 |       | C      | 24.46 | 10.56    | 10.56    | 3.03 | 090    | 53.10   |      |                                |
| 33335 |       | C      | 33.79 | 13.37    | 13.37    | 4.28 | 090    | 53.10   |      |                                |
| 33400 |       | C      | 41.37 | 16.14    | 16.14    | 4.11 | 090    | 53.10   |      |                                |
| 33401 |       | C      | 24.41 | 13.08    | 13.08    | 3.57 | 090    | 53.10   |      |                                |
| 33403 |       | C      | 25.39 | 12.30    | 12.30    | 3.55 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 33404      |               | C             | 31.25       | 13.31                      | 13.31           | 4.33      | 090        | 53.10            |                           |             |                                |
| 33405      |               | C             | 41.19       | 16.75                      | 16.75           | 5.33      | 090        | 53.10            |                           |             |                                |
| 33406      |               | C             | 52.55       | 19.68                      | 19.68           | 5.45      | 090        | 53.10            |                           |             |                                |
| 33410      |               | C             | 46.28       | 17.54                      | 17.54           | 4.69      | 090        | 53.10            |                           |             |                                |
| 33411      |               | C             | 61.94       | 21.81                      | 21.81           | 5.48      | 090        | 53.10            |                           |             |                                |
| 33412      |               | C             | 43.77       | 18.35                      | 18.35           | 6.39      | 090        | 53.10            |                           |             |                                |
| 33413      |               | C             | 59.74       | 22.08                      | 22.08           | 6.53      | 090        | 53.10            |                           |             |                                |
| 33414      |               | C             | 39.29       | 15.27                      | 15.27           | 4.57      | 090        | 53.10            |                           |             |                                |
| 33415      |               | C             | 37.19       | 13.43                      | 13.43           | 4.14      | 090        | 53.10            |                           |             |                                |
| 33416      |               | C             | 36.43       | 14.16                      | 14.16           | 4.57      | 090        | 53.10            |                           |             |                                |
| 33417      |               | C             | 29.17       | 12.84                      | 12.84           | 4.10      | 090        | 53.10            |                           |             |                                |
| 33420      |               | C             | 25.67       | 9.40                       | 9.40            | 1.82      | 090        | 53.10            |                           |             |                                |
| 33422      |               | C             | 29.61       | 12.68                      | 12.68           | 3.94      | 090        | 53.10            |                           |             |                                |
| 33425      |               | C             | 49.83       | 17.42                      | 17.42           | 4.07      | 090        | 53.10            |                           |             |                                |
| 33426      |               | C             | 43.15       | 17.01                      | 17.01           | 5.03      | 090        | 53.10            |                           |             |                                |
| 33427      |               | C             | 44.70       | 17.52                      | 17.52           | 6.09      | 090        | 53.10            |                           |             |                                |
| 33430      |               | C             | 50.75       | 19.31                      | 19.31           | 5.10      | 090        | 53.10            |                           |             |                                |
| 33460      |               | C             | 44.62       | 15.33                      | 15.33           | 3.45      | 090        | 53.10            |                           |             |                                |
| 33463      |               | C             | 56.95       | 19.12                      | 19.12           | 3.87      | 090        | 53.10            |                           |             |                                |
| 33464      |               | C             | 44.49       | 16.12                      | 16.12           | 4.15      | 090        | 53.10            |                           |             |                                |
| 33465      |               | C             | 50.59       | 17.41                      | 17.41           | 4.39      | 090        | 53.10            |                           |             |                                |
| 33468      |               | C             | 32.82       | 14.52                      | 14.52           | 4.07      | 090        | 53.10            |                           |             |                                |
| 33470      |               | C             | 21.32       | 9.60                       | 9.60            | 1.03      | 090        | 53.10            |                           |             |                                |
| 33471      |               | C             | 22.83       | 10.17                      | 10.17           | 3.39      | 090        | 53.10            |                           |             |                                |
| 33472      |               | C             | 22.90       | 10.34                      | 10.34           | 3.55      | 090        | 53.10            |                           |             |                                |
| 33474      |               | C             | 39.27       | 13.18                      | 13.18           | 3.22      | 090        | 53.10            |                           |             |                                |
| 33475      |               | C             | 42.27       | 15.96                      | 15.96           | 4.93      | 090        | 53.10            |                           |             |                                |
| 33476      |               | C             | 26.41       | 10.92                      | 10.92           | 2.42      | 090        | 53.10            |                           |             |                                |
| 33478      |               | C             | 27.38       | 11.92                      | 11.92           | 3.89      | 090        | 53.10            |                           |             |                                |
| 33496      |               | C             | 29.71       | 12.34                      | 12.34           | 4.13      | 090        | 53.10            |                           |             |                                |
| 33500      |               | C             | 27.82       | 11.64                      | 11.64           | 3.87      | 090        | 53.10            |                           |             |                                |
| 33501      |               | C             | 19.43       | 8.47                       | 8.47            | 1.91      | 090        | 53.10            |                           |             |                                |
| 33502      |               | C             | 21.69       | 10.03                      | 10.03           | 3.00      | 090        | 53.10            |                           |             |                                |
| 33503      |               | C             | 22.29       | 12.68                      | 12.68           | 1.78      | 090        | 53.10            |                           |             |                                |
| 33504      |               | C             | 25.30       | 10.95                      | 10.95           | 3.36      | 090        | 53.10            |                           |             |                                |
| 33505      |               | C             | 38.35       | 13.07                      | 13.07           | 2.19      | 090        | 53.10            |                           |             |                                |
| 33506      |               | C             | 37.80       | 13.94                      | 13.94           | 4.66      | 090        | 53.10            |                           |             |                                |
| 33507      |               | C             | 31.35       | 12.35                      | 12.35           | 4.06      | 090        | 53.10            |                           |             |                                |
| 33508      |               | C             | 0.31        | 0.10                       | 0.10            | 0.04      | ZZZ        | 53.10            |                           |             |                                |
| 33510      |               | C             | 34.87       | 14.49                      | 14.49           | 4.41      | 090        | 53.10            |                           |             |                                |
| 33511      |               | C             | 38.34       | 15.70                      | 15.70           | 4.56      | 090        | 53.10            |                           |             |                                |
| 33512      |               | C             | 43.87       | 17.29                      | 17.29           | 4.67      | 090        | 53.10            |                           |             |                                |
| 33513      |               | C             | 45.26       | 17.13                      | 17.13           | 4.88      | 090        | 53.10            |                           |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 33514 |       | C      | 47.97 | 18.42    | 18.42    | 4.77 | 090    | 53.10   |      |                                |
| 33516 |       | C      | 49.65 | 19.27    | 19.27    | 5.13 | 090    | 53.10   |      |                                |
| 33517 |       | C      | 3.61  | 1.10     | 1.10     | 0.39 | ZZZ    | 53.10   |      |                                |
| 33518 |       | C      | 7.93  | 2.34     | 2.34     | 0.73 | ZZZ    | 53.10   |      |                                |
| 33519 |       | C      | 10.49 | 3.17     | 3.17     | 1.04 | ZZZ    | 53.10   |      |                                |
| 33521 |       | C      | 12.59 | 3.87     | 3.87     | 1.37 | ZZZ    | 53.10   |      |                                |
| 33522 |       | C      | 14.14 | 4.44     | 4.44     | 1.78 | ZZZ    | 53.10   |      |                                |
| 33523 |       | C      | 16.08 | 5.06     | 5.06     | 2.13 | ZZZ    | 53.10   |      |                                |
| 33530 |       | C      | 10.13 | 2.96     | 2.96     | 0.88 | ZZZ    | 53.10   |      |                                |
| 33533 |       | C      | 33.64 | 14.26    | 14.26    | 4.56 | 090    | 53.10   |      |                                |
| 33534 |       | C      | 39.77 | 16.31    | 16.31    | 4.70 | 090    | 53.10   |      |                                |
| 33535 |       | C      | 44.64 | 17.74    | 17.74    | 5.03 | 090    | 53.10   |      |                                |
| 33536 |       | C      | 48.32 | 18.47    | 18.47    | 5.44 | 090    | 53.10   |      |                                |
| 33542 |       | C      | 48.08 | 16.82    | 16.82    | 4.38 | 090    | 53.10   |      |                                |
| 33545 |       | C      | 56.93 | 19.61    | 19.61    | 5.21 | 090    | 53.10   |      |                                |
| 33548 |       | C      | 53.96 | 20.91    | 20.91    | 5.53 | 090    | 53.10   |      |                                |
| 33572 |       | C      | 4.44  | 1.44     | 1.44     | 0.65 | ZZZ    | 53.10   |      |                                |
| 33600 |       | C      | 30.15 | 12.50    | 12.50    | 4.42 | 090    | 53.10   |      |                                |
| 33602 |       | C      | 29.18 | 11.70    | 11.70    | 3.82 | 090    | 53.10   |      |                                |
| 33606 |       | C      | 31.37 | 13.01    | 13.01    | 4.41 | 090    | 53.10   |      |                                |
| 33608 |       | C      | 31.72 | 13.72    | 13.72    | 4.74 | 090    | 53.10   |      |                                |
| 33610 |       | C      | 31.24 | 13.13    | 13.13    | 4.56 | 090    | 53.10   |      |                                |
| 33611 |       | C      | 35.49 | 13.68    | 13.68    | 4.37 | 090    | 53.10   |      |                                |
| 33612 |       | C      | 36.49 | 13.76    | 13.76    | 5.30 | 090    | 53.10   |      |                                |
| 33615 |       | C      | 35.76 | 14.99    | 14.99    | 4.32 | 090    | 53.10   |      |                                |
| 33617 |       | C      | 38.96 | 14.78    | 14.78    | 5.66 | 090    | 53.10   |      |                                |
| 33619 |       | C      | 48.60 | 17.54    | 17.54    | 6.46 | 090    | 53.10   |      |                                |
| 33641 |       | C      | 29.50 | 11.15    | 11.15    | 3.23 | 090    | 53.10   |      |                                |
| 33645 |       | C      | 27.98 | 11.68    | 11.68    | 3.79 | 090    | 53.10   |      |                                |
| 33647 |       | C      | 29.37 | 13.31    | 13.31    | 3.32 | 090    | 53.10   |      |                                |
| 33660 |       | C      | 31.75 | 12.25    | 12.25    | 4.49 | 090    | 53.10   |      |                                |
| 33665 |       | C      | 34.77 | 13.41    | 13.41    | 4.00 | 090    | 53.10   |      |                                |
| 33670 |       | C      | 36.58 | 13.18    | 13.18    | 4.65 | 090    | 53.10   |      |                                |
| 33675 |       | C      | 35.87 | 13.60    | 13.60    | 4.95 | 090    | 53.10   |      |                                |
| 33676 |       | C      | 36.87 | 14.44    | 14.44    | 5.44 | 090    | 53.10   |      |                                |
| 33677 |       | C      | 38.37 | 14.94    | 14.94    | 5.68 | 090    | 53.10   |      |                                |
| 33681 |       | C      | 32.16 | 13.71    | 13.71    | 4.45 | 090    | 53.10   |      |                                |
| 33684 |       | C      | 34.29 | 13.26    | 13.26    | 3.39 | 090    | 53.10   |      |                                |
| 33688 |       | C      | 34.67 | 12.18    | 12.18    | 4.73 | 090    | 53.10   |      |                                |
| 33690 |       | C      | 20.20 | 9.26     | 9.26     | 1.97 | 090    | 53.10   |      |                                |
| 33692 |       | C      | 31.38 | 12.68    | 12.68    | 4.58 | 090    | 53.10   |      |                                |
| 33694 |       | C      | 35.49 | 14.05    | 14.05    | 5.28 | 090    | 53.10   |      |                                |
| 33697 |       | C      | 37.49 | 16.97    | 16.97    | 4.09 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 33702      |               | C             | 27.11       | 11.31                      | 11.31           | 3.68       | 090              | 53.10                     |             |                                |
| 33710      |               | C             | 30.28       | 16.33                      | 16.33           | 4.43       | 090              | 53.10                     |             |                                |
| 33720      |               | C             | 27.13       | 11.74                      | 11.74           | 3.84       | 090              | 53.10                     |             |                                |
| 33722      |               | C             | 29.05       | 11.27                      | 11.27           | 1.30       | 090              | 53.10                     |             |                                |
| 33724      |               | C             | 27.55       | 11.83                      | 11.83           | 4.00       | 090              | 53.10                     |             |                                |
| 33726      |               | C             | 37.04       | 14.50                      | 14.50           | 5.03       | 090              | 53.10                     |             |                                |
| 33730      |               | C             | 36.01       | 12.92                      | 12.92           | 5.03       | 090              | 53.10                     |             |                                |
| 33732      |               | C             | 28.80       | 12.44                      | 12.44           | 3.68       | 090              | 53.10                     |             |                                |
| 33735      |               | C             | 22.04       | 9.96                       | 9.96            | 1.92       | 090              | 53.10                     |             |                                |
| 33736      |               | C             | 24.16       | 10.90                      | 10.90           | 3.09       | 090              | 53.10                     |             |                                |
| 33737      |               | C             | 22.34       | 10.12                      | 10.12           | 3.25       | 090              | 53.10                     |             |                                |
| 33750      |               | C             | 22.06       | 12.07                      | 12.07           | 1.16       | 090              | 53.10                     |             |                                |
| 33755      |               | C             | 22.44       | 9.80                       | 9.80            | 3.26       | 090              | 53.10                     |             |                                |
| 33762      |               | C             | 22.44       | 9.82                       | 9.82            | 3.14       | 090              | 53.10                     |             |                                |
| 33764      |               | C             | 22.44       | 9.39                       | 9.39            | 3.01       | 090              | 53.10                     |             |                                |
| 33766      |               | C             | 23.41       | 11.43                      | 11.43           | 3.70       | 090              | 53.10                     |             |                                |
| 33767      |               | C             | 25.14       | 9.99                       | 9.99            | 3.82       | 090              | 53.10                     |             |                                |
| 33768      |               | C             | 8.00        | 2.68                       | 2.68            | 1.19       | ZZZ              | 53.10                     |             |                                |
| 33770      |               | C             | 39.02       | 14.41                      | 14.41           | 5.74       | 090              | 53.10                     |             |                                |
| 33771      |               | C             | 40.58       | 14.30                      | 14.30           | 5.68       | 090              | 53.10                     |             |                                |
| 33774      |               | C             | 31.54       | 13.58                      | 13.58           | 4.81       | 090              | 53.10                     |             |                                |
| 33775      |               | C             | 32.83       | 14.12                      | 14.12           | 4.99       | 090              | 53.10                     |             |                                |
| 33776      |               | C             | 34.53       | 14.98                      | 14.98           | 5.09       | 090              | 53.10                     |             |                                |
| 33777      |               | C             | 33.95       | 14.20                      | 14.20           | 5.49       | 090              | 53.10                     |             |                                |
| 33778      |               | C             | 42.62       | 16.87                      | 16.87           | 6.20       | 090              | 53.10                     |             |                                |
| 33779      |               | C             | 43.15       | 15.88                      | 15.88           | 2.92       | 090              | 53.10                     |             |                                |
| 33780      |               | C             | 43.85       | 17.12                      | 17.12           | 3.68       | 090              | 53.10                     |             |                                |
| 33781      |               | C             | 43.16       | 15.19                      | 15.19           | 5.97       | 090              | 53.10                     |             |                                |
| 33786      |               | C             | 41.74       | 15.77                      | 15.77           | 5.71       | 090              | 53.10                     |             |                                |
| 33788      |               | C             | 27.26       | 11.48                      | 11.48           | 4.03       | 090              | 53.10                     |             |                                |
| 33800      |               | C             | 17.23       | 7.11                       | 7.11            | 2.46       | 090              | 53.10                     |             |                                |
| 33802      |               | C             | 18.24       | 8.20                       | 8.20            | 2.27       | 090              | 53.10                     |             |                                |
| 33803      |               | C             | 20.18       | 8.08                       | 8.08            | 3.20       | 090              | 53.10                     |             |                                |
| 33813      |               | C             | 21.23       | 11.22                      | 11.22           | 3.13       | 090              | 53.10                     |             |                                |
| 33814      |               | C             | 26.41       | 11.67                      | 11.67           | 3.85       | 090              | 53.10                     |             |                                |
| 33820      |               | C             | 16.61       | 7.86                       | 7.86            | 2.35       | 090              | 53.10                     |             |                                |
| 33822      |               | C             | 17.63       | 8.23                       | 8.23            | 2.68       | 090              | 53.10                     |             |                                |
| 33824      |               | C             | 20.10       | 9.23                       | 9.23            | 2.89       | 090              | 53.10                     |             |                                |
| 33840      |               | C             | 21.21       | 8.92                       | 8.92            | 2.16       | 090              | 53.10                     |             |                                |
| 33845      |               | C             | 22.77       | 11.57                      | 11.57           | 3.22       | 090              | 53.10                     |             |                                |
| 33851      |               | C             | 21.85       | 9.54                       | 9.54            | 3.18       | 090              | 53.10                     |             |                                |
| 33852      |               | C             | 24.28       | 10.67                      | 10.67           | 2.16       | 090              | 53.10                     |             |                                |
| 33853      |               | C             | 32.35       | 14.89                      | 14.89           | 4.48       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 33860      |               | C             | 59.33       | 20.54                      | 20.54                 | 5.76       | 090              | 53.10                     |             |                                |
| 33861      |               | C             | 43.94       | 17.08                      | 17.08                 | 6.37       | 090              | 53.10                     |             |                                |
| 33863      |               | C             | 58.71       | 20.55                      | 20.55                 | 6.59       | 090              | 53.10                     |             |                                |
| 33864      |               | C             | 60.00       | 21.50                      | 21.50                 | 6.73       | 090              | 53.10                     |             |                                |
| 33870      |               | C             | 45.93       | 17.78                      | 17.78                 | 6.62       | 090              | 53.10                     |             |                                |
| 33875      |               | C             | 35.68       | 13.93                      | 13.93                 | 4.89       | 090              | 53.10                     |             |                                |
| 33877      |               | C             | 68.85       | 21.08                      | 21.08                 | 5.94       | 090              | 53.10                     |             |                                |
| 33880      |               | C             | 34.48       | 12.32                      | 12.32                 | 2.75       | 090              | 53.10                     |             |                                |
| 33881      |               | C             | 29.48       | 10.72                      | 10.72                 | 2.33       | 090              | 53.10                     |             |                                |
| 33883      |               | C             | 20.99       | 8.11                       | 8.11                  | 2.11       | 090              | 53.10                     |             |                                |
| 33884      |               | C             | 8.20        | 2.37                       | 2.37                  | 0.86       | ZZZ              | 53.10                     |             |                                |
| 33886      |               | C             | 17.99       | 7.02                       | 7.02                  | 1.80       | 090              | 53.10                     |             |                                |
| 33889      |               | C             | 15.92       | 4.51                       | 4.51                  | 2.18       | 000              | 53.10                     |             |                                |
| 33891      |               | C             | 20.00       | 5.55                       | 5.55                  | 2.73       | 000              | 53.10                     |             |                                |
| 33910      |               | C             | 29.59       | 12.20                      | 12.20                 | 3.70       | 090              | 53.10                     |             |                                |
| 33915      |               | C             | 24.83       | 9.57                       | 9.57                  | 1.44       | 090              | 53.10                     |             |                                |
| 33916      |               | C             | 28.30       | 13.61                      | 13.61                 | 3.67       | 090              | 53.10                     |             |                                |
| 33917      |               | C             | 25.14       | 12.55                      | 12.55                 | 3.70       | 090              | 53.10                     |             |                                |
| 33920      |               | C             | 32.58       | 12.93                      | 12.93                 | 4.38       | 090              | 53.10                     |             |                                |
| 33922      |               | C             | 24.09       | 10.49                      | 10.49                 | 3.10       | 090              | 53.10                     |             |                                |
| 33924      |               | C             | 5.49        | 1.70                       | 1.70                  | 0.82       | ZZZ              | 53.10                     |             |                                |
| 33925      |               | C             | 31.25       | 12.82                      | 12.82                 | 4.61       | 090              | 53.10                     |             |                                |
| 33926      |               | C             | 44.68       | 13.82                      | 13.82                 | 6.22       | 090              | 53.10                     |             |                                |
| 33930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 33933      |               | C             | 439.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 33935      |               | C             | 61.68       | 25.04                      | 25.04                 | 9.06       | 090              | 53.10                     |             |                                |
| 33940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 33944      |               | C             | 309.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 33945      |               | C             | 89.08       | 29.97                      | 29.97                 | 6.26       | 090              | 53.10                     |             |                                |
| 33960      |               | C             | 19.33       | 5.77                       | 5.77                  | 2.67       | 000              | 53.10                     |             |                                |
| 33961      |               | C             | 10.91       | 3.48                       | 3.48                  | 0.88       | ZZZ              | 53.10                     |             |                                |
| 33967      |               | C             | 4.84        | 2.31                       | 2.31                  | 0.35       | 000              | 53.10                     |             |                                |
| 33968      |               | C             | 0.64        | 0.26                       | 0.26                  | 0.07       | 000              | 53.10                     |             |                                |
| 33970      |               | C             | 6.74        | 2.62                       | 2.62                  | 0.82       | 000              | 53.10                     |             |                                |
| 33971      |               | C             | 11.91       | 6.31                       | 6.31                  | 1.25       | 090              | 53.10                     |             |                                |
| 33973      |               | C             | 9.75        | 3.85                       | 3.85                  | 1.26       | 000              | 53.10                     |             |                                |
| 33974      |               | C             | 14.93       | 8.19                       | 8.19                  | 1.74       | 090              | 53.10                     |             |                                |
| 33975      |               | C             | 20.97       | 6.84                       | 6.84                  | 3.07       | XXX              | 53.10                     |             |                                |
| 33976      |               | C             | 22.97       | 8.04                       | 8.04                  | 3.26       | XXX              | 53.10                     |             |                                |
| 33977      |               | C             | 20.07       | 10.21                      | 10.21                 | 2.81       | 090              | 53.10                     |             |                                |
| 33978      |               | C             | 22.51       | 10.68                      | 10.68                 | 3.31       | 090              | 53.10                     |             |                                |
| 33979      |               | C             | 45.93       | 14.90                      | 14.90                 | 6.97       | XXX              | 53.10                     |             |                                |
| 33980      |               | C             | 64.86       | 25.70                      | 25.70                 | 8.59       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 33999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | YYY              | 0.00                      |             |                                |
| 34001      |               | C             | 17.78       | 6.84                       | 6.84            | 1.85      | 090        |                  | 53.10                     |             |                                |
| 34051      |               | C             | 16.91       | 7.56                       | 7.56            | 2.21      | 090        |                  | 53.10                     |             |                                |
| 34101      |               | C             | 10.85       | 4.68                       | 4.68            | 1.41      | 090        |                  | 53.10                     |             |                                |
| 34111      |               | C             | 10.85       | 4.68                       | 4.68            | 1.40      | 090        |                  | 53.10                     |             |                                |
| 34151      |               | C             | 26.41       | 9.32                       | 9.32            | 3.56      | 090        |                  | 53.10                     |             |                                |
| 34201      |               | C             | 19.38       | 6.49                       | 6.49            | 1.45      | 090        |                  | 53.10                     |             |                                |
| 34203      |               | C             | 17.73       | 7.03                       | 7.03            | 2.36      | 090        |                  | 53.10                     |             |                                |
| 34401      |               | C             | 26.41       | 10.83                      | 10.83           | 3.10      | 090        |                  | 53.10                     |             |                                |
| 34421      |               | C             | 13.29       | 5.63                       | 5.63            | 1.55      | 090        |                  | 53.10                     |             |                                |
| 34451      |               | C             | 28.41       | 10.18                      | 10.18           | 3.84      | 090        |                  | 53.10                     |             |                                |
| 34471      |               | C             | 21.00       | 7.01                       | 7.01            | 1.18      | 090        |                  | 53.10                     |             |                                |
| 34490      |               | C             | 10.83       | 4.79                       | 4.79            | 1.41      | 090        |                  | 53.10                     |             |                                |
| 34501      |               | C             | 16.74       | 7.37                       | 7.37            | 2.35      | 090        |                  | 53.10                     |             |                                |
| 34502      |               | C             | 27.86       | 11.27                      | 11.27           | 3.63      | 090        |                  | 53.10                     |             |                                |
| 34510      |               | C             | 19.80       | 7.79                       | 7.79            | 2.33      | 090        |                  | 53.10                     |             |                                |
| 34520      |               | C             | 19.05       | 7.41                       | 7.41            | 2.29      | 090        |                  | 53.10                     |             |                                |
| 34530      |               | C             | 17.77       | 7.38                       | 7.38            | 1.74      | 090        |                  | 53.10                     |             |                                |
| 34800      |               | C             | 21.46       | 8.21                       | 8.21            | 2.46      | 090        |                  | 53.10                     |             |                                |
| 34802      |               | C             | 23.71       | 8.92                       | 8.92            | 2.33      | 090        |                  | 53.10                     |             |                                |
| 34803      |               | C             | 24.74       | 8.89                       | 8.89            | 2.01      | 090        |                  | 53.10                     |             |                                |
| 34804      |               | C             | 23.71       | 8.92                       | 8.92            | 2.30      | 090        |                  | 53.10                     |             |                                |
| 34805      |               | C             | 22.59       | 8.15                       | 8.15            | 2.01      | 090        |                  | 53.10                     |             |                                |
| 34806      |               | C             | 2.06        | 0.64                       | 0.64            | 0.30      | ZZZ        |                  | 53.10                     |             |                                |
| 34808      |               | C             | 4.12        | 1.19                       | 1.19            | 0.59      | ZZZ        |                  | 53.10                     |             |                                |
| 34812      |               | C             | 6.74        | 1.91                       | 1.91            | 1.18      | 000        |                  | 53.10                     |             |                                |
| 34813      |               | C             | 4.79        | 1.32                       | 1.32            | 0.67      | ZZZ        |                  | 53.10                     |             |                                |
| 34820      |               | C             | 9.74        | 2.81                       | 2.81            | 1.50      | 000        |                  | 53.10                     |             |                                |
| 34825      |               | C             | 12.72       | 5.58                       | 5.58            | 1.28      | 090        |                  | 53.10                     |             |                                |
| 34826      |               | C             | 4.12        | 1.25                       | 1.25            | 0.44      | ZZZ        |                  | 53.10                     |             |                                |
| 34830      |               | C             | 35.10       | 11.87                      | 11.87           | 4.55      | 090        |                  | 53.10                     |             |                                |
| 34831      |               | C             | 37.85       | 11.86                      | 11.86           | 4.89      | 090        |                  | 53.10                     |             |                                |
| 34832      |               | C             | 37.85       | 12.64                      | 12.64           | 4.85      | 090        |                  | 53.10                     |             |                                |
| 34833      |               | C             | 11.98       | 3.75                       | 3.75            | 1.70      | 000        |                  | 53.10                     |             |                                |
| 34834      |               | C             | 5.34        | 1.80                       | 1.80            | 0.76      | 000        |                  | 53.10                     |             |                                |
| 34900      |               | C             | 16.77       | 6.76                       | 6.76            | 2.00      | 090        |                  | 53.10                     |             |                                |
| 35001      |               | C             | 20.70       | 8.44                       | 8.44            | 2.81      | 090        |                  | 53.10                     |             |                                |
| 35002      |               | C             | 22.12       | 8.62                       | 8.62            | 3.00      | 090        |                  | 53.10                     |             |                                |
| 35005      |               | C             | 19.18       | 8.13                       | 8.13            | 1.77      | 090        |                  | 53.10                     |             |                                |
| 35011      |               | C             | 18.50       | 7.01                       | 7.01            | 2.55      | 090        |                  | 53.10                     |             |                                |
| 35013      |               | C             | 23.10       | 8.59                       | 8.59            | 3.10      | 090        |                  | 53.10                     |             |                                |
| 35021      |               | C             | 22.09       | 9.12                       | 9.12            | 2.87      | 090        |                  | 53.10                     |             |                                |
| 35022      |               | C             | 25.62       | 9.70                       | 9.70            | 3.17      | 090        |                  | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 35045      |               | C             | 17.94       | 6.89                       | 6.89                  | 2.45       | 090              | 53.10                     |             |                                |
| 35081      |               | C             | 33.37       | 11.36                      | 11.36                 | 4.01       | 090              | 53.10                     |             |                                |
| 35082      |               | C             | 41.93       | 13.98                      | 13.98                 | 5.44       | 090              | 53.10                     |             |                                |
| 35091      |               | C             | 35.35       | 11.37                      | 11.37                 | 5.14       | 090              | 53.10                     |             |                                |
| 35092      |               | C             | 50.81       | 16.02                      | 16.02                 | 6.40       | 090              | 53.10                     |             |                                |
| 35102      |               | C             | 36.37       | 12.07                      | 12.07                 | 4.48       | 090              | 53.10                     |             |                                |
| 35103      |               | C             | 43.49       | 14.19                      | 14.19                 | 5.76       | 090              | 53.10                     |             |                                |
| 35111      |               | C             | 26.17       | 9.43                       | 9.43                  | 3.47       | 090              | 53.10                     |             |                                |
| 35112      |               | C             | 32.44       | 11.29                      | 11.29                 | 4.08       | 090              | 53.10                     |             |                                |
| 35121      |               | C             | 31.41       | 10.73                      | 10.73                 | 4.30       | 090              | 53.10                     |             |                                |
| 35122      |               | C             | 37.76       | 12.95                      | 12.95                 | 4.75       | 090              | 53.10                     |             |                                |
| 35131      |               | C             | 26.29       | 9.57                       | 9.57                  | 3.80       | 090              | 53.10                     |             |                                |
| 35132      |               | C             | 32.44       | 11.08                      | 11.08                 | 4.30       | 090              | 53.10                     |             |                                |
| 35141      |               | C             | 20.83       | 7.69                       | 7.69                  | 2.90       | 090              | 53.10                     |             |                                |
| 35142      |               | C             | 25.03       | 9.16                       | 9.16                  | 3.36       | 090              | 53.10                     |             |                                |
| 35151      |               | C             | 23.61       | 8.57                       | 8.57                  | 3.24       | 090              | 53.10                     |             |                                |
| 35152      |               | C             | 27.53       | 9.94                       | 9.94                  | 3.61       | 090              | 53.10                     |             |                                |
| 35180      |               | C             | 15.01       | 7.17                       | 7.17                  | 1.00       | 090              | 53.10                     |             |                                |
| 35182      |               | C             | 31.58       | 12.41                      | 12.41                 | 4.36       | 090              | 53.10                     |             |                                |
| 35184      |               | C             | 18.72       | 7.22                       | 7.22                  | 2.53       | 090              | 53.10                     |             |                                |
| 35188      |               | C             | 15.05       | 6.69                       | 6.69                  | 2.16       | 090              | 53.10                     |             |                                |
| 35189      |               | C             | 29.85       | 10.73                      | 10.73                 | 4.01       | 090              | 53.10                     |             |                                |
| 35190      |               | C             | 13.33       | 5.71                       | 5.71                  | 1.80       | 090              | 53.10                     |             |                                |
| 35201      |               | C             | 16.84       | 6.99                       | 6.99                  | 2.34       | 090              | 53.10                     |             |                                |
| 35206      |               | C             | 13.76       | 5.74                       | 5.74                  | 1.87       | 090              | 53.10                     |             |                                |
| 35207      |               | C             | 10.85       | 6.96                       | 6.96                  | 1.48       | 090              | 53.10                     |             |                                |
| 35211      |               | C             | 24.50       | 10.23                      | 10.23                 | 3.20       | 090              | 53.10                     |             |                                |
| 35216      |               | C             | 36.47       | 13.03                      | 13.03                 | 2.65       | 090              | 53.10                     |             |                                |
| 35221      |               | C             | 26.54       | 9.15                       | 9.15                  | 3.37       | 090              | 53.10                     |             |                                |
| 35226      |               | C             | 15.22       | 6.34                       | 6.34                  | 2.02       | 090              | 53.10                     |             |                                |
| 35231      |               | C             | 21.08       | 8.83                       | 8.83                  | 2.89       | 090              | 53.10                     |             |                                |
| 35236      |               | C             | 17.94       | 6.98                       | 6.98                  | 2.43       | 090              | 53.10                     |             |                                |
| 35241      |               | C             | 25.50       | 10.65                      | 10.65                 | 3.53       | 090              | 53.10                     |             |                                |
| 35246      |               | C             | 28.15       | 11.13                      | 11.13                 | 3.86       | 090              | 53.10                     |             |                                |
| 35251      |               | C             | 31.83       | 10.52                      | 10.52                 | 4.13       | 090              | 53.10                     |             |                                |
| 35256      |               | C             | 18.98       | 7.17                       | 7.17                  | 2.63       | 090              | 53.10                     |             |                                |
| 35261      |               | C             | 18.88       | 7.59                       | 7.59                  | 2.61       | 090              | 53.10                     |             |                                |
| 35266      |               | C             | 15.75       | 6.23                       | 6.23                  | 2.10       | 090              | 53.10                     |             |                                |
| 35271      |               | C             | 24.50       | 10.20                      | 10.20                 | 3.16       | 090              | 53.10                     |             |                                |
| 35276      |               | C             | 25.72       | 10.59                      | 10.59                 | 3.49       | 090              | 53.10                     |             |                                |
| 35281      |               | C             | 29.93       | 10.53                      | 10.53                 | 3.97       | 090              | 53.10                     |             |                                |
| 35286      |               | C             | 17.06       | 6.98                       | 6.98                  | 2.35       | 090              | 53.10                     |             |                                |
| 35301      |               | C             | 19.53       | 7.40                       | 7.40                  | 2.68       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 35302      |               | C             | 21.27       | 7.28                       | 7.28                  | 2.98       | 090              | 53.10                     |             |                                |
| 35303      |               | C             | 23.52       | 7.91                       | 7.91                  | 3.26       | 090              | 53.10                     |             |                                |
| 35304      |               | C             | 24.52       | 8.15                       | 8.15                  | 3.41       | 090              | 53.10                     |             |                                |
| 35305      |               | C             | 23.52       | 7.87                       | 7.87                  | 3.26       | 090              | 53.10                     |             |                                |
| 35306      |               | C             | 9.25        | 2.41                       | 2.41                  | 1.34       | ZZZ              | 53.10                     |             |                                |
| 35311      |               | C             | 28.52       | 10.36                      | 10.36                 | 3.42       | 090              | 53.10                     |             |                                |
| 35321      |               | C             | 16.51       | 6.41                       | 6.41                  | 2.25       | 090              | 53.10                     |             |                                |
| 35331      |               | C             | 27.61       | 10.15                      | 10.15                 | 3.83       | 090              | 53.10                     |             |                                |
| 35341      |               | C             | 26.10       | 9.32                       | 9.32                  | 3.78       | 090              | 53.10                     |             |                                |
| 35351      |               | C             | 24.53       | 8.50                       | 8.50                  | 3.35       | 090              | 53.10                     |             |                                |
| 35355      |               | C             | 19.78       | 7.08                       | 7.08                  | 2.67       | 090              | 53.10                     |             |                                |
| 35361      |               | C             | 30.11       | 10.53                      | 10.53                 | 4.15       | 090              | 53.10                     |             |                                |
| 35363      |               | C             | 32.22       | 12.17                      | 12.17                 | 4.33       | 090              | 53.10                     |             |                                |
| 35371      |               | C             | 15.23       | 5.92                       | 5.92                  | 2.14       | 090              | 53.10                     |             |                                |
| 35372      |               | C             | 18.50       | 6.84                       | 6.84                  | 2.63       | 090              | 53.10                     |             |                                |
| 35390      |               | C             | 3.19        | 0.93                       | 0.93                  | 0.46       | ZZZ              | 53.10                     |             |                                |
| 35400      |               | C             | 3.00        | 0.90                       | 0.90                  | 0.43       | ZZZ              | 53.10                     |             |                                |
| 35450      |               | C             | 10.05       | 3.29                       | 3.29                  | 1.25       | 000              | 53.10                     |             |                                |
| 35452      |               | C             | 6.90        | 2.31                       | 2.31                  | 0.94       | 000              | 53.10                     |             |                                |
| 35454      |               | C             | 6.03        | 2.02                       | 2.02                  | 0.87       | 000              | 53.10                     |             |                                |
| 35456      |               | C             | 7.34        | 2.41                       | 2.41                  | 1.04       | 000              | 53.10                     |             |                                |
| 35458      |               | C             | 9.48        | 3.08                       | 3.08                  | 1.26       | 000              | 53.10                     |             |                                |
| 35459      |               | C             | 8.62        | 2.88                       | 2.88                  | 1.21       | 000              | 53.10                     |             |                                |
| 35460      |               | C             | 6.03        | 1.97                       | 1.97                  | 0.83       | 000              | 53.10                     |             |                                |
| 35470      |               | C             | 8.62        | 66.89                      | 3.53                  | 0.69       | 000              | 53.10                     |             |                                |
| 35471      |               | C             | 10.05       | 72.99                      | 4.58                  | 0.67       | 000              | 53.10                     |             |                                |
| 35472      |               | C             | 6.90        | 50.62                      | 2.79                  | 0.58       | 000              | 53.10                     |             |                                |
| 35473      |               | C             | 6.03        | 48.93                      | 2.55                  | 0.51       | 000              | 53.10                     |             |                                |
| 35474      |               | C             | 7.35        | 66.04                      | 3.05                  | 0.57       | 000              | 53.10                     |             |                                |
| 35475      |               | C             | 9.48        | 49.71                      | 3.60                  | 0.62       | 000              | 53.10                     |             |                                |
| 35476      |               | C             | 6.03        | 38.77                      | 2.36                  | 0.34       | 000              | 53.10                     |             |                                |
| 35480      |               | C             | 11.06       | 3.46                       | 3.46                  | 1.28       | 000              | 53.10                     |             |                                |
| 35481      |               | C             | 7.60        | 2.73                       | 2.73                  | 1.13       | 000              | 53.10                     |             |                                |
| 35482      |               | C             | 6.64        | 2.46                       | 2.46                  | 0.89       | 000              | 53.10                     |             |                                |
| 35483      |               | C             | 8.09        | 2.84                       | 2.84                  | 1.15       | 000              | 53.10                     |             |                                |
| 35484      |               | C             | 10.42       | 3.30                       | 3.30                  | 1.27       | 000              | 53.10                     |             |                                |
| 35485      |               | C             | 9.48        | 3.18                       | 3.18                  | 1.35       | 000              | 53.10                     |             |                                |
| 35490      |               | C             | 11.06       | 5.29                       | 5.29                  | 0.71       | 000              | 53.10                     |             |                                |
| 35491      |               | C             | 7.60        | 3.19                       | 3.19                  | 0.74       | 000              | 53.10                     |             |                                |
| 35492      |               | C             | 6.64        | 3.31                       | 3.31                  | 0.43       | 000              | 53.10                     |             |                                |
| 35493      |               | C             | 8.09        | 4.01                       | 4.01                  | 0.56       | 000              | 53.10                     |             |                                |
| 35494      |               | C             | 10.42       | 5.00                       | 5.00                  | 0.59       | 000              | 53.10                     |             |                                |
| 35495      |               | C             | 9.48        | 4.51                       | 4.51                  | 0.69       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 35500      |               | C             | 6.44        | 1.80                       | 1.80                  | 0.93       | ZZZ              | 53.10                     |             |                                |
| 35501      |               | C             | 28.99       | 11.06                      | 11.06                 | 4.10       | 090              | 53.10                     |             |                                |
| 35506      |               | C             | 25.23       | 9.25                       | 9.25                  | 2.87       | 090              | 53.10                     |             |                                |
| 35508      |               | C             | 25.99       | 9.76                       | 9.76                  | 2.78       | 090              | 53.10                     |             |                                |
| 35509      |               | C             | 27.99       | 10.52                      | 10.52                 | 3.92       | 090              | 53.10                     |             |                                |
| 35510      |               | C             | 24.29       | 8.79                       | 8.79                  | 2.12       | 090              | 53.10                     |             |                                |
| 35511      |               | C             | 22.12       | 8.40                       | 8.40                  | 2.91       | 090              | 53.10                     |             |                                |
| 35512      |               | C             | 23.79       | 8.42                       | 8.42                  | 2.12       | 090              | 53.10                     |             |                                |
| 35515      |               | C             | 25.99       | 8.44                       | 8.44                  | 2.78       | 090              | 53.10                     |             |                                |
| 35516      |               | C             | 24.11       | 7.55                       | 7.55                  | 2.34       | 090              | 53.10                     |             |                                |
| 35518      |               | C             | 22.57       | 8.45                       | 8.45                  | 3.03       | 090              | 53.10                     |             |                                |
| 35521      |               | C             | 24.00       | 8.67                       | 8.67                  | 3.13       | 090              | 53.10                     |             |                                |
| 35522      |               | C             | 23.05       | 8.39                       | 8.39                  | 2.12       | 090              | 53.10                     |             |                                |
| 35523      |               | C             | 24.00       | 9.37                       | 9.37                  | 2.14       | 090              | 53.10                     |             |                                |
| 35525      |               | C             | 21.59       | 7.83                       | 7.83                  | 2.12       | 090              | 53.10                     |             |                                |
| 35526      |               | C             | 31.47       | 11.62                      | 11.62                 | 3.63       | 090              | 53.10                     |             |                                |
| 35531      |               | C             | 38.98       | 13.05                      | 13.05                 | 5.18       | 090              | 53.10                     |             |                                |
| 35533      |               | C             | 29.79       | 10.61                      | 10.61                 | 3.85       | 090              | 53.10                     |             |                                |
| 35535      |               | C             | 38.00       | 13.58                      | 13.58                 | 5.23       | 090              | 53.10                     |             |                                |
| 35536      |               | C             | 33.60       | 11.16                      | 11.16                 | 4.62       | 090              | 53.10                     |             |                                |
| 35537      |               | C             | 41.75       | 13.77                      | 13.77                 | 5.72       | 090              | 53.10                     |             |                                |
| 35538      |               | C             | 46.82       | 15.52                      | 15.52                 | 6.39       | 090              | 53.10                     |             |                                |
| 35539      |               | C             | 43.98       | 13.75                      | 13.75                 | 6.02       | 090              | 53.10                     |             |                                |
| 35540      |               | C             | 49.20       | 15.46                      | 15.46                 | 6.76       | 090              | 53.10                     |             |                                |
| 35548      |               | C             | 22.57       | 8.41                       | 8.41                  | 2.98       | 090              | 53.10                     |             |                                |
| 35549      |               | C             | 24.34       | 9.29                       | 9.29                  | 3.30       | 090              | 53.10                     |             |                                |
| 35551      |               | C             | 27.72       | 10.61                      | 10.61                 | 3.75       | 090              | 53.10                     |             |                                |
| 35556      |               | C             | 26.62       | 9.23                       | 9.23                  | 3.10       | 090              | 53.10                     |             |                                |
| 35558      |               | C             | 23.00       | 8.59                       | 8.59                  | 3.00       | 090              | 53.10                     |             |                                |
| 35560      |               | C             | 33.90       | 11.79                      | 11.79                 | 4.75       | 090              | 53.10                     |             |                                |
| 35563      |               | C             | 25.99       | 9.11                       | 9.11                  | 3.52       | 090              | 53.10                     |             |                                |
| 35565      |               | C             | 25.00       | 9.08                       | 9.08                  | 3.30       | 090              | 53.10                     |             |                                |
| 35566      |               | C             | 32.22       | 10.72                      | 10.72                 | 3.83       | 090              | 53.10                     |             |                                |
| 35570      |               | C             | 29.00       | 10.95                      | 10.95                 | 3.91       | 090              | 53.10                     |             |                                |
| 35571      |               | C             | 25.39       | 9.13                       | 9.13                  | 3.43       | 090              | 53.10                     |             |                                |
| 35572      |               | C             | 6.81        | 2.13                       | 2.13                  | 0.99       | ZZZ              | 53.10                     |             |                                |
| 35583      |               | C             | 27.62       | 9.42                       | 9.42                  | 3.17       | 090              | 53.10                     |             |                                |
| 35585      |               | C             | 32.22       | 10.95                      | 10.95                 | 4.02       | 090              | 53.10                     |             |                                |
| 35587      |               | C             | 26.08       | 9.53                       | 9.53                  | 3.52       | 090              | 53.10                     |             |                                |
| 35600      |               | C             | 4.94        | 1.64                       | 1.64                  | 0.73       | ZZZ              | 53.10                     |             |                                |
| 35601      |               | C             | 26.99       | 10.07                      | 10.07                 | 3.72       | 090              | 53.10                     |             |                                |
| 35606      |               | C             | 22.36       | 8.02                       | 8.02                  | 2.70       | 090              | 53.10                     |             |                                |
| 35612      |               | C             | 16.71       | 7.10                       | 7.10                  | 2.09       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 35616      |               | C             | 21.74       | 7.59                       | 7.59            | 2.20       | 090              | 53.10                     |             |                                |
| 35621      |               | C             | 20.95       | 7.51                       | 7.51            | 2.92       | 090              | 53.10                     |             |                                |
| 35623      |               | C             | 25.79       | 9.22                       | 9.22            | 3.46       | 090              | 53.10                     |             |                                |
| 35626      |               | C             | 29.06       | 11.08                      | 11.08           | 4.08       | 090              | 53.10                     |             |                                |
| 35631      |               | C             | 35.90       | 11.84                      | 11.84           | 4.96       | 090              | 53.10                     |             |                                |
| 35632      |               | C             | 36.00       | 12.97                      | 12.97           | 4.97       | 090              | 53.10                     |             |                                |
| 35633      |               | C             | 38.98       | 13.88                      | 13.88           | 5.39       | 090              | 53.10                     |             |                                |
| 35634      |               | C             | 35.20       | 12.73                      | 12.73           | 4.86       | 090              | 53.10                     |             |                                |
| 35636      |               | C             | 31.62       | 10.97                      | 10.97           | 4.10       | 090              | 53.10                     |             |                                |
| 35637      |               | C             | 32.92       | 11.00                      | 11.00           | 4.44       | 090              | 53.10                     |             |                                |
| 35638      |               | C             | 33.47       | 11.42                      | 11.42           | 4.52       | 090              | 53.10                     |             |                                |
| 35642      |               | C             | 18.85       | 8.04                       | 8.04            | 2.28       | 090              | 53.10                     |             |                                |
| 35645      |               | C             | 18.34       | 6.91                       | 6.91            | 2.50       | 090              | 53.10                     |             |                                |
| 35646      |               | C             | 32.84       | 11.51                      | 11.51           | 4.44       | 090              | 53.10                     |             |                                |
| 35647      |               | C             | 29.62       | 10.55                      | 10.55           | 3.99       | 090              | 53.10                     |             |                                |
| 35650      |               | C             | 20.08       | 7.40                       | 7.40            | 2.72       | 090              | 53.10                     |             |                                |
| 35651      |               | C             | 25.97       | 9.72                       | 9.72            | 3.36       | 090              | 53.10                     |             |                                |
| 35654      |               | C             | 26.17       | 9.28                       | 9.28            | 3.53       | 090              | 53.10                     |             |                                |
| 35656      |               | C             | 20.39       | 7.54                       | 7.54            | 2.80       | 090              | 53.10                     |             |                                |
| 35661      |               | C             | 20.22       | 7.80                       | 7.80            | 2.72       | 090              | 53.10                     |             |                                |
| 35663      |               | C             | 23.80       | 8.71                       | 8.71            | 3.11       | 090              | 53.10                     |             |                                |
| 35665      |               | C             | 22.22       | 8.17                       | 8.17            | 3.01       | 090              | 53.10                     |             |                                |
| 35666      |               | C             | 23.53       | 9.31                       | 9.31            | 3.16       | 090              | 53.10                     |             |                                |
| 35671      |               | C             | 20.64       | 8.30                       | 8.30            | 2.78       | 090              | 53.10                     |             |                                |
| 35681      |               | C             | 1.60        | 0.46                       | 0.46            | 0.23       | ZZZ              | 53.10                     |             |                                |
| 35682      |               | C             | 7.19        | 2.00                       | 2.00            | 1.03       | ZZZ              | 53.10                     |             |                                |
| 35683      |               | C             | 8.49        | 2.36                       | 2.36            | 1.20       | ZZZ              | 53.10                     |             |                                |
| 35685      |               | C             | 4.04        | 1.12                       | 1.12            | 0.58       | ZZZ              | 53.10                     |             |                                |
| 35686      |               | C             | 3.34        | 0.99                       | 0.99            | 0.47       | ZZZ              | 53.10                     |             |                                |
| 35691      |               | C             | 18.32       | 7.09                       | 7.09            | 2.59       | 090              | 53.10                     |             |                                |
| 35693      |               | C             | 15.64       | 6.96                       | 6.96            | 2.22       | 090              | 53.10                     |             |                                |
| 35694      |               | C             | 19.19       | 7.06                       | 7.06            | 2.70       | 090              | 53.10                     |             |                                |
| 35695      |               | C             | 19.97       | 7.42                       | 7.42            | 2.74       | 090              | 53.10                     |             |                                |
| 35697      |               | C             | 3.00        | 0.86                       | 0.86            | 0.41       | ZZZ              | 53.10                     |             |                                |
| 35700      |               | C             | 3.08        | 0.88                       | 0.88            | 0.44       | ZZZ              | 53.10                     |             |                                |
| 35701      |               | C             | 9.11        | 4.70                       | 4.70            | 1.12       | 090              | 53.10                     |             |                                |
| 35721      |               | C             | 7.66        | 4.02                       | 4.02            | 1.03       | 090              | 53.10                     |             |                                |
| 35741      |               | C             | 8.61        | 4.18                       | 4.18            | 1.12       | 090              | 53.10                     |             |                                |
| 35761      |               | C             | 5.84        | 3.67                       | 3.67            | 0.75       | 090              | 53.10                     |             |                                |
| 35800      |               | C             | 7.99        | 4.24                       | 4.24            | 0.95       | 090              | 53.10                     |             |                                |
| 35820      |               | C             | 36.81       | 12.20                      | 12.20           | 1.95       | 090              | 53.10                     |             |                                |
| 35840      |               | C             | 10.87       | 5.04                       | 5.04            | 1.34       | 090              | 53.10                     |             |                                |
| 35860      |               | C             | 6.72        | 3.63                       | 3.63            | 0.78       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 35870      |               | C             | 24.39       | 8.73                       | 8.73                  | 3.01       | 090              | 53.10                     |             |                                |
| 35875      |               | C             | 10.64       | 4.62                       | 4.62                  | 1.41       | 090              | 53.10                     |             |                                |
| 35876      |               | C             | 17.74       | 6.59                       | 6.59                  | 2.40       | 090              | 53.10                     |             |                                |
| 35879      |               | C             | 17.28       | 6.58                       | 6.58                  | 2.28       | 090              | 53.10                     |             |                                |
| 35881      |               | C             | 19.22       | 7.29                       | 7.29                  | 2.56       | 090              | 53.10                     |             |                                |
| 35883      |               | C             | 23.07       | 7.69                       | 7.69                  | 3.19       | 090              | 53.10                     |             |                                |
| 35884      |               | C             | 24.57       | 7.84                       | 7.84                  | 3.41       | 090              | 53.10                     |             |                                |
| 35901      |               | C             | 8.26        | 4.58                       | 4.58                  | 1.15       | 090              | 53.10                     |             |                                |
| 35903      |               | C             | 9.44        | 5.08                       | 5.08                  | 1.30       | 090              | 53.10                     |             |                                |
| 35905      |               | C             | 33.39       | 11.43                      | 11.43                 | 4.44       | 090              | 53.10                     |             |                                |
| 35907      |               | C             | 37.14       | 12.21                      | 12.21                 | 4.92       | 090              | 53.10                     |             |                                |
| 36000      |               | C             | 0.18        | 0.48                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 36002      |               | C             | 1.96        | 2.43                       | 0.93                  | 0.17       | 000              | 53.10                     |             |                                |
| 36005      |               | C             | 0.95        | 8.06                       | 0.37                  | 0.05       | 000              | 53.10                     |             |                                |
| 36010      |               | C             | 2.43        | 13.05                      | 0.84                  | 0.20       | XXX              | 53.10                     |             |                                |
| 36011      |               | C             | 3.14        | 21.40                      | 1.08                  | 0.27       | XXX              | 53.10                     |             |                                |
| 36012      |               | C             | 3.51        | 19.58                      | 1.30                  | 0.23       | XXX              | 53.10                     |             |                                |
| 36013      |               | C             | 2.52        | 18.79                      | 0.88                  | 0.25       | XXX              | 53.10                     |             |                                |
| 36014      |               | C             | 3.02        | 19.26                      | 1.17                  | 0.19       | XXX              | 53.10                     |             |                                |
| 36015      |               | C             | 3.51        | 20.92                      | 1.34                  | 0.21       | XXX              | 53.10                     |             |                                |
| 36100      |               | C             | 3.02        | 11.05                      | 1.18                  | 0.26       | XXX              | 53.10                     |             |                                |
| 36120      |               | C             | 2.01        | 9.68                       | 0.65                  | 0.14       | XXX              | 53.10                     |             |                                |
| 36140      |               | C             | 2.01        | 10.90                      | 0.72                  | 0.16       | XXX              | 53.10                     |             |                                |
| 36145      |               | C             | 2.01        | 10.81                      | 0.69                  | 0.11       | XXX              | 53.10                     |             |                                |
| 36160      |               | C             | 2.52        | 11.63                      | 1.00                  | 0.26       | XXX              | 53.10                     |             |                                |
| 36200      |               | C             | 3.02        | 14.22                      | 1.06                  | 0.24       | XXX              | 53.10                     |             |                                |
| 36215      |               | C             | 4.67        | 25.80                      | 1.88                  | 0.27       | XXX              | 53.10                     |             |                                |
| 36216      |               | C             | 5.27        | 28.02                      | 2.11                  | 0.31       | XXX              | 53.10                     |             |                                |
| 36217      |               | C             | 6.29        | 48.00                      | 2.50                  | 0.44       | XXX              | 53.10                     |             |                                |
| 36218      |               | C             | 1.01        | 4.08                       | 0.39                  | 0.07       | ZZZ              | 53.10                     |             |                                |
| 36245      |               | C             | 4.67        | 28.93                      | 2.06                  | 0.31       | XXX              | 53.10                     |             |                                |
| 36246      |               | C             | 5.27        | 27.69                      | 2.04                  | 0.38       | XXX              | 53.10                     |             |                                |
| 36247      |               | C             | 6.29        | 45.55                      | 2.40                  | 0.47       | XXX              | 53.10                     |             |                                |
| 36248      |               | C             | 1.01        | 3.36                       | 0.39                  | 0.07       | ZZZ              | 53.10                     |             |                                |
| 36260      |               | C             | 9.82        | 4.78                       | 4.78                  | 1.29       | 090              | 53.10                     |             |                                |
| 36261      |               | C             | 5.55        | 3.41                       | 3.41                  | 0.70       | 090              | 53.10                     |             |                                |
| 36262      |               | C             | 4.05        | 2.77                       | 2.77                  | 0.54       | 090              | 53.10                     |             |                                |
| 36299      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 36400      |               | D             | 0.38        | 0.28                       | 0.08                  | 0.03       | XXX              | 53.10                     |             |                                |
| 36405      |               | D             | 0.31        | 0.29                       | 0.09                  | 0.03       | XXX              | 53.10                     |             |                                |
| 36406      |               | D             | 0.18        | 0.26                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 36410      |               | C             | 0.18        | 0.31                       | 0.05                  | 0.01       | XXX              | 53.10                     |             |                                |
| 36415      |               | C             | 4.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 36416      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 36420      |               | D             | 1.01        | 0.25                       | 0.25                  | 0.07       | XXX              | 53.10                     |             |                                |
| 36425      |               | C             | 0.76        | 0.23                       | 0.23                  | 0.06       | XXX              | 53.10                     |             |                                |
| 36430      |               | C             | 0.00        | 0.94                       | 0.94                  | 0.06       | XXX              | 53.10                     |             |                                |
| 36440      |               | D             | 1.03        | 0.28                       | 0.28                  | 0.10       | XXX              | 53.10                     |             |                                |
| 36450      |               | D             | 2.23        | 0.80                       | 0.80                  | 0.21       | XXX              | 53.10                     |             |                                |
| 36455      |               | C             | 2.43        | 0.93                       | 0.93                  | 0.15       | XXX              | 53.10                     |             |                                |
| 36460      |               | D             | 6.58        | 1.92                       | 1.92                  | 0.79       | XXX              | 53.10                     |             |                                |
| 36468      |               | C             | 1.09        | 2.43                       | 0.67                  | 0.12       | 010              | 53.10                     |             |                                |
| 36469      |               | C             | 1.09        | 2.43                       | 0.67                  | 0.12       | 010              | 53.10                     |             |                                |
| 36470      |               | C             | 1.09        | 2.43                       | 0.67                  | 0.12       | 010              | 53.10                     |             |                                |
| 36471      |               | C             | 1.60        | 2.71                       | 0.86                  | 0.19       | 010              | 53.10                     |             |                                |
| 36475      |               | C             | 6.72        | 40.01                      | 2.20                  | 0.37       | 000              | 53.10                     |             |                                |
| 36476      |               | C             | 3.38        | 6.57                       | 0.98                  | 0.18       | ZZZ              | 53.10                     |             |                                |
| 36478      |               | C             | 6.72        | 31.74                      | 2.29                  | 0.37       | 000              | 53.10                     |             |                                |
| 36479      |               | C             | 3.38        | 7.09                       | 1.01                  | 0.18       | ZZZ              | 53.10                     |             |                                |
| 36481      |               | C             | 6.98        | 3.83                       | 3.83                  | 0.55       | 000              | 53.10                     |             |                                |
| 36500      |               | C             | 3.51        | 1.32                       | 1.32                  | 0.20       | 000              | 53.10                     |             |                                |
| 36510      |               | D             | 1.09        | 1.73                       | 0.38                  | 0.10       | 000              | 53.10                     |             |                                |
| 36511      |               | C             | 1.74        | 0.62                       | 0.62                  | 0.08       | 000              | 53.10                     |             |                                |
| 36512      |               | C             | 1.74        | 0.66                       | 0.66                  | 0.08       | 000              | 53.10                     |             |                                |
| 36513      |               | C             | 1.74        | 0.68                       | 0.68                  | 0.17       | 000              | 53.10                     |             |                                |
| 36514      |               | C             | 1.74        | 11.91                      | 0.60                  | 0.08       | 000              | 53.10                     |             |                                |
| 36515      |               | C             | 1.74        | 49.35                      | 0.55                  | 0.08       | 000              | 53.10                     |             |                                |
| 36516      |               | C             | 1.22        | 56.63                      | 0.41                  | 0.08       | 000              | 53.10                     |             |                                |
| 36522      |               | C             | 1.67        | 34.35                      | 0.97                  | 0.13       | 000              | 53.10                     |             |                                |
| 36555      |               | D             | 2.68        | 4.49                       | 0.67                  | 0.11       | 000              | 53.10                     |             |                                |
| 36556      |               | C             | 2.50        | 3.55                       | 0.62                  | 0.19       | 000              | 53.10                     |             |                                |
| 36557      |               | D             | 5.11        | 16.77                      | 2.56                  | 0.57       | 010              | 53.10                     |             |                                |
| 36558      |               | C             | 4.81        | 16.35                      | 2.51                  | 0.57       | 010              | 53.10                     |             |                                |
| 36560      |               | D             | 6.26        | 23.93                      | 2.88                  | 0.57       | 010              | 53.10                     |             |                                |
| 36561      |               | C             | 6.01        | 23.86                      | 2.82                  | 0.57       | 010              | 53.10                     |             |                                |
| 36563      |               | C             | 6.21        | 23.81                      | 2.79                  | 0.84       | 010              | 53.10                     |             |                                |
| 36565      |               | C             | 6.01        | 19.19                      | 2.68                  | 0.57       | 010              | 53.10                     |             |                                |
| 36566      |               | C             | 6.51        | 88.66                      | 2.82                  | 0.57       | 010              | 53.10                     |             |                                |
| 36568      |               | D             | 1.92        | 6.24                       | 0.64                  | 0.11       | 000              | 53.10                     |             |                                |
| 36569      |               | C             | 1.82        | 5.21                       | 0.69                  | 0.19       | 000              | 53.10                     |             |                                |
| 36570      |               | D             | 5.33        | 25.38                      | 2.80                  | 0.57       | 010              | 53.10                     |             |                                |
| 36571      |               | C             | 5.31        | 26.56                      | 2.58                  | 0.57       | 010              | 53.10                     |             |                                |
| 36575      |               | C             | 0.67        | 3.46                       | 0.25                  | 0.20       | 000              | 53.10                     |             |                                |
| 36576      |               | C             | 3.21        | 6.15                       | 1.68                  | 0.19       | 010              | 53.10                     |             |                                |
| 36578      |               | C             | 3.51        | 9.64                       | 2.11                  | 0.19       | 010              | 53.10                     |             |                                |
| 36580      |               | C             | 1.31        | 4.71                       | 0.46                  | 0.19       | 000              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 36581      |               | C             | 3.45        | 16.48                      | 1.86                  | 0.19       | 010              | 53.10                     |             |                                |
| 36582      |               | C             | 5.21        | 22.64                      | 2.64                  | 0.19       | 010              | 53.10                     |             |                                |
| 36583      |               | C             | 5.26        | 22.60                      | 2.60                  | 0.19       | 010              | 53.10                     |             |                                |
| 36584      |               | C             | 1.20        | 4.73                       | 0.63                  | 0.19       | 000              | 53.10                     |             |                                |
| 36585      |               | C             | 4.81        | 23.80                      | 2.56                  | 0.19       | 010              | 53.10                     |             |                                |
| 36589      |               | C             | 2.27        | 1.99                       | 1.31                  | 0.24       | 010              | 53.10                     |             |                                |
| 36590      |               | C             | 3.32        | 3.58                       | 1.68                  | 0.44       | 010              | 53.10                     |             |                                |
| 36591      |               | C             | 0.00        | 0.60                       | 0.60                  | 0.01       | XXX              | 53.10                     |             |                                |
| 36592      |               | C             | 0.00        | 0.66                       | 0.66                  | 0.01       | XXX              | 53.10                     |             |                                |
| 36593      |               | C             | 0.00        | 0.71                       | 0.71                  | 0.37       | XXX              | 53.10                     |             |                                |
| 36595      |               | C             | 3.59        | 12.45                      | 1.51                  | 0.21       | 000              | 53.10                     |             |                                |
| 36596      |               | C             | 0.75        | 2.85                       | 0.46                  | 0.05       | 000              | 53.10                     |             |                                |
| 36597      |               | C             | 1.21        | 2.15                       | 0.49                  | 0.07       | 000              | 53.10                     |             |                                |
| 36598      |               | C             | 0.74        | 2.29                       | 0.88                  | 0.05       | 000              | 53.10                     |             |                                |
| 36600      |               | C             | 0.32        | 0.48                       | 0.08                  | 0.02       | XXX              | 53.10                     |             |                                |
| 36620      |               | C             | 1.15        | 0.17                       | 0.17                  | 0.07       | 000              | 53.10                     |             |                                |
| 36625      |               | C             | 2.11        | 0.56                       | 0.56                  | 0.26       | 000              | 53.10                     |             |                                |
| 36640      |               | C             | 2.10        | 0.96                       | 0.96                  | 0.21       | 000              | 53.10                     |             |                                |
| 36660      |               | D             | 1.40        | 0.31                       | 0.31                  | 0.14       | 000              | 53.10                     |             |                                |
| 36680      |               | C             | 1.20        | 0.32                       | 0.32                  | 0.11       | 000              | 53.10                     |             |                                |
| 36800      |               | C             | 2.43        | 1.62                       | 1.62                  | 0.25       | 000              | 53.10                     |             |                                |
| 36810      |               | C             | 3.96        | 1.37                       | 1.37                  | 0.45       | 000              | 53.10                     |             |                                |
| 36815      |               | C             | 2.62        | 1.13                       | 1.13                  | 0.35       | 000              | 53.10                     |             |                                |
| 36818      |               | C             | 11.81       | 5.04                       | 5.04                  | 1.90       | 090              | 53.10                     |             |                                |
| 36819      |               | C             | 14.39       | 5.63                       | 5.63                  | 1.96       | 090              | 53.10                     |             |                                |
| 36820      |               | C             | 14.39       | 5.71                       | 5.71                  | 1.95       | 090              | 53.10                     |             |                                |
| 36821      |               | C             | 12.00       | 4.96                       | 4.96                  | 1.23       | 090              | 53.10                     |             |                                |
| 36822      |               | C             | 5.51        | 3.99                       | 3.99                  | 0.79       | 090              | 53.10                     |             |                                |
| 36823      |               | C             | 22.82       | 9.31                       | 9.31                  | 2.89       | 090              | 53.10                     |             |                                |
| 36825      |               | C             | 10.00       | 4.56                       | 4.56                  | 1.35       | 090              | 53.10                     |             |                                |
| 36830      |               | C             | 12.00       | 4.56                       | 4.56                  | 1.66       | 090              | 53.10                     |             |                                |
| 36831      |               | C             | 8.01        | 3.47                       | 3.47                  | 1.09       | 090              | 53.10                     |             |                                |
| 36832      |               | C             | 10.50       | 4.12                       | 4.12                  | 1.44       | 090              | 53.10                     |             |                                |
| 36833      |               | C             | 11.95       | 4.55                       | 4.55                  | 1.65       | 090              | 53.10                     |             |                                |
| 36834      |               | C             | 11.11       | 4.50                       | 4.50                  | 1.37       | 090              | 53.10                     |             |                                |
| 36835      |               | C             | 7.43        | 4.15                       | 4.15                  | 0.98       | 090              | 53.10                     |             |                                |
| 36838      |               | C             | 21.59       | 7.84                       | 7.84                  | 3.02       | 090              | 53.10                     |             |                                |
| 36860      |               | C             | 2.01        | 2.97                       | 0.68                  | 0.11       | 000              | 53.10                     |             |                                |
| 36861      |               | C             | 2.52        | 1.33                       | 1.33                  | 0.27       | 000              | 53.10                     |             |                                |
| 36870      |               | C             | 5.17        | 43.62                      | 2.94                  | 0.29       | 090              | 53.10                     |             |                                |
| 37140      |               | C             | 25.12       | 9.48                       | 9.48                  | 2.02       | 090              | 53.10                     |             |                                |
| 37145      |               | C             | 26.13       | 10.51                      | 10.51                 | 3.26       | 090              | 53.10                     |             |                                |
| 37160      |               | C             | 23.13       | 8.73                       | 8.73                  | 2.82       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 37180      |               | C             | 26.13       | 9.43                       | 9.43                  | 3.35       | 090              | 53.10                     |             |                                |
| 37181      |               | C             | 28.26       | 10.32                      | 10.32                 | 3.41       | 090              | 53.10                     |             |                                |
| 37182      |               | C             | 16.97       | 6.81                       | 6.81                  | 1.00       | 000              | 53.10                     |             |                                |
| 37183      |               | C             | 7.99        | 3.32                       | 3.32                  | 0.47       | 000              | 53.10                     |             |                                |
| 37184      |               | C             | 8.66        | 55.39                      | 3.48                  | 0.55       | 000              | 53.10                     |             |                                |
| 37185      |               | C             | 3.28        | 17.87                      | 1.18                  | 0.21       | ZZZ              | 53.10                     |             |                                |
| 37186      |               | C             | 4.92        | 38.30                      | 1.94                  | 0.32       | ZZZ              | 53.10                     |             |                                |
| 37187      |               | C             | 8.03        | 53.36                      | 3.25                  | 0.51       | 000              | 53.10                     |             |                                |
| 37188      |               | C             | 5.71        | 46.52                      | 2.46                  | 0.37       | 000              | 53.10                     |             |                                |
| 37195      |               | C             | 384.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 37200      |               | C             | 4.55        | 1.76                       | 1.76                  | 0.27       | 000              | 53.10                     |             |                                |
| 37201      |               | C             | 4.99        | 2.48                       | 2.48                  | 0.33       | 000              | 53.10                     |             |                                |
| 37202      |               | C             | 5.67        | 3.30                       | 3.30                  | 0.43       | 000              | 53.10                     |             |                                |
| 37203      |               | C             | 5.02        | 30.50                      | 2.17                  | 0.29       | 000              | 53.10                     |             |                                |
| 37204      |               | C             | 18.11       | 6.68                       | 6.68                  | 1.48       | 000              | 53.10                     |             |                                |
| 37205      |               | C             | 8.27        | 79.96                      | 3.46                  | 0.60       | 000              | 53.10                     |             |                                |
| 37206      |               | C             | 4.12        | 48.64                      | 1.58                  | 0.31       | ZZZ              | 53.10                     |             |                                |
| 37207      |               | C             | 8.27        | 2.70                       | 2.70                  | 1.17       | 000              | 53.10                     |             |                                |
| 37208      |               | C             | 4.12        | 1.17                       | 1.17                  | 0.59       | ZZZ              | 53.10                     |             |                                |
| 37209      |               | C             | 2.27        | 0.81                       | 0.81                  | 0.15       | 000              | 53.10                     |             |                                |
| 37210      |               | C             | 10.60       | 83.03                      | 4.37                  | 0.60       | 000              | 53.10                     |             |                                |
| 37215      |               | C             | 19.58       | 9.87                       | 9.87                  | 1.09       | 090              | 53.10                     |             |                                |
| 37216      |               | C             | 18.85       | 8.12                       | 8.12                  | 1.04       | 090              | 53.10                     |             |                                |
| 37250      |               | C             | 2.10        | 0.78                       | 0.78                  | 0.21       | ZZZ              | 53.10                     |             |                                |
| 37251      |               | C             | 1.60        | 0.52                       | 0.52                  | 0.19       | ZZZ              | 53.10                     |             |                                |
| 37500      |               | C             | 11.54       | 5.86                       | 5.86                  | 1.54       | 090              | 53.10                     |             |                                |
| 37501      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 37565      |               | C             | 11.97       | 5.44                       | 5.44                  | 1.33       | 090              | 53.10                     |             |                                |
| 37600      |               | C             | 12.34       | 5.43                       | 5.43                  | 1.41       | 090              | 53.10                     |             |                                |
| 37605      |               | C             | 14.20       | 5.88                       | 5.88                  | 1.99       | 090              | 53.10                     |             |                                |
| 37606      |               | C             | 8.72        | 4.43                       | 4.43                  | 1.23       | 090              | 53.10                     |             |                                |
| 37607      |               | C             | 6.19        | 3.22                       | 3.22                  | 0.85       | 090              | 53.10                     |             |                                |
| 37609      |               | C             | 3.02        | 4.27                       | 1.89                  | 0.36       | 010              | 53.10                     |             |                                |
| 37615      |               | C             | 7.72        | 4.19                       | 4.19                  | 0.68       | 090              | 53.10                     |             |                                |
| 37616      |               | C             | 18.89       | 8.29                       | 8.29                  | 2.33       | 090              | 53.10                     |             |                                |
| 37617      |               | C             | 23.71       | 8.48                       | 8.48                  | 2.98       | 090              | 53.10                     |             |                                |
| 37618      |               | C             | 5.95        | 3.49                       | 3.49                  | 0.67       | 090              | 53.10                     |             |                                |
| 37620      |               | C             | 11.49       | 5.78                       | 5.78                  | 0.91       | 090              | 53.10                     |             |                                |
| 37650      |               | C             | 8.41        | 4.41                       | 4.41                  | 1.01       | 090              | 53.10                     |             |                                |
| 37660      |               | C             | 22.20       | 8.14                       | 8.14                  | 2.49       | 090              | 53.10                     |             |                                |
| 37700      |               | C             | 3.76        | 2.52                       | 2.52                  | 0.53       | 090              | 53.10                     |             |                                |
| 37718      |               | C             | 7.05        | 3.76                       | 3.76                  | 0.14       | 090              | 53.10                     |             |                                |
| 37722      |               | C             | 8.08        | 3.96                       | 3.96                  | 0.86       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 37735 |       | C      | 10.81 | 4.98     | 4.98     | 1.48 | 090    | 53.10   |      |                                |
| 37760 |       | C      | 10.69 | 4.87     | 4.87     | 1.44 | 090    | 53.10   |      |                                |
| 37765 |       | C      | 7.63  | 3.93     | 3.93     | 0.48 | 090    | 53.10   |      |                                |
| 37766 |       | C      | 9.58  | 4.54     | 4.54     | 0.48 | 090    | 53.10   |      |                                |
| 37780 |       | C      | 3.87  | 2.62     | 2.62     | 0.53 | 090    | 53.10   |      |                                |
| 37785 |       | C      | 3.87  | 4.96     | 2.63     | 0.54 | 090    | 53.10   |      |                                |
| 37788 |       | C      | 23.21 | 11.91    | 11.91    | 2.26 | 090    | 53.10   |      |                                |
| 37790 |       | C      | 8.37  | 4.52     | 4.52     | 0.59 | 090    | 53.10   |      |                                |
| 37799 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 38100 |       | C      | 19.47 | 6.93     | 6.93     | 1.92 | 090    | 53.10   |      |                                |
| 38101 |       | C      | 19.47 | 6.99     | 6.99     | 2.05 | 090    | 53.10   |      |                                |
| 38102 |       | C      | 4.79  | 1.41     | 1.41     | 0.63 | ZZZ    | 53.10   |      |                                |
| 38115 |       | C      | 21.80 | 7.59     | 7.59     | 2.09 | 090    | 53.10   |      |                                |
| 38120 |       | C      | 16.97 | 7.21     | 7.21     | 2.25 | 090    | 53.10   |      |                                |
| 38129 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 38200 |       | C      | 2.64  | 0.98     | 0.98     | 0.14 | 000    | 53.10   |      |                                |
| 38204 |       | C      | 2.00  | 0.67     | 0.67     | 0.06 | XXX    | 53.10   |      |                                |
| 38205 |       | C      | 1.50  | 0.60     | 0.60     | 0.07 | 000    | 53.10   |      |                                |
| 38206 |       | C      | 1.50  | 0.60     | 0.60     | 0.07 | 000    | 53.10   |      |                                |
| 38207 |       | C      | 0.89  | 0.44     | 0.44     | 0.01 | XXX    | 53.10   |      |                                |
| 38208 |       | C      | 0.56  | 0.28     | 0.28     | 0.02 | XXX    | 53.10   |      |                                |
| 38209 |       | C      | 0.24  | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 38210 |       | C      | 1.57  | 0.78     | 0.78     | 0.03 | XXX    | 53.10   |      |                                |
| 38211 |       | C      | 1.42  | 0.71     | 0.71     | 0.02 | XXX    | 53.10   |      |                                |
| 38212 |       | C      | 0.94  | 0.47     | 0.47     | 0.02 | XXX    | 53.10   |      |                                |
| 38213 |       | C      | 0.24  | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 38214 |       | C      | 0.81  | 0.40     | 0.40     | 0.01 | XXX    | 53.10   |      |                                |
| 38215 |       | C      | 0.94  | 0.47     | 0.47     | 0.02 | XXX    | 53.10   |      |                                |
| 38220 |       | C      | 1.08  | 2.95     | 0.50     | 0.05 | XXX    | 53.10   |      |                                |
| 38221 |       | C      | 1.37  | 3.09     | 0.63     | 0.07 | XXX    | 53.10   |      |                                |
| 38230 |       | C      | 4.80  | 3.15     | 3.15     | 0.48 | 010    | 53.10   |      |                                |
| 38240 |       | C      | 2.24  | 1.01     | 1.01     | 0.11 | XXX    | 53.10   |      |                                |
| 38241 |       | C      | 2.24  | 1.03     | 1.03     | 0.11 | XXX    | 53.10   |      |                                |
| 38242 |       | C      | 1.71  | 0.77     | 0.77     | 0.08 | 000    | 53.10   |      |                                |
| 38300 |       | C      | 2.28  | 4.25     | 2.06     | 0.25 | 010    | 53.10   |      |                                |
| 38305 |       | C      | 6.55  | 4.28     | 4.28     | 0.88 | 090    | 53.10   |      |                                |
| 38308 |       | C      | 6.73  | 3.65     | 3.65     | 0.85 | 090    | 53.10   |      |                                |
| 38380 |       | C      | 8.34  | 5.28     | 5.28     | 0.74 | 090    | 53.10   |      |                                |
| 38381 |       | C      | 13.32 | 6.46     | 6.46     | 1.85 | 090    | 53.10   |      |                                |
| 38382 |       | C      | 10.51 | 5.56     | 5.56     | 1.37 | 090    | 53.10   |      |                                |
| 38500 |       | C      | 3.76  | 3.74     | 2.08     | 0.49 | 010    | 53.10   |      |                                |
| 38505 |       | C      | 1.14  | 2.10     | 0.77     | 0.09 | 000    | 53.10   |      |                                |
| 38510 |       | C      | 6.69  | 5.48     | 3.28     | 0.72 | 010    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 38520      |               | C             | 6.95        | 3.93                       | 3.93            | 0.84       | 090              | 53.10                     |             |                                |
| 38525      |               | C             | 6.35        | 3.48                       | 3.48            | 0.80       | 090              | 53.10                     |             |                                |
| 38530      |               | C             | 8.26        | 4.32                       | 4.32            | 1.12       | 090              | 53.10                     |             |                                |
| 38542      |               | C             | 7.85        | 4.49                       | 4.49            | 0.60       | 090              | 53.10                     |             |                                |
| 38550      |               | C             | 6.99        | 4.23                       | 4.23            | 0.88       | 090              | 53.10                     |             |                                |
| 38555      |               | C             | 15.42       | 7.95                       | 7.95            | 1.76       | 090              | 53.10                     |             |                                |
| 38562      |               | C             | 10.92       | 5.92                       | 5.92            | 1.20       | 090              | 53.10                     |             |                                |
| 38564      |               | C             | 11.29       | 5.32                       | 5.32            | 1.32       | 090              | 53.10                     |             |                                |
| 38570      |               | C             | 9.28        | 4.23                       | 4.23            | 1.13       | 010              | 53.10                     |             |                                |
| 38571      |               | C             | 14.70       | 6.97                       | 6.97            | 1.15       | 010              | 53.10                     |             |                                |
| 38572      |               | C             | 16.86       | 6.49                       | 6.49            | 1.91       | 010              | 53.10                     |             |                                |
| 38589      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 38700      |               | C             | 12.68       | 6.63                       | 6.63            | 0.72       | 090              | 53.10                     |             |                                |
| 38720      |               | C             | 21.72       | 10.33                      | 10.33           | 1.20       | 090              | 53.10                     |             |                                |
| 38724      |               | C             | 23.72       | 11.05                      | 11.05           | 1.28       | 090              | 53.10                     |             |                                |
| 38740      |               | C             | 10.57       | 5.12                       | 5.12            | 1.32       | 090              | 53.10                     |             |                                |
| 38745      |               | C             | 13.71       | 6.21                       | 6.21            | 1.74       | 090              | 53.10                     |             |                                |
| 38746      |               | C             | 4.88        | 1.57                       | 1.57            | 0.72       | ZZZ              | 53.10                     |             |                                |
| 38747      |               | C             | 4.88        | 1.44                       | 1.44            | 0.64       | ZZZ              | 53.10                     |             |                                |
| 38760      |               | C             | 13.49       | 6.16                       | 6.16            | 1.72       | 090              | 53.10                     |             |                                |
| 38765      |               | C             | 21.78       | 8.88                       | 8.88            | 2.48       | 090              | 53.10                     |             |                                |
| 38770      |               | C             | 13.98       | 6.78                       | 6.78            | 1.40       | 090              | 53.10                     |             |                                |
| 38780      |               | C             | 17.56       | 8.50                       | 8.50            | 1.89       | 090              | 53.10                     |             |                                |
| 38790      |               | C             | 1.29        | 0.76                       | 0.76            | 0.13       | 000              | 53.10                     |             |                                |
| 38792      |               | C             | 0.52        | 0.48                       | 0.48            | 0.06       | 000              | 53.10                     |             |                                |
| 38794      |               | C             | 4.51        | 3.40                       | 3.40            | 0.32       | 090              | 53.10                     |             |                                |
| 38999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 39000      |               | C             | 7.49        | 4.55                       | 4.55            | 0.89       | 090              | 53.10                     |             |                                |
| 39010      |               | C             | 13.11       | 6.64                       | 6.64            | 1.76       | 090              | 53.10                     |             |                                |
| 39200      |               | C             | 15.04       | 6.78                       | 6.78            | 2.03       | 090              | 53.10                     |             |                                |
| 39220      |               | C             | 19.47       | 8.73                       | 8.73            | 2.46       | 090              | 53.10                     |             |                                |
| 39400      |               | C             | 8.00        | 4.46                       | 4.46            | 0.82       | 010              | 53.10                     |             |                                |
| 39499      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 39501      |               | C             | 13.89       | 6.16                       | 6.16            | 1.78       | 090              | 53.10                     |             |                                |
| 39502      |               | C             | 17.09       | 6.93                       | 6.93            | 2.17       | 090              | 53.10                     |             |                                |
| 39503      |               | C             | 108.67      | 32.22                      | 32.22           | 10.98      | 090              | 53.10                     |             |                                |
| 39520      |               | C             | 16.63       | 7.33                       | 7.33            | 2.24       | 090              | 53.10                     |             |                                |
| 39530      |               | C             | 16.22       | 6.73                       | 6.73            | 2.11       | 090              | 53.10                     |             |                                |
| 39531      |               | C             | 17.23       | 6.73                       | 6.73            | 2.22       | 090              | 53.10                     |             |                                |
| 39540      |               | C             | 14.51       | 5.98                       | 5.98            | 1.80       | 090              | 53.10                     |             |                                |
| 39541      |               | C             | 15.67       | 6.44                       | 6.44            | 1.93       | 090              | 53.10                     |             |                                |
| 39545      |               | C             | 14.58       | 7.27                       | 7.27            | 1.84       | 090              | 53.10                     |             |                                |
| 39560      |               | C             | 12.97       | 5.89                       | 5.89            | 1.59       | 090              | 53.10                     |             |                                |

| CPT<br>ADA<br>HCPCS | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|---------------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 39561               |               | C             | 19.75       | 9.61                       | 9.61                  | 2.45       | 090              | 53.10                     |             |                                |
| 39599               |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 40490               |               | C             | 1.22        | 1.97                       | 0.62                  | 0.05       | 000              | 53.10                     |             |                                |
| 40500               |               | C             | 4.35        | 7.58                       | 4.36                  | 0.38       | 090              | 53.10                     |             |                                |
| 40510               |               | C             | 4.74        | 6.73                       | 3.80                  | 0.49       | 090              | 53.10                     |             |                                |
| 40520               |               | C             | 4.71        | 7.07                       | 3.91                  | 0.52       | 090              | 53.10                     |             |                                |
| 40525               |               | C             | 7.61        | 5.75                       | 5.75                  | 0.85       | 090              | 53.10                     |             |                                |
| 40527               |               | C             | 9.20        | 6.60                       | 6.60                  | 0.97       | 090              | 53.10                     |             |                                |
| 40530               |               | C             | 5.45        | 7.56                       | 4.35                  | 0.55       | 090              | 53.10                     |             |                                |
| 40650               |               | C             | 3.69        | 6.13                       | 3.20                  | 0.38       | 090              | 53.10                     |             |                                |
| 40652               |               | C             | 4.32        | 7.19                       | 4.05                  | 0.52       | 090              | 53.10                     |             |                                |
| 40654               |               | C             | 5.37        | 8.21                       | 4.81                  | 0.60       | 090              | 53.10                     |             |                                |
| 40700               |               | C             | 13.97       | 8.69                       | 8.69                  | 0.95       | 090              | 53.10                     |             |                                |
| 40701               |               | C             | 17.03       | 10.79                      | 10.79                 | 1.65       | 090              | 53.10                     |             |                                |
| 40702               |               | C             | 14.09       | 7.51                       | 7.51                  | 1.23       | 090              | 53.10                     |             |                                |
| 40720               |               | C             | 14.54       | 9.01                       | 9.01                  | 1.80       | 090              | 53.10                     |             |                                |
| 40761               |               | C             | 15.69       | 9.82                       | 9.82                  | 1.94       | 090              | 53.10                     |             |                                |
| 40799               |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 40800               |               | C             | 1.19        | 3.60                       | 1.86                  | 0.13       | 010              | 53.10                     |             |                                |
| 40801               |               | C             | 2.57        | 4.70                       | 2.67                  | 0.31       | 010              | 53.10                     |             |                                |
| 40804               |               | C             | 1.26        | 3.64                       | 1.84                  | 0.11       | 010              | 53.10                     |             |                                |
| 40805               |               | C             | 2.73        | 4.89                       | 2.70                  | 0.32       | 010              | 53.10                     |             |                                |
| 40806               |               | C             | 0.31        | 2.25                       | 0.51                  | 0.04       | 000              | 53.10                     |             |                                |
| 40808               |               | C             | 0.98        | 3.34                       | 1.59                  | 0.10       | 010              | 53.10                     |             |                                |
| 40810               |               | C             | 1.33        | 3.46                       | 1.71                  | 0.13       | 010              | 53.10                     |             |                                |
| 40812               |               | C             | 2.33        | 4.34                       | 2.34                  | 0.28       | 010              | 53.10                     |             |                                |
| 40814               |               | C             | 3.45        | 5.50                       | 3.78                  | 0.41       | 090              | 53.10                     |             |                                |
| 40816               |               | C             | 3.70        | 5.75                       | 3.88                  | 0.40       | 090              | 53.10                     |             |                                |
| 40818               |               | C             | 2.72        | 5.69                       | 3.86                  | 0.21       | 090              | 53.10                     |             |                                |
| 40819               |               | C             | 2.45        | 4.70                       | 3.12                  | 0.29       | 090              | 53.10                     |             |                                |
| 40820               |               | C             | 1.30        | 4.99                       | 2.85                  | 0.11       | 010              | 53.10                     |             |                                |
| 40830               |               | C             | 1.78        | 3.95                       | 2.02                  | 0.19       | 010              | 53.10                     |             |                                |
| 40831               |               | C             | 2.50        | 5.07                       | 2.82                  | 0.30       | 010              | 53.10                     |             |                                |
| 40840               |               | C             | 9.03        | 10.13                      | 6.13                  | 1.08       | 090              | 53.10                     |             |                                |
| 40842               |               | C             | 9.03        | 9.82                       | 5.79                  | 1.08       | 090              | 53.10                     |             |                                |
| 40843               |               | C             | 12.62       | 11.98                      | 6.63                  | 1.39       | 090              | 53.10                     |             |                                |
| 40844               |               | C             | 16.57       | 15.96                      | 10.33                 | 2.00       | 090              | 53.10                     |             |                                |
| 40845               |               | C             | 19.13       | 16.36                      | 11.15                 | 2.01       | 090              | 53.10                     |             |                                |
| 40899               |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 41000               |               | C             | 1.32        | 2.48                       | 1.36                  | 0.12       | 010              | 53.10                     |             |                                |
| 41005               |               | C             | 1.28        | 4.09                       | 1.79                  | 0.12       | 010              | 53.10                     |             |                                |
| 41006               |               | C             | 3.28        | 5.23                       | 2.93                  | 0.35       | 090              | 53.10                     |             |                                |
| 41007               |               | C             | 3.14        | 5.42                       | 2.91                  | 0.31       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 41008      |               | C             | 3.40        | 5.34                       | 3.00                  | 0.42       | 090              | 53.10                     |             |                                |
| 41009      |               | C             | 3.63        | 5.64                       | 3.31                  | 0.47       | 090              | 53.10                     |             |                                |
| 41010      |               | C             | 1.08        | 3.77                       | 1.58                  | 0.07       | 010              | 53.10                     |             |                                |
| 41015      |               | C             | 4.00        | 6.00                       | 4.02                  | 0.46       | 090              | 53.10                     |             |                                |
| 41016      |               | C             | 4.11        | 6.12                       | 4.18                  | 0.53       | 090              | 53.10                     |             |                                |
| 41017      |               | C             | 4.11        | 6.20                       | 4.22                  | 0.53       | 090              | 53.10                     |             |                                |
| 41018      |               | C             | 5.14        | 6.62                       | 4.56                  | 0.68       | 090              | 53.10                     |             |                                |
| 41019      |               | C             | 8.84        | 3.53                       | 3.53                  | 0.59       | 000              | 53.10                     |             |                                |
| 41100      |               | C             | 1.39        | 2.61                       | 1.25                  | 0.15       | 010              | 53.10                     |             |                                |
| 41105      |               | C             | 1.44        | 2.58                       | 1.25                  | 0.13       | 010              | 53.10                     |             |                                |
| 41108      |               | C             | 1.07        | 2.39                       | 1.10                  | 0.10       | 010              | 53.10                     |             |                                |
| 41110      |               | C             | 1.53        | 3.46                       | 1.65                  | 0.13       | 010              | 53.10                     |             |                                |
| 41112      |               | C             | 2.77        | 5.05                       | 3.25                  | 0.28       | 090              | 53.10                     |             |                                |
| 41113      |               | C             | 3.23        | 5.32                       | 3.44                  | 0.34       | 090              | 53.10                     |             |                                |
| 41114      |               | C             | 8.71        | 6.68                       | 6.68                  | 0.83       | 090              | 53.10                     |             |                                |
| 41115      |               | C             | 1.76        | 4.03                       | 1.81                  | 0.18       | 010              | 53.10                     |             |                                |
| 41116      |               | C             | 2.47        | 5.22                       | 2.81                  | 0.23       | 090              | 53.10                     |             |                                |
| 41120      |               | C             | 10.91       | 14.66                      | 14.66                 | 0.79       | 090              | 53.10                     |             |                                |
| 41130      |               | C             | 15.51       | 16.06                      | 16.06                 | 0.93       | 090              | 53.10                     |             |                                |
| 41135      |               | C             | 29.83       | 22.55                      | 22.55                 | 1.89       | 090              | 53.10                     |             |                                |
| 41140      |               | C             | 28.81       | 24.86                      | 24.86                 | 2.27       | 090              | 53.10                     |             |                                |
| 41145      |               | C             | 37.59       | 29.80                      | 29.80                 | 2.55       | 090              | 53.10                     |             |                                |
| 41150      |               | C             | 29.52       | 23.82                      | 23.82                 | 1.95       | 090              | 53.10                     |             |                                |
| 41153      |               | C             | 33.28       | 24.62                      | 24.62                 | 2.01       | 090              | 53.10                     |             |                                |
| 41155      |               | C             | 43.96       | 28.11                      | 28.11                 | 2.34       | 090              | 53.10                     |             |                                |
| 41250      |               | C             | 1.93        | 3.47                       | 1.47                  | 0.18       | 010              | 53.10                     |             |                                |
| 41251      |               | C             | 2.29        | 3.27                       | 1.66                  | 0.22       | 010              | 53.10                     |             |                                |
| 41252      |               | C             | 2.99        | 4.30                       | 2.12                  | 0.29       | 010              | 53.10                     |             |                                |
| 41500      |               | C             | 3.74        | 7.12                       | 7.12                  | 0.30       | 090              | 53.10                     |             |                                |
| 41510      |               | C             | 3.45        | 6.57                       | 6.57                  | 0.20       | 090              | 53.10                     |             |                                |
| 41512      |               | C             | 6.75        | 8.46                       | 8.46                  | 0.45       | 090              | 53.10                     |             |                                |
| 41520      |               | C             | 2.77        | 5.43                       | 3.34                  | 0.27       | 090              | 53.10                     |             |                                |
| 41530      |               | C             | 4.38        | 73.12                      | 5.57                  | 0.31       | 010              | 53.10                     |             |                                |
| 41599      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 41800      |               | C             | 1.21        | 4.20                       | 1.89                  | 0.12       | 010              | 53.10                     |             |                                |
| 41805      |               | C             | 1.28        | 4.30                       | 2.68                  | 0.13       | 010              | 53.10                     |             |                                |
| 41806      |               | C             | 2.73        | 5.30                       | 3.32                  | 0.37       | 010              | 53.10                     |             |                                |
| 41820      |               | C             | 1.35        | 3.69                       | 1.47                  | 0.15       | 010              | 53.10                     |             |                                |
| 41821      |               | C             | 1.35        | 3.69                       | 1.47                  | 0.15       | 010              | 53.10                     |             |                                |
| 41822      |               | C             | 2.35        | 4.39                       | 1.81                  | 0.31       | 010              | 53.10                     |             |                                |
| 41823      |               | C             | 3.63        | 6.40                       | 3.95                  | 0.47       | 090              | 53.10                     |             |                                |
| 41825      |               | C             | 1.35        | 3.52                       | 1.68                  | 0.15       | 010              | 53.10                     |             |                                |
| 41826      |               | C             | 2.35        | 4.43                       | 2.49                  | 0.30       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 41827      |               | C             | 3.72        | 6.40                       | 3.52            | 0.35       | 090              | 53.10                     |             |                                |
| 41828      |               | C             | 3.11        | 4.00                       | 2.01            | 0.44       | 010              | 53.10                     |             |                                |
| 41830      |               | C             | 3.38        | 5.68                       | 3.25            | 0.44       | 010              | 53.10                     |             |                                |
| 41850      |               | C             | 1.35        | 3.69                       | 1.47            | 0.15       | 010              | 53.10                     |             |                                |
| 41870      |               | C             | 1.35        | 3.69                       | 1.47            | 0.15       | 010              | 53.10                     |             |                                |
| 41872      |               | C             | 2.90        | 5.68                       | 3.34            | 0.30       | 090              | 53.10                     |             |                                |
| 41874      |               | C             | 3.13        | 5.48                       | 2.89            | 0.45       | 090              | 53.10                     |             |                                |
| 41899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 42000      |               | C             | 1.25        | 2.50                       | 1.23            | 0.12       | 010              | 53.10                     |             |                                |
| 42100      |               | C             | 1.33        | 2.22                       | 1.30            | 0.13       | 010              | 53.10                     |             |                                |
| 42104      |               | C             | 1.66        | 3.30                       | 1.65            | 0.16       | 010              | 53.10                     |             |                                |
| 42106      |               | C             | 2.12        | 4.14                       | 2.19            | 0.25       | 010              | 53.10                     |             |                                |
| 42107      |               | C             | 4.48        | 6.38                       | 3.84            | 0.44       | 090              | 53.10                     |             |                                |
| 42120      |               | C             | 11.70       | 12.20                      | 12.20           | 0.52       | 090              | 53.10                     |             |                                |
| 42140      |               | C             | 1.65        | 4.32                       | 2.11            | 0.13       | 090              | 53.10                     |             |                                |
| 42145      |               | C             | 9.63        | 7.55                       | 7.55            | 0.65       | 090              | 53.10                     |             |                                |
| 42160      |               | C             | 1.82        | 3.92                       | 1.88            | 0.17       | 010              | 53.10                     |             |                                |
| 42180      |               | C             | 2.52        | 3.28                       | 1.96            | 0.21       | 010              | 53.10                     |             |                                |
| 42182      |               | C             | 3.84        | 4.02                       | 2.63            | 0.40       | 010              | 53.10                     |             |                                |
| 42200      |               | C             | 12.41       | 9.07                       | 9.07            | 1.27       | 090              | 53.10                     |             |                                |
| 42205      |               | C             | 13.57       | 9.17                       | 9.17            | 1.58       | 090              | 53.10                     |             |                                |
| 42210      |               | C             | 14.91       | 10.50                      | 10.50           | 2.17       | 090              | 53.10                     |             |                                |
| 42215      |               | C             | 8.88        | 7.88                       | 7.88            | 1.31       | 090              | 53.10                     |             |                                |
| 42220      |               | C             | 7.07        | 6.14                       | 6.14            | 0.73       | 090              | 53.10                     |             |                                |
| 42225      |               | C             | 9.66        | 13.35                      | 13.35           | 0.86       | 090              | 53.10                     |             |                                |
| 42226      |               | C             | 10.24       | 12.50                      | 12.50           | 1.01       | 090              | 53.10                     |             |                                |
| 42227      |               | C             | 9.81        | 12.30                      | 12.30           | 0.98       | 090              | 53.10                     |             |                                |
| 42235      |               | C             | 7.92        | 10.19                      | 10.19           | 0.72       | 090              | 53.10                     |             |                                |
| 42260      |               | C             | 10.10       | 9.77                       | 6.29            | 1.26       | 090              | 53.10                     |             |                                |
| 42280      |               | C             | 1.56        | 2.16                       | 0.93            | 0.19       | 010              | 53.10                     |             |                                |
| 42281      |               | C             | 1.95        | 2.91                       | 1.75            | 0.17       | 010              | 53.10                     |             |                                |
| 42299      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 42300      |               | C             | 1.95        | 3.03                       | 1.76            | 0.16       | 010              | 53.10                     |             |                                |
| 42305      |               | C             | 6.23        | 4.31                       | 4.31            | 0.51       | 090              | 53.10                     |             |                                |
| 42310      |               | C             | 1.58        | 2.29                       | 1.45            | 0.13       | 010              | 53.10                     |             |                                |
| 42320      |               | C             | 2.37        | 3.61                       | 1.96            | 0.21       | 010              | 53.10                     |             |                                |
| 42330      |               | C             | 2.23        | 3.34                       | 1.79            | 0.19       | 010              | 53.10                     |             |                                |
| 42335      |               | C             | 3.35        | 5.54                       | 2.96            | 0.29       | 090              | 53.10                     |             |                                |
| 42340      |               | C             | 4.64        | 6.49                       | 3.63            | 0.42       | 090              | 53.10                     |             |                                |
| 42400      |               | C             | 0.78        | 1.88                       | 0.67            | 0.06       | 000              | 53.10                     |             |                                |
| 42405      |               | C             | 3.31        | 4.00                       | 2.28            | 0.28       | 010              | 53.10                     |             |                                |
| 42408      |               | C             | 4.58        | 6.29                       | 3.41            | 0.45       | 090              | 53.10                     |             |                                |
| 42409      |               | C             | 2.85        | 5.06                       | 2.60            | 0.27       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 42410 |       | C      | 9.46  | 5.70     | 5.70     | 0.91 | 090    | 53.10   |      |                                |
| 42415 |       | C      | 17.99 | 9.50     | 9.50     | 1.43 | 090    | 53.10   |      |                                |
| 42420 |       | C      | 20.87 | 10.63    | 10.63    | 1.65 | 090    | 53.10   |      |                                |
| 42425 |       | C      | 13.31 | 7.46     | 7.46     | 1.05 | 090    | 53.10   |      |                                |
| 42426 |       | C      | 22.54 | 11.13    | 11.13    | 1.81 | 090    | 53.10   |      |                                |
| 42440 |       | C      | 7.05  | 4.42     | 4.42     | 0.59 | 090    | 53.10   |      |                                |
| 42450 |       | C      | 4.66  | 6.22     | 4.10     | 0.42 | 090    | 53.10   |      |                                |
| 42500 |       | C      | 4.34  | 6.03     | 3.99     | 0.41 | 090    | 53.10   |      |                                |
| 42505 |       | C      | 6.23  | 7.21     | 4.91     | 0.55 | 090    | 53.10   |      |                                |
| 42507 |       | C      | 6.16  | 6.46     | 6.46     | 0.49 | 090    | 53.10   |      |                                |
| 42508 |       | C      | 9.22  | 8.50     | 8.50     | 1.04 | 090    | 53.10   |      |                                |
| 42509 |       | C      | 11.65 | 8.80     | 8.80     | 0.93 | 090    | 53.10   |      |                                |
| 42510 |       | C      | 8.26  | 7.24     | 7.24     | 0.66 | 090    | 53.10   |      |                                |
| 42550 |       | C      | 1.25  | 2.52     | 0.47     | 0.07 | 000    | 53.10   |      |                                |
| 42600 |       | C      | 4.86  | 6.82     | 3.81     | 0.43 | 090    | 53.10   |      |                                |
| 42650 |       | C      | 0.77  | 1.23     | 0.68     | 0.07 | 000    | 53.10   |      |                                |
| 42660 |       | C      | 1.13  | 1.44     | 0.80     | 0.09 | 000    | 53.10   |      |                                |
| 42665 |       | C      | 2.57  | 4.85     | 2.49     | 0.23 | 090    | 53.10   |      |                                |
| 42699 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 42700 |       | C      | 1.64  | 2.88     | 1.68     | 0.13 | 010    | 53.10   |      |                                |
| 42720 |       | C      | 6.31  | 4.85     | 3.47     | 0.44 | 010    | 53.10   |      |                                |
| 42725 |       | C      | 12.28 | 7.67     | 7.67     | 0.91 | 090    | 53.10   |      |                                |
| 42800 |       | C      | 1.41  | 2.38     | 1.33     | 0.11 | 010    | 53.10   |      |                                |
| 42802 |       | C      | 1.56  | 4.26     | 1.78     | 0.12 | 010    | 53.10   |      |                                |
| 42804 |       | C      | 1.26  | 3.60     | 1.57     | 0.10 | 010    | 53.10   |      |                                |
| 42806 |       | C      | 1.60  | 3.87     | 1.71     | 0.13 | 010    | 53.10   |      |                                |
| 42808 |       | C      | 2.32  | 3.19     | 1.72     | 0.19 | 010    | 53.10   |      |                                |
| 42809 |       | C      | 1.83  | 2.26     | 1.33     | 0.16 | 010    | 53.10   |      |                                |
| 42810 |       | C      | 3.30  | 6.00     | 3.66     | 0.29 | 090    | 53.10   |      |                                |
| 42815 |       | C      | 7.23  | 6.36     | 6.36     | 0.61 | 090    | 53.10   |      |                                |
| 42820 |       | D      | 4.17  | 3.01     | 3.01     | 0.31 | 090    | 53.10   |      |                                |
| 42821 |       | C      | 4.31  | 3.17     | 3.17     | 0.35 | 090    | 53.10   |      |                                |
| 42825 |       | D      | 3.45  | 3.00     | 3.00     | 0.25 | 090    | 53.10   |      |                                |
| 42826 |       | C      | 3.40  | 2.81     | 2.81     | 0.27 | 090    | 53.10   |      |                                |
| 42830 |       | D      | 2.60  | 2.48     | 2.48     | 0.20 | 090    | 53.10   |      |                                |
| 42831 |       | C      | 2.75  | 2.73     | 2.73     | 0.22 | 090    | 53.10   |      |                                |
| 42835 |       | D      | 2.33  | 2.23     | 2.23     | 0.21 | 090    | 53.10   |      |                                |
| 42836 |       | C      | 3.21  | 2.75     | 2.75     | 0.26 | 090    | 53.10   |      |                                |
| 42842 |       | C      | 12.02 | 11.86    | 11.86    | 0.71 | 090    | 53.10   |      |                                |
| 42844 |       | C      | 17.57 | 15.88    | 15.88    | 1.16 | 090    | 53.10   |      |                                |
| 42845 |       | C      | 32.35 | 22.25    | 22.25    | 1.99 | 090    | 53.10   |      |                                |
| 42860 |       | C      | 2.25  | 2.35     | 2.35     | 0.18 | 090    | 53.10   |      |                                |
| 42870 |       | C      | 5.44  | 8.67     | 8.67     | 0.44 | 090    | 53.10   |      |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 42890      |               | C             | 18.92       | 15.18                      | 15.18           | 1.05       | 090              | 53.10                     |             |                                |
| 42892      |               | C             | 25.77       | 19.01                      | 19.01           | 1.28       | 090              | 53.10                     |             |                                |
| 42894      |               | C             | 33.61       | 23.60                      | 23.60           | 1.87       | 090              | 53.10                     |             |                                |
| 42900      |               | C             | 5.26        | 3.20                       | 3.20            | 0.50       | 010              | 53.10                     |             |                                |
| 42950      |               | C             | 8.16        | 11.28                      | 11.28           | 0.72       | 090              | 53.10                     |             |                                |
| 42953      |               | C             | 9.33        | 14.60                      | 14.60           | 0.88       | 090              | 53.10                     |             |                                |
| 42955      |               | C             | 7.92        | 10.30                      | 10.30           | 0.80       | 090              | 53.10                     |             |                                |
| 42960      |               | C             | 2.35        | 1.81                       | 1.81            | 0.19       | 010              | 53.10                     |             |                                |
| 42961      |               | C             | 5.69        | 4.65                       | 4.65            | 0.45       | 090              | 53.10                     |             |                                |
| 42962      |               | C             | 7.31        | 5.48                       | 5.48            | 0.58       | 090              | 53.10                     |             |                                |
| 42970      |               | C             | 5.76        | 3.83                       | 3.83            | 0.39       | 090              | 53.10                     |             |                                |
| 42971      |               | C             | 6.54        | 4.73                       | 4.73            | 0.51       | 090              | 53.10                     |             |                                |
| 42972      |               | C             | 7.53        | 5.10                       | 5.10            | 0.62       | 090              | 53.10                     |             |                                |
| 42999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 43020      |               | C             | 8.14        | 4.68                       | 4.68            | 0.87       | 090              | 53.10                     |             |                                |
| 43030      |               | C             | 7.91        | 4.90                       | 4.90            | 0.70       | 090              | 53.10                     |             |                                |
| 43045      |               | C             | 21.70       | 10.24                      | 10.24           | 2.59       | 090              | 53.10                     |             |                                |
| 43100      |               | C             | 9.55        | 5.70                       | 5.70            | 0.93       | 090              | 53.10                     |             |                                |
| 43101      |               | C             | 16.99       | 7.76                       | 7.76            | 2.32       | 090              | 53.10                     |             |                                |
| 43107      |               | C             | 43.97       | 17.54                      | 17.54           | 5.24       | 090              | 53.10                     |             |                                |
| 43108      |               | C             | 82.66       | 23.95                      | 23.95           | 4.08       | 090              | 53.10                     |             |                                |
| 43112      |               | C             | 47.27       | 18.33                      | 18.33           | 5.81       | 090              | 53.10                     |             |                                |
| 43113      |               | C             | 79.85       | 26.49                      | 26.49           | 4.43       | 090              | 53.10                     |             |                                |
| 43116      |               | C             | 92.78       | 29.47                      | 29.47           | 3.06       | 090              | 53.10                     |             |                                |
| 43117      |               | C             | 43.52       | 16.56                      | 16.56           | 5.19       | 090              | 53.10                     |             |                                |
| 43118      |               | C             | 66.86       | 20.42                      | 20.42           | 4.11       | 090              | 53.10                     |             |                                |
| 43121      |               | C             | 51.22       | 17.72                      | 17.72           | 3.91       | 090              | 53.10                     |             |                                |
| 43122      |               | C             | 43.97       | 16.67                      | 16.67           | 5.42       | 090              | 53.10                     |             |                                |
| 43123      |               | C             | 82.91       | 24.23                      | 24.23           | 4.16       | 090              | 53.10                     |             |                                |
| 43124      |               | C             | 68.83       | 22.66                      | 22.66           | 3.74       | 090              | 53.10                     |             |                                |
| 43130      |               | C             | 12.41       | 6.91                       | 6.91            | 1.16       | 090              | 53.10                     |             |                                |
| 43135      |               | C             | 26.09       | 9.87                       | 9.87            | 2.34       | 090              | 53.10                     |             |                                |
| 43200      |               | C             | 1.59        | 3.77                       | 1.02            | 0.13       | 000              | 53.10                     |             |                                |
| 43201      |               | C             | 2.09        | 5.30                       | 1.20            | 0.15       | 000              | 53.10                     |             |                                |
| 43202      |               | C             | 1.89        | 5.17                       | 1.00            | 0.15       | 000              | 53.10                     |             |                                |
| 43204      |               | C             | 3.76        | 1.93                       | 1.93            | 0.30       | 000              | 53.10                     |             |                                |
| 43205      |               | C             | 3.78        | 1.94                       | 1.94            | 0.28       | 000              | 53.10                     |             |                                |
| 43215      |               | C             | 2.60        | 1.29                       | 1.29            | 0.22       | 000              | 53.10                     |             |                                |
| 43216      |               | C             | 2.40        | 2.53                       | 1.23            | 0.20       | 000              | 53.10                     |             |                                |
| 43217      |               | C             | 2.90        | 6.51                       | 1.36            | 0.26       | 000              | 53.10                     |             |                                |
| 43219      |               | C             | 2.80        | 1.53                       | 1.53            | 0.24       | 000              | 53.10                     |             |                                |
| 43220      |               | C             | 2.10        | 1.11                       | 1.11            | 0.17       | 000              | 53.10                     |             |                                |
| 43226      |               | C             | 2.34        | 1.24                       | 1.24            | 0.19       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 43227      |               | C             | 3.59        | 1.74                       | 1.74            | 0.28       | 000              | 53.10                     |             |                                |
| 43228      |               | C             | 3.76        | 1.90                       | 1.90            | 0.34       | 000              | 53.10                     |             |                                |
| 43231      |               | C             | 3.19        | 1.67                       | 1.67            | 0.23       | 000              | 53.10                     |             |                                |
| 43232      |               | C             | 4.47        | 2.21                       | 2.21            | 0.34       | 000              | 53.10                     |             |                                |
| 43234      |               | C             | 2.01        | 4.98                       | 1.00            | 0.17       | 000              | 53.10                     |             |                                |
| 43235      |               | C             | 2.39        | 5.16                       | 1.30            | 0.19       | 000              | 53.10                     |             |                                |
| 43236      |               | C             | 2.92        | 6.50                       | 1.58            | 0.21       | 000              | 53.10                     |             |                                |
| 43237      |               | C             | 3.98        | 2.05                       | 2.05            | 0.43       | 000              | 53.10                     |             |                                |
| 43238      |               | C             | 5.02        | 2.52                       | 2.52            | 0.43       | 000              | 53.10                     |             |                                |
| 43239      |               | C             | 2.87        | 5.87                       | 1.50            | 0.22       | 000              | 53.10                     |             |                                |
| 43240      |               | C             | 6.85        | 3.28                       | 3.28            | 0.56       | 000              | 53.10                     |             |                                |
| 43241      |               | C             | 2.59        | 1.37                       | 1.37            | 0.21       | 000              | 53.10                     |             |                                |
| 43242      |               | C             | 7.30        | 3.55                       | 3.55            | 0.53       | 000              | 53.10                     |             |                                |
| 43243      |               | C             | 4.56        | 2.28                       | 2.28            | 0.33       | 000              | 53.10                     |             |                                |
| 43244      |               | C             | 5.04        | 2.54                       | 2.54            | 0.37       | 000              | 53.10                     |             |                                |
| 43245      |               | C             | 3.18        | 1.58                       | 1.58            | 0.26       | 000              | 53.10                     |             |                                |
| 43246      |               | C             | 4.32        | 2.06                       | 2.06            | 0.34       | 000              | 53.10                     |             |                                |
| 43247      |               | C             | 3.38        | 1.72                       | 1.72            | 0.27       | 000              | 53.10                     |             |                                |
| 43248      |               | C             | 3.15        | 1.69                       | 1.69            | 0.23       | 000              | 53.10                     |             |                                |
| 43249      |               | C             | 2.90        | 1.55                       | 1.55            | 0.22       | 000              | 53.10                     |             |                                |
| 43250      |               | C             | 3.20        | 1.56                       | 1.56            | 0.26       | 000              | 53.10                     |             |                                |
| 43251      |               | C             | 3.69        | 1.86                       | 1.86            | 0.29       | 000              | 53.10                     |             |                                |
| 43255      |               | C             | 4.81        | 2.43                       | 2.43            | 0.35       | 000              | 53.10                     |             |                                |
| 43256      |               | C             | 4.34        | 2.16                       | 2.16            | 0.32       | 000              | 53.10                     |             |                                |
| 43257      |               | C             | 5.50        | 2.50                       | 2.50            | 0.36       | 000              | 53.10                     |             |                                |
| 43258      |               | C             | 4.54        | 2.28                       | 2.28            | 0.33       | 000              | 53.10                     |             |                                |
| 43259      |               | C             | 5.19        | 2.60                       | 2.60            | 0.35       | 000              | 53.10                     |             |                                |
| 43260      |               | C             | 5.95        | 2.95                       | 2.95            | 0.43       | 000              | 53.10                     |             |                                |
| 43261      |               | C             | 6.26        | 3.09                       | 3.09            | 0.46       | 000              | 53.10                     |             |                                |
| 43262      |               | C             | 7.38        | 3.60                       | 3.60            | 0.54       | 000              | 53.10                     |             |                                |
| 43263      |               | C             | 7.28        | 3.58                       | 3.58            | 0.54       | 000              | 53.10                     |             |                                |
| 43264      |               | C             | 8.89        | 4.29                       | 4.29            | 0.65       | 000              | 53.10                     |             |                                |
| 43265      |               | C             | 10.00       | 4.79                       | 4.79            | 0.73       | 000              | 53.10                     |             |                                |
| 43267      |               | C             | 7.38        | 3.55                       | 3.55            | 0.54       | 000              | 53.10                     |             |                                |
| 43268      |               | C             | 7.38        | 3.74                       | 3.74            | 0.54       | 000              | 53.10                     |             |                                |
| 43269      |               | C             | 8.20        | 3.97                       | 3.97            | 0.60       | 000              | 53.10                     |             |                                |
| 43271      |               | C             | 7.38        | 3.59                       | 3.59            | 0.54       | 000              | 53.10                     |             |                                |
| 43272      |               | C             | 7.38        | 3.57                       | 3.57            | 0.54       | 000              | 53.10                     |             |                                |
| 43273      |               | C             | 2.24        | 1.08                       | 1.08            | 0.16       | ZZZ              | 53.10                     |             |                                |
| 43279      |               | C             | 22.00       | 8.07                       | 8.07            | 2.62       | 090              | 53.10                     |             |                                |
| 43280      |               | C             | 18.00       | 7.04                       | 7.04            | 2.28       | 090              | 53.10                     |             |                                |
| 43289      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 43300      |               | C             | 9.21        | 5.81                       | 5.81            | 1.12       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 43305      |               | C             | 17.98       | 9.20                       | 9.20                  | 1.54       | 090              | 53.10                     |             |                                |
| 43310      |               | C             | 26.18       | 10.73                      | 10.73                 | 3.61       | 090              | 53.10                     |             |                                |
| 43312      |               | C             | 29.23       | 11.50                      | 11.50                 | 4.01       | 090              | 53.10                     |             |                                |
| 43313      |               | C             | 48.17       | 17.22                      | 17.22                 | 5.47       | 090              | 53.10                     |             |                                |
| 43314      |               | C             | 53.15       | 21.62                      | 21.62                 | 6.65       | 090              | 53.10                     |             |                                |
| 43320      |               | C             | 23.18       | 9.53                       | 9.53                  | 2.74       | 090              | 53.10                     |             |                                |
| 43324      |               | C             | 22.86       | 8.78                       | 8.78                  | 2.76       | 090              | 53.10                     |             |                                |
| 43325      |               | C             | 22.47       | 8.75                       | 8.75                  | 2.60       | 090              | 53.10                     |             |                                |
| 43326      |               | C             | 22.15       | 9.56                       | 9.56                  | 2.85       | 090              | 53.10                     |             |                                |
| 43330      |               | C             | 22.06       | 8.51                       | 8.51                  | 2.63       | 090              | 53.10                     |             |                                |
| 43331      |               | C             | 22.93       | 10.18                      | 10.18                 | 2.94       | 090              | 53.10                     |             |                                |
| 43340      |               | C             | 22.86       | 9.06                       | 9.06                  | 2.46       | 090              | 53.10                     |             |                                |
| 43341      |               | C             | 24.10       | 10.94                      | 10.94                 | 2.92       | 090              | 53.10                     |             |                                |
| 43350      |               | C             | 19.31       | 8.39                       | 8.39                  | 1.42       | 090              | 53.10                     |             |                                |
| 43351      |               | C             | 21.87       | 10.14                      | 10.14                 | 2.47       | 090              | 53.10                     |             |                                |
| 43352      |               | C             | 17.68       | 8.48                       | 8.48                  | 2.06       | 090              | 53.10                     |             |                                |
| 43360      |               | C             | 39.90       | 15.68                      | 15.68                 | 4.97       | 090              | 53.10                     |             |                                |
| 43361      |               | C             | 45.50       | 17.26                      | 17.26                 | 4.50       | 090              | 53.10                     |             |                                |
| 43400      |               | C             | 25.47       | 13.81                      | 13.81                 | 1.96       | 090              | 53.10                     |             |                                |
| 43401      |               | C             | 26.36       | 9.92                       | 9.92                  | 3.05       | 090              | 53.10                     |             |                                |
| 43405      |               | C             | 24.55       | 10.71                      | 10.71                 | 2.84       | 090              | 53.10                     |             |                                |
| 43410      |               | C             | 16.28       | 8.02                       | 8.02                  | 1.72       | 090              | 53.10                     |             |                                |
| 43415      |               | C             | 28.70       | 12.25                      | 12.25                 | 3.53       | 090              | 53.10                     |             |                                |
| 43420      |               | C             | 16.65       | 7.85                       | 7.85                  | 1.43       | 090              | 53.10                     |             |                                |
| 43425      |               | C             | 24.91       | 11.13                      | 11.13                 | 3.03       | 090              | 53.10                     |             |                                |
| 43450      |               | C             | 1.38        | 2.62                       | 0.88                  | 0.11       | 000              | 53.10                     |             |                                |
| 43453      |               | C             | 1.51        | 6.08                       | 0.95                  | 0.11       | 000              | 53.10                     |             |                                |
| 43456      |               | C             | 2.57        | 12.81                      | 1.38                  | 0.20       | 000              | 53.10                     |             |                                |
| 43458      |               | C             | 3.06        | 6.73                       | 1.55                  | 0.24       | 000              | 53.10                     |             |                                |
| 43460      |               | C             | 3.79        | 1.79                       | 1.79                  | 0.31       | 000              | 53.10                     |             |                                |
| 43496      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | 090              | 0.00                      |             |                                |
| 43499      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 43500      |               | C             | 12.71       | 5.32                       | 5.32                  | 1.45       | 090              | 53.10                     |             |                                |
| 43501      |               | C             | 22.47       | 8.42                       | 8.42                  | 2.65       | 090              | 53.10                     |             |                                |
| 43502      |               | C             | 25.56       | 9.35                       | 9.35                  | 3.10       | 090              | 53.10                     |             |                                |
| 43510      |               | C             | 15.01       | 7.51                       | 7.51                  | 1.48       | 090              | 53.10                     |             |                                |
| 43520      |               | C             | 11.21       | 5.08                       | 5.08                  | 1.36       | 090              | 53.10                     |             |                                |
| 43600      |               | C             | 1.91        | 0.80                       | 0.80                  | 0.14       | 000              | 53.10                     |             |                                |
| 43605      |               | C             | 13.64       | 5.47                       | 5.47                  | 1.58       | 090              | 53.10                     |             |                                |
| 43610      |               | C             | 16.26       | 6.26                       | 6.26                  | 1.94       | 090              | 53.10                     |             |                                |
| 43611      |               | C             | 20.25       | 7.81                       | 7.81                  | 2.36       | 090              | 53.10                     |             |                                |
| 43620      |               | C             | 33.91       | 11.72                      | 11.72                 | 3.96       | 090              | 53.10                     |             |                                |
| 43621      |               | C             | 39.40       | 12.84                      | 12.84                 | 4.04       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 43622      |               | C             | 39.90       | 12.98                      | 12.98           | 4.30       | 090              | 53.10                     |             |                                |
| 43631      |               | C             | 24.38       | 9.04                       | 9.04            | 2.99       | 090              | 53.10                     |             |                                |
| 43632      |               | C             | 35.01       | 11.19                      | 11.19           | 2.99       | 090              | 53.10                     |             |                                |
| 43633      |               | C             | 33.01       | 10.82                      | 10.82           | 3.06       | 090              | 53.10                     |             |                                |
| 43634      |               | C             | 36.51       | 11.93                      | 11.93           | 3.33       | 090              | 53.10                     |             |                                |
| 43635      |               | C             | 2.06        | 0.59                       | 0.59            | 0.27       | ZZZ              | 53.10                     |             |                                |
| 43640      |               | C             | 19.43       | 7.54                       | 7.54            | 2.26       | 090              | 53.10                     |             |                                |
| 43641      |               | C             | 19.68       | 7.54                       | 7.54            | 2.25       | 090              | 53.10                     |             |                                |
| 43644      |               | C             | 29.24       | 10.79                      | 10.79           | 3.16       | 090              | 53.10                     |             |                                |
| 43645      |               | C             | 31.37       | 11.35                      | 11.35           | 3.54       | 090              | 53.10                     |             |                                |
| 43647      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 43648      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 43651      |               | C             | 10.13       | 4.82                       | 4.82            | 1.33       | 090              | 53.10                     |             |                                |
| 43652      |               | C             | 12.13       | 5.37                       | 5.37            | 1.55       | 090              | 53.10                     |             |                                |
| 43653      |               | C             | 8.38        | 4.47                       | 4.47            | 1.01       | 090              | 53.10                     |             |                                |
| 43659      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 43752      |               | C             | 0.81        | 0.28                       | 0.28            | 0.02       | 000              | 53.10                     |             |                                |
| 43760      |               | C             | 0.90        | 7.67                       | 0.37            | 0.09       | 000              | 53.10                     |             |                                |
| 43761      |               | C             | 2.01        | 1.13                       | 0.75            | 0.13       | 000              | 53.10                     |             |                                |
| 43770      |               | C             | 17.85       | 7.72                       | 7.72            | 2.19       | 090              | 53.10                     |             |                                |
| 43771      |               | C             | 20.64       | 8.48                       | 8.48            | 2.55       | 090              | 53.10                     |             |                                |
| 43772      |               | C             | 15.62       | 6.40                       | 6.40            | 1.93       | 090              | 53.10                     |             |                                |
| 43773      |               | C             | 20.64       | 8.50                       | 8.50            | 2.56       | 090              | 53.10                     |             |                                |
| 43774      |               | C             | 15.66       | 6.44                       | 6.44            | 1.85       | 090              | 53.10                     |             |                                |
| 43800      |               | C             | 15.35       | 6.04                       | 6.04            | 1.82       | 090              | 53.10                     |             |                                |
| 43810      |               | C             | 16.80       | 6.40                       | 6.40            | 1.94       | 090              | 53.10                     |             |                                |
| 43820      |               | C             | 22.40       | 7.95                       | 7.95            | 2.04       | 090              | 53.10                     |             |                                |
| 43825      |               | C             | 21.63       | 8.19                       | 8.19            | 2.54       | 090              | 53.10                     |             |                                |
| 43830      |               | C             | 10.75       | 5.21                       | 5.21            | 1.25       | 090              | 53.10                     |             |                                |
| 43831      |               | C             | 8.38        | 4.99                       | 4.99            | 1.03       | 090              | 53.10                     |             |                                |
| 43832      |               | C             | 17.26       | 7.25                       | 7.25            | 1.98       | 090              | 53.10                     |             |                                |
| 43840      |               | C             | 22.70       | 8.09                       | 8.09            | 2.06       | 090              | 53.10                     |             |                                |
| 43842      |               | C             | 20.90       | 8.81                       | 8.81            | 2.45       | 090              | 53.10                     |             |                                |
| 43843      |               | C             | 21.08       | 8.00                       | 8.00            | 2.46       | 090              | 53.10                     |             |                                |
| 43845      |               | C             | 33.12       | 11.72                      | 11.72           | 4.06       | 090              | 53.10                     |             |                                |
| 43846      |               | C             | 27.23       | 10.26                      | 10.26           | 3.19       | 090              | 53.10                     |             |                                |
| 43847      |               | C             | 30.10       | 10.80                      | 10.80           | 3.56       | 090              | 53.10                     |             |                                |
| 43848      |               | C             | 32.57       | 11.81                      | 11.81           | 3.88       | 090              | 53.10                     |             |                                |
| 43850      |               | C             | 27.45       | 9.69                       | 9.69            | 3.28       | 090              | 53.10                     |             |                                |
| 43855      |               | C             | 28.56       | 10.23                      | 10.23           | 3.47       | 090              | 53.10                     |             |                                |
| 43860      |               | C             | 27.76       | 9.97                       | 9.97            | 3.31       | 090              | 53.10                     |             |                                |
| 43865      |               | C             | 28.92       | 10.28                      | 10.28           | 3.51       | 090              | 53.10                     |             |                                |
| 43870      |               | C             | 11.36       | 4.92                       | 4.92            | 1.27       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 43880      |               | C             | 27.05       | 9.79                       | 9.79            | 3.27      | 0.90       | 53.10            |                           |             |                                |
| 43881      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | YYY        | 0.00             |                           |             |                                |
| 43882      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | YYY        | 0.00             |                           |             |                                |
| 43886      |               | C             | 4.54        | 3.40                       | 3.40            | 0.25      | 090        | 53.10            |                           |             |                                |
| 43887      |               | C             | 4.24        | 3.03                       | 3.03            | 0.51      | 090        | 53.10            |                           |             |                                |
| 43888      |               | C             | 6.34        | 3.93                       | 3.93            | 0.70      | 090        | 53.10            |                           |             |                                |
| 43999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | YYY        | 0.00             |                           |             |                                |
| 44005      |               | C             | 18.38       | 6.85                       | 6.85            | 2.15      | 090        | 53.10            |                           |             |                                |
| 44010      |               | C             | 14.18       | 5.70                       | 5.70            | 1.64      | 090        | 53.10            |                           |             |                                |
| 44015      |               | C             | 2.62        | 0.78                       | 0.78            | 0.35      | ZZZ        | 53.10            |                           |             |                                |
| 44020      |               | C             | 16.14       | 6.19                       | 6.19            | 1.86      | 090        | 53.10            |                           |             |                                |
| 44021      |               | C             | 16.23       | 6.37                       | 6.37            | 1.87      | 090        | 53.10            |                           |             |                                |
| 44025      |               | C             | 16.43       | 6.30                       | 6.30            | 1.90      | 090        | 53.10            |                           |             |                                |
| 44050      |               | C             | 15.44       | 6.04                       | 6.04            | 1.86      | 090        | 53.10            |                           |             |                                |
| 44055      |               | C             | 25.53       | 8.90                       | 8.90            | 2.91      | 090        | 53.10            |                           |             |                                |
| 44100      |               | C             | 2.01        | 0.90                       | 0.90            | 0.17      | 000        | 53.10            |                           |             |                                |
| 44110      |               | C             | 13.96       | 5.57                       | 5.57            | 1.55      | 090        | 53.10            |                           |             |                                |
| 44111      |               | C             | 16.44       | 6.25                       | 6.25            | 1.87      | 090        | 53.10            |                           |             |                                |
| 44120      |               | C             | 20.74       | 7.40                       | 7.40            | 2.25      | 090        | 53.10            |                           |             |                                |
| 44121      |               | C             | 4.44        | 1.28                       | 1.28            | 0.58      | ZZZ        | 53.10            |                           |             |                                |
| 44125      |               | C             | 19.93       | 7.34                       | 7.34            | 2.27      | 090        | 53.10            |                           |             |                                |
| 44126      |               | C             | 42.02       | 14.27                      | 14.27           | 4.69      | 090        | 53.10            |                           |             |                                |
| 44127      |               | C             | 49.09       | 16.24                      | 16.24           | 5.77      | 090        | 53.10            |                           |             |                                |
| 44128      |               | C             | 4.44        | 1.29                       | 1.29            | 0.61      | ZZZ        | 53.10            |                           |             |                                |
| 44130      |               | C             | 21.98       | 7.80                       | 7.80            | 1.88      | 090        | 53.10            |                           |             |                                |
| 44132      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 44133      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 44135      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 44136      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 44137      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 44139      |               | C             | 2.23        | 0.64                       | 0.64            | 0.28      | ZZZ        | 53.10            |                           |             |                                |
| 44140      |               | C             | 22.46       | 8.50                       | 8.50            | 2.71      | 090        | 53.10            |                           |             |                                |
| 44141      |               | C             | 29.75       | 11.72                      | 11.72           | 2.53      | 090        | 53.10            |                           |             |                                |
| 44143      |               | C             | 27.63       | 10.72                      | 10.72           | 3.05      | 090        | 53.10            |                           |             |                                |
| 44144      |               | C             | 29.75       | 10.74                      | 10.74           | 2.86      | 090        | 53.10            |                           |             |                                |
| 44145      |               | C             | 28.45       | 10.18                      | 10.18           | 3.29      | 090        | 53.10            |                           |             |                                |
| 44146      |               | C             | 35.14       | 13.65                      | 13.65           | 3.41      | 090        | 53.10            |                           |             |                                |
| 44147      |               | C             | 33.56       | 10.71                      | 10.71           | 2.56      | 090        | 53.10            |                           |             |                                |
| 44150      |               | C             | 29.99       | 12.78                      | 12.78           | 3.04      | 090        | 53.10            |                           |             |                                |
| 44151      |               | C             | 34.73       | 14.15                      | 14.15           | 3.49      | 090        | 53.10            |                           |             |                                |
| 44155      |               | C             | 34.23       | 13.75                      | 13.75           | 3.28      | 090        | 53.10            |                           |             |                                |
| 44156      |               | C             | 37.23       | 15.28                      | 15.28           | 3.95      | 090        | 53.10            |                           |             |                                |
| 44157      |               | C             | 35.49       | 14.26                      | 14.26           | 3.93      | 090        | 53.10            |                           |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 44158      |               | C             | 36.49       | 14.48                      | 14.48           | 4.06       | 090              | 53.10                     |             |                                |
| 44160      |               | C             | 20.78       | 7.83                       | 7.83            | 2.37       | 090              | 53.10                     |             |                                |
| 44180      |               | C             | 15.19       | 6.09                       | 6.09            | 1.86       | 090              | 53.10                     |             |                                |
| 44186      |               | C             | 10.30       | 4.75                       | 4.75            | 1.27       | 090              | 53.10                     |             |                                |
| 44187      |               | C             | 17.27       | 8.22                       | 8.22            | 1.96       | 090              | 53.10                     |             |                                |
| 44188      |               | C             | 19.20       | 8.95                       | 8.95            | 2.24       | 090              | 53.10                     |             |                                |
| 44202      |               | C             | 23.26       | 8.75                       | 8.75            | 2.85       | 090              | 53.10                     |             |                                |
| 44203      |               | C             | 4.44        | 1.26                       | 1.26            | 0.57       | ZZZ              | 53.10                     |             |                                |
| 44204      |               | C             | 26.29       | 9.49                       | 9.49            | 3.11       | 090              | 53.10                     |             |                                |
| 44205      |               | C             | 22.86       | 8.36                       | 8.36            | 2.75       | 090              | 53.10                     |             |                                |
| 44206      |               | C             | 29.63       | 11.02                      | 11.02           | 3.46       | 090              | 53.10                     |             |                                |
| 44207      |               | C             | 31.79       | 10.87                      | 10.87           | 3.67       | 090              | 53.10                     |             |                                |
| 44208      |               | C             | 33.86       | 12.62                      | 12.62           | 3.88       | 090              | 53.10                     |             |                                |
| 44210      |               | C             | 29.88       | 11.71                      | 11.71           | 3.42       | 090              | 53.10                     |             |                                |
| 44211      |               | C             | 36.87       | 14.20                      | 14.20           | 4.17       | 090              | 53.10                     |             |                                |
| 44212      |               | C             | 34.37       | 13.63                      | 13.63           | 3.78       | 090              | 53.10                     |             |                                |
| 44213      |               | C             | 3.50        | 1.00                       | 1.00            | 0.44       | ZZZ              | 53.10                     |             |                                |
| 44227      |               | C             | 28.49       | 10.24                      | 10.24           | 3.38       | 090              | 53.10                     |             |                                |
| 44238      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 44300      |               | C             | 13.65       | 5.70                       | 5.70            | 1.60       | 090              | 53.10                     |             |                                |
| 44310      |               | C             | 17.49       | 6.70                       | 6.70            | 1.99       | 090              | 53.10                     |             |                                |
| 44312      |               | C             | 9.33        | 4.59                       | 4.59            | 0.92       | 090              | 53.10                     |             |                                |
| 44314      |               | C             | 16.61       | 6.94                       | 6.94            | 1.75       | 090              | 53.10                     |             |                                |
| 44316      |               | C             | 23.46       | 8.77                       | 8.77            | 2.38       | 090              | 53.10                     |             |                                |
| 44320      |               | C             | 19.75       | 7.85                       | 7.85            | 2.26       | 090              | 53.10                     |             |                                |
| 44322      |               | C             | 13.15       | 9.03                       | 9.03            | 1.54       | 090              | 53.10                     |             |                                |
| 44340      |               | C             | 9.12        | 4.85                       | 4.85            | 0.99       | 090              | 53.10                     |             |                                |
| 44345      |               | C             | 17.06       | 7.11                       | 7.11            | 1.97       | 090              | 53.10                     |             |                                |
| 44346      |               | C             | 19.47       | 7.71                       | 7.71            | 2.13       | 090              | 53.10                     |             |                                |
| 44360      |               | C             | 2.59        | 1.44                       | 1.44            | 0.19       | 000              | 53.10                     |             |                                |
| 44361      |               | C             | 2.87        | 1.57                       | 1.57            | 0.21       | 000              | 53.10                     |             |                                |
| 44363      |               | C             | 3.49        | 1.75                       | 1.75            | 0.27       | 000              | 53.10                     |             |                                |
| 44364      |               | C             | 3.73        | 1.93                       | 1.93            | 0.27       | 000              | 53.10                     |             |                                |
| 44365      |               | C             | 3.31        | 1.73                       | 1.73            | 0.24       | 000              | 53.10                     |             |                                |
| 44366      |               | C             | 4.40        | 2.27                       | 2.27            | 0.32       | 000              | 53.10                     |             |                                |
| 44369      |               | C             | 4.51        | 2.30                       | 2.30            | 0.33       | 000              | 53.10                     |             |                                |
| 44370      |               | C             | 4.79        | 2.54                       | 2.54            | 0.37       | 000              | 53.10                     |             |                                |
| 44372      |               | C             | 4.40        | 2.06                       | 2.06            | 0.35       | 000              | 53.10                     |             |                                |
| 44373      |               | C             | 3.49        | 1.75                       | 1.75            | 0.27       | 000              | 53.10                     |             |                                |
| 44376      |               | C             | 5.25        | 2.48                       | 2.48            | 0.42       | 000              | 53.10                     |             |                                |
| 44377      |               | C             | 5.52        | 2.71                       | 2.71            | 0.40       | 000              | 53.10                     |             |                                |
| 44378      |               | C             | 7.12        | 3.43                       | 3.43            | 0.52       | 000              | 53.10                     |             |                                |
| 44379      |               | C             | 7.46        | 3.68                       | 3.68            | 0.62       | 000              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 44380 |       | C      | 1.05  | 0.71     | 0.71     | 0.08 | 000    | 53.10   |      |                                |
| 44382 |       | C      | 1.27  | 0.83     | 0.83     | 0.12 | 000    | 53.10   |      |                                |
| 44383 |       | C      | 2.94  | 1.59     | 1.59     | 0.21 | 000    | 53.10   |      |                                |
| 44385 |       | C      | 1.82  | 4.40     | 0.86     | 0.15 | 000    | 53.10   |      |                                |
| 44386 |       | C      | 2.12  | 6.54     | 1.01     | 0.20 | 000    | 53.10   |      |                                |
| 44388 |       | C      | 2.82  | 5.76     | 1.34     | 0.26 | 000    | 53.10   |      |                                |
| 44389 |       | C      | 3.13  | 6.86     | 1.53     | 0.27 | 000    | 53.10   |      |                                |
| 44390 |       | C      | 3.82  | 7.71     | 1.77     | 0.32 | 000    | 53.10   |      |                                |
| 44391 |       | C      | 4.31  | 8.62     | 2.08     | 0.34 | 000    | 53.10   |      |                                |
| 44392 |       | C      | 3.81  | 6.98     | 1.67     | 0.34 | 000    | 53.10   |      |                                |
| 44393 |       | C      | 4.83  | 7.69     | 2.16     | 0.42 | 000    | 53.10   |      |                                |
| 44394 |       | C      | 4.42  | 8.22     | 2.06     | 0.38 | 000    | 53.10   |      |                                |
| 44397 |       | C      | 4.70  | 2.31     | 2.31     | 0.39 | 000    | 53.10   |      |                                |
| 44500 |       | C      | 0.49  | 0.18     | 0.18     | 0.03 | 000    | 53.10   |      |                                |
| 44602 |       | C      | 24.64 | 7.56     | 7.56     | 2.12 | 090    | 53.10   |      |                                |
| 44603 |       | C      | 28.03 | 8.89     | 8.89     | 2.42 | 090    | 53.10   |      |                                |
| 44604 |       | C      | 18.06 | 6.39     | 6.39     | 2.12 | 090    | 53.10   |      |                                |
| 44605 |       | C      | 22.00 | 8.22     | 8.22     | 2.52 | 090    | 53.10   |      |                                |
| 44615 |       | C      | 18.08 | 6.82     | 6.82     | 2.07 | 090    | 53.10   |      |                                |
| 44620 |       | C      | 14.35 | 5.63     | 5.63     | 1.51 | 090    | 53.10   |      |                                |
| 44625 |       | C      | 17.20 | 6.41     | 6.41     | 1.86 | 090    | 53.10   |      |                                |
| 44626 |       | C      | 27.82 | 9.50     | 9.50     | 3.27 | 090    | 53.10   |      |                                |
| 44640 |       | C      | 24.12 | 8.49     | 8.49     | 2.78 | 090    | 53.10   |      |                                |
| 44650 |       | C      | 25.04 | 8.85     | 8.85     | 2.93 | 090    | 53.10   |      |                                |
| 44660 |       | C      | 23.83 | 9.52     | 9.52     | 2.14 | 090    | 53.10   |      |                                |
| 44661 |       | C      | 27.27 | 9.82     | 9.82     | 2.81 | 090    | 53.10   |      |                                |
| 44680 |       | C      | 17.88 | 6.74     | 6.74     | 2.00 | 090    | 53.10   |      |                                |
| 44700 |       | C      | 17.40 | 6.50     | 6.50     | 1.84 | 090    | 53.10   |      |                                |
| 44701 |       | C      | 3.10  | 0.88     | 0.88     | 0.37 | ZZZ    | 53.10   |      |                                |
| 44715 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 44720 |       | C      | 5.00  | 1.69     | 1.69     | 0.37 | XXX    | 53.10   |      |                                |
| 44721 |       | C      | 7.00  | 2.08     | 2.08     | 0.97 | XXX    | 53.10   |      |                                |
| 44799 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 44800 |       | C      | 11.94 | 5.58     | 5.58     | 1.47 | 090    | 53.10   |      |                                |
| 44820 |       | C      | 13.63 | 5.73     | 5.73     | 1.59 | 090    | 53.10   |      |                                |
| 44850 |       | C      | 12.03 | 5.06     | 5.06     | 1.39 | 090    | 53.10   |      |                                |
| 44899 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 44900 |       | C      | 12.44 | 5.13     | 5.13     | 1.33 | 090    | 53.10   |      |                                |
| 44901 |       | C      | 3.37  | 21.85    | 1.24     | 0.22 | 000    | 53.10   |      |                                |
| 44950 |       | C      | 10.52 | 4.24     | 4.24     | 1.31 | 090    | 53.10   |      |                                |
| 44955 |       | C      | 1.53  | 0.46     | 0.46     | 0.20 | ZZZ    | 53.10   |      |                                |
| 44960 |       | C      | 14.39 | 5.57     | 5.57     | 1.63 | 090    | 53.10   |      |                                |
| 44970 |       | C      | 9.35  | 4.27     | 4.27     | 1.14 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 44979      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 45000      |               | C             | 6.20        | 3.51                       | 3.51                  | 0.52       | 090              | 53.10                     |             |                                |
| 45005      |               | C             | 2.00        | 3.94                       | 1.58                  | 0.25       | 010              | 53.10                     |             |                                |
| 45020      |               | C             | 8.43        | 4.32                       | 4.32                  | 0.55       | 090              | 53.10                     |             |                                |
| 45100      |               | C             | 3.96        | 2.74                       | 2.74                  | 0.44       | 090              | 53.10                     |             |                                |
| 45108      |               | C             | 5.04        | 3.07                       | 3.07                  | 0.59       | 090              | 53.10                     |             |                                |
| 45110      |               | C             | 30.57       | 12.34                      | 12.34                 | 3.36       | 090              | 53.10                     |             |                                |
| 45111      |               | C             | 17.89       | 7.25                       | 7.25                  | 2.07       | 090              | 53.10                     |             |                                |
| 45112      |               | C             | 33.05       | 11.17                      | 11.17                 | 3.43       | 090              | 53.10                     |             |                                |
| 45113      |               | C             | 33.09       | 12.29                      | 12.29                 | 3.49       | 090              | 53.10                     |             |                                |
| 45114      |               | C             | 30.63       | 10.69                      | 10.69                 | 3.36       | 090              | 53.10                     |             |                                |
| 45116      |               | C             | 27.56       | 9.66                       | 9.66                  | 2.88       | 090              | 53.10                     |             |                                |
| 45119      |               | C             | 33.35       | 12.18                      | 12.18                 | 3.36       | 090              | 53.10                     |             |                                |
| 45120      |               | C             | 26.25       | 10.00                      | 10.00                 | 2.90       | 090              | 53.10                     |             |                                |
| 45121      |               | C             | 28.93       | 10.68                      | 10.68                 | 3.25       | 090              | 53.10                     |             |                                |
| 45123      |               | C             | 18.70       | 7.14                       | 7.14                  | 1.86       | 090              | 53.10                     |             |                                |
| 45126      |               | C             | 48.89       | 18.83                      | 18.83                 | 4.33       | 090              | 53.10                     |             |                                |
| 45130      |               | C             | 18.37       | 6.91                       | 6.91                  | 1.80       | 090              | 53.10                     |             |                                |
| 45135      |               | C             | 22.15       | 8.71                       | 8.71                  | 2.36       | 090              | 53.10                     |             |                                |
| 45136      |               | C             | 30.63       | 12.40                      | 12.40                 | 2.82       | 090              | 53.10                     |             |                                |
| 45150      |               | C             | 5.77        | 3.50                       | 3.50                  | 0.61       | 090              | 53.10                     |             |                                |
| 45160      |               | C             | 16.17       | 6.82                       | 6.82                  | 1.68       | 090              | 53.10                     |             |                                |
| 45170      |               | C             | 12.48       | 5.47                       | 5.47                  | 1.35       | 090              | 53.10                     |             |                                |
| 45190      |               | C             | 10.29       | 5.37                       | 5.37                  | 1.13       | 090              | 53.10                     |             |                                |
| 45300      |               | C             | 0.80        | 1.84                       | 0.42                  | 0.04       | 000              | 53.10                     |             |                                |
| 45303      |               | C             | 1.50        | 19.22                      | 0.59                  | 0.05       | 000              | 53.10                     |             |                                |
| 45305      |               | C             | 1.25        | 3.02                       | 0.59                  | 0.11       | 000              | 53.10                     |             |                                |
| 45307      |               | C             | 1.70        | 3.06                       | 0.64                  | 0.11       | 000              | 53.10                     |             |                                |
| 45308      |               | C             | 1.40        | 2.97                       | 0.59                  | 0.09       | 000              | 53.10                     |             |                                |
| 45309      |               | C             | 1.50        | 3.34                       | 0.74                  | 0.22       | 000              | 53.10                     |             |                                |
| 45315      |               | C             | 1.80        | 3.47                       | 0.81                  | 0.15       | 000              | 53.10                     |             |                                |
| 45317      |               | C             | 2.00        | 3.09                       | 0.75                  | 0.15       | 000              | 53.10                     |             |                                |
| 45320      |               | C             | 1.78        | 3.34                       | 0.83                  | 0.16       | 000              | 53.10                     |             |                                |
| 45321      |               | C             | 1.75        | 0.79                       | 0.79                  | 0.13       | 000              | 53.10                     |             |                                |
| 45327      |               | C             | 2.00        | 0.96                       | 0.96                  | 0.16       | 000              | 53.10                     |             |                                |
| 45330      |               | C             | 0.96        | 2.43                       | 0.60                  | 0.08       | 000              | 53.10                     |             |                                |
| 45331      |               | C             | 1.15        | 3.17                       | 0.75                  | 0.09       | 000              | 53.10                     |             |                                |
| 45332      |               | C             | 1.79        | 5.30                       | 0.97                  | 0.16       | 000              | 53.10                     |             |                                |
| 45333      |               | C             | 1.79        | 5.35                       | 0.96                  | 0.15       | 000              | 53.10                     |             |                                |
| 45334      |               | C             | 2.73        | 1.46                       | 1.46                  | 0.20       | 000              | 53.10                     |             |                                |
| 45335      |               | C             | 1.46        | 4.66                       | 0.85                  | 0.11       | 000              | 53.10                     |             |                                |
| 45337      |               | C             | 2.36        | 1.20                       | 1.20                  | 0.21       | 000              | 53.10                     |             |                                |
| 45338      |               | C             | 2.34        | 5.61                       | 1.24                  | 0.19       | 000              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 45339      |               | C             | 3.14        | 5.06                       | 1.59            | 0.26       | 000              | 53.10                     |             |                                |
| 45340      |               | C             | 1.89        | 9.06                       | 1.01            | 0.15       | 000              | 53.10                     |             |                                |
| 45341      |               | C             | 2.60        | 1.40                       | 1.40            | 0.19       | 000              | 53.10                     |             |                                |
| 45342      |               | C             | 4.05        | 2.06                       | 2.06            | 0.30       | 000              | 53.10                     |             |                                |
| 45345      |               | C             | 2.92        | 1.51                       | 1.51            | 0.23       | 000              | 53.10                     |             |                                |
| 45355      |               | C             | 3.51        | 1.52                       | 1.52            | 0.36       | 000              | 53.10                     |             |                                |
| 45378      |               | C             | 3.69        | 6.24                       | 1.78            | 0.30       | 000              | 53.10                     |             |                                |
| 45378      | 53            | C             | 0.96        | 2.43                       | 0.60            | 0.08       | 000              | 53.10                     |             |                                |
| 45379      |               | C             | 4.68        | 7.92                       | 2.16            | 0.39       | 000              | 53.10                     |             |                                |
| 45380      |               | C             | 4.43        | 7.50                       | 2.17            | 0.35       | 000              | 53.10                     |             |                                |
| 45381      |               | C             | 4.19        | 7.45                       | 2.08            | 0.30       | 000              | 53.10                     |             |                                |
| 45382      |               | C             | 5.68        | 10.08                      | 2.78            | 0.41       | 000              | 53.10                     |             |                                |
| 45383      |               | C             | 5.86        | 8.29                       | 2.60            | 0.48       | 000              | 53.10                     |             |                                |
| 45384      |               | C             | 4.69        | 7.00                       | 2.15            | 0.38       | 000              | 53.10                     |             |                                |
| 45385      |               | C             | 5.30        | 8.13                       | 2.53            | 0.42       | 000              | 53.10                     |             |                                |
| 45386      |               | C             | 4.57        | 12.11                      | 2.14            | 0.39       | 000              | 53.10                     |             |                                |
| 45387      |               | C             | 5.90        | 2.87                       | 2.87            | 0.48       | 000              | 53.10                     |             |                                |
| 45391      |               | C             | 5.09        | 2.48                       | 2.48            | 0.42       | 000              | 53.10                     |             |                                |
| 45392      |               | C             | 6.54        | 3.11                       | 3.11            | 0.42       | 000              | 53.10                     |             |                                |
| 45395      |               | C             | 32.79       | 13.60                      | 13.60           | 3.63       | 090              | 53.10                     |             |                                |
| 45397      |               | C             | 36.29       | 14.12                      | 14.12           | 3.67       | 090              | 53.10                     |             |                                |
| 45400      |               | C             | 19.31       | 7.50                       | 7.50            | 2.03       | 090              | 53.10                     |             |                                |
| 45402      |               | C             | 26.38       | 9.40                       | 9.40            | 2.82       | 090              | 53.10                     |             |                                |
| 45499      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 45500      |               | C             | 7.64        | 4.27                       | 4.27            | 0.75       | 090              | 53.10                     |             |                                |
| 45505      |               | C             | 8.20        | 4.84                       | 4.84            | 0.86       | 090              | 53.10                     |             |                                |
| 45520      |               | C             | 0.55        | 2.52                       | 0.38            | 0.05       | 000              | 53.10                     |             |                                |
| 45540      |               | C             | 18.02       | 6.73                       | 6.73            | 1.85       | 090              | 53.10                     |             |                                |
| 45541      |               | C             | 14.72       | 6.59                       | 6.59            | 1.55       | 090              | 53.10                     |             |                                |
| 45550      |               | C             | 24.67       | 9.32                       | 9.32            | 2.62       | 090              | 53.10                     |             |                                |
| 45560      |               | C             | 11.42       | 5.52                       | 5.52            | 1.13       | 090              | 53.10                     |             |                                |
| 45562      |               | C             | 17.82       | 8.07                       | 8.07            | 1.84       | 090              | 53.10                     |             |                                |
| 45563      |               | C             | 26.22       | 10.97                      | 10.97           | 3.11       | 090              | 53.10                     |             |                                |
| 45800      |               | C             | 20.18       | 9.03                       | 9.03            | 1.86       | 090              | 53.10                     |             |                                |
| 45805      |               | C             | 23.19       | 9.85                       | 9.85            | 2.03       | 090              | 53.10                     |             |                                |
| 45820      |               | C             | 20.24       | 8.94                       | 8.94            | 1.58       | 090              | 53.10                     |             |                                |
| 45825      |               | C             | 24.01       | 10.84                      | 10.84           | 2.32       | 090              | 53.10                     |             |                                |
| 45900      |               | C             | 2.96        | 1.64                       | 1.64            | 0.30       | 010              | 53.10                     |             |                                |
| 45905      |               | C             | 2.32        | 1.58                       | 1.58            | 0.27       | 010              | 53.10                     |             |                                |
| 45910      |               | C             | 2.82        | 1.81                       | 1.81            | 0.30       | 010              | 53.10                     |             |                                |
| 45915      |               | C             | 3.16        | 4.20                       | 2.05            | 0.30       | 010              | 53.10                     |             |                                |
| 45990      |               | C             | 1.80        | 0.77                       | 0.77            | 0.17       | 000              | 53.10                     |             |                                |
| 45999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 46020      |               | C             | 2.94        | 2.96                       | 2.20            | 0.31       | 010              | 53.10                     |             |                                |
| 46030      |               | C             | 1.24        | 1.74                       | 0.79            | 0.14       | 010              | 53.10                     |             |                                |
| 46040      |               | C             | 5.26        | 6.25                       | 3.91            | 0.62       | 090              | 53.10                     |             |                                |
| 46045      |               | C             | 5.79        | 3.71                       | 3.71            | 0.54       | 090              | 53.10                     |             |                                |
| 46050      |               | C             | 1.21        | 2.98                       | 0.94            | 0.14       | 010              | 53.10                     |             |                                |
| 46060      |               | C             | 6.24        | 4.17                       | 4.17            | 0.67       | 090              | 53.10                     |             |                                |
| 46070      |               | C             | 2.74        | 2.57                       | 2.57            | 0.36       | 090              | 53.10                     |             |                                |
| 46080      |               | C             | 2.50        | 2.88                       | 1.15            | 0.30       | 010              | 53.10                     |             |                                |
| 46083      |               | C             | 1.42        | 2.71                       | 1.07            | 0.15       | 010              | 53.10                     |             |                                |
| 46200      |               | C             | 3.48        | 5.63                       | 3.51            | 0.39       | 090              | 53.10                     |             |                                |
| 46210      |               | C             | 2.73        | 5.67                       | 3.17            | 0.31       | 090              | 53.10                     |             |                                |
| 46211      |               | C             | 4.31        | 7.01                       | 4.26            | 0.48       | 090              | 53.10                     |             |                                |
| 46220      |               | C             | 1.58        | 2.82                       | 1.08            | 0.17       | 010              | 53.10                     |             |                                |
| 46221      |               | C             | 2.31        | 3.44                       | 1.94            | 0.23       | 010              | 53.10                     |             |                                |
| 46230      |               | C             | 2.59        | 3.39                       | 1.35            | 0.30       | 010              | 53.10                     |             |                                |
| 46250      |               | C             | 4.17        | 5.80                       | 2.82            | 0.48       | 090              | 53.10                     |             |                                |
| 46255      |               | C             | 4.88        | 6.21                       | 3.05            | 0.58       | 090              | 53.10                     |             |                                |
| 46257      |               | C             | 5.68        | 3.62                       | 3.62            | 0.64       | 090              | 53.10                     |             |                                |
| 46258      |               | C             | 6.28        | 3.90                       | 3.90            | 0.68       | 090              | 53.10                     |             |                                |
| 46260      |               | C             | 6.65        | 3.89                       | 3.89            | 0.76       | 090              | 53.10                     |             |                                |
| 46261      |               | C             | 7.63        | 4.19                       | 4.19            | 0.79       | 090              | 53.10                     |             |                                |
| 46262      |               | C             | 7.80        | 4.54                       | 4.54            | 0.83       | 090              | 53.10                     |             |                                |
| 46270      |               | C             | 4.81        | 6.00                       | 3.66            | 0.46       | 090              | 53.10                     |             |                                |
| 46275      |               | C             | 5.31        | 6.11                       | 3.75            | 0.52       | 090              | 53.10                     |             |                                |
| 46280      |               | C             | 6.28        | 4.05                       | 4.05            | 0.66       | 090              | 53.10                     |             |                                |
| 46285      |               | C             | 5.31        | 5.83                       | 3.68            | 0.44       | 090              | 53.10                     |             |                                |
| 46288      |               | C             | 7.68        | 4.52                       | 4.52            | 0.79       | 090              | 53.10                     |             |                                |
| 46320      |               | C             | 1.62        | 2.33                       | 0.89            | 0.18       | 010              | 53.10                     |             |                                |
| 46500      |               | C             | 1.64        | 3.21                       | 1.24            | 0.16       | 010              | 53.10                     |             |                                |
| 46505      |               | C             | 3.13        | 3.23                       | 2.23            | 0.14       | 010              | 53.10                     |             |                                |
| 46600      |               | C             | 0.55        | 1.41                       | 0.37            | 0.05       | 000              | 53.10                     |             |                                |
| 46604      |               | C             | 1.03        | 11.33                      | 0.54            | 0.12       | 000              | 53.10                     |             |                                |
| 46606      |               | C             | 1.20        | 3.84                       | 0.56            | 0.09       | 000              | 53.10                     |             |                                |
| 46608      |               | C             | 1.30        | 3.86                       | 0.60            | 0.16       | 000              | 53.10                     |             |                                |
| 46610      |               | C             | 1.28        | 3.83                       | 0.61            | 0.15       | 000              | 53.10                     |             |                                |
| 46611      |               | C             | 1.30        | 2.68                       | 0.63            | 0.19       | 000              | 53.10                     |             |                                |
| 46612      |               | C             | 1.50        | 4.56                       | 0.75            | 0.28       | 000              | 53.10                     |             |                                |
| 46614      |               | C             | 1.00        | 2.02                       | 0.61            | 0.20       | 000              | 53.10                     |             |                                |
| 46615      |               | C             | 1.50        | 1.91                       | 0.76            | 0.33       | 000              | 53.10                     |             |                                |
| 46700      |               | C             | 9.68        | 5.01                       | 5.01            | 0.94       | 090              | 53.10                     |             |                                |
| 46705      |               | C             | 7.32        | 4.72                       | 4.72            | 0.91       | 090              | 53.10                     |             |                                |
| 46706      |               | C             | 2.41        | 1.46                       | 1.46            | 0.28       | 010              | 53.10                     |             |                                |
| 46710      |               | C             | 17.01       | 8.14                       | 8.14            | 1.38       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 46712      |               | C             | 36.32       | 14.40                      | 14.40                 | 3.67       | 090              | 53.10                     |             |                                |
| 46715      |               | C             | 7.54        | 4.34                       | 4.34                  | 0.92       | 090              | 53.10                     |             |                                |
| 46716      |               | C             | 17.14       | 12.40                      | 12.40                 | 1.58       | 090              | 53.10                     |             |                                |
| 46730      |               | C             | 30.17       | 14.42                      | 14.42                 | 2.47       | 090              | 53.10                     |             |                                |
| 46735      |               | C             | 35.66       | 16.19                      | 16.19                 | 3.21       | 090              | 53.10                     |             |                                |
| 46740      |               | C             | 33.42       | 14.56                      | 14.56                 | 2.42       | 090              | 53.10                     |             |                                |
| 46742      |               | C             | 39.66       | 16.82                      | 16.82                 | 3.20       | 090              | 53.10                     |             |                                |
| 46744      |               | C             | 58.46       | 20.85                      | 20.85                 | 6.40       | 090              | 53.10                     |             |                                |
| 46746      |               | C             | 64.93       | 26.55                      | 26.55                 | 7.70       | 090              | 53.10                     |             |                                |
| 46748      |               | C             | 70.91       | 27.68                      | 27.68                 | 3.37       | 090              | 53.10                     |             |                                |
| 46750      |               | C             | 12.02       | 5.76                       | 5.76                  | 1.10       | 090              | 53.10                     |             |                                |
| 46751      |               | C             | 9.19        | 5.58                       | 5.58                  | 0.94       | 090              | 53.10                     |             |                                |
| 46753      |               | C             | 8.81        | 4.55                       | 4.55                  | 0.94       | 090              | 53.10                     |             |                                |
| 46754      |               | C             | 2.88        | 3.69                       | 2.14                  | 0.19       | 010              | 53.10                     |             |                                |
| 46760      |               | C             | 17.21       | 7.92                       | 7.92                  | 1.59       | 090              | 53.10                     |             |                                |
| 46761      |               | C             | 15.16       | 6.53                       | 6.53                  | 1.43       | 090              | 53.10                     |             |                                |
| 46762      |               | C             | 14.66       | 6.84                       | 6.84                  | 1.24       | 090              | 53.10                     |             |                                |
| 46900      |               | C             | 1.91        | 3.40                       | 1.33                  | 0.17       | 010              | 53.10                     |             |                                |
| 46910      |               | C             | 1.88        | 3.65                       | 1.20                  | 0.19       | 010              | 53.10                     |             |                                |
| 46916      |               | C             | 1.88        | 3.65                       | 1.58                  | 0.11       | 010              | 53.10                     |             |                                |
| 46917      |               | C             | 1.88        | 8.79                       | 1.21                  | 0.21       | 010              | 53.10                     |             |                                |
| 46922      |               | C             | 1.88        | 3.87                       | 1.18                  | 0.22       | 010              | 53.10                     |             |                                |
| 46924      |               | C             | 2.78        | 9.29                       | 1.52                  | 0.26       | 010              | 53.10                     |             |                                |
| 46930      |               | C             | 1.56        | 3.54                       | 2.09                  | 0.16       | 090              | 53.10                     |             |                                |
| 46934      |               | C             | 3.79        | 5.57                       | 2.88                  | 0.32       | 090              | 51.86                     | 12/31/2008  |                                |
| 46935      |               | C             | 2.44        | 3.86                       | 1.11                  | 0.23       | 010              | 51.86                     | 12/31/2008  |                                |
| 46936      |               | C             | 3.70        | 6.24                       | 2.66                  | 0.34       | 090              | 51.86                     | 12/31/2008  |                                |
| 46937      |               | C             | 2.70        | 3.27                       | 1.48                  | 0.14       | 010              | 53.10                     |             |                                |
| 46938      |               | C             | 4.70        | 5.50                       | 3.65                  | 0.58       | 090              | 53.10                     |             |                                |
| 46940      |               | C             | 2.33        | 2.62                       | 1.08                  | 0.23       | 010              | 53.10                     |             |                                |
| 46942      |               | C             | 2.05        | 2.55                       | 0.99                  | 0.19       | 010              | 53.10                     |             |                                |
| 46945      |               | C             | 2.13        | 4.34                       | 2.82                  | 0.19       | 090              | 53.10                     |             |                                |
| 46946      |               | C             | 2.60        | 4.36                       | 2.58                  | 0.27       | 090              | 53.10                     |             |                                |
| 46947      |               | C             | 5.49        | 3.06                       | 3.06                  | 0.75       | 090              | 53.10                     |             |                                |
| 46999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 47000      |               | C             | 1.90        | 6.48                       | 0.73                  | 0.12       | 000              | 53.10                     |             |                                |
| 47001      |               | C             | 1.90        | 0.55                       | 0.55                  | 0.25       | ZZZ              | 53.10                     |             |                                |
| 47010      |               | C             | 19.27       | 8.54                       | 8.54                  | 1.81       | 090              | 53.10                     |             |                                |
| 47011      |               | C             | 3.69        | 1.41                       | 1.41                  | 0.22       | 000              | 53.10                     |             |                                |
| 47015      |               | C             | 18.37       | 7.93                       | 7.93                  | 1.84       | 090              | 53.10                     |             |                                |
| 47100      |               | C             | 12.78       | 6.38                       | 6.38                  | 1.53       | 090              | 53.10                     |             |                                |
| 47120      |               | C             | 38.82       | 14.82                      | 14.82                 | 4.66       | 090              | 53.10                     |             |                                |
| 47122      |               | C             | 59.35       | 20.26                      | 20.26                 | 7.21       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 47125      |               | C             | 52.91       | 18.39                      | 18.39                 | 6.47       | 090              | 53.10                     |             |                                |
| 47130      |               | C             | 57.06       | 19.60                      | 19.60                 | 6.96       | 090              | 53.10                     |             |                                |
| 47133      |               | C             | 10.68       | 63.64                      | 7.43                  | 0.79       | XXX              | 53.10                     |             |                                |
| 47135      |               | C             | 83.29       | 29.74                      | 29.74                 | 9.96       | 090              | 53.10                     |             |                                |
| 47136      |               | C             | 70.39       | 26.06                      | 26.06                 | 8.44       | 090              | 53.10                     |             |                                |
| 47140      |               | C             | 59.22       | 22.51                      | 22.51                 | 5.19       | 090              | 53.10                     |             |                                |
| 47141      |               | C             | 71.27       | 26.63                      | 26.63                 | 5.19       | 090              | 53.10                     |             |                                |
| 47142      |               | C             | 79.21       | 28.90                      | 28.90                 | 5.19       | 090              | 53.10                     |             |                                |
| 47143      |               | C             | 540.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 47144      |               | C             | 540.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 47145      |               | C             | 540.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 47146      |               | C             | 6.00        | 1.74                       | 1.74                  | 0.83       | XXX              | 53.10                     |             |                                |
| 47147      |               | C             | 7.00        | 2.03                       | 2.03                  | 0.97       | XXX              | 53.10                     |             |                                |
| 47300      |               | C             | 18.01       | 7.75                       | 7.75                  | 1.99       | 090              | 53.10                     |             |                                |
| 47350      |               | C             | 22.36       | 9.15                       | 9.15                  | 2.59       | 090              | 53.10                     |             |                                |
| 47360      |               | C             | 31.18       | 11.78                      | 11.78                 | 3.38       | 090              | 53.10                     |             |                                |
| 47361      |               | C             | 52.47       | 17.92                      | 17.92                 | 5.87       | 090              | 53.10                     |             |                                |
| 47362      |               | C             | 23.41       | 9.40                       | 9.40                  | 2.51       | 090              | 53.10                     |             |                                |
| 47370      |               | C             | 20.67       | 8.01                       | 8.01                  | 2.56       | 090              | 53.10                     |             |                                |
| 47371      |               | C             | 20.67       | 8.55                       | 8.55                  | 2.61       | 090              | 53.10                     |             |                                |
| 47379      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 47380      |               | C             | 24.43       | 9.18                       | 9.18                  | 2.87       | 090              | 53.10                     |             |                                |
| 47381      |               | C             | 24.72       | 9.60                       | 9.60                  | 2.85       | 090              | 53.10                     |             |                                |
| 47382      |               | C             | 15.19       | 6.64                       | 6.64                  | 0.96       | 010              | 53.10                     |             |                                |
| 47399      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 47400      |               | C             | 36.23       | 13.29                      | 13.29                 | 3.08       | 090              | 53.10                     |             |                                |
| 47420      |               | C             | 21.92       | 8.87                       | 8.87                  | 2.63       | 090              | 53.10                     |             |                                |
| 47425      |               | C             | 22.20       | 8.92                       | 8.92                  | 2.62       | 090              | 53.10                     |             |                                |
| 47460      |               | C             | 20.41       | 9.16                       | 9.16                  | 2.21       | 090              | 53.10                     |             |                                |
| 47480      |               | C             | 13.12       | 6.61                       | 6.61                  | 1.42       | 090              | 53.10                     |             |                                |
| 47490      |               | C             | 8.05        | 5.59                       | 5.59                  | 0.43       | 090              | 53.10                     |             |                                |
| 47500      |               | C             | 1.96        | 0.75                       | 0.75                  | 0.12       | 000              | 53.10                     |             |                                |
| 47505      |               | C             | 0.76        | 0.29                       | 0.29                  | 0.04       | 000              | 53.10                     |             |                                |
| 47510      |               | C             | 7.94        | 4.94                       | 4.94                  | 0.46       | 090              | 53.10                     |             |                                |
| 47511      |               | C             | 10.74       | 5.40                       | 5.40                  | 0.62       | 090              | 53.10                     |             |                                |
| 47525      |               | C             | 1.54        | 13.84                      | 1.67                  | 0.33       | 010              | 53.10                     |             |                                |
| 47530      |               | C             | 5.96        | 31.45                      | 3.70                  | 0.37       | 090              | 53.10                     |             |                                |
| 47550      |               | C             | 3.02        | 0.90                       | 0.90                  | 0.40       | ZZZ              | 53.10                     |             |                                |
| 47552      |               | C             | 6.03        | 2.67                       | 2.67                  | 0.42       | 000              | 53.10                     |             |                                |
| 47553      |               | C             | 6.34        | 2.39                       | 2.39                  | 0.37       | 000              | 53.10                     |             |                                |
| 47554      |               | C             | 9.05        | 3.46                       | 3.46                  | 0.96       | 000              | 53.10                     |             |                                |
| 47555      |               | C             | 7.55        | 2.92                       | 2.92                  | 0.45       | 000              | 53.10                     |             |                                |
| 47556      |               | C             | 8.55        | 3.30                       | 3.30                  | 0.50       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 47560      |               | C             | 4.88        | 1.45                       | 1.45            | 0.65       | 000              | 53.10                     |             |                                |
| 47561      |               | C             | 5.17        | 1.73                       | 1.73            | 0.66       | 000              | 53.10                     |             |                                |
| 47562      |               | C             | 11.63       | 5.32                       | 5.32            | 1.46       | 090              | 53.10                     |             |                                |
| 47563      |               | C             | 12.03       | 5.26                       | 5.26            | 1.58       | 090              | 53.10                     |             |                                |
| 47564      |               | C             | 14.21       | 5.72                       | 5.72            | 1.89       | 090              | 53.10                     |             |                                |
| 47570      |               | C             | 12.56       | 5.26                       | 5.26            | 1.65       | 090              | 53.10                     |             |                                |
| 47579      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 47600      |               | C             | 17.35       | 7.14                       | 7.14            | 1.80       | 090              | 53.10                     |             |                                |
| 47605      |               | C             | 15.90       | 6.58                       | 6.58            | 1.95       | 090              | 53.10                     |             |                                |
| 47610      |               | C             | 20.84       | 7.98                       | 7.98            | 2.49       | 090              | 53.10                     |             |                                |
| 47612      |               | C             | 21.13       | 8.01                       | 8.01            | 2.48       | 090              | 53.10                     |             |                                |
| 47620      |               | C             | 22.99       | 8.61                       | 8.61            | 2.74       | 090              | 53.10                     |             |                                |
| 47630      |               | C             | 9.57        | 5.02                       | 5.02            | 0.65       | 090              | 53.10                     |             |                                |
| 47700      |               | C             | 16.39       | 7.62                       | 7.62            | 2.07       | 090              | 53.10                     |             |                                |
| 47701      |               | C             | 28.62       | 12.60                      | 12.60           | 3.68       | 090              | 53.10                     |             |                                |
| 47711      |               | C             | 25.77       | 10.04                      | 10.04           | 3.05       | 090              | 53.10                     |             |                                |
| 47712      |               | C             | 33.59       | 12.24                      | 12.24           | 3.93       | 090              | 53.10                     |             |                                |
| 47715      |               | C             | 21.42       | 8.73                       | 8.73            | 2.49       | 090              | 53.10                     |             |                                |
| 47720      |               | C             | 18.21       | 7.87                       | 7.87            | 2.11       | 090              | 53.10                     |             |                                |
| 47721      |               | C             | 21.86       | 8.88                       | 8.88            | 2.53       | 090              | 53.10                     |             |                                |
| 47740      |               | C             | 21.10       | 8.62                       | 8.62            | 2.42       | 090              | 53.10                     |             |                                |
| 47741      |               | C             | 24.08       | 9.53                       | 9.53            | 2.83       | 090              | 53.10                     |             |                                |
| 47760      |               | C             | 38.14       | 12.99                      | 12.99           | 3.42       | 090              | 53.10                     |             |                                |
| 47765      |               | C             | 52.01       | 16.25                      | 16.25           | 3.30       | 090              | 53.10                     |             |                                |
| 47780      |               | C             | 42.14       | 13.92                      | 13.92           | 3.50       | 090              | 53.10                     |             |                                |
| 47785      |               | C             | 56.01       | 17.36                      | 17.36           | 4.10       | 090              | 53.10                     |             |                                |
| 47800      |               | C             | 26.04       | 10.12                      | 10.12           | 3.08       | 090              | 53.10                     |             |                                |
| 47801      |               | C             | 17.47       | 8.80                       | 8.80            | 1.16       | 090              | 53.10                     |             |                                |
| 47802      |               | C             | 24.80       | 9.98                       | 9.98            | 2.86       | 090              | 53.10                     |             |                                |
| 47900      |               | C             | 22.31       | 8.99                       | 8.99            | 2.65       | 090              | 53.10                     |             |                                |
| 47999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 48000      |               | C             | 31.82       | 11.68                      | 11.68           | 3.48       | 090              | 53.10                     |             |                                |
| 48001      |               | C             | 39.56       | 13.63                      | 13.63           | 4.69       | 090              | 53.10                     |             |                                |
| 48020      |               | C             | 18.96       | 7.89                       | 7.89            | 2.13       | 090              | 53.10                     |             |                                |
| 48100      |               | C             | 14.38       | 6.00                       | 6.00            | 1.62       | 090              | 53.10                     |             |                                |
| 48102      |               | C             | 4.68        | 9.28                       | 2.06            | 0.28       | 010              | 53.10                     |             |                                |
| 48105      |               | C             | 49.05       | 16.65                      | 16.65           | 5.56       | 090              | 53.10                     |             |                                |
| 48120      |               | C             | 18.33       | 7.07                       | 7.07            | 2.10       | 090              | 53.10                     |             |                                |
| 48140      |               | C             | 26.19       | 9.73                       | 9.73            | 3.03       | 090              | 53.10                     |             |                                |
| 48145      |               | C             | 27.26       | 10.02                      | 10.02           | 3.18       | 090              | 53.10                     |             |                                |
| 48146      |               | C             | 30.42       | 12.22                      | 12.22           | 3.50       | 090              | 53.10                     |             |                                |
| 48148      |               | C             | 20.26       | 8.07                       | 8.07            | 2.30       | 090              | 53.10                     |             |                                |
| 48150      |               | C             | 52.63       | 19.06                      | 19.06           | 6.32       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 48152 |       | C      | 48.47  | 17.85    | 17.85    | 5.80 | 090    | 53.10   |      |                                |
| 48153 |       | C      | 52.61  | 18.98    | 18.98    | 6.31 | 090    | 53.10   |      |                                |
| 48154 |       | C      | 48.70  | 17.77    | 17.77    | 5.84 | 090    | 53.10   |      |                                |
| 48155 |       | C      | 29.27  | 12.18    | 12.18    | 3.27 | 090    | 53.10   |      |                                |
| 48160 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 48400 |       | C      | 1.95   | 0.71     | 0.71     | 0.15 | ZZZ    | 53.10   |      |                                |
| 48500 |       | C      | 18.03  | 7.96     | 7.96     | 2.03 | 090    | 53.10   |      |                                |
| 48510 |       | C      | 17.06  | 7.69     | 7.69     | 1.83 | 090    | 53.10   |      |                                |
| 48511 |       | C      | 3.99   | 20.43    | 1.53     | 0.24 | 000    | 53.10   |      |                                |
| 48520 |       | C      | 18.07  | 7.05     | 7.05     | 2.06 | 090    | 53.10   |      |                                |
| 48540 |       | C      | 21.86  | 8.06     | 8.06     | 2.61 | 090    | 53.10   |      |                                |
| 48545 |       | C      | 22.10  | 8.37     | 8.37     | 2.38 | 090    | 53.10   |      |                                |
| 48547 |       | C      | 30.25  | 10.70    | 10.70    | 3.42 | 090    | 53.10   |      |                                |
| 48548 |       | C      | 27.96  | 10.35    | 10.35    | 3.28 | 090    | 53.10   |      |                                |
| 48550 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 48551 |       | C      | 249.33 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 48552 |       | C      | 4.30   | 1.29     | 1.29     | 0.31 | XXX    | 53.10   |      |                                |
| 48554 |       | C      | 37.03  | 20.39    | 20.39    | 4.19 | 090    | 53.10   |      |                                |
| 48556 |       | C      | 19.24  | 9.37     | 9.37     | 2.08 | 090    | 53.10   |      |                                |
| 48999 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 49000 |       | C      | 12.44  | 5.41     | 5.41     | 1.52 | 090    | 53.10   |      |                                |
| 49002 |       | C      | 17.55  | 6.26     | 6.26     | 1.37 | 090    | 53.10   |      |                                |
| 49010 |       | C      | 15.98  | 6.38     | 6.38     | 1.51 | 090    | 53.10   |      |                                |
| 49020 |       | C      | 26.46  | 10.30    | 10.30    | 2.85 | 090    | 53.10   |      |                                |
| 49021 |       | C      | 3.37   | 19.99    | 1.29     | 0.20 | 000    | 53.10   |      |                                |
| 49040 |       | C      | 16.41  | 6.69     | 6.69     | 1.70 | 090    | 53.10   |      |                                |
| 49041 |       | C      | 3.99   | 19.83    | 1.52     | 0.24 | 000    | 53.10   |      |                                |
| 49060 |       | C      | 18.42  | 7.54     | 7.54     | 1.75 | 090    | 53.10   |      |                                |
| 49061 |       | C      | 3.69   | 19.73    | 1.41     | 0.22 | 000    | 53.10   |      |                                |
| 49062 |       | C      | 12.12  | 5.40     | 5.40     | 1.39 | 090    | 53.10   |      |                                |
| 49080 |       | C      | 1.35   | 3.05     | 0.51     | 0.08 | 000    | 53.10   |      |                                |
| 49081 |       | C      | 1.26   | 2.84     | 0.48     | 0.09 | 000    | 53.10   |      |                                |
| 49180 |       | C      | 1.73   | 2.67     | 0.66     | 0.10 | 000    | 53.10   |      |                                |
| 49203 |       | C      | 20.00  | 8.03     | 8.03     | 2.27 | 090    | 53.10   |      |                                |
| 49204 |       | C      | 26.00  | 9.76     | 9.76     | 2.94 | 090    | 53.10   |      |                                |
| 49205 |       | C      | 30.00  | 10.92    | 10.92    | 3.40 | 090    | 53.10   |      |                                |
| 49215 |       | C      | 37.66  | 13.57    | 13.57    | 4.38 | 090    | 53.10   |      |                                |
| 49220 |       | C      | 15.70  | 6.61     | 6.61     | 1.89 | 090    | 53.10   |      |                                |
| 49250 |       | C      | 8.93   | 4.44     | 4.44     | 1.08 | 090    | 53.10   |      |                                |
| 49255 |       | C      | 12.41  | 5.76     | 5.76     | 1.43 | 090    | 53.10   |      |                                |
| 49320 |       | C      | 5.09   | 2.55     | 2.55     | 0.65 | 010    | 53.10   |      |                                |
| 49321 |       | C      | 5.39   | 2.64     | 2.64     | 0.70 | 010    | 53.10   |      |                                |
| 49322 |       | C      | 5.96   | 2.80     | 2.80     | 0.71 | 010    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 49323      |               | C             | 10.13       | 4.75                       | 4.75            | 1.20       | 090              | 53.10                     |             |                                |
| 49324      |               | C             | 6.27        | 2.85                       | 2.85            | 0.73       | 010              | 53.10                     |             |                                |
| 49325      |               | C             | 6.77        | 2.97                       | 2.97            | 0.86       | 010              | 53.10                     |             |                                |
| 49326      |               | C             | 3.50        | 0.95                       | 0.95            | 0.44       | ZZZ              | 53.10                     |             |                                |
| 49329      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 49400      |               | C             | 1.88        | 2.67                       | 0.68            | 0.15       | 000              | 53.10                     |             |                                |
| 49402      |               | C             | 14.01       | 5.72                       | 5.72            | 1.62       | 090              | 53.10                     |             |                                |
| 49419      |               | C             | 7.03        | 3.58                       | 3.58            | 0.81       | 090              | 53.10                     |             |                                |
| 49420      |               | C             | 2.22        | 1.18                       | 1.18            | 0.21       | 000              | 53.10                     |             |                                |
| 49421      |               | C             | 5.87        | 3.20                       | 3.20            | 0.74       | 090              | 53.10                     |             |                                |
| 49422      |               | C             | 6.26        | 2.77                       | 2.77            | 0.83       | 010              | 53.10                     |             |                                |
| 49423      |               | C             | 1.46        | 13.35                      | 0.60            | 0.09       | 000              | 53.10                     |             |                                |
| 49424      |               | C             | 0.76        | 3.25                       | 0.32            | 0.04       | 000              | 53.10                     |             |                                |
| 49425      |               | C             | 12.13       | 5.56                       | 5.56            | 1.54       | 090              | 53.10                     |             |                                |
| 49426      |               | C             | 10.33       | 4.76                       | 4.76            | 1.28       | 090              | 53.10                     |             |                                |
| 49427      |               | C             | 0.89        | 0.34                       | 0.34            | 0.07       | 000              | 53.10                     |             |                                |
| 49428      |               | C             | 6.79        | 3.41                       | 3.41            | 0.80       | 010              | 53.10                     |             |                                |
| 49429      |               | C             | 7.41        | 3.24                       | 3.24            | 1.02       | 010              | 53.10                     |             |                                |
| 49435      |               | C             | 2.25        | 0.60                       | 0.60            | 0.28       | ZZZ              | 53.10                     |             |                                |
| 49436      |               | C             | 2.69        | 1.61                       | 1.61            | 0.28       | 010              | 53.10                     |             |                                |
| 49440      |               | C             | 4.18        | 24.42                      | 1.91            | 0.49       | 010              | 53.10                     |             |                                |
| 49441      |               | C             | 4.77        | 26.44                      | 2.12            | 0.29       | 010              | 53.10                     |             |                                |
| 49442      |               | C             | 4.00        | 23.99                      | 1.69            | 0.24       | 010              | 53.10                     |             |                                |
| 49446      |               | C             | 3.31        | 22.87                      | 1.28            | 0.18       | 010              | 53.10                     |             |                                |
| 49450      |               | C             | 1.36        | 18.27                      | 0.47            | 0.08       | 000              | 53.10                     |             |                                |
| 49451      |               | C             | 1.84        | 16.82                      | 0.71            | 0.11       | 000              | 53.10                     |             |                                |
| 49452      |               | C             | 2.86        | 20.61                      | 1.11            | 0.18       | 000              | 53.10                     |             |                                |
| 49460      |               | C             | 0.96        | 20.59                      | 0.35            | 0.05       | 000              | 53.10                     |             |                                |
| 49465      |               | C             | 0.62        | 3.87                       | 0.24            | 0.03       | 000              | 53.10                     |             |                                |
| 49491      |               | D             | 12.42       | 5.46                       | 5.46            | 1.40       | 090              | 53.10                     |             |                                |
| 49492      |               | D             | 15.32       | 6.45                       | 6.45            | 1.81       | 090              | 53.10                     |             |                                |
| 49495      |               | D             | 6.15        | 2.93                       | 2.93            | 0.74       | 090              | 53.10                     |             |                                |
| 49496      |               | D             | 9.32        | 4.49                       | 4.49            | 1.07       | 090              | 53.10                     |             |                                |
| 49500      |               | D             | 5.76        | 3.30                       | 3.30            | 0.71       | 090              | 53.10                     |             |                                |
| 49501      |               | D             | 9.28        | 4.39                       | 4.39            | 1.12       | 090              | 53.10                     |             |                                |
| 49505      |               | C             | 7.88        | 3.93                       | 3.93            | 1.03       | 090              | 53.10                     |             |                                |
| 49507      |               | C             | 9.97        | 4.56                       | 4.56            | 1.27       | 090              | 53.10                     |             |                                |
| 49520      |               | C             | 9.91        | 4.50                       | 4.50            | 1.28       | 090              | 53.10                     |             |                                |
| 49521      |               | C             | 12.36       | 5.19                       | 5.19            | 1.59       | 090              | 53.10                     |             |                                |
| 49525      |               | C             | 8.85        | 4.20                       | 4.20            | 1.13       | 090              | 53.10                     |             |                                |
| 49540      |               | C             | 10.66       | 4.75                       | 4.75            | 1.37       | 090              | 53.10                     |             |                                |
| 49550      |               | C             | 8.91        | 4.20                       | 4.20            | 1.14       | 090              | 53.10                     |             |                                |
| 49553      |               | C             | 9.84        | 4.51                       | 4.51            | 1.24       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 49555      |               | C             | 9.31        | 4.33                       | 4.33            | 1.20       | 090              | 53.10                     |             |                                |
| 49557      |               | C             | 11.54       | 5.01                       | 5.01            | 1.47       | 090              | 53.10                     |             |                                |
| 49560      |               | C             | 11.84       | 5.07                       | 5.07            | 1.52       | 090              | 53.10                     |             |                                |
| 49561      |               | C             | 15.30       | 6.04                       | 6.04            | 1.89       | 090              | 53.10                     |             |                                |
| 49565      |               | C             | 12.29       | 5.28                       | 5.28            | 1.52       | 090              | 53.10                     |             |                                |
| 49566      |               | C             | 15.45       | 6.11                       | 6.11            | 1.91       | 090              | 53.10                     |             |                                |
| 49568      |               | C             | 4.88        | 1.42                       | 1.42            | 0.64       | ZZZ              | 53.10                     |             |                                |
| 49570      |               | C             | 5.97        | 3.37                       | 3.37            | 0.75       | 090              | 53.10                     |             |                                |
| 49572      |               | C             | 7.79        | 3.81                       | 3.81            | 0.88       | 090              | 53.10                     |             |                                |
| 49580      |               | D             | 4.39        | 2.92                       | 2.92            | 0.54       | 090              | 53.10                     |             |                                |
| 49582      |               | D             | 7.05        | 3.74                       | 3.74            | 0.88       | 090              | 53.10                     |             |                                |
| 49585      |               | C             | 6.51        | 3.52                       | 3.52            | 0.82       | 090              | 53.10                     |             |                                |
| 49587      |               | C             | 7.96        | 3.91                       | 3.91            | 0.99       | 090              | 53.10                     |             |                                |
| 49590      |               | C             | 8.82        | 4.18                       | 4.18            | 1.13       | 090              | 53.10                     |             |                                |
| 49600      |               | C             | 11.47       | 5.40                       | 5.40            | 1.32       | 090              | 53.10                     |             |                                |
| 49605      |               | C             | 86.85       | 29.33                      | 29.33           | 9.39       | 090              | 53.10                     |             |                                |
| 49606      |               | C             | 18.92       | 7.18                       | 7.18            | 2.46       | 090              | 53.10                     |             |                                |
| 49610      |               | C             | 10.83       | 4.96                       | 4.96            | 1.07       | 090              | 53.10                     |             |                                |
| 49611      |               | C             | 9.26        | 5.10                       | 5.10            | 0.78       | 090              | 53.10                     |             |                                |
| 49650      |               | C             | 6.30        | 3.37                       | 3.37            | 0.93       | 090              | 53.10                     |             |                                |
| 49651      |               | C             | 8.29        | 4.25                       | 4.25            | 1.14       | 090              | 53.10                     |             |                                |
| 49652      |               | C             | 12.80       | 5.43                       | 5.43            | 1.64       | 090              | 53.10                     |             |                                |
| 49653      |               | C             | 16.10       | 6.71                       | 6.71            | 1.99       | 090              | 53.10                     |             |                                |
| 49654      |               | C             | 14.95       | 6.02                       | 6.02            | 1.83       | 090              | 53.10                     |             |                                |
| 49655      |               | C             | 18.00       | 7.23                       | 7.23            | 2.22       | 090              | 53.10                     |             |                                |
| 49656      |               | C             | 15.00       | 6.03                       | 6.03            | 1.86       | 090              | 53.10                     |             |                                |
| 49657      |               | C             | 22.00       | 8.32                       | 8.32            | 2.73       | 090              | 53.10                     |             |                                |
| 49659      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 49900      |               | C             | 12.26       | 6.41                       | 6.41            | 1.62       | 090              | 53.10                     |             |                                |
| 49904      |               | C             | 22.16       | 12.87                      | 12.87           | 2.70       | 090              | 53.10                     |             |                                |
| 49905      |               | C             | 6.54        | 1.94                       | 1.94            | 0.75       | ZZZ              | 53.10                     |             |                                |
| 49906      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | 090              | 0.00                      |             |                                |
| 49999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 50010      |               | C             | 12.13       | 6.59                       | 6.59            | 0.93       | 090              | 53.10                     |             |                                |
| 50020      |               | C             | 17.88       | 8.80                       | 8.80            | 1.34       | 090              | 53.10                     |             |                                |
| 50021      |               | C             | 3.37        | 21.22                      | 1.28            | 0.20       | 000              | 53.10                     |             |                                |
| 50040      |               | C             | 16.48       | 8.83                       | 8.83            | 1.03       | 090              | 53.10                     |             |                                |
| 50045      |               | C             | 16.67       | 8.75                       | 8.75            | 1.24       | 090              | 53.10                     |             |                                |
| 50060      |               | C             | 20.80       | 10.61                      | 10.61           | 1.36       | 090              | 53.10                     |             |                                |
| 50065      |               | C             | 22.17       | 10.73                      | 10.73           | 1.59       | 090              | 53.10                     |             |                                |
| 50070      |               | C             | 21.70       | 11.11                      | 11.11           | 1.44       | 090              | 53.10                     |             |                                |
| 50075      |               | C             | 26.91       | 13.39                      | 13.39           | 1.81       | 090              | 53.10                     |             |                                |
| 50080      |               | C             | 15.61       | 8.39                       | 8.39            | 1.04       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 50081      |               | C             | 23.32       | 11.91                      | 11.91           | 1.54       | 090              | 53.10                     |             |                                |
| 50100      |               | C             | 17.30       | 7.72                       | 7.72            | 2.07       | 090              | 53.10                     |             |                                |
| 50120      |               | C             | 17.06       | 8.89                       | 8.89            | 1.21       | 090              | 53.10                     |             |                                |
| 50125      |               | C             | 17.67       | 9.04                       | 9.04            | 1.43       | 090              | 53.10                     |             |                                |
| 50130      |               | C             | 18.67       | 9.80                       | 9.80            | 1.22       | 090              | 53.10                     |             |                                |
| 50135      |               | C             | 20.44       | 10.38                      | 10.38           | 1.33       | 090              | 53.10                     |             |                                |
| 50200      |               | C             | 2.63        | 1.27                       | 1.27            | 0.16       | 000              | 53.10                     |             |                                |
| 50205      |               | C             | 12.19       | 5.54                       | 5.54            | 1.30       | 090              | 53.10                     |             |                                |
| 50220      |               | C             | 18.53       | 9.39                       | 9.39            | 1.35       | 090              | 53.10                     |             |                                |
| 50225      |               | C             | 21.73       | 10.65                      | 10.65           | 1.50       | 090              | 53.10                     |             |                                |
| 50230      |               | C             | 23.68       | 11.48                      | 11.48           | 1.55       | 090              | 53.10                     |             |                                |
| 50234      |               | C             | 23.90       | 11.79                      | 11.79           | 1.59       | 090              | 53.10                     |             |                                |
| 50236      |               | C             | 26.74       | 13.68                      | 13.68           | 1.77       | 090              | 53.10                     |             |                                |
| 50240      |               | C             | 24.01       | 12.32                      | 12.32           | 1.55       | 090              | 53.10                     |             |                                |
| 50250      |               | C             | 22.06       | 11.69                      | 11.69           | 1.39       | 090              | 53.10                     |             |                                |
| 50280      |               | C             | 16.94       | 8.91                       | 8.91            | 1.19       | 090              | 53.10                     |             |                                |
| 50290      |               | C             | 16.00       | 7.63                       | 7.63            | 1.41       | 090              | 53.10                     |             |                                |
| 50300      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 50320      |               | C             | 22.28       | 12.45                      | 12.45           | 2.36       | 090              | 53.10                     |             |                                |
| 50323      |               | C             | 270.54      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 50325      |               | C             | 159.18      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 50327      |               | C             | 4.00        | 1.23                       | 1.23            | 0.29       | XXX              | 53.10                     |             |                                |
| 50328      |               | C             | 3.50        | 1.09                       | 1.09            | 0.26       | XXX              | 53.10                     |             |                                |
| 50329      |               | C             | 3.34        | 1.20                       | 1.20            | 0.25       | XXX              | 53.10                     |             |                                |
| 50340      |               | C             | 13.86       | 7.42                       | 7.42            | 1.65       | 090              | 53.10                     |             |                                |
| 50360      |               | C             | 40.45       | 18.34                      | 18.34           | 3.82       | 090              | 53.10                     |             |                                |
| 50365      |               | C             | 45.68       | 20.46                      | 20.46           | 4.43       | 090              | 53.10                     |             |                                |
| 50370      |               | C             | 18.68       | 8.88                       | 8.88            | 1.68       | 090              | 53.10                     |             |                                |
| 50380      |               | C             | 29.66       | 17.22                      | 17.22           | 2.51       | 090              | 53.10                     |             |                                |
| 50382      |               | C             | 5.50        | 29.07                      | 2.19            | 0.34       | 000              | 53.10                     |             |                                |
| 50384      |               | C             | 5.00        | 24.72                      | 2.00            | 0.31       | 000              | 53.10                     |             |                                |
| 50385      |               | C             | 4.44        | 29.44                      | 2.15            | 0.27       | 000              | 53.10                     |             |                                |
| 50386      |               | C             | 3.30        | 18.64                      | 1.68            | 0.20       | 000              | 53.10                     |             |                                |
| 50387      |               | C             | 2.00        | 14.03                      | 0.79            | 0.12       | 000              | 53.10                     |             |                                |
| 50389      |               | C             | 1.10        | 8.20                       | 0.43            | 0.07       | 000              | 53.10                     |             |                                |
| 50390      |               | C             | 1.96        | 0.75                       | 0.75            | 0.12       | 000              | 53.10                     |             |                                |
| 50391      |               | C             | 1.96        | 1.54                       | 0.79            | 0.14       | 000              | 53.10                     |             |                                |
| 50392      |               | C             | 3.37        | 1.62                       | 1.62            | 0.20       | 000              | 53.10                     |             |                                |
| 50393      |               | C             | 4.15        | 1.93                       | 1.93            | 0.25       | 000              | 53.10                     |             |                                |
| 50394      |               | C             | 0.76        | 2.09                       | 0.62            | 0.05       | 000              | 53.10                     |             |                                |
| 50395      |               | C             | 3.37        | 1.65                       | 1.65            | 0.21       | 000              | 53.10                     |             |                                |
| 50396      |               | C             | 2.09        | 1.16                       | 1.16            | 0.13       | 000              | 53.10                     |             |                                |
| 50398      |               | C             | 1.46        | 12.94                      | 0.60            | 0.09       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 50400      |               | C             | 21.12       | 10.59                      | 10.59                 | 1.38       | 090              | 53.10                     |             |                                |
| 50405      |               | C             | 25.68       | 12.71                      | 12.71                 | 1.79       | 090              | 53.10                     |             |                                |
| 50500      |               | C             | 21.07       | 9.16                       | 9.16                  | 2.02       | 090              | 53.10                     |             |                                |
| 50520      |               | C             | 18.73       | 9.54                       | 9.54                  | 1.49       | 090              | 53.10                     |             |                                |
| 50525      |               | C             | 24.21       | 11.12                      | 11.12                 | 1.84       | 090              | 53.10                     |             |                                |
| 50526      |               | C             | 26.13       | 10.81                      | 10.81                 | 1.97       | 090              | 53.10                     |             |                                |
| 50540      |               | C             | 20.95       | 10.10                      | 10.10                 | 1.36       | 090              | 53.10                     |             |                                |
| 50541      |               | C             | 16.76       | 8.54                       | 8.54                  | 1.13       | 090              | 53.10                     |             |                                |
| 50542      |               | C             | 21.18       | 10.95                      | 10.95                 | 1.39       | 090              | 53.10                     |             |                                |
| 50543      |               | C             | 27.18       | 13.79                      | 13.79                 | 1.81       | 090              | 53.10                     |             |                                |
| 50544      |               | C             | 23.27       | 11.22                      | 11.22                 | 1.58       | 090              | 53.10                     |             |                                |
| 50545      |               | C             | 24.93       | 12.08                      | 12.08                 | 1.71       | 090              | 53.10                     |             |                                |
| 50546      |               | C             | 21.69       | 11.10                      | 11.10                 | 1.57       | 090              | 53.10                     |             |                                |
| 50547      |               | C             | 26.24       | 12.53                      | 12.53                 | 2.77       | 090              | 53.10                     |             |                                |
| 50548      |               | C             | 25.26       | 12.05                      | 12.05                 | 1.73       | 090              | 53.10                     |             |                                |
| 50549      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 50551      |               | C             | 5.59        | 4.59                       | 2.62                  | 0.40       | 000              | 53.10                     |             |                                |
| 50553      |               | C             | 5.98        | 4.66                       | 2.71                  | 0.39       | 000              | 53.10                     |             |                                |
| 50555      |               | C             | 6.52        | 5.07                       | 2.98                  | 0.45       | 000              | 53.10                     |             |                                |
| 50557      |               | C             | 6.61        | 5.21                       | 3.03                  | 0.47       | 000              | 53.10                     |             |                                |
| 50561      |               | C             | 7.58        | 5.82                       | 3.43                  | 0.54       | 000              | 53.10                     |             |                                |
| 50562      |               | C             | 10.90       | 5.36                       | 5.36                  | 0.73       | 090              | 53.10                     |             |                                |
| 50570      |               | C             | 9.53        | 4.21                       | 4.21                  | 0.68       | 000              | 53.10                     |             |                                |
| 50572      |               | C             | 10.33       | 4.55                       | 4.55                  | 0.85       | 000              | 53.10                     |             |                                |
| 50574      |               | C             | 11.00       | 4.80                       | 4.80                  | 0.77       | 000              | 53.10                     |             |                                |
| 50575      |               | C             | 13.96       | 6.01                       | 6.01                  | 0.99       | 000              | 53.10                     |             |                                |
| 50576      |               | C             | 10.97       | 4.80                       | 4.80                  | 0.78       | 000              | 53.10                     |             |                                |
| 50580      |               | C             | 11.84       | 5.05                       | 5.05                  | 0.83       | 000              | 53.10                     |             |                                |
| 50590      |               | C             | 9.64        | 15.98                      | 5.85                  | 0.65       | 090              | 53.10                     |             |                                |
| 50592      |               | C             | 6.77        | 91.82                      | 3.24                  | 0.43       | 010              | 53.10                     |             |                                |
| 50593      |               | C             | 9.08        | 118.15                     | 3.59                  | 0.58       | 010              | 53.10                     |             |                                |
| 50600      |               | C             | 17.04       | 8.65                       | 8.65                  | 1.13       | 090              | 53.10                     |             |                                |
| 50605      |               | C             | 16.66       | 7.84                       | 7.84                  | 1.45       | 090              | 53.10                     |             |                                |
| 50610      |               | C             | 17.12       | 8.92                       | 8.92                  | 1.43       | 090              | 53.10                     |             |                                |
| 50620      |               | C             | 16.30       | 8.59                       | 8.59                  | 1.07       | 090              | 53.10                     |             |                                |
| 50630      |               | C             | 16.08       | 8.15                       | 8.15                  | 1.09       | 090              | 53.10                     |             |                                |
| 50650      |               | C             | 18.67       | 9.70                       | 9.70                  | 1.23       | 090              | 53.10                     |             |                                |
| 50660      |               | C             | 20.87       | 10.48                      | 10.48                 | 1.38       | 090              | 53.10                     |             |                                |
| 50684      |               | C             | 0.76        | 4.19                       | 0.61                  | 0.05       | 000              | 53.10                     |             |                                |
| 50686      |               | C             | 1.51        | 0.98                       | 0.98                  | 0.11       | 000              | 53.10                     |             |                                |
| 50688      |               | C             | 1.18        | 1.01                       | 1.01                  | 0.07       | 010              | 53.10                     |             |                                |
| 50690      |               | C             | 1.16        | 1.58                       | 0.77                  | 0.07       | 000              | 53.10                     |             |                                |
| 50700      |               | C             | 16.54       | 8.76                       | 8.76                  | 1.27       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 50715 |       | C      | 20.49 | 8.94     | 8.94     | 2.14 | 090    | 53.10   |      |                                |
| 50722 |       | C      | 17.80 | 7.77     | 7.77     | 1.91 | 090    | 53.10   |      |                                |
| 50725 |       | C      | 20.05 | 9.66     | 9.66     | 1.52 | 090    | 53.10   |      |                                |
| 50727 |       | C      | 8.17  | 5.55     | 5.55     | 0.61 | 090    | 53.10   |      |                                |
| 50728 |       | C      | 12.00 | 6.77     | 6.77     | 1.00 | 090    | 53.10   |      |                                |
| 50740 |       | C      | 19.92 | 8.99     | 8.99     | 1.97 | 090    | 53.10   |      |                                |
| 50750 |       | C      | 21.07 | 10.85    | 10.85    | 1.38 | 090    | 53.10   |      |                                |
| 50760 |       | C      | 19.92 | 9.67     | 9.67     | 1.55 | 090    | 53.10   |      |                                |
| 50770 |       | C      | 21.07 | 9.74     | 9.74     | 1.45 | 090    | 53.10   |      |                                |
| 50780 |       | C      | 19.80 | 9.91     | 9.91     | 1.51 | 090    | 53.10   |      |                                |
| 50782 |       | C      | 19.51 | 9.57     | 9.57     | 1.61 | 090    | 53.10   |      |                                |
| 50783 |       | C      | 20.52 | 9.42     | 9.42     | 1.99 | 090    | 53.10   |      |                                |
| 50785 |       | C      | 22.08 | 11.04    | 11.04    | 1.45 | 090    | 53.10   |      |                                |
| 50800 |       | C      | 16.23 | 8.88     | 8.88     | 1.19 | 090    | 53.10   |      |                                |
| 50810 |       | C      | 22.38 | 10.11    | 10.11    | 2.32 | 090    | 53.10   |      |                                |
| 50815 |       | C      | 22.06 | 11.45    | 11.45    | 1.54 | 090    | 53.10   |      |                                |
| 50820 |       | C      | 23.89 | 11.61    | 11.61    | 1.90 | 090    | 53.10   |      |                                |
| 50825 |       | C      | 30.48 | 14.79    | 14.79    | 2.08 | 090    | 53.10   |      |                                |
| 50830 |       | C      | 33.57 | 15.48    | 15.48    | 2.38 | 090    | 53.10   |      |                                |
| 50840 |       | C      | 22.19 | 11.59    | 11.59    | 1.47 | 090    | 53.10   |      |                                |
| 50845 |       | C      | 22.21 | 12.01    | 12.01    | 1.57 | 090    | 53.10   |      |                                |
| 50860 |       | C      | 16.93 | 8.92     | 8.92     | 1.29 | 090    | 53.10   |      |                                |
| 50900 |       | C      | 14.89 | 7.85     | 7.85     | 1.14 | 090    | 53.10   |      |                                |
| 50920 |       | C      | 15.66 | 8.52     | 8.52     | 1.01 | 090    | 53.10   |      |                                |
| 50930 |       | C      | 20.04 | 9.16     | 9.16     | 1.28 | 090    | 53.10   |      |                                |
| 50940 |       | C      | 15.78 | 8.38     | 8.38     | 1.26 | 090    | 53.10   |      |                                |
| 50945 |       | C      | 17.87 | 8.96     | 8.96     | 1.36 | 090    | 53.10   |      |                                |
| 50947 |       | C      | 25.63 | 12.24    | 12.24    | 2.17 | 090    | 53.10   |      |                                |
| 50948 |       | C      | 23.69 | 11.67    | 11.67    | 1.71 | 090    | 53.10   |      |                                |
| 50949 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 50951 |       | C      | 5.83  | 4.81     | 2.74     | 0.41 | 000    | 53.10   |      |                                |
| 50953 |       | C      | 6.23  | 5.00     | 3.22     | 0.43 | 000    | 53.10   |      |                                |
| 50955 |       | C      | 6.74  | 5.68     | 3.46     | 0.48 | 000    | 53.10   |      |                                |
| 50957 |       | C      | 6.78  | 5.29     | 3.10     | 0.48 | 000    | 53.10   |      |                                |
| 50961 |       | C      | 6.04  | 4.87     | 2.82     | 0.41 | 000    | 53.10   |      |                                |
| 50970 |       | C      | 7.13  | 3.23     | 3.23     | 0.52 | 000    | 53.10   |      |                                |
| 50972 |       | C      | 6.88  | 3.10     | 3.10     | 0.49 | 000    | 53.10   |      |                                |
| 50974 |       | C      | 9.16  | 4.06     | 4.06     | 0.64 | 000    | 53.10   |      |                                |
| 50976 |       | C      | 9.03  | 3.97     | 3.97     | 0.66 | 000    | 53.10   |      |                                |
| 50980 |       | C      | 6.84  | 3.12     | 3.12     | 0.48 | 000    | 53.10   |      |                                |
| 51020 |       | C      | 7.56  | 5.22     | 5.22     | 0.47 | 090    | 53.10   |      |                                |
| 51030 |       | C      | 7.68  | 4.90     | 4.90     | 0.58 | 090    | 53.10   |      |                                |
| 51040 |       | C      | 4.43  | 3.55     | 3.55     | 0.31 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 51045      |               | C             | 7.68        | 5.02                       | 5.02                  | 0.52       | 090              | 53.10                     |             |                                |
| 51050      |               | C             | 7.87        | 5.09                       | 5.09                  | 0.49       | 090              | 53.10                     |             |                                |
| 51060      |               | C             | 9.82        | 6.13                       | 6.13                  | 0.62       | 090              | 53.10                     |             |                                |
| 51065      |               | C             | 9.82        | 6.01                       | 6.01                  | 0.63       | 090              | 53.10                     |             |                                |
| 51080      |               | C             | 6.61        | 4.49                       | 4.49                  | 0.43       | 090              | 53.10                     |             |                                |
| 51100      |               | C             | 0.78        | 0.89                       | 0.28                  | 0.05       | 000              | 53.10                     |             |                                |
| 51101      |               | C             | 1.02        | 2.41                       | 0.38                  | 0.10       | 000              | 53.10                     |             |                                |
| 51102      |               | C             | 2.70        | 3.72                       | 1.38                  | 0.28       | 010              | 53.10                     |             |                                |
| 51500      |               | C             | 10.92       | 5.88                       | 5.88                  | 1.03       | 090              | 53.10                     |             |                                |
| 51520      |               | C             | 10.08       | 5.94                       | 5.94                  | 0.69       | 090              | 53.10                     |             |                                |
| 51525      |               | C             | 15.29       | 8.28                       | 8.28                  | 0.99       | 090              | 53.10                     |             |                                |
| 51530      |               | C             | 13.58       | 7.31                       | 7.31                  | 1.05       | 090              | 53.10                     |             |                                |
| 51535      |               | C             | 13.77       | 7.34                       | 7.34                  | 1.23       | 090              | 53.10                     |             |                                |
| 51550      |               | C             | 17.10       | 8.66                       | 8.66                  | 1.31       | 090              | 53.10                     |             |                                |
| 51555      |               | C             | 23.03       | 11.25                      | 11.25                 | 1.70       | 090              | 53.10                     |             |                                |
| 51565      |               | C             | 23.50       | 11.62                      | 11.62                 | 1.63       | 090              | 53.10                     |             |                                |
| 51570      |               | C             | 27.31       | 12.88                      | 12.88                 | 1.72       | 090              | 53.10                     |             |                                |
| 51575      |               | C             | 34.00       | 16.24                      | 16.24                 | 2.17       | 090              | 53.10                     |             |                                |
| 51580      |               | C             | 35.14       | 17.23                      | 17.23                 | 2.25       | 090              | 53.10                     |             |                                |
| 51585      |               | C             | 39.41       | 18.93                      | 18.93                 | 2.49       | 090              | 53.10                     |             |                                |
| 51590      |               | C             | 36.15       | 16.98                      | 16.98                 | 2.28       | 090              | 53.10                     |             |                                |
| 51595      |               | C             | 41.12       | 19.26                      | 19.26                 | 2.60       | 090              | 53.10                     |             |                                |
| 51596      |               | C             | 44.01       | 20.91                      | 20.91                 | 2.78       | 090              | 53.10                     |             |                                |
| 51597      |               | C             | 42.61       | 19.90                      | 19.90                 | 2.82       | 090              | 53.10                     |             |                                |
| 51600      |               | C             | 0.88        | 4.44                       | 0.34                  | 0.06       | 000              | 53.10                     |             |                                |
| 51605      |               | C             | 0.64        | 0.42                       | 0.42                  | 0.04       | 000              | 53.10                     |             |                                |
| 51610      |               | C             | 1.05        | 2.01                       | 0.70                  | 0.07       | 000              | 53.10                     |             |                                |
| 51700      |               | C             | 0.88        | 1.52                       | 0.34                  | 0.06       | 000              | 53.10                     |             |                                |
| 51701      |               | C             | 0.50        | 1.17                       | 0.24                  | 0.04       | 000              | 53.10                     |             |                                |
| 51702      |               | C             | 0.50        | 1.66                       | 0.32                  | 0.04       | 000              | 53.10                     |             |                                |
| 51703      |               | C             | 1.47        | 2.40                       | 0.78                  | 0.10       | 000              | 53.10                     |             |                                |
| 51705      |               | C             | 1.03        | 2.09                       | 0.81                  | 0.07       | 010              | 53.10                     |             |                                |
| 51710      |               | C             | 1.50        | 2.89                       | 1.11                  | 0.11       | 010              | 53.10                     |             |                                |
| 51715      |               | C             | 3.73        | 4.33                       | 1.72                  | 0.29       | 000              | 53.10                     |             |                                |
| 51720      |               | C             | 1.50        | 1.68                       | 0.77                  | 0.14       | 000              | 53.10                     |             |                                |
| 51725      |               | C             | 1.51        | 4.54                       | 4.54                  | 0.16       | 000              | 53.10                     |             |                                |
| 51725      | TC            | C             | 0.00        | 3.97                       | 3.97                  | 0.04       | 000              | 53.10                     |             |                                |
| 51725      | 26            | C             | 1.51        | 0.57                       | 0.57                  | 0.12       | 000              | 53.10                     |             |                                |
| 51726      |               | C             | 1.71        | 7.13                       | 7.13                  | 0.18       | 000              | 53.10                     |             |                                |
| 51726      | TC            | C             | 0.00        | 6.47                       | 6.47                  | 0.05       | 000              | 53.10                     |             |                                |
| 51726      | 26            | C             | 1.71        | 0.66                       | 0.66                  | 0.13       | 000              | 53.10                     |             |                                |
| 51736      |               | C             | 0.61        | 0.85                       | 0.85                  | 0.06       | 000              | 53.10                     |             |                                |
| 51736      | TC            | C             | 0.00        | 0.61                       | 0.61                  | 0.01       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 51736      | 26            | C             | 0.61        | 0.24                       | 0.24            | 0.05       | 000              | 53.10                     |             |                                |
| 51741      |               | C             | 1.14        | 1.16                       | 1.16            | 0.11       | 000              | 53.10                     |             |                                |
| 51741      | TC            | C             | 0.00        | 0.71                       | 0.71            | 0.02       | 000              | 53.10                     |             |                                |
| 51741      | 26            | C             | 1.14        | 0.45                       | 0.45            | 0.09       | 000              | 53.10                     |             |                                |
| 51772      |               | C             | 1.61        | 5.15                       | 5.15            | 0.20       | 000              | 53.10                     |             |                                |
| 51772      | TC            | C             | 0.00        | 4.57                       | 4.57            | 0.05       | 000              | 53.10                     |             |                                |
| 51772      | 26            | C             | 1.61        | 0.58                       | 0.58            | 0.15       | 000              | 53.10                     |             |                                |
| 51784      |               | C             | 1.53        | 4.01                       | 4.01            | 0.16       | 000              | 53.10                     |             |                                |
| 51784      | TC            | C             | 0.00        | 3.44                       | 3.44            | 0.04       | 000              | 53.10                     |             |                                |
| 51784      | 26            | C             | 1.53        | 0.57                       | 0.57            | 0.12       | 000              | 53.10                     |             |                                |
| 51785      |               | C             | 1.53        | 4.50                       | 4.50            | 0.15       | 000              | 53.10                     |             |                                |
| 51785      | TC            | C             | 0.00        | 3.92                       | 3.92            | 0.04       | 000              | 53.10                     |             |                                |
| 51785      | 26            | C             | 1.53        | 0.58                       | 0.58            | 0.11       | 000              | 53.10                     |             |                                |
| 51792      |               | C             | 1.10        | 5.20                       | 5.20            | 0.20       | 000              | 53.10                     |             |                                |
| 51792      | TC            | C             | 0.00        | 4.78                       | 4.78            | 0.13       | 000              | 53.10                     |             |                                |
| 51792      | 26            | C             | 1.10        | 0.42                       | 0.42            | 0.07       | 000              | 53.10                     |             |                                |
| 51795      |               | C             | 1.53        | 6.77                       | 6.77            | 0.22       | 000              | 53.10                     |             |                                |
| 51795      | TC            | C             | 0.00        | 6.19                       | 6.19            | 0.10       | 000              | 53.10                     |             |                                |
| 51795      | 26            | C             | 1.53        | 0.58                       | 0.58            | 0.12       | 000              | 53.10                     |             |                                |
| 51797      |               | C             | 0.80        | 3.26                       | 3.26            | 0.17       | 000              | 53.10                     |             |                                |
| 51797      | TC            | C             | 0.00        | 2.89                       | 2.89            | 0.05       | 000              | 53.10                     |             |                                |
| 51797      | 26            | C             | 0.80        | 0.37                       | 0.37            | 0.12       | ZZZ              | 53.10                     |             |                                |
| 51798      |               | C             | 0.00        | 0.52                       | 0.52            | 0.08       | XXX              | 53.10                     |             |                                |
| 51800      |               | C             | 18.74       | 9.82                       | 9.82            | 1.32       | 090              | 53.10                     |             |                                |
| 51820      |               | C             | 19.41       | 9.41                       | 9.41            | 1.75       | 090              | 53.10                     |             |                                |
| 51840      |               | C             | 11.28       | 5.93                       | 5.93            | 1.06       | 090              | 53.10                     |             |                                |
| 51841      |               | C             | 13.60       | 6.83                       | 6.83            | 1.24       | 090              | 53.10                     |             |                                |
| 51845      |               | C             | 10.07       | 5.74                       | 5.74            | 0.79       | 090              | 53.10                     |             |                                |
| 51860      |               | C             | 12.49       | 6.70                       | 6.70            | 1.16       | 090              | 53.10                     |             |                                |
| 51865      |               | C             | 15.69       | 8.22                       | 8.22            | 1.23       | 090              | 53.10                     |             |                                |
| 51880      |               | C             | 7.81        | 4.67                       | 4.67            | 0.72       | 090              | 53.10                     |             |                                |
| 51900      |               | C             | 14.48       | 7.65                       | 7.65            | 1.21       | 090              | 53.10                     |             |                                |
| 51920      |               | C             | 13.26       | 7.16                       | 7.16            | 1.18       | 090              | 53.10                     |             |                                |
| 51925      |               | C             | 17.35       | 8.93                       | 8.93            | 2.04       | 090              | 53.10                     |             |                                |
| 51940      |               | C             | 30.48       | 13.37                      | 13.37           | 2.15       | 090              | 53.10                     |             |                                |
| 51960      |               | C             | 25.20       | 12.84                      | 12.84           | 1.63       | 090              | 53.10                     |             |                                |
| 51980      |               | C             | 12.44       | 7.04                       | 7.04            | 0.86       | 090              | 53.10                     |             |                                |
| 51990      |               | C             | 13.26       | 6.41                       | 6.41            | 1.39       | 090              | 53.10                     |             |                                |
| 51992      |               | C             | 14.77       | 6.75                       | 6.75            | 1.41       | 090              | 53.10                     |             |                                |
| 51999      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 52000      |               | C             | 2.23        | 3.59                       | 1.23            | 0.14       | 000              | 53.10                     |             |                                |
| 52001      |               | C             | 5.44        | 5.17                       | 2.54            | 0.39       | 000              | 53.10                     |             |                                |
| 52005      |               | C             | 2.37        | 5.68                       | 1.31            | 0.17       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 52007      |               | C             | 3.02        | 12.12                      | 1.58            | 0.22       | 000              | 53.10                     |             |                                |
| 52010      |               | C             | 3.02        | 8.22                       | 1.44            | 0.21       | 000              | 53.10                     |             |                                |
| 52204      |               | C             | 2.59        | 9.82                       | 1.32            | 0.17       | 000              | 53.10                     |             |                                |
| 52214      |               | C             | 3.70        | 12.58                      | 2.36            | 0.26       | 000              | 53.10                     |             |                                |
| 52224      |               | C             | 3.14        | 20.22                      | 1.57            | 0.22       | 000              | 53.10                     |             |                                |
| 52234      |               | C             | 4.62        | 2.24                       | 2.24            | 0.33       | 000              | 53.10                     |             |                                |
| 52235      |               | C             | 5.44        | 2.60                       | 2.60            | 0.39       | 000              | 53.10                     |             |                                |
| 52240      |               | C             | 9.71        | 4.34                       | 4.34            | 0.69       | 000              | 53.10                     |             |                                |
| 52250      |               | C             | 4.49        | 2.25                       | 2.25            | 0.32       | 000              | 53.10                     |             |                                |
| 52260      |               | C             | 3.91        | 1.90                       | 1.90            | 0.28       | 000              | 53.10                     |             |                                |
| 52265      |               | C             | 2.94        | 8.89                       | 1.43            | 0.22       | 000              | 53.10                     |             |                                |
| 52270      |               | C             | 3.36        | 8.03                       | 1.70            | 0.24       | 000              | 53.10                     |             |                                |
| 52275      |               | C             | 4.69        | 10.89                      | 2.24            | 0.33       | 000              | 53.10                     |             |                                |
| 52276      |               | C             | 4.99        | 2.41                       | 2.41            | 0.35       | 000              | 53.10                     |             |                                |
| 52277      |               | C             | 6.16        | 2.87                       | 2.87            | 0.44       | 000              | 53.10                     |             |                                |
| 52281      |               | C             | 2.80        | 5.75                       | 1.49            | 0.20       | 000              | 53.10                     |             |                                |
| 52282      |               | C             | 6.39        | 2.93                       | 2.93            | 0.45       | 000              | 53.10                     |             |                                |
| 52283      |               | C             | 3.73        | 4.10                       | 1.84            | 0.26       | 000              | 53.10                     |             |                                |
| 52285      |               | C             | 3.60        | 4.29                       | 1.79            | 0.26       | 000              | 53.10                     |             |                                |
| 52290      |               | C             | 4.58        | 2.23                       | 2.23            | 0.32       | 000              | 53.10                     |             |                                |
| 52300      |               | C             | 5.30        | 2.51                       | 2.51            | 0.38       | 000              | 53.10                     |             |                                |
| 52301      |               | C             | 5.50        | 2.67                       | 2.67            | 0.46       | 000              | 53.10                     |             |                                |
| 52305      |               | C             | 5.30        | 2.46                       | 2.46            | 0.38       | 000              | 53.10                     |             |                                |
| 52310      |               | C             | 2.81        | 4.21                       | 1.40            | 0.20       | 000              | 53.10                     |             |                                |
| 52315      |               | C             | 5.20        | 7.21                       | 2.45            | 0.37       | 000              | 53.10                     |             |                                |
| 52317      |               | C             | 6.71        | 20.02                      | 2.99            | 0.48       | 000              | 53.10                     |             |                                |
| 52318      |               | C             | 9.18        | 4.04                       | 4.04            | 0.65       | 000              | 53.10                     |             |                                |
| 52320      |               | C             | 4.69        | 2.18                       | 2.18            | 0.33       | 000              | 53.10                     |             |                                |
| 52325      |               | C             | 6.15        | 2.78                       | 2.78            | 0.44       | 000              | 53.10                     |             |                                |
| 52327      |               | C             | 5.18        | 9.64                       | 2.12            | 0.37       | 000              | 53.10                     |             |                                |
| 52330      |               | C             | 5.03        | 16.74                      | 2.32            | 0.36       | 000              | 53.10                     |             |                                |
| 52332      |               | C             | 2.83        | 10.65                      | 1.50            | 0.21       | 000              | 53.10                     |             |                                |
| 52334      |               | C             | 4.82        | 2.32                       | 2.32            | 0.35       | 000              | 53.10                     |             |                                |
| 52341      |               | C             | 5.35        | 2.75                       | 2.75            | 0.43       | 000              | 53.10                     |             |                                |
| 52342      |               | C             | 5.85        | 2.96                       | 2.96            | 0.46       | 000              | 53.10                     |             |                                |
| 52343      |               | C             | 6.55        | 3.25                       | 3.25            | 0.51       | 000              | 53.10                     |             |                                |
| 52344      |               | C             | 7.05        | 3.58                       | 3.58            | 0.55       | 000              | 53.10                     |             |                                |
| 52345      |               | C             | 7.55        | 3.79                       | 3.79            | 0.58       | 000              | 53.10                     |             |                                |
| 52346      |               | C             | 8.58        | 4.22                       | 4.22            | 0.65       | 000              | 53.10                     |             |                                |
| 52351      |               | C             | 5.85        | 2.90                       | 2.90            | 0.41       | 000              | 53.10                     |             |                                |
| 52352      |               | C             | 6.87        | 3.40                       | 3.40            | 0.49       | 000              | 53.10                     |             |                                |
| 52353      |               | C             | 7.96        | 3.85                       | 3.85            | 0.57       | 000              | 53.10                     |             |                                |
| 52354      |               | C             | 7.33        | 3.59                       | 3.59            | 0.52       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 52355      |               | C             | 8.81        | 4.20                       | 4.20            | 0.63       | 000              | 53.10                     |             |                                |
| 52400      |               | C             | 8.66        | 4.69                       | 4.69            | 0.68       | 090              | 53.10                     |             |                                |
| 52402      |               | C             | 5.27        | 2.19                       | 2.19            | 0.40       | 000              | 53.10                     |             |                                |
| 52450      |               | C             | 7.63        | 5.19                       | 5.19            | 0.54       | 090              | 53.10                     |             |                                |
| 52500      |               | C             | 7.99        | 5.38                       | 5.38            | 0.60       | 090              | 53.10                     |             |                                |
| 52601      |               | C             | 15.13       | 7.63                       | 7.63            | 0.87       | 090              | 53.10                     |             |                                |
| 52606      |               | C             | 8.84        | 5.48                       | 5.48            | 0.57       | 090              | 51.86                     | 12/31/2008  |                                |
| 52612      |               | C             | 9.07        | 5.88                       | 5.88            | 0.56       | 090              | 51.86                     | 12/31/2008  |                                |
| 52614      |               | C             | 7.81        | 5.37                       | 5.37            | 0.48       | 090              | 51.86                     | 12/31/2008  |                                |
| 52620      |               | C             | 7.19        | 4.61                       | 4.61            | 0.47       | 090              | 51.86                     | 12/31/2008  |                                |
| 52630      |               | C             | 7.65        | 4.52                       | 4.52            | 0.51       | 090              | 53.10                     |             |                                |
| 52640      |               | C             | 4.73        | 3.51                       | 3.51            | 0.47       | 090              | 53.10                     |             |                                |
| 52647      |               | C             | 11.15       | 49.72                      | 6.57            | 0.73       | 090              | 53.10                     |             |                                |
| 52648      |               | C             | 12.00       | 50.13                      | 6.90            | 0.79       | 090              | 53.10                     |             |                                |
| 52649      |               | C             | 17.16       | 9.87                       | 9.87            | 1.11       | 090              | 53.10                     |             |                                |
| 52700      |               | C             | 7.39        | 4.51                       | 4.51            | 0.48       | 090              | 53.10                     |             |                                |
| 53000      |               | C             | 2.30        | 1.78                       | 1.78            | 0.16       | 010              | 53.10                     |             |                                |
| 53010      |               | C             | 4.35        | 3.70                       | 3.70            | 0.24       | 090              | 53.10                     |             |                                |
| 53020      |               | C             | 1.77        | 0.92                       | 0.92            | 0.13       | 000              | 53.10                     |             |                                |
| 53025      |               | C             | 1.13        | 0.64                       | 0.64            | 0.08       | 000              | 53.10                     |             |                                |
| 53040      |               | C             | 6.49        | 4.26                       | 4.26            | 0.45       | 090              | 53.10                     |             |                                |
| 53060      |               | C             | 2.65        | 2.03                       | 1.47            | 0.28       | 010              | 53.10                     |             |                                |
| 53080      |               | C             | 6.82        | 5.09                       | 5.09            | 0.52       | 090              | 53.10                     |             |                                |
| 53085      |               | C             | 11.05       | 5.67                       | 5.67            | 0.92       | 090              | 53.10                     |             |                                |
| 53200      |               | C             | 2.59        | 1.66                       | 1.27            | 0.20       | 000              | 53.10                     |             |                                |
| 53210      |               | C             | 13.59       | 7.53                       | 7.53            | 0.89       | 090              | 53.10                     |             |                                |
| 53215      |               | C             | 16.72       | 8.92                       | 8.92            | 1.10       | 090              | 53.10                     |             |                                |
| 53220      |               | C             | 7.53        | 4.83                       | 4.83            | 0.49       | 090              | 53.10                     |             |                                |
| 53230      |               | C             | 10.31       | 6.11                       | 6.11            | 0.73       | 090              | 53.10                     |             |                                |
| 53235      |               | C             | 10.86       | 6.65                       | 6.65            | 0.72       | 090              | 53.10                     |             |                                |
| 53240      |               | C             | 6.98        | 4.76                       | 4.76            | 0.52       | 090              | 53.10                     |             |                                |
| 53250      |               | C             | 6.42        | 4.47                       | 4.47            | 0.49       | 090              | 53.10                     |             |                                |
| 53260      |               | C             | 3.00        | 2.42                       | 1.77            | 0.25       | 010              | 53.10                     |             |                                |
| 53265      |               | C             | 3.14        | 2.91                       | 1.89            | 0.24       | 010              | 53.10                     |             |                                |
| 53270      |               | C             | 3.11        | 2.38                       | 1.77            | 0.30       | 010              | 53.10                     |             |                                |
| 53275      |               | C             | 4.54        | 2.74                       | 2.74            | 0.32       | 010              | 53.10                     |             |                                |
| 53400      |               | C             | 13.98       | 7.95                       | 7.95            | 0.98       | 090              | 53.10                     |             |                                |
| 53405      |               | C             | 15.51       | 8.63                       | 8.63            | 1.10       | 090              | 53.10                     |             |                                |
| 53410      |               | C             | 17.53       | 9.45                       | 9.45            | 1.16       | 090              | 53.10                     |             |                                |
| 53415      |               | C             | 20.55       | 10.54                      | 10.54           | 1.37       | 090              | 53.10                     |             |                                |
| 53420      |               | C             | 15.04       | 7.05                       | 7.05            | 0.96       | 090              | 53.10                     |             |                                |
| 53425      |               | C             | 16.94       | 9.04                       | 9.04            | 1.13       | 090              | 53.10                     |             |                                |
| 53430      |               | C             | 17.30       | 8.59                       | 8.59            | 1.15       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 53431      |               | C             | 21.03       | 10.74                      | 10.74           | 1.41       | 090              | 53.10                     |             |                                |
| 53440      |               | C             | 15.34       | 8.79                       | 8.79            | 0.96       | 090              | 53.10                     |             |                                |
| 53442      |               | C             | 13.29       | 7.98                       | 7.98            | 0.82       | 090              | 53.10                     |             |                                |
| 53444      |               | C             | 14.06       | 7.84                       | 7.84            | 0.94       | 090              | 53.10                     |             |                                |
| 53445      |               | C             | 15.21       | 9.01                       | 9.01            | 0.99       | 090              | 53.10                     |             |                                |
| 53446      |               | C             | 10.89       | 6.82                       | 6.82            | 0.72       | 090              | 53.10                     |             |                                |
| 53447      |               | C             | 14.15       | 8.22                       | 8.22            | 0.95       | 090              | 53.10                     |             |                                |
| 53448      |               | C             | 23.26       | 12.08                      | 12.08           | 1.50       | 090              | 53.10                     |             |                                |
| 53449      |               | C             | 10.43       | 6.41                       | 6.41            | 0.68       | 090              | 53.10                     |             |                                |
| 53450      |               | C             | 6.67        | 4.55                       | 4.55            | 0.43       | 090              | 53.10                     |             |                                |
| 53460      |               | C             | 7.65        | 4.94                       | 4.94            | 0.50       | 090              | 53.10                     |             |                                |
| 53500      |               | C             | 12.87       | 7.30                       | 7.30            | 0.90       | 090              | 53.10                     |             |                                |
| 53502      |               | C             | 8.16        | 5.09                       | 5.09            | 0.62       | 090              | 53.10                     |             |                                |
| 53505      |               | C             | 8.16        | 5.21                       | 5.21            | 0.54       | 090              | 53.10                     |             |                                |
| 53510      |               | C             | 10.83       | 6.54                       | 6.54            | 0.74       | 090              | 53.10                     |             |                                |
| 53515      |               | C             | 14.09       | 7.73                       | 7.73            | 1.05       | 090              | 53.10                     |             |                                |
| 53520      |               | C             | 9.35        | 5.92                       | 5.92            | 0.61       | 090              | 53.10                     |             |                                |
| 53600      |               | C             | 1.21        | 1.17                       | 0.57            | 0.09       | 000              | 53.10                     |             |                                |
| 53601      |               | C             | 0.98        | 1.35                       | 0.51            | 0.07       | 000              | 53.10                     |             |                                |
| 53605      |               | C             | 1.28        | 0.51                       | 0.51            | 0.09       | 000              | 53.10                     |             |                                |
| 53620      |               | C             | 1.62        | 1.80                       | 0.81            | 0.11       | 000              | 53.10                     |             |                                |
| 53621      |               | C             | 1.35        | 1.89                       | 0.66            | 0.10       | 000              | 53.10                     |             |                                |
| 53660      |               | C             | 0.71        | 1.32                       | 0.43            | 0.05       | 000              | 53.10                     |             |                                |
| 53661      |               | C             | 0.72        | 1.30                       | 0.40            | 0.05       | 000              | 53.10                     |             |                                |
| 53665      |               | C             | 0.76        | 0.28                       | 0.28            | 0.06       | 000              | 53.10                     |             |                                |
| 53850      |               | C             | 9.98        | 60.07                      | 5.63            | 0.67       | 090              | 53.10                     |             |                                |
| 53852      |               | C             | 10.68       | 56.68                      | 6.34            | 0.70       | 090              | 53.10                     |             |                                |
| 53853      |               | C             | 5.54        | 29.10                      | 4.35            | 0.37       | 090              | 51.86                     | 12/31/2008  |                                |
| 53899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 54000      |               | D             | 1.56        | 2.78                       | 1.38            | 0.11       | 010              | 53.10                     |             |                                |
| 54001      |               | C             | 2.21        | 3.11                       | 1.57            | 0.15       | 010              | 53.10                     |             |                                |
| 54015      |               | C             | 5.33        | 3.17                       | 3.17            | 0.38       | 010              | 53.10                     |             |                                |
| 54050      |               | C             | 1.26        | 2.01                       | 1.33            | 0.08       | 010              | 53.10                     |             |                                |
| 54055      |               | C             | 1.23        | 1.89                       | 1.15            | 0.08       | 010              | 53.10                     |             |                                |
| 54056      |               | C             | 1.26        | 2.17                       | 1.43            | 0.06       | 010              | 53.10                     |             |                                |
| 54057      |               | C             | 1.26        | 2.50                       | 1.24            | 0.09       | 010              | 53.10                     |             |                                |
| 54060      |               | C             | 1.95        | 3.12                       | 1.53            | 0.13       | 010              | 53.10                     |             |                                |
| 54065      |               | C             | 2.44        | 3.12                       | 1.83            | 0.13       | 010              | 53.10                     |             |                                |
| 54100      |               | C             | 1.90        | 3.22                       | 1.27            | 0.10       | 000              | 53.10                     |             |                                |
| 54105      |               | C             | 3.51        | 4.12                       | 2.40            | 0.25       | 010              | 53.10                     |             |                                |
| 54110      |               | C             | 10.79       | 6.33                       | 6.33            | 0.72       | 090              | 53.10                     |             |                                |
| 54111      |               | C             | 14.29       | 7.81                       | 7.81            | 0.96       | 090              | 53.10                     |             |                                |
| 54112      |               | C             | 16.83       | 9.12                       | 9.12            | 1.11       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 54115      |               | C             | 6.82        | 5.58                       | 4.74            | 0.43       | 090              | 53.10                     |             |                                |
| 54120      |               | C             | 10.88       | 6.47                       | 6.47            | 0.68       | 090              | 53.10                     |             |                                |
| 54125      |               | C             | 14.43       | 7.88                       | 7.88            | 0.95       | 090              | 53.10                     |             |                                |
| 54130      |               | C             | 21.66       | 11.28                      | 11.28           | 1.52       | 090              | 53.10                     |             |                                |
| 54135      |               | C             | 27.99       | 13.85                      | 13.85           | 1.88       | 090              | 53.10                     |             |                                |
| 54150      |               | D             | 1.90        | 2.73                       | 0.75            | 0.16       | 000              | 53.10                     |             |                                |
| 54160      |               | D             | 2.50        | 3.94                       | 1.47            | 0.19       | 010              | 53.10                     |             |                                |
| 54161      |               | D             | 3.29        | 2.12                       | 2.12            | 0.23       | 010              | 53.10                     |             |                                |
| 54162      |               | D             | 3.27        | 4.20                       | 2.12            | 0.21       | 010              | 53.10                     |             |                                |
| 54163      |               | D             | 3.27        | 2.72                       | 2.72            | 0.21       | 010              | 53.10                     |             |                                |
| 54164      |               | C             | 2.77        | 2.51                       | 2.51            | 0.18       | 010              | 53.10                     |             |                                |
| 54200      |               | C             | 1.08        | 1.97                       | 1.24            | 0.08       | 010              | 53.10                     |             |                                |
| 54205      |               | C             | 8.84        | 5.92                       | 5.92            | 0.56       | 090              | 53.10                     |             |                                |
| 54220      |               | C             | 2.42        | 3.47                       | 1.29            | 0.17       | 000              | 53.10                     |             |                                |
| 54230      |               | C             | 1.34        | 1.36                       | 0.87            | 0.09       | 000              | 53.10                     |             |                                |
| 54231      |               | C             | 2.04        | 1.85                       | 1.20            | 0.16       | 000              | 53.10                     |             |                                |
| 54235      |               | C             | 1.19        | 1.31                       | 0.84            | 0.08       | 000              | 53.10                     |             |                                |
| 54240      |               | C             | 1.31        | 1.45                       | 1.45            | 0.17       | 000              | 53.10                     |             |                                |
| 54240      | TC            | C             | 0.00        | 0.93                       | 0.93            | 0.06       | 000              | 53.10                     |             |                                |
| 54240      | 26            | C             | 1.31        | 0.52                       | 0.52            | 0.11       | 000              | 53.10                     |             |                                |
| 54250      |               | C             | 2.22        | 1.23                       | 1.23            | 0.18       | 000              | 53.10                     |             |                                |
| 54250      | TC            | C             | 0.00        | 0.33                       | 0.33            | 0.02       | 000              | 53.10                     |             |                                |
| 54250      | 26            | C             | 2.22        | 0.90                       | 0.90            | 0.16       | 000              | 53.10                     |             |                                |
| 54300      |               | C             | 11.07       | 6.77                       | 6.77            | 0.76       | 090              | 53.10                     |             |                                |
| 54304      |               | C             | 13.15       | 7.75                       | 7.75            | 0.88       | 090              | 53.10                     |             |                                |
| 54308      |               | C             | 12.49       | 7.41                       | 7.41            | 0.84       | 090              | 53.10                     |             |                                |
| 54312      |               | C             | 14.36       | 8.46                       | 8.46            | 1.24       | 090              | 53.10                     |             |                                |
| 54316      |               | C             | 17.90       | 9.89                       | 9.89            | 1.21       | 090              | 53.10                     |             |                                |
| 54318      |               | C             | 12.28       | 7.42                       | 7.42            | 1.39       | 090              | 53.10                     |             |                                |
| 54322      |               | C             | 13.85       | 7.91                       | 7.91            | 0.92       | 090              | 53.10                     |             |                                |
| 54324      |               | C             | 17.40       | 9.64                       | 9.64            | 1.14       | 090              | 53.10                     |             |                                |
| 54326      |               | C             | 16.87       | 8.50                       | 8.50            | 1.11       | 090              | 53.10                     |             |                                |
| 54328      |               | C             | 16.74       | 9.10                       | 9.10            | 0.98       | 090              | 53.10                     |             |                                |
| 54332      |               | C             | 18.22       | 9.94                       | 9.94            | 1.21       | 090              | 53.10                     |             |                                |
| 54336      |               | C             | 21.44       | 9.93                       | 9.93            | 2.21       | 090              | 53.10                     |             |                                |
| 54340      |               | C             | 9.58        | 5.93                       | 5.93            | 0.63       | 090              | 53.10                     |             |                                |
| 54344      |               | C             | 16.91       | 9.51                       | 9.51            | 1.54       | 090              | 53.10                     |             |                                |
| 54348      |               | C             | 18.17       | 10.14                      | 10.14           | 1.23       | 090              | 53.10                     |             |                                |
| 54352      |               | C             | 25.95       | 13.61                      | 13.61           | 2.25       | 090              | 53.10                     |             |                                |
| 54360      |               | C             | 12.65       | 7.41                       | 7.41            | 0.84       | 090              | 53.10                     |             |                                |
| 54380      |               | C             | 14.03       | 8.20                       | 8.20            | 0.93       | 090              | 53.10                     |             |                                |
| 54385      |               | C             | 16.38       | 10.68                      | 10.68           | 0.86       | 090              | 53.10                     |             |                                |
| 54390      |               | C             | 22.59       | 9.87                       | 9.87            | 1.54       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 54400      |               | C             | 9.09        | 5.59                       | 5.59                  | 0.64       | 090              | 53.10                     |             |                                |
| 54401      |               | C             | 10.26       | 7.75                       | 7.75                  | 0.73       | 090              | 53.10                     |             |                                |
| 54405      |               | C             | 14.39       | 7.93                       | 7.93                  | 0.95       | 090              | 53.10                     |             |                                |
| 54406      |               | C             | 12.76       | 7.36                       | 7.36                  | 0.86       | 090              | 53.10                     |             |                                |
| 54408      |               | C             | 13.73       | 7.95                       | 7.95                  | 0.90       | 090              | 53.10                     |             |                                |
| 54410      |               | C             | 15.00       | 8.72                       | 8.72                  | 1.10       | 090              | 53.10                     |             |                                |
| 54411      |               | C             | 18.14       | 10.03                      | 10.03                 | 1.13       | 090              | 53.10                     |             |                                |
| 54415      |               | C             | 8.75        | 5.74                       | 5.74                  | 0.58       | 090              | 53.10                     |             |                                |
| 54416      |               | C             | 11.87       | 7.55                       | 7.55                  | 0.77       | 090              | 53.10                     |             |                                |
| 54417      |               | C             | 15.94       | 8.77                       | 8.77                  | 1.00       | 090              | 53.10                     |             |                                |
| 54420      |               | C             | 12.26       | 7.26                       | 7.26                  | 0.81       | 090              | 53.10                     |             |                                |
| 54430      |               | C             | 10.93       | 6.77                       | 6.77                  | 0.72       | 090              | 53.10                     |             |                                |
| 54435      |               | C             | 6.71        | 4.78                       | 4.78                  | 0.43       | 090              | 53.10                     |             |                                |
| 54440      |               | C             | 639.94      | 0.00                       | 0.00                  | 0.00       | 090              | 2.50                      |             |                                |
| 54450      |               | C             | 1.12        | 0.90                       | 0.50                  | 0.08       | 000              | 53.10                     |             |                                |
| 54500      |               | C             | 1.31        | 0.77                       | 0.77                  | 0.10       | 000              | 53.10                     |             |                                |
| 54505      |               | C             | 3.47        | 2.38                       | 2.38                  | 0.27       | 010              | 53.10                     |             |                                |
| 54512      |               | C             | 9.23        | 5.45                       | 5.45                  | 0.67       | 090              | 53.10                     |             |                                |
| 54520      |               | C             | 5.25        | 3.59                       | 3.59                  | 0.50       | 090              | 53.10                     |             |                                |
| 54522      |               | C             | 10.15       | 5.67                       | 5.67                  | 0.89       | 090              | 53.10                     |             |                                |
| 54530      |               | C             | 8.35        | 5.52                       | 5.52                  | 0.66       | 090              | 53.10                     |             |                                |
| 54535      |               | C             | 13.06       | 7.06                       | 7.06                  | 0.95       | 090              | 53.10                     |             |                                |
| 54550      |               | C             | 8.31        | 5.09                       | 5.09                  | 0.59       | 090              | 53.10                     |             |                                |
| 54560      |               | C             | 11.97       | 6.22                       | 6.22                  | 0.90       | 090              | 53.10                     |             |                                |
| 54600      |               | C             | 7.54        | 4.88                       | 4.88                  | 0.51       | 090              | 53.10                     |             |                                |
| 54620      |               | C             | 5.16        | 3.16                       | 3.16                  | 0.37       | 010              | 53.10                     |             |                                |
| 54640      |               | C             | 7.57        | 5.13                       | 5.13                  | 0.62       | 090              | 53.10                     |             |                                |
| 54650      |               | C             | 12.24       | 7.05                       | 7.05                  | 1.16       | 090              | 53.10                     |             |                                |
| 54660      |               | C             | 5.64        | 4.08                       | 4.08                  | 0.44       | 090              | 53.10                     |             |                                |
| 54670      |               | C             | 6.57        | 4.52                       | 4.52                  | 0.47       | 090              | 53.10                     |             |                                |
| 54680      |               | C             | 13.91       | 7.46                       | 7.46                  | 1.16       | 090              | 53.10                     |             |                                |
| 54690      |               | C             | 11.60       | 5.59                       | 5.59                  | 1.02       | 090              | 53.10                     |             |                                |
| 54692      |               | C             | 13.64       | 7.37                       | 7.37                  | 1.30       | 090              | 53.10                     |             |                                |
| 54699      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 54700      |               | C             | 3.44        | 2.32                       | 2.32                  | 0.28       | 010              | 53.10                     |             |                                |
| 54800      |               | C             | 2.33        | 1.27                       | 1.27                  | 0.23       | 000              | 53.10                     |             |                                |
| 54830      |               | C             | 5.91        | 4.20                       | 4.20                  | 0.41       | 090              | 53.10                     |             |                                |
| 54840      |               | C             | 5.22        | 3.65                       | 3.65                  | 0.37       | 090              | 53.10                     |             |                                |
| 54860      |               | C             | 6.85        | 4.62                       | 4.62                  | 0.45       | 090              | 53.10                     |             |                                |
| 54861      |               | C             | 9.57        | 5.92                       | 5.92                  | 0.63       | 090              | 53.10                     |             |                                |
| 54865      |               | C             | 5.67        | 4.09                       | 4.09                  | 0.40       | 090              | 53.10                     |             |                                |
| 54900      |               | C             | 14.05       | 6.64                       | 6.64                  | 0.93       | 090              | 53.10                     |             |                                |
| 54901      |               | C             | 18.92       | 10.24                      | 10.24                 | 1.83       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 55000      |               | C             | 1.43        | 1.92                       | 0.88                  | 0.11       | 000              | 53.10                     |             |                                |
| 55040      |               | C             | 5.39        | 3.80                       | 3.80                  | 0.43       | 090              | 53.10                     |             |                                |
| 55041      |               | C             | 8.41        | 5.44                       | 5.44                  | 0.60       | 090              | 53.10                     |             |                                |
| 55060      |               | C             | 6.05        | 4.24                       | 4.24                  | 0.46       | 090              | 53.10                     |             |                                |
| 55100      |               | C             | 2.40        | 3.54                       | 1.99                  | 0.17       | 010              | 53.10                     |             |                                |
| 55110      |               | C             | 6.23        | 4.26                       | 4.26                  | 0.43       | 090              | 53.10                     |             |                                |
| 55120      |               | C             | 5.62        | 4.01                       | 4.01                  | 0.39       | 090              | 53.10                     |             |                                |
| 55150      |               | C             | 8.01        | 5.27                       | 5.27                  | 0.56       | 090              | 53.10                     |             |                                |
| 55175      |               | C             | 5.77        | 4.13                       | 4.13                  | 0.37       | 090              | 53.10                     |             |                                |
| 55180      |               | C             | 11.63       | 7.05                       | 7.05                  | 0.90       | 090              | 53.10                     |             |                                |
| 55200      |               | C             | 4.50        | 9.08                       | 3.05                  | 0.33       | 090              | 53.10                     |             |                                |
| 55250      |               | C             | 3.32        | 8.70                       | 2.89                  | 0.25       | 090              | 53.10                     |             |                                |
| 55300      |               | C             | 3.50        | 1.45                       | 1.45                  | 0.25       | 000              | 53.10                     |             |                                |
| 55400      |               | C             | 8.53        | 5.29                       | 5.29                  | 0.64       | 090              | 53.10                     |             |                                |
| 55450      |               | C             | 4.38        | 6.18                       | 2.61                  | 0.29       | 010              | 53.10                     |             |                                |
| 55500      |               | C             | 6.12        | 4.02                       | 4.02                  | 0.55       | 090              | 53.10                     |             |                                |
| 55520      |               | C             | 6.56        | 3.74                       | 3.74                  | 0.75       | 090              | 53.10                     |             |                                |
| 55530      |               | C             | 5.69        | 3.95                       | 3.95                  | 0.45       | 090              | 53.10                     |             |                                |
| 55535      |               | C             | 7.09        | 4.61                       | 4.61                  | 0.47       | 090              | 53.10                     |             |                                |
| 55540      |               | C             | 8.20        | 4.26                       | 4.26                  | 0.94       | 090              | 53.10                     |             |                                |
| 55550      |               | C             | 7.10        | 4.41                       | 4.41                  | 0.57       | 090              | 53.10                     |             |                                |
| 55559      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 55600      |               | C             | 6.91        | 4.67                       | 4.67                  | 0.62       | 090              | 53.10                     |             |                                |
| 55605      |               | C             | 8.63        | 5.10                       | 5.10                  | 0.64       | 090              | 53.10                     |             |                                |
| 55650      |               | C             | 12.52       | 7.01                       | 7.01                  | 0.92       | 090              | 53.10                     |             |                                |
| 55680      |               | C             | 5.59        | 3.64                       | 3.64                  | 0.47       | 090              | 53.10                     |             |                                |
| 55700      |               | C             | 2.58        | 3.86                       | 1.22                  | 0.11       | 000              | 53.10                     |             |                                |
| 55705      |               | C             | 4.58        | 2.83                       | 2.83                  | 0.32       | 010              | 53.10                     |             |                                |
| 55706      |               | C             | 6.15        | 4.39                       | 4.39                  | 0.39       | 010              | 53.10                     |             |                                |
| 55720      |               | C             | 7.67        | 4.75                       | 4.75                  | 0.95       | 090              | 53.10                     |             |                                |
| 55725      |               | C             | 9.90        | 6.20                       | 6.20                  | 0.70       | 090              | 53.10                     |             |                                |
| 55801      |               | C             | 19.62       | 10.25                      | 10.25                 | 1.34       | 090              | 53.10                     |             |                                |
| 55810      |               | C             | 24.14       | 12.00                      | 12.00                 | 1.60       | 090              | 53.10                     |             |                                |
| 55812      |               | C             | 29.69       | 14.67                      | 14.67                 | 2.05       | 090              | 53.10                     |             |                                |
| 55815      |               | C             | 32.75       | 15.96                      | 15.96                 | 2.17       | 090              | 53.10                     |             |                                |
| 55821      |               | C             | 15.63       | 8.45                       | 8.45                  | 1.01       | 090              | 53.10                     |             |                                |
| 55831      |               | C             | 17.06       | 9.03                       | 9.03                  | 1.10       | 090              | 53.10                     |             |                                |
| 55840      |               | C             | 24.45       | 12.45                      | 12.45                 | 1.61       | 090              | 53.10                     |             |                                |
| 55842      |               | C             | 26.31       | 13.23                      | 13.23                 | 1.73       | 090              | 53.10                     |             |                                |
| 55845      |               | C             | 30.52       | 14.67                      | 14.67                 | 2.03       | 090              | 53.10                     |             |                                |
| 55860      |               | C             | 15.71       | 8.44                       | 8.44                  | 1.02       | 090              | 53.10                     |             |                                |
| 55862      |               | C             | 19.89       | 10.49                      | 10.49                 | 1.49       | 090              | 53.10                     |             |                                |
| 55865      |               | C             | 24.39       | 12.53                      | 12.53                 | 1.63       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 55866      |               | C             | 32.25       | 15.76                      | 15.76                 | 2.17       | 090              | 53.10                     |             |                                |
| 55870      |               | C             | 2.58        | 2.28                       | 1.41                  | 0.16       | 000              | 53.10                     |             |                                |
| 55873      |               | C             | 20.25       | 11.20                      | 11.20                 | 1.38       | 090              | 53.10                     |             |                                |
| 55875      |               | C             | 13.31       | 7.65                       | 7.65                  | 0.89       | 090              | 53.10                     |             |                                |
| 55876      |               | C             | 1.73        | 2.09                       | 1.10                  | 0.28       | 000              | 53.10                     |             |                                |
| 55899      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 55920      |               | C             | 8.31        | 3.42                       | 3.42                  | 0.58       | 000              | 53.10                     |             |                                |
| 55970      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 55980      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 56405      |               | C             | 1.46        | 1.22                       | 1.16                  | 0.17       | 010              | 53.10                     |             |                                |
| 56420      |               | C             | 1.41        | 1.71                       | 0.85                  | 0.16       | 010              | 53.10                     |             |                                |
| 56440      |               | C             | 2.86        | 1.63                       | 1.63                  | 0.34       | 010              | 53.10                     |             |                                |
| 56441      |               | C             | 1.99        | 1.75                       | 1.54                  | 0.20       | 010              | 53.10                     |             |                                |
| 56442      |               | D             | 0.68        | 0.53                       | 0.53                  | 0.08       | 000              | 53.10                     |             |                                |
| 56501      |               | C             | 1.55        | 1.68                       | 1.24                  | 0.18       | 010              | 53.10                     |             |                                |
| 56515      |               | C             | 3.03        | 2.46                       | 1.80                  | 0.33       | 010              | 53.10                     |             |                                |
| 56605      |               | C             | 1.10        | 0.97                       | 0.39                  | 0.13       | 000              | 53.10                     |             |                                |
| 56606      |               | C             | 0.55        | 0.40                       | 0.18                  | 0.07       | ZZZ              | 53.10                     |             |                                |
| 56620      |               | C             | 7.35        | 4.74                       | 4.74                  | 0.90       | 090              | 53.10                     |             |                                |
| 56625      |               | C             | 9.55        | 5.03                       | 5.03                  | 1.02       | 090              | 53.10                     |             |                                |
| 56630      |               | C             | 14.67       | 6.64                       | 6.64                  | 1.49       | 090              | 53.10                     |             |                                |
| 56631      |               | C             | 18.81       | 8.26                       | 8.26                  | 1.96       | 090              | 53.10                     |             |                                |
| 56632      |               | C             | 21.61       | 9.66                       | 9.66                  | 2.39       | 090              | 53.10                     |             |                                |
| 56633      |               | C             | 19.47       | 8.30                       | 8.30                  | 1.98       | 090              | 53.10                     |             |                                |
| 56634      |               | C             | 20.48       | 8.81                       | 8.81                  | 2.17       | 090              | 53.10                     |             |                                |
| 56637      |               | C             | 24.57       | 10.01                      | 10.01                 | 2.61       | 090              | 53.10                     |             |                                |
| 56640      |               | C             | 24.65       | 9.64                       | 9.64                  | 2.89       | 090              | 53.10                     |             |                                |
| 56700      |               | D             | 2.79        | 1.79                       | 1.79                  | 0.30       | 010              | 53.10                     |             |                                |
| 56740      |               | C             | 4.83        | 2.43                       | 2.43                  | 0.56       | 010              | 53.10                     |             |                                |
| 56800      |               | C             | 3.90        | 2.09                       | 2.09                  | 0.44       | 010              | 53.10                     |             |                                |
| 56805      |               | D             | 19.75       | 8.39                       | 8.39                  | 2.15       | 090              | 53.10                     |             |                                |
| 56810      |               | C             | 4.26        | 2.16                       | 2.16                  | 0.49       | 010              | 53.10                     |             |                                |
| 56820      |               | C             | 1.50        | 1.24                       | 0.58                  | 0.18       | 000              | 53.10                     |             |                                |
| 56821      |               | C             | 2.05        | 1.61                       | 0.77                  | 0.25       | 000              | 53.10                     |             |                                |
| 57000      |               | C             | 2.99        | 1.72                       | 1.72                  | 0.31       | 010              | 53.10                     |             |                                |
| 57010      |               | C             | 6.74        | 3.84                       | 3.84                  | 0.71       | 090              | 53.10                     |             |                                |
| 57020      |               | C             | 1.50        | 0.82                       | 0.50                  | 0.18       | 000              | 53.10                     |             |                                |
| 57022      |               | C             | 2.70        | 1.41                       | 1.41                  | 0.26       | 010              | 53.10                     |             |                                |
| 57023      |               | C             | 5.13        | 2.51                       | 2.51                  | 0.58       | 010              | 53.10                     |             |                                |
| 57061      |               | C             | 1.27        | 1.55                       | 1.12                  | 0.15       | 010              | 53.10                     |             |                                |
| 57065      |               | C             | 2.63        | 2.11                       | 1.56                  | 0.31       | 010              | 53.10                     |             |                                |
| 57100      |               | C             | 1.20        | 0.99                       | 0.41                  | 0.14       | 000              | 53.10                     |             |                                |
| 57105      |               | C             | 1.71        | 1.65                       | 1.37                  | 0.20       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 57106      |               | C             | 7.35        | 4.35                       | 4.35            | 0.73       | 090              | 53.10                     |             |                                |
| 57107      |               | C             | 24.43       | 9.80                       | 9.80            | 2.72       | 090              | 53.10                     |             |                                |
| 57109      |               | C             | 28.25       | 10.80                      | 10.80           | 3.22       | 090              | 53.10                     |             |                                |
| 57110      |               | C             | 15.38       | 6.67                       | 6.67            | 1.74       | 090              | 53.10                     |             |                                |
| 57111      |               | C             | 28.25       | 11.27                      | 11.27           | 3.18       | 090              | 53.10                     |             |                                |
| 57112      |               | C             | 30.37       | 11.78                      | 11.78           | 3.08       | 090              | 53.10                     |             |                                |
| 57120      |               | C             | 8.18        | 4.40                       | 4.40            | 0.89       | 090              | 53.10                     |             |                                |
| 57130      |               | C             | 2.44        | 2.03                       | 1.52            | 0.29       | 010              | 53.10                     |             |                                |
| 57135      |               | C             | 2.68        | 2.11                       | 1.59            | 0.31       | 010              | 53.10                     |             |                                |
| 57150      |               | C             | 0.55        | 0.72                       | 0.18            | 0.07       | 000              | 53.10                     |             |                                |
| 57155      |               | C             | 6.79        | 3.84                       | 3.84            | 0.43       | 090              | 53.10                     |             |                                |
| 57160      |               | C             | 0.89        | 1.04                       | 0.29            | 0.10       | 000              | 53.10                     |             |                                |
| 57170      |               | C             | 0.91        | 0.81                       | 0.28            | 0.11       | 000              | 53.10                     |             |                                |
| 57180      |               | C             | 1.60        | 1.94                       | 1.03            | 0.19       | 010              | 53.10                     |             |                                |
| 57200      |               | C             | 4.34        | 2.98                       | 2.98            | 0.46       | 090              | 53.10                     |             |                                |
| 57210      |               | C             | 5.63        | 3.41                       | 3.41            | 0.62       | 090              | 53.10                     |             |                                |
| 57220      |               | C             | 4.77        | 3.11                       | 3.11            | 0.51       | 090              | 53.10                     |             |                                |
| 57230      |               | C             | 6.22        | 3.70                       | 3.70            | 0.54       | 090              | 53.10                     |             |                                |
| 57240      |               | C             | 11.42       | 5.25                       | 5.25            | 0.62       | 090              | 53.10                     |             |                                |
| 57250      |               | C             | 11.42       | 4.85                       | 4.85            | 0.65       | 090              | 53.10                     |             |                                |
| 57260      |               | C             | 14.36       | 5.81                       | 5.81            | 0.97       | 090              | 53.10                     |             |                                |
| 57265      |               | C             | 15.86       | 6.52                       | 6.52            | 1.32       | 090              | 53.10                     |             |                                |
| 57267      |               | C             | 4.88        | 1.71                       | 1.71            | 0.64       | ZZZ              | 53.10                     |             |                                |
| 57268      |               | C             | 7.47        | 4.39                       | 4.39            | 0.79       | 090              | 53.10                     |             |                                |
| 57270      |               | C             | 13.57       | 6.04                       | 6.04            | 1.42       | 090              | 53.10                     |             |                                |
| 57280      |               | C             | 16.62       | 7.26                       | 7.26            | 1.68       | 090              | 53.10                     |             |                                |
| 57282      |               | C             | 7.84        | 4.62                       | 4.62            | 1.02       | 090              | 53.10                     |             |                                |
| 57283      |               | C             | 11.58       | 5.47                       | 5.47            | 1.02       | 090              | 53.10                     |             |                                |
| 57284      |               | C             | 14.25       | 6.48                       | 6.48            | 1.41       | 090              | 53.10                     |             |                                |
| 57285      |               | C             | 11.52       | 5.36                       | 5.36            | 0.63       | 090              | 53.10                     |             |                                |
| 57287      |               | C             | 10.97       | 6.66                       | 6.66            | 0.90       | 090              | 53.10                     |             |                                |
| 57288      |               | C             | 12.00       | 6.41                       | 6.41            | 1.12       | 090              | 53.10                     |             |                                |
| 57289      |               | C             | 12.69       | 6.63                       | 6.63            | 1.21       | 090              | 53.10                     |             |                                |
| 57291      |               | C             | 8.54        | 4.82                       | 4.82            | 0.93       | 090              | 53.10                     |             |                                |
| 57292      |               | C             | 13.91       | 6.43                       | 6.43            | 1.58       | 090              | 53.10                     |             |                                |
| 57295      |               | C             | 7.74        | 4.38                       | 4.38            | 0.91       | 090              | 53.10                     |             |                                |
| 57296      |               | C             | 16.46       | 6.88                       | 6.88            | 1.68       | 090              | 53.10                     |             |                                |
| 57300      |               | C             | 8.58        | 4.51                       | 4.51            | 0.87       | 090              | 53.10                     |             |                                |
| 57305      |               | C             | 15.24       | 6.43                       | 6.43            | 1.73       | 090              | 53.10                     |             |                                |
| 57307      |               | C             | 17.02       | 7.17                       | 7.17            | 2.02       | 090              | 53.10                     |             |                                |
| 57308      |               | C             | 10.48       | 5.07                       | 5.07            | 1.14       | 090              | 53.10                     |             |                                |
| 57310      |               | C             | 7.55        | 4.86                       | 4.86            | 0.54       | 090              | 53.10                     |             |                                |
| 57311      |               | C             | 8.81        | 5.33                       | 5.33            | 0.65       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 57320      |               | C             | 8.78        | 5.28                       | 5.28                  | 0.69       | 090              | 53.10                     |             |                                |
| 57330      |               | C             | 13.11       | 6.79                       | 6.79                  | 1.06       | 090              | 53.10                     |             |                                |
| 57335      |               | D             | 19.87       | 8.88                       | 8.88                  | 1.92       | 090              | 53.10                     |             |                                |
| 57400      |               | C             | 2.27        | 1.07                       | 1.07                  | 0.26       | 000              | 53.10                     |             |                                |
| 57410      |               | C             | 1.75        | 0.89                       | 0.89                  | 0.18       | 000              | 53.10                     |             |                                |
| 57415      |               | C             | 2.44        | 1.52                       | 1.52                  | 0.24       | 010              | 53.10                     |             |                                |
| 57420      |               | C             | 1.60        | 1.28                       | 0.61                  | 0.19       | 000              | 53.10                     |             |                                |
| 57421      |               | C             | 2.20        | 1.67                       | 0.81                  | 0.27       | 000              | 53.10                     |             |                                |
| 57423      |               | C             | 16.00       | 6.81                       | 6.81                  | 1.65       | 090              | 53.10                     |             |                                |
| 57425      |               | C             | 16.93       | 7.11                       | 7.11                  | 1.76       | 090              | 53.10                     |             |                                |
| 57452      |               | C             | 1.50        | 1.21                       | 0.76                  | 0.18       | 000              | 53.10                     |             |                                |
| 57454      |               | C             | 2.33        | 1.48                       | 1.03                  | 0.28       | 000              | 53.10                     |             |                                |
| 57455      |               | C             | 1.99        | 1.57                       | 0.74                  | 0.24       | 000              | 53.10                     |             |                                |
| 57456      |               | C             | 1.85        | 1.52                       | 0.70                  | 0.22       | 000              | 53.10                     |             |                                |
| 57460      |               | C             | 2.83        | 4.67                       | 1.20                  | 0.34       | 000              | 53.10                     |             |                                |
| 57461      |               | C             | 3.43        | 4.96                       | 1.21                  | 0.41       | 000              | 53.10                     |             |                                |
| 57500      |               | C             | 1.20        | 2.14                       | 0.65                  | 0.12       | 000              | 53.10                     |             |                                |
| 57505      |               | C             | 1.16        | 1.36                       | 1.08                  | 0.14       | 010              | 53.10                     |             |                                |
| 57510      |               | C             | 1.90        | 1.38                       | 0.95                  | 0.23       | 010              | 53.10                     |             |                                |
| 57511      |               | C             | 1.92        | 1.67                       | 1.31                  | 0.23       | 010              | 53.10                     |             |                                |
| 57513      |               | C             | 1.92        | 1.62                       | 1.33                  | 0.23       | 010              | 53.10                     |             |                                |
| 57520      |               | C             | 4.06        | 3.54                       | 2.64                  | 0.49       | 090              | 53.10                     |             |                                |
| 57522      |               | C             | 3.62        | 2.89                       | 2.34                  | 0.41       | 090              | 53.10                     |             |                                |
| 57530      |               | C             | 5.19        | 3.26                       | 3.26                  | 0.58       | 090              | 53.10                     |             |                                |
| 57531      |               | C             | 29.77       | 11.75                      | 11.75                 | 3.35       | 090              | 53.10                     |             |                                |
| 57540      |               | C             | 13.19       | 5.86                       | 5.86                  | 1.49       | 090              | 53.10                     |             |                                |
| 57545      |               | C             | 14.00       | 6.13                       | 6.13                  | 1.52       | 090              | 53.10                     |             |                                |
| 57550      |               | C             | 6.24        | 3.76                       | 3.76                  | 0.67       | 090              | 53.10                     |             |                                |
| 57555      |               | C             | 9.84        | 4.85                       | 4.85                  | 1.09       | 090              | 53.10                     |             |                                |
| 57556      |               | C             | 9.26        | 4.85                       | 4.85                  | 0.92       | 090              | 53.10                     |             |                                |
| 57558      |               | C             | 1.69        | 1.40                       | 1.09                  | 0.20       | 010              | 53.10                     |             |                                |
| 57700      |               | C             | 4.22        | 3.37                       | 3.37                  | 0.41       | 090              | 53.10                     |             |                                |
| 57720      |               | C             | 4.53        | 3.01                       | 3.01                  | 0.49       | 090              | 53.10                     |             |                                |
| 57800      |               | C             | 0.77        | 0.73                       | 0.43                  | 0.09       | 000              | 53.10                     |             |                                |
| 58100      |               | C             | 1.53        | 1.20                       | 0.63                  | 0.18       | 000              | 53.10                     |             |                                |
| 58110      |               | C             | 0.77        | 0.44                       | 0.25                  | 0.09       | ZZZ              | 53.10                     |             |                                |
| 58120      |               | C             | 3.54        | 2.63                       | 1.75                  | 0.39       | 010              | 53.10                     |             |                                |
| 58140      |               | C             | 15.69       | 6.59                       | 6.59                  | 1.82       | 090              | 53.10                     |             |                                |
| 58145      |               | C             | 8.81        | 4.48                       | 4.48                  | 0.97       | 090              | 53.10                     |             |                                |
| 58146      |               | C             | 20.24       | 8.13                       | 8.13                  | 2.33       | 090              | 53.10                     |             |                                |
| 58150      |               | C             | 17.21       | 7.01                       | 7.01                  | 1.85       | 090              | 53.10                     |             |                                |
| 58152      |               | C             | 21.73       | 8.75                       | 8.75                  | 2.48       | 090              | 53.10                     |             |                                |
| 58180      |               | C             | 16.50       | 6.85                       | 6.85                  | 1.64       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 58200      |               | C             | 23.00       | 8.95                       | 8.95            | 2.55       | 090              | 53.10                     |             |                                |
| 58210      |               | C             | 30.76       | 11.81                      | 11.81           | 3.38       | 090              | 53.10                     |             |                                |
| 58240      |               | C             | 49.02       | 18.61                      | 18.61           | 4.23       | 090              | 53.10                     |             |                                |
| 58260      |               | C             | 14.02       | 6.20                       | 6.20            | 1.57       | 090              | 53.10                     |             |                                |
| 58262      |               | C             | 15.81       | 6.75                       | 6.75            | 1.80       | 090              | 53.10                     |             |                                |
| 58263      |               | C             | 17.10       | 7.20                       | 7.20            | 1.95       | 090              | 53.10                     |             |                                |
| 58267      |               | C             | 18.23       | 7.59                       | 7.59            | 2.07       | 090              | 53.10                     |             |                                |
| 58270      |               | C             | 15.20       | 6.42                       | 6.42            | 1.74       | 090              | 53.10                     |             |                                |
| 58275      |               | C             | 16.90       | 7.17                       | 7.17            | 1.92       | 090              | 53.10                     |             |                                |
| 58280      |               | C             | 18.20       | 7.54                       | 7.54            | 2.07       | 090              | 53.10                     |             |                                |
| 58285      |               | C             | 23.30       | 8.91                       | 8.91            | 2.71       | 090              | 53.10                     |             |                                |
| 58290      |               | C             | 20.17       | 8.08                       | 8.08            | 2.30       | 090              | 53.10                     |             |                                |
| 58291      |               | C             | 21.96       | 8.72                       | 8.72            | 2.53       | 090              | 53.10                     |             |                                |
| 58292      |               | C             | 23.25       | 9.07                       | 9.07            | 2.68       | 090              | 53.10                     |             |                                |
| 58293      |               | C             | 24.23       | 9.32                       | 9.32            | 2.79       | 090              | 53.10                     |             |                                |
| 58294      |               | C             | 21.45       | 8.41                       | 8.41            | 2.40       | 090              | 53.10                     |             |                                |
| 58300      |               | D             | 1.01        | 0.94                       | 0.35            | 0.12       | XXX              | 53.10                     |             |                                |
| 58301      |               | D             | 1.27        | 1.12                       | 0.40            | 0.15       | 000              | 53.10                     |             |                                |
| 58321      |               | D             | 0.92        | 1.05                       | 0.31            | 0.10       | 000              | 53.10                     |             |                                |
| 58322      |               | D             | 1.10        | 1.08                       | 0.35            | 0.13       | 000              | 53.10                     |             |                                |
| 58323      |               | D             | 0.23        | 0.25                       | 0.08            | 0.03       | 000              | 53.10                     |             |                                |
| 58340      |               | C             | 0.88        | 2.39                       | 0.60            | 0.09       | 000              | 53.10                     |             |                                |
| 58345      |               | D             | 4.67        | 2.24                       | 2.24            | 0.41       | 010              | 53.10                     |             |                                |
| 58346      |               | C             | 7.48        | 3.88                       | 3.88            | 0.56       | 090              | 53.10                     |             |                                |
| 58350      |               | D             | 1.03        | 1.38                       | 0.90            | 0.12       | 010              | 53.10                     |             |                                |
| 58353      |               | C             | 3.57        | 25.75                      | 1.84            | 0.43       | 010              | 53.10                     |             |                                |
| 58356      |               | C             | 6.36        | 47.35                      | 2.16            | 0.82       | 010              | 53.10                     |             |                                |
| 58400      |               | C             | 7.06        | 3.97                       | 3.97            | 0.75       | 090              | 53.10                     |             |                                |
| 58410      |               | C             | 13.70       | 5.96                       | 5.96            | 1.45       | 090              | 53.10                     |             |                                |
| 58520      |               | C             | 13.38       | 5.78                       | 5.78            | 1.47       | 090              | 53.10                     |             |                                |
| 58540      |               | C             | 15.61       | 6.58                       | 6.58            | 1.79       | 090              | 53.10                     |             |                                |
| 58541      |               | C             | 14.57       | 6.37                       | 6.37            | 1.68       | 090              | 53.10                     |             |                                |
| 58542      |               | C             | 16.43       | 6.94                       | 6.94            | 1.69       | 090              | 53.10                     |             |                                |
| 58543      |               | C             | 16.74       | 7.01                       | 7.01            | 1.73       | 090              | 53.10                     |             |                                |
| 58544      |               | C             | 18.24       | 7.41                       | 7.41            | 1.89       | 090              | 53.10                     |             |                                |
| 58545      |               | C             | 15.45       | 6.39                       | 6.39            | 1.78       | 090              | 53.10                     |             |                                |
| 58546      |               | C             | 19.84       | 7.80                       | 7.80            | 2.31       | 090              | 53.10                     |             |                                |
| 58548      |               | C             | 31.45       | 11.70                      | 11.70           | 3.52       | 090              | 53.10                     |             |                                |
| 58550      |               | C             | 14.97       | 6.62                       | 6.62            | 1.73       | 090              | 53.10                     |             |                                |
| 58552      |               | C             | 16.78       | 7.16                       | 7.16            | 1.73       | 090              | 53.10                     |             |                                |
| 58553      |               | C             | 19.96       | 7.83                       | 7.83            | 2.31       | 090              | 53.10                     |             |                                |
| 58554      |               | C             | 22.98       | 9.11                       | 9.11            | 2.28       | 090              | 53.10                     |             |                                |
| 58555      |               | C             | 3.33        | 2.63                       | 1.35            | 0.40       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 58558      |               | C             | 4.74        | 3.29                       | 1.85            | 0.57       | 000              | 53.10                     |             |                                |
| 58559      |               | C             | 6.16        | 2.31                       | 2.31            | 0.74       | 000              | 53.10                     |             |                                |
| 58560      |               | C             | 6.99        | 2.58                       | 2.58            | 0.84       | 000              | 53.10                     |             |                                |
| 58561      |               | C             | 9.99        | 3.54                       | 3.54            | 1.21       | 000              | 53.10                     |             |                                |
| 58562      |               | C             | 5.20        | 3.27                       | 1.98            | 0.63       | 000              | 53.10                     |             |                                |
| 58563      |               | C             | 6.16        | 41.54                      | 2.31            | 0.74       | 000              | 53.10                     |             |                                |
| 58565      |               | C             | 7.06        | 43.39                      | 3.59            | 1.19       | 090              | 53.10                     |             |                                |
| 58570      |               | C             | 15.75       | 6.72                       | 6.72            | 1.82       | 090              | 53.10                     |             |                                |
| 58571      |               | C             | 17.56       | 7.25                       | 7.25            | 1.81       | 090              | 53.10                     |             |                                |
| 58572      |               | C             | 19.96       | 7.94                       | 7.94            | 2.31       | 090              | 53.10                     |             |                                |
| 58573      |               | C             | 22.98       | 8.82                       | 8.82            | 2.28       | 090              | 53.10                     |             |                                |
| 58578      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 58579      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 58600      |               | C             | 5.86        | 3.04                       | 3.04            | 0.66       | 090              | 53.10                     |             |                                |
| 58605      |               | C             | 5.25        | 2.85                       | 2.85            | 0.59       | 090              | 53.10                     |             |                                |
| 58611      |               | C             | 1.45        | 0.46                       | 0.46            | 0.18       | ZZZ              | 53.10                     |             |                                |
| 58615      |               | C             | 3.91        | 2.20                       | 2.20            | 0.47       | 010              | 53.10                     |             |                                |
| 58660      |               | C             | 11.54       | 4.84                       | 4.84            | 1.40       | 090              | 53.10                     |             |                                |
| 58661      |               | C             | 11.30       | 4.44                       | 4.44            | 1.34       | 010              | 53.10                     |             |                                |
| 58662      |               | C             | 12.08       | 5.17                       | 5.17            | 1.43       | 090              | 53.10                     |             |                                |
| 58670      |               | C             | 5.86        | 3.10                       | 3.10            | 0.67       | 090              | 53.10                     |             |                                |
| 58671      |               | C             | 5.86        | 3.09                       | 3.09            | 0.68       | 090              | 53.10                     |             |                                |
| 58672      |               | C             | 12.88       | 5.21                       | 5.21            | 1.60       | 090              | 53.10                     |             |                                |
| 58673      |               | C             | 13.99       | 5.71                       | 5.71            | 1.70       | 090              | 53.10                     |             |                                |
| 58679      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 58700      |               | C             | 12.84       | 5.76                       | 5.76            | 1.51       | 090              | 53.10                     |             |                                |
| 58720      |               | C             | 12.08       | 5.42                       | 5.42            | 1.39       | 090              | 53.10                     |             |                                |
| 58740      |               | C             | 14.79       | 6.53                       | 6.53            | 1.72       | 090              | 53.10                     |             |                                |
| 58750      |               | C             | 15.56       | 6.59                       | 6.59            | 1.85       | 090              | 53.10                     |             |                                |
| 58752      |               | C             | 15.56       | 6.79                       | 6.79            | 1.81       | 090              | 53.10                     |             |                                |
| 58760      |               | C             | 13.85       | 6.12                       | 6.12            | 1.80       | 090              | 53.10                     |             |                                |
| 58770      |               | C             | 14.69       | 5.85                       | 5.85            | 1.74       | 090              | 53.10                     |             |                                |
| 58800      |               | C             | 4.54        | 3.40                       | 2.83            | 0.43       | 090              | 53.10                     |             |                                |
| 58805      |               | C             | 6.34        | 3.60                       | 3.60            | 0.69       | 090              | 53.10                     |             |                                |
| 58820      |               | C             | 4.62        | 3.07                       | 3.07            | 0.52       | 090              | 53.10                     |             |                                |
| 58822      |               | C             | 11.71       | 5.64                       | 5.64            | 1.16       | 090              | 53.10                     |             |                                |
| 58823      |               | C             | 3.37        | 20.24                      | 1.25            | 0.24       | 000              | 53.10                     |             |                                |
| 58825      |               | C             | 11.70       | 5.33                       | 5.33            | 1.32       | 090              | 53.10                     |             |                                |
| 58900      |               | C             | 6.51        | 3.64                       | 3.64            | 0.69       | 090              | 53.10                     |             |                                |
| 58920      |               | C             | 11.87       | 5.21                       | 5.21            | 1.43       | 090              | 53.10                     |             |                                |
| 58925      |               | C             | 12.33       | 5.53                       | 5.53            | 1.41       | 090              | 53.10                     |             |                                |
| 58940      |               | C             | 8.12        | 4.15                       | 4.15            | 0.91       | 090              | 53.10                     |             |                                |
| 58943      |               | C             | 19.42       | 7.82                       | 7.82            | 2.23       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 58950      |               | C             | 18.24       | 7.79                       | 7.79            | 2.05       | 090              | 53.10                     |             |                                |
| 58951      |               | C             | 24.15       | 9.42                       | 9.42            | 2.64       | 090              | 53.10                     |             |                                |
| 58952      |               | C             | 27.15       | 10.68                      | 10.68           | 3.03       | 090              | 53.10                     |             |                                |
| 58953      |               | C             | 33.97       | 12.90                      | 12.90           | 3.84       | 090              | 53.10                     |             |                                |
| 58954      |               | C             | 36.97       | 13.90                      | 13.90           | 4.18       | 090              | 53.10                     |             |                                |
| 58956      |               | C             | 22.65       | 9.34                       | 9.34            | 4.01       | 090              | 53.10                     |             |                                |
| 58957      |               | C             | 26.06       | 10.02                      | 10.02           | 2.95       | 090              | 53.10                     |             |                                |
| 58958      |               | C             | 29.06       | 11.03                      | 11.03           | 3.29       | 090              | 53.10                     |             |                                |
| 58960      |               | C             | 15.68       | 6.80                       | 6.80            | 1.80       | 090              | 53.10                     |             |                                |
| 58970      |               | D             | 3.52        | 2.00                       | 1.37            | 0.43       | 000              | 53.10                     |             |                                |
| 58974      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | 000              | 0.00                      |             |                                |
| 58976      |               | D             | 3.82        | 2.51                       | 1.68            | 0.47       | 000              | 53.10                     |             |                                |
| 58999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 59000      |               | C             | 1.30        | 1.83                       | 0.59            | 0.31       | 000              | 53.10                     |             |                                |
| 59001      |               | C             | 3.00        | 1.32                       | 1.32            | 0.71       | 000              | 53.10                     |             |                                |
| 59012      |               | C             | 3.44        | 1.29                       | 1.29            | 0.82       | 000              | 53.10                     |             |                                |
| 59015      |               | C             | 2.20        | 1.48                       | 0.89            | 0.52       | 000              | 53.10                     |             |                                |
| 59020      |               | C             | 0.66        | 0.99                       | 0.99            | 0.26       | 000              | 53.10                     |             |                                |
| 59020      | TC            | C             | 0.00        | 0.78                       | 0.78            | 0.10       | 000              | 53.10                     |             |                                |
| 59020      | 26            | C             | 0.66        | 0.21                       | 0.21            | 0.16       | 000              | 53.10                     |             |                                |
| 59025      |               | C             | 0.53        | 0.58                       | 0.58            | 0.15       | 000              | 53.10                     |             |                                |
| 59025      | TC            | C             | 0.00        | 0.41                       | 0.41            | 0.02       | 000              | 53.10                     |             |                                |
| 59025      | 26            | C             | 0.53        | 0.17                       | 0.17            | 0.13       | 000              | 53.10                     |             |                                |
| 59030      |               | C             | 1.99        | 0.63                       | 0.63            | 0.47       | 000              | 53.10                     |             |                                |
| 59050      |               | C             | 0.89        | 0.28                       | 0.28            | 0.21       | XXX              | 53.10                     |             |                                |
| 59051      |               | C             | 0.74        | 0.23                       | 0.23            | 0.17       | XXX              | 53.10                     |             |                                |
| 59070      |               | C             | 5.24        | 4.80                       | 2.11            | 0.28       | 000              | 53.10                     |             |                                |
| 59072      |               | C             | 8.99        | 3.31                       | 3.31            | 0.16       | 000              | 53.10                     |             |                                |
| 59074      |               | C             | 5.24        | 4.26                       | 2.04            | 0.28       | 000              | 53.10                     |             |                                |
| 59076      |               | C             | 8.99        | 3.03                       | 3.03            | 0.16       | 000              | 53.10                     |             |                                |
| 59100      |               | C             | 13.26       | 5.88                       | 5.88            | 2.95       | 090              | 53.10                     |             |                                |
| 59120      |               | C             | 12.56       | 5.79                       | 5.79            | 2.73       | 090              | 53.10                     |             |                                |
| 59121      |               | C             | 12.64       | 5.76                       | 5.76            | 2.79       | 090              | 53.10                     |             |                                |
| 59130      |               | C             | 14.98       | 6.40                       | 6.40            | 3.39       | 090              | 53.10                     |             |                                |
| 59135      |               | C             | 14.82       | 6.92                       | 6.92            | 3.31       | 090              | 53.10                     |             |                                |
| 59136      |               | C             | 14.15       | 6.12                       | 6.12            | 3.14       | 090              | 53.10                     |             |                                |
| 59140      |               | C             | 5.86        | 3.32                       | 3.32            | 1.29       | 090              | 53.10                     |             |                                |
| 59150      |               | C             | 12.19       | 5.56                       | 5.56            | 2.79       | 090              | 53.10                     |             |                                |
| 59151      |               | C             | 12.01       | 5.32                       | 5.32            | 2.74       | 090              | 53.10                     |             |                                |
| 59160      |               | C             | 2.73        | 2.34                       | 1.46            | 0.64       | 010              | 53.10                     |             |                                |
| 59200      |               | C             | 0.79        | 1.00                       | 0.25            | 0.19       | 000              | 53.10                     |             |                                |
| 59300      |               | C             | 2.41        | 2.16                       | 0.99            | 0.57       | 000              | 53.10                     |             |                                |
| 59320      |               | C             | 2.48        | 1.09                       | 1.09            | 0.59       | 000              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 59325      |               | C             | 4.06        | 1.60                       | 1.60            | 0.88       | 000              | 53.10                     |             |                                |
| 59350      |               | C             | 4.94        | 1.46                       | 1.46            | 1.17       | 000              | 53.10                     |             |                                |
| 59400      |               | C             | 26.80       | 14.71                      | 14.71           | 5.50       | MMM              | 53.10                     |             |                                |
| 59409      |               | C             | 13.48       | 4.29                       | 4.29            | 3.22       | MMM              | 53.10                     |             |                                |
| 59410      |               | C             | 15.29       | 5.49                       | 5.49            | 3.52       | MMM              | 53.10                     |             |                                |
| 59412      |               | C             | 1.71        | 0.70                       | 0.70            | 0.40       | MMM              | 53.10                     |             |                                |
| 59414      |               | C             | 1.61        | 0.51                       | 0.51            | 0.38       | MMM              | 53.10                     |             |                                |
| 59425      |               | C             | 6.22        | 4.29                       | 1.82            | 1.14       | MMM              | 53.10                     |             |                                |
| 59426      |               | C             | 11.04       | 7.81                       | 3.21            | 1.98       | MMM              | 53.10                     |             |                                |
| 59430      |               | C             | 2.13        | 1.14                       | 0.79            | 0.50       | MMM              | 53.10                     |             |                                |
| 59510      |               | C             | 30.34       | 16.65                      | 16.65           | 6.25       | MMM              | 53.10                     |             |                                |
| 59514      |               | C             | 15.95       | 5.10                       | 5.10            | 3.80       | MMM              | 53.10                     |             |                                |
| 59515      |               | C             | 18.26       | 6.84                       | 6.84            | 4.13       | MMM              | 53.10                     |             |                                |
| 59525      |               | C             | 8.53        | 2.72                       | 2.72            | 1.95       | ZZZ              | 53.10                     |             |                                |
| 59610      |               | C             | 28.21       | 15.45                      | 15.45           | 5.87       | MMM              | 53.10                     |             |                                |
| 59612      |               | C             | 15.04       | 4.88                       | 4.88            | 3.59       | MMM              | 53.10                     |             |                                |
| 59614      |               | C             | 16.59       | 5.82                       | 5.82            | 3.89       | MMM              | 53.10                     |             |                                |
| 59618      |               | C             | 31.78       | 17.33                      | 17.33           | 6.61       | MMM              | 53.10                     |             |                                |
| 59620      |               | C             | 17.50       | 5.61                       | 5.61            | 4.17       | MMM              | 53.10                     |             |                                |
| 59622      |               | C             | 19.70       | 7.50                       | 7.50            | 4.50       | MMM              | 53.10                     |             |                                |
| 59812      |               | C             | 4.39        | 3.00                       | 2.45            | 0.95       | 090              | 53.10                     |             |                                |
| 59820      |               | C             | 4.68        | 4.19                       | 3.52            | 0.95       | 090              | 53.10                     |             |                                |
| 59821      |               | C             | 4.97        | 3.99                       | 3.28            | 1.06       | 090              | 53.10                     |             |                                |
| 59830      |               | C             | 6.51        | 3.65                       | 3.65            | 1.44       | 090              | 53.10                     |             |                                |
| 59840      |               | C             | 3.01        | 2.08                       | 1.90            | 0.71       | 010              | 53.10                     |             |                                |
| 59841      |               | C             | 5.57        | 3.27                       | 2.72            | 1.24       | 010              | 53.10                     |             |                                |
| 59850      |               | C             | 5.90        | 3.20                       | 3.20            | 1.28       | 090              | 53.10                     |             |                                |
| 59851      |               | C             | 5.92        | 3.45                       | 3.45            | 1.28       | 090              | 53.10                     |             |                                |
| 59852      |               | C             | 8.23        | 4.92                       | 4.92            | 1.81       | 090              | 53.10                     |             |                                |
| 59855      |               | C             | 6.38        | 3.27                       | 3.27            | 1.45       | 090              | 53.10                     |             |                                |
| 59856      |               | C             | 7.74        | 3.60                       | 3.60            | 1.79       | 090              | 53.10                     |             |                                |
| 59857      |               | C             | 9.30        | 4.35                       | 4.35            | 2.02       | 090              | 53.10                     |             |                                |
| 59866      |               | D             | 3.99        | 1.62                       | 1.62            | 0.87       | 000              | 53.10                     |             |                                |
| 59870      |               | C             | 6.40        | 4.63                       | 4.63            | 1.42       | 090              | 53.10                     |             |                                |
| 59871      |               | C             | 2.13        | 1.00                       | 1.00            | 0.50       | 000              | 53.10                     |             |                                |
| 59897      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 59898      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 59899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 60000      |               | C             | 1.78        | 2.13                       | 1.78            | 0.15       | 010              | 53.10                     |             |                                |
| 60100      |               | C             | 1.56        | 1.37                       | 0.56            | 0.10       | 000              | 53.10                     |             |                                |
| 60200      |               | C             | 9.91        | 5.75                       | 5.75            | 1.01       | 090              | 53.10                     |             |                                |
| 60210      |               | C             | 11.15       | 5.49                       | 5.49            | 1.23       | 090              | 53.10                     |             |                                |
| 60212      |               | C             | 16.32       | 7.45                       | 7.45            | 1.95       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 60220      |               | C             | 12.29       | 5.97                       | 5.97            | 1.32       | 090              | 53.10                     |             |                                |
| 60225      |               | C             | 14.67       | 7.24                       | 7.24            | 1.64       | 090              | 53.10                     |             |                                |
| 60240      |               | C             | 16.18       | 6.93                       | 6.93            | 1.86       | 090              | 53.10                     |             |                                |
| 60252      |               | C             | 21.88       | 9.47                       | 9.47            | 2.30       | 090              | 53.10                     |             |                                |
| 60254      |               | C             | 28.29       | 12.35                      | 12.35           | 2.61       | 090              | 53.10                     |             |                                |
| 60260      |               | C             | 18.18       | 7.99                       | 7.99            | 1.94       | 090              | 53.10                     |             |                                |
| 60270      |               | C             | 23.07       | 9.98                       | 9.98            | 2.33       | 090              | 53.10                     |             |                                |
| 60271      |               | C             | 17.54       | 7.83                       | 7.83            | 1.75       | 090              | 53.10                     |             |                                |
| 60280      |               | C             | 6.05        | 4.59                       | 4.59            | 0.54       | 090              | 53.10                     |             |                                |
| 60281      |               | C             | 8.71        | 5.48                       | 5.48            | 0.73       | 090              | 53.10                     |             |                                |
| 60300      |               | C             | 0.97        | 1.80                       | 0.33            | 0.07       | 000              | 53.10                     |             |                                |
| 60500      |               | C             | 16.69       | 7.22                       | 7.22            | 2.01       | 090              | 53.10                     |             |                                |
| 60502      |               | C             | 21.01       | 8.99                       | 8.99            | 2.54       | 090              | 53.10                     |             |                                |
| 60505      |               | C             | 22.91       | 10.14                      | 10.14           | 2.65       | 090              | 53.10                     |             |                                |
| 60512      |               | C             | 4.44        | 1.38                       | 1.38            | 0.53       | ZZZ              | 53.10                     |             |                                |
| 60520      |               | C             | 17.07       | 7.48                       | 7.48            | 2.20       | 090              | 53.10                     |             |                                |
| 60521      |               | C             | 19.11       | 8.89                       | 8.89            | 2.82       | 090              | 53.10                     |             |                                |
| 60522      |               | C             | 23.37       | 10.48                      | 10.48           | 3.27       | 090              | 53.10                     |             |                                |
| 60540      |               | C             | 17.91       | 8.37                       | 8.37            | 1.75       | 090              | 53.10                     |             |                                |
| 60545      |               | C             | 20.82       | 9.01                       | 9.01            | 2.08       | 090              | 53.10                     |             |                                |
| 60600      |               | C             | 24.99       | 9.80                       | 9.80            | 2.20       | 090              | 53.10                     |             |                                |
| 60605      |               | C             | 31.86       | 12.07                      | 12.07           | 2.50       | 090              | 53.10                     |             |                                |
| 60650      |               | C             | 20.63       | 8.40                       | 8.40            | 2.29       | 090              | 53.10                     |             |                                |
| 60659      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 60699      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 61000      |               | D             | 1.58        | 1.13                       | 1.13            | 0.13       | 000              | 53.10                     |             |                                |
| 61001      |               | D             | 1.49        | 1.14                       | 1.14            | 0.16       | 000              | 53.10                     |             |                                |
| 61020      |               | C             | 1.51        | 1.53                       | 1.53            | 0.34       | 000              | 53.10                     |             |                                |
| 61026      |               | C             | 1.69        | 1.35                       | 1.35            | 0.33       | 000              | 53.10                     |             |                                |
| 61050      |               | C             | 1.51        | 1.20                       | 1.20            | 0.11       | 000              | 53.10                     |             |                                |
| 61055      |               | C             | 2.10        | 1.37                       | 1.37            | 0.17       | 000              | 53.10                     |             |                                |
| 61070      |               | C             | 0.89        | 1.08                       | 1.08            | 0.17       | 000              | 53.10                     |             |                                |
| 61105      |               | C             | 5.40        | 4.45                       | 4.45            | 1.32       | 090              | 53.10                     |             |                                |
| 61107      |               | C             | 4.99        | 2.09                       | 2.09            | 1.29       | 000              | 53.10                     |             |                                |
| 61108      |               | C             | 11.51       | 8.03                       | 8.03            | 2.64       | 090              | 53.10                     |             |                                |
| 61120      |               | C             | 9.52        | 6.54                       | 6.54            | 2.10       | 090              | 53.10                     |             |                                |
| 61140      |               | C             | 17.10       | 10.43                      | 10.43           | 4.12       | 090              | 53.10                     |             |                                |
| 61150      |               | C             | 18.80       | 10.71                      | 10.71           | 4.32       | 090              | 53.10                     |             |                                |
| 61151      |               | C             | 13.41       | 8.04                       | 8.04            | 3.01       | 090              | 53.10                     |             |                                |
| 61154      |               | C             | 16.92       | 10.61                      | 10.61           | 4.21       | 090              | 53.10                     |             |                                |
| 61156      |               | C             | 17.37       | 10.04                      | 10.04           | 4.23       | 090              | 53.10                     |             |                                |
| 61210      |               | C             | 5.83        | 2.44                       | 2.44            | 1.50       | 000              | 53.10                     |             |                                |
| 61215      |               | C             | 5.77        | 5.06                       | 5.06            | 1.26       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON-  | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|-------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE   | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU   | PERIOD | FACTOR  |      |                                |
| 61250 |       | C      | 11.41 | 7.17     | 7.17     | 2.77  | 090    | 53.10   |      |                                |
| 61253 |       | C      | 13.41 | 7.33     | 7.33     | 2.62  | 090    | 53.10   |      |                                |
| 61304 |       | C      | 23.31 | 12.83    | 12.83    | 5.63  | 090    | 53.10   |      |                                |
| 61305 |       | C      | 28.51 | 15.53    | 15.53    | 6.09  | 090    | 53.10   |      |                                |
| 61312 |       | C      | 30.07 | 15.58    | 15.58    | 6.36  | 090    | 53.10   |      |                                |
| 61313 |       | C      | 27.94 | 15.46    | 15.46    | 6.45  | 090    | 53.10   |      |                                |
| 61314 |       | C      | 25.77 | 14.19    | 14.19    | 6.28  | 090    | 53.10   |      |                                |
| 61315 |       | C      | 29.52 | 15.96    | 15.96    | 7.16  | 090    | 53.10   |      |                                |
| 61316 |       | C      | 1.39  | 0.56     | 0.56     | 0.35  | ZZZ    | 53.10   |      |                                |
| 61320 |       | C      | 27.32 | 14.74    | 14.74    | 6.62  | 090    | 53.10   |      |                                |
| 61321 |       | C      | 30.40 | 15.77    | 15.77    | 7.14  | 090    | 53.10   |      |                                |
| 61322 |       | C      | 34.08 | 17.37    | 17.37    | 7.63  | 090    | 53.10   |      |                                |
| 61323 |       | C      | 34.93 | 17.23    | 17.23    | 8.03  | 090    | 53.10   |      |                                |
| 61330 |       | C      | 25.17 | 12.72    | 12.72    | 2.32  | 090    | 53.10   |      |                                |
| 61332 |       | C      | 28.50 | 13.97    | 13.97    | 4.83  | 090    | 53.10   |      |                                |
| 61333 |       | C      | 29.17 | 14.38    | 14.38    | 3.92  | 090    | 53.10   |      |                                |
| 61334 |       | C      | 19.50 | 9.29     | 9.29     | 1.75  | 090    | 53.10   |      |                                |
| 61340 |       | C      | 20.01 | 11.38    | 11.38    | 4.84  | 090    | 53.10   |      |                                |
| 61343 |       | C      | 31.73 | 16.65    | 16.65    | 7.64  | 090    | 53.10   |      |                                |
| 61345 |       | C      | 29.10 | 15.70    | 15.70    | 7.04  | 090    | 53.10   |      |                                |
| 61440 |       | C      | 28.53 | 15.32    | 15.32    | 6.90  | 090    | 53.10   |      |                                |
| 61450 |       | C      | 27.59 | 14.44    | 14.44    | 5.79  | 090    | 53.10   |      |                                |
| 61458 |       | C      | 28.71 | 15.54    | 15.54    | 7.03  | 090    | 53.10   |      |                                |
| 61460 |       | C      | 30.11 | 15.46    | 15.46    | 6.04  | 090    | 53.10   |      |                                |
| 61470 |       | C      | 27.52 | 14.58    | 14.58    | 5.90  | 090    | 53.10   |      |                                |
| 61480 |       | C      | 27.95 | 12.27    | 12.27    | 6.73  | 090    | 53.10   |      |                                |
| 61490 |       | C      | 27.12 | 14.58    | 14.58    | 6.92  | 090    | 53.10   |      |                                |
| 61500 |       | C      | 19.05 | 10.96    | 10.96    | 4.11  | 090    | 53.10   |      |                                |
| 61501 |       | C      | 16.22 | 9.71     | 9.71     | 3.22  | 090    | 53.10   |      |                                |
| 61510 |       | C      | 30.63 | 17.26    | 17.26    | 7.35  | 090    | 53.10   |      |                                |
| 61512 |       | C      | 36.99 | 19.26    | 19.26    | 9.08  | 090    | 53.10   |      |                                |
| 61514 |       | C      | 27.10 | 14.79    | 14.79    | 6.54  | 090    | 53.10   |      |                                |
| 61516 |       | C      | 26.45 | 14.44    | 14.44    | 6.35  | 090    | 53.10   |      |                                |
| 61517 |       | C      | 1.38  | 0.57     | 0.57     | 0.35  | ZZZ    | 53.10   |      |                                |
| 61518 |       | C      | 39.69 | 20.92    | 20.92    | 9.65  | 090    | 53.10   |      |                                |
| 61519 |       | C      | 43.28 | 21.82    | 21.82    | 10.63 | 090    | 53.10   |      |                                |
| 61520 |       | C      | 56.89 | 27.91    | 27.91    | 11.21 | 090    | 53.10   |      |                                |
| 61521 |       | C      | 46.84 | 23.13    | 23.13    | 11.39 | 090    | 53.10   |      |                                |
| 61522 |       | C      | 31.41 | 16.73    | 16.73    | 7.62  | 090    | 53.10   |      |                                |
| 61524 |       | C      | 29.76 | 15.71    | 15.71    | 7.16  | 090    | 53.10   |      |                                |
| 61526 |       | C      | 53.90 | 25.16    | 25.16    | 7.07  | 090    | 53.10   |      |                                |
| 61530 |       | C      | 45.43 | 21.63    | 21.63    | 6.15  | 090    | 53.10   |      |                                |
| 61531 |       | C      | 16.28 | 10.33    | 10.33    | 3.79  | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 61533      |               | C             | 21.36       | 12.00                      | 12.00                 | 5.12       | 090              | 53.10                     |             |                                |
| 61534      |               | C             | 22.88       | 13.11                      | 13.11                 | 5.44       | 090              | 53.10                     |             |                                |
| 61535      |               | C             | 13.05       | 8.66                       | 8.66                  | 3.02       | 090              | 53.10                     |             |                                |
| 61536      |               | C             | 37.59       | 19.41                      | 19.41                 | 9.21       | 090              | 53.10                     |             |                                |
| 61537      |               | C             | 36.35       | 17.16                      | 17.16                 | 6.94       | 090              | 53.10                     |             |                                |
| 61538      |               | C             | 39.35       | 18.35                      | 18.35                 | 6.94       | 090              | 53.10                     |             |                                |
| 61539      |               | C             | 34.15       | 17.46                      | 17.46                 | 8.32       | 090              | 53.10                     |             |                                |
| 61540      |               | C             | 31.30       | 16.78                      | 16.78                 | 8.32       | 090              | 53.10                     |             |                                |
| 61541      |               | C             | 30.81       | 16.27                      | 16.27                 | 6.60       | 090              | 53.10                     |             |                                |
| 61542      |               | C             | 33.03       | 17.47                      | 17.47                 | 8.03       | 090              | 53.10                     |             |                                |
| 61543      |               | C             | 31.18       | 15.95                      | 15.95                 | 7.56       | 090              | 53.10                     |             |                                |
| 61544      |               | C             | 27.26       | 11.79                      | 11.79                 | 5.97       | 090              | 53.10                     |             |                                |
| 61545      |               | C             | 46.23       | 23.54                      | 23.54                 | 10.63      | 090              | 53.10                     |             |                                |
| 61546      |               | C             | 33.31       | 17.28                      | 17.28                 | 7.67       | 090              | 53.10                     |             |                                |
| 61548      |               | C             | 23.27       | 12.24                      | 12.24                 | 3.43       | 090              | 53.10                     |             |                                |
| 61550      |               | C             | 15.44       | 8.69                       | 8.69                  | 0.98       | 090              | 53.10                     |             |                                |
| 61552      |               | C             | 20.27       | 11.58                      | 11.58                 | 1.06       | 090              | 53.10                     |             |                                |
| 61556      |               | C             | 24.00       | 12.63                      | 12.63                 | 4.65       | 090              | 53.10                     |             |                                |
| 61557      |               | C             | 23.16       | 13.87                      | 13.87                 | 5.80       | 090              | 53.10                     |             |                                |
| 61558      |               | C             | 26.35       | 14.86                      | 14.86                 | 1.36       | 090              | 53.10                     |             |                                |
| 61559      |               | C             | 33.82       | 19.01                      | 19.01                 | 8.51       | 090              | 53.10                     |             |                                |
| 61563      |               | C             | 28.35       | 15.23                      | 15.23                 | 5.17       | 090              | 53.10                     |             |                                |
| 61564      |               | C             | 34.59       | 18.44                      | 18.44                 | 8.78       | 090              | 53.10                     |             |                                |
| 61566      |               | C             | 32.32       | 17.40                      | 17.40                 | 6.94       | 090              | 53.10                     |             |                                |
| 61567      |               | C             | 36.84       | 19.94                      | 19.94                 | 6.54       | 090              | 53.10                     |             |                                |
| 61570      |               | C             | 26.38       | 14.16                      | 14.16                 | 5.88       | 090              | 53.10                     |             |                                |
| 61571      |               | C             | 28.29       | 15.48                      | 15.48                 | 6.79       | 090              | 53.10                     |             |                                |
| 61575      |               | C             | 36.43       | 17.54                      | 17.54                 | 5.34       | 090              | 53.10                     |             |                                |
| 61576      |               | C             | 55.11       | 33.21                      | 33.21                 | 5.58       | 090              | 53.10                     |             |                                |
| 61580      |               | C             | 34.34       | 23.93                      | 23.93                 | 3.37       | 090              | 53.10                     |             |                                |
| 61581      |               | C             | 38.88       | 26.44                      | 26.44                 | 3.92       | 090              | 53.10                     |             |                                |
| 61582      |               | C             | 34.93       | 29.97                      | 29.97                 | 7.21       | 090              | 53.10                     |             |                                |
| 61583      |               | C             | 38.41       | 25.91                      | 25.91                 | 9.21       | 090              | 53.10                     |             |                                |
| 61584      |               | C             | 37.61       | 25.56                      | 25.56                 | 8.18       | 090              | 53.10                     |             |                                |
| 61585      |               | C             | 42.46       | 25.57                      | 25.57                 | 7.03       | 090              | 53.10                     |             |                                |
| 61586      |               | C             | 27.28       | 22.23                      | 22.23                 | 4.37       | 090              | 53.10                     |             |                                |
| 61590      |               | C             | 46.87       | 26.59                      | 26.59                 | 5.31       | 090              | 53.10                     |             |                                |
| 61591      |               | C             | 46.87       | 26.90                      | 26.90                 | 5.66       | 090              | 53.10                     |             |                                |
| 61592      |               | C             | 42.98       | 27.54                      | 27.54                 | 10.07      | 090              | 53.10                     |             |                                |
| 61595      |               | C             | 33.57       | 22.05                      | 22.05                 | 3.98       | 090              | 53.10                     |             |                                |
| 61596      |               | C             | 39.31       | 22.47                      | 22.47                 | 3.40       | 090              | 53.10                     |             |                                |
| 61597      |               | C             | 40.73       | 23.39                      | 23.39                 | 8.84       | 090              | 53.10                     |             |                                |
| 61598      |               | C             | 36.41       | 21.91                      | 21.91                 | 5.70       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 61600      |               | C             | 29.84       | 20.11                      | 20.11                 | 3.79       | 090              | 53.10                     |             |                                |
| 61601      |               | C             | 31.04       | 21.85                      | 21.85                 | 6.63       | 090              | 53.10                     |             |                                |
| 61605      |               | C             | 32.40       | 20.64                      | 20.64                 | 2.86       | 090              | 53.10                     |             |                                |
| 61606      |               | C             | 41.94       | 25.57                      | 25.57                 | 8.97       | 090              | 53.10                     |             |                                |
| 61607      |               | C             | 40.82       | 22.73                      | 22.73                 | 6.90       | 090              | 53.10                     |             |                                |
| 61608      |               | C             | 45.45       | 26.64                      | 26.64                 | 10.75      | 090              | 53.10                     |             |                                |
| 61609      |               | C             | 9.88        | 3.70                       | 3.70                  | 2.56       | ZZZ              | 53.10                     |             |                                |
| 61610      |               | C             | 29.63       | 12.11                      | 12.11                 | 7.68       | ZZZ              | 53.10                     |             |                                |
| 61611      |               | C             | 7.41        | 3.16                       | 3.16                  | 1.89       | ZZZ              | 53.10                     |             |                                |
| 61612      |               | C             | 27.84       | 10.94                      | 10.94                 | 4.31       | ZZZ              | 53.10                     |             |                                |
| 61613      |               | C             | 44.94       | 26.48                      | 26.48                 | 8.45       | 090              | 53.10                     |             |                                |
| 61615      |               | C             | 35.63       | 22.18                      | 22.18                 | 4.73       | 090              | 53.10                     |             |                                |
| 61616      |               | C             | 46.60       | 27.91                      | 27.91                 | 8.26       | 090              | 53.10                     |             |                                |
| 61618      |               | C             | 18.58       | 10.55                      | 10.55                 | 3.72       | 090              | 53.10                     |             |                                |
| 61619      |               | C             | 22.01       | 11.80                      | 11.80                 | 3.95       | 090              | 53.10                     |             |                                |
| 61623      |               | C             | 9.95        | 4.00                       | 4.00                  | 1.05       | 000              | 53.10                     |             |                                |
| 61624      |               | C             | 20.12       | 7.73                       | 7.73                  | 1.96       | 000              | 53.10                     |             |                                |
| 61626      |               | C             | 16.60       | 6.33                       | 6.33                  | 1.24       | 000              | 53.10                     |             |                                |
| 61630      |               | C             | 22.07       | 9.81                       | 9.81                  | 2.02       | 090              | 53.10                     |             |                                |
| 61635      |               | C             | 24.28       | 10.63                      | 10.63                 | 2.21       | 090              | 53.10                     |             |                                |
| 61640      |               | C             | 12.32       | 4.13                       | 4.13                  | 0.71       | 000              | 53.10                     |             |                                |
| 61641      |               | C             | 4.33        | 1.45                       | 1.45                  | 0.25       | ZZZ              | 53.10                     |             |                                |
| 61642      |               | C             | 8.66        | 2.90                       | 2.90                  | 0.50       | ZZZ              | 53.10                     |             |                                |
| 61680      |               | C             | 32.40       | 17.43                      | 17.43                 | 7.95       | 090              | 53.10                     |             |                                |
| 61682      |               | C             | 63.31       | 29.66                      | 29.66                 | 15.90      | 090              | 53.10                     |             |                                |
| 61684      |               | C             | 41.49       | 20.59                      | 20.59                 | 10.31      | 090              | 53.10                     |             |                                |
| 61686      |               | C             | 67.32       | 32.43                      | 32.43                 | 16.71      | 090              | 53.10                     |             |                                |
| 61690      |               | C             | 31.18       | 16.65                      | 16.65                 | 6.94       | 090              | 53.10                     |             |                                |
| 61692      |               | C             | 54.43       | 26.18                      | 26.18                 | 13.43      | 090              | 53.10                     |             |                                |
| 61697      |               | C             | 63.22       | 29.50                      | 29.50                 | 12.85      | 090              | 53.10                     |             |                                |
| 61698      |               | C             | 69.45       | 31.19                      | 31.19                 | 12.54      | 090              | 53.10                     |             |                                |
| 61700      |               | C             | 50.44       | 25.55                      | 25.55                 | 13.02      | 090              | 53.10                     |             |                                |
| 61702      |               | C             | 59.86       | 27.81                      | 27.81                 | 10.79      | 090              | 53.10                     |             |                                |
| 61703      |               | C             | 18.70       | 11.11                      | 11.11                 | 4.06       | 090              | 53.10                     |             |                                |
| 61705      |               | C             | 37.97       | 18.46                      | 18.46                 | 8.87       | 090              | 53.10                     |             |                                |
| 61708      |               | C             | 37.07       | 15.21                      | 15.21                 | 2.51       | 090              | 53.10                     |             |                                |
| 61710      |               | C             | 31.19       | 14.86                      | 14.86                 | 4.52       | 090              | 53.10                     |             |                                |
| 61711      |               | C             | 38.10       | 19.15                      | 19.15                 | 9.42       | 090              | 53.10                     |             |                                |
| 61720      |               | C             | 17.52       | 8.99                       | 8.99                  | 2.79       | 090              | 53.10                     |             |                                |
| 61735      |               | C             | 22.22       | 10.80                      | 10.80                 | 2.73       | 090              | 53.10                     |             |                                |
| 61750      |               | C             | 19.73       | 11.12                      | 11.12                 | 4.72       | 090              | 53.10                     |             |                                |
| 61751      |               | C             | 18.64       | 11.46                      | 11.46                 | 4.56       | 090              | 53.10                     |             |                                |
| 61760      |               | C             | 22.24       | 11.55                      | 11.55                 | 5.42       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 61770      |               | C             | 23.09       | 11.47                      | 11.47                 | 3.55       | 090              | 53.10                     |             |                                |
| 61790      |               | C             | 11.50       | 7.21                       | 7.21                  | 2.82       | 090              | 53.10                     |             |                                |
| 61791      |               | C             | 15.31       | 9.08                       | 9.08                  | 3.40       | 090              | 53.10                     |             |                                |
| 61793      |               | C             | 17.75       | 9.55                       | 9.55                  | 4.46       | 090              | 51.86                     | 12/31/2008  |                                |
| 61795      |               | C             | 4.03        | 1.65                       | 1.65                  | 0.79       | ZZZ              | 53.10                     |             |                                |
| 61796      |               | C             | 10.79       | 6.85                       | 6.85                  | 2.64       | 090              | 53.10                     |             |                                |
| 61797      |               | C             | 3.48        | 1.34                       | 1.34                  | 0.72       | ZZZ              | 53.10                     |             |                                |
| 61798      |               | C             | 10.79       | 6.85                       | 6.85                  | 2.64       | 090              | 53.10                     |             |                                |
| 61799      |               | C             | 4.81        | 1.85                       | 1.85                  | 1.00       | ZZZ              | 53.10                     |             |                                |
| 61800      |               | C             | 2.25        | 1.11                       | 1.11                  | 0.57       | ZZZ              | 53.10                     |             |                                |
| 61850      |               | C             | 13.26       | 8.26                       | 8.26                  | 3.22       | 090              | 53.10                     |             |                                |
| 61860      |               | C             | 22.16       | 12.24                      | 12.24                 | 4.95       | 090              | 53.10                     |             |                                |
| 61863      |               | C             | 20.56       | 12.41                      | 12.41                 | 5.43       | 090              | 53.10                     |             |                                |
| 61864      |               | C             | 4.49        | 1.90                       | 1.90                  | 5.43       | ZZZ              | 53.10                     |             |                                |
| 61867      |               | C             | 32.88       | 17.43                      | 17.43                 | 5.43       | 090              | 53.10                     |             |                                |
| 61868      |               | C             | 7.91        | 3.34                       | 3.34                  | 5.43       | ZZZ              | 53.10                     |             |                                |
| 61870      |               | C             | 16.24       | 9.85                       | 9.85                  | 3.87       | 090              | 53.10                     |             |                                |
| 61875      |               | C             | 16.36       | 9.60                       | 9.60                  | 2.95       | 090              | 53.10                     |             |                                |
| 61880      |               | C             | 6.87        | 5.24                       | 5.24                  | 1.66       | 090              | 53.10                     |             |                                |
| 61885      |               | C             | 7.37        | 6.87                       | 6.87                  | 1.59       | 090              | 53.10                     |             |                                |
| 61886      |               | C             | 9.73        | 8.25                       | 8.25                  | 1.97       | 090              | 53.10                     |             |                                |
| 61888      |               | C             | 5.20        | 3.57                       | 3.57                  | 1.33       | 010              | 53.10                     |             |                                |
| 62000      |               | C             | 13.83       | 6.76                       | 6.76                  | 1.06       | 090              | 53.10                     |             |                                |
| 62005      |               | C             | 17.53       | 9.91                       | 9.91                  | 3.87       | 090              | 53.10                     |             |                                |
| 62010      |               | C             | 21.30       | 11.94                      | 11.94                 | 5.14       | 090              | 53.10                     |             |                                |
| 62100      |               | C             | 23.40       | 12.41                      | 12.41                 | 4.84       | 090              | 53.10                     |             |                                |
| 62115      |               | C             | 22.71       | 8.30                       | 8.30                  | 5.51       | 090              | 53.10                     |             |                                |
| 62116      |               | C             | 24.90       | 14.03                      | 14.03                 | 6.11       | 090              | 53.10                     |             |                                |
| 62117      |               | C             | 28.26       | 15.14                      | 15.14                 | 4.53       | 090              | 53.10                     |             |                                |
| 62120      |               | C             | 24.39       | 17.81                      | 17.81                 | 3.00       | 090              | 53.10                     |             |                                |
| 62121      |               | C             | 22.93       | 14.62                      | 14.62                 | 4.17       | 090              | 53.10                     |             |                                |
| 62140      |               | C             | 14.45       | 8.62                       | 8.62                  | 3.47       | 090              | 53.10                     |             |                                |
| 62141      |               | C             | 15.97       | 9.40                       | 9.40                  | 3.76       | 090              | 53.10                     |             |                                |
| 62142      |               | C             | 11.73       | 7.70                       | 7.70                  | 2.73       | 090              | 53.10                     |             |                                |
| 62143      |               | C             | 14.05       | 8.59                       | 8.59                  | 3.37       | 090              | 53.10                     |             |                                |
| 62145      |               | C             | 19.99       | 11.11                      | 11.11                 | 4.50       | 090              | 53.10                     |             |                                |
| 62146      |               | C             | 17.18       | 9.67                       | 9.67                  | 3.62       | 090              | 53.10                     |             |                                |
| 62147      |               | C             | 20.57       | 11.30                      | 11.30                 | 4.32       | 090              | 53.10                     |             |                                |
| 62148      |               | C             | 2.00        | 0.80                       | 0.80                  | 0.48       | ZZZ              | 53.10                     |             |                                |
| 62160      |               | C             | 3.00        | 1.27                       | 1.27                  | 0.77       | ZZZ              | 53.10                     |             |                                |
| 62161      |               | C             | 21.10       | 12.12                      | 12.12                 | 5.19       | 090              | 53.10                     |             |                                |
| 62162      |               | C             | 26.67       | 15.00                      | 15.00                 | 5.91       | 090              | 53.10                     |             |                                |
| 62163      |               | C             | 16.40       | 10.47                      | 10.47                 | 4.01       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 62164      |               | C             | 29.27       | 15.77                      | 15.77                 | 5.38       | 090              | 53.10                     |             |                                |
| 62165      |               | C             | 23.10       | 12.63                      | 12.63                 | 3.01       | 090              | 53.10                     |             |                                |
| 62180      |               | C             | 22.45       | 12.66                      | 12.66                 | 4.98       | 090              | 53.10                     |             |                                |
| 62190      |               | C             | 12.07       | 7.94                       | 7.94                  | 2.80       | 090              | 53.10                     |             |                                |
| 62192      |               | C             | 13.25       | 8.05                       | 8.05                  | 3.02       | 090              | 53.10                     |             |                                |
| 62194      |               | C             | 5.68        | 3.22                       | 3.22                  | 0.92       | 010              | 53.10                     |             |                                |
| 62200      |               | C             | 19.19       | 10.95                      | 10.95                 | 4.65       | 090              | 53.10                     |             |                                |
| 62201      |               | C             | 15.89       | 10.20                      | 10.20                 | 3.68       | 090              | 53.10                     |             |                                |
| 62220      |               | C             | 14.00       | 8.26                       | 8.26                  | 3.35       | 090              | 53.10                     |             |                                |
| 62223      |               | C             | 13.90       | 9.16                       | 9.16                  | 3.14       | 090              | 53.10                     |             |                                |
| 62225      |               | C             | 6.11        | 4.97                       | 4.97                  | 1.39       | 090              | 53.10                     |             |                                |
| 62230      |               | C             | 11.35       | 7.09                       | 7.09                  | 2.71       | 090              | 53.10                     |             |                                |
| 62252      |               | C             | 0.74        | 1.65                       | 1.65                  | 0.21       | XXX              | 53.10                     |             |                                |
| 62252      | TC            | C             | 0.00        | 1.34                       | 1.34                  | 0.02       | XXX              | 53.10                     |             |                                |
| 62252      | 26            | C             | 0.74        | 0.31                       | 0.31                  | 0.19       | XXX              | 53.10                     |             |                                |
| 62256      |               | C             | 7.30        | 5.62                       | 5.62                  | 1.72       | 090              | 53.10                     |             |                                |
| 62258      |               | C             | 15.54       | 9.19                       | 9.19                  | 3.74       | 090              | 53.10                     |             |                                |
| 62263      |               | C             | 6.41        | 9.74                       | 2.96                  | 0.41       | 010              | 53.10                     |             |                                |
| 62264      |               | C             | 4.42        | 5.45                       | 1.29                  | 0.27       | 010              | 53.10                     |             |                                |
| 62267      |               | C             | 3.00        | 3.38                       | 1.15                  | 0.23       | 000              | 53.10                     |             |                                |
| 62268      |               | C             | 4.73        | 6.90                       | 1.94                  | 0.43       | 000              | 53.10                     |             |                                |
| 62269      |               | C             | 5.01        | 7.67                       | 1.82                  | 0.37       | 000              | 53.10                     |             |                                |
| 62270      |               | C             | 1.37        | 2.53                       | 0.59                  | 0.08       | 000              | 53.10                     |             |                                |
| 62272      |               | C             | 1.35        | 3.19                       | 0.66                  | 0.18       | 000              | 53.10                     |             |                                |
| 62273      |               | C             | 2.15        | 1.96                       | 0.63                  | 0.13       | 000              | 53.10                     |             |                                |
| 62280      |               | C             | 2.63        | 4.94                       | 1.10                  | 0.30       | 010              | 53.10                     |             |                                |
| 62281      |               | C             | 2.66        | 4.41                       | 1.00                  | 0.19       | 010              | 53.10                     |             |                                |
| 62282      |               | C             | 2.33        | 5.02                       | 1.05                  | 0.17       | 010              | 53.10                     |             |                                |
| 62284      |               | C             | 1.54        | 4.07                       | 0.74                  | 0.13       | 000              | 53.10                     |             |                                |
| 62287      |               | C             | 8.88        | 4.70                       | 4.70                  | 0.58       | 090              | 53.10                     |             |                                |
| 62290      |               | C             | 3.00        | 5.15                       | 1.25                  | 0.23       | 000              | 53.10                     |             |                                |
| 62291      |               | C             | 2.91        | 4.69                       | 1.17                  | 0.26       | 000              | 53.10                     |             |                                |
| 62292      |               | C             | 9.14        | 2.87                       | 2.87                  | 0.82       | 090              | 53.10                     |             |                                |
| 62294      |               | C             | 12.77       | 6.59                       | 6.59                  | 1.24       | 090              | 53.10                     |             |                                |
| 62310      |               | C             | 1.91        | 3.49                       | 0.61                  | 0.12       | 000              | 53.10                     |             |                                |
| 62311      |               | C             | 1.54        | 3.24                       | 0.56                  | 0.09       | 000              | 53.10                     |             |                                |
| 62318      |               | C             | 2.04        | 3.74                       | 0.49                  | 0.12       | 000              | 53.10                     |             |                                |
| 62319      |               | C             | 1.87        | 3.36                       | 0.50                  | 0.11       | 000              | 53.10                     |             |                                |
| 62350      |               | C             | 6.00        | 3.09                       | 3.09                  | 1.02       | 090              | 53.10                     |             |                                |
| 62351      |               | C             | 11.54       | 7.56                       | 7.56                  | 2.25       | 090              | 53.10                     |             |                                |
| 62355      |               | C             | 4.30        | 2.56                       | 2.56                  | 0.71       | 090              | 53.10                     |             |                                |
| 62360      |               | C             | 4.28        | 2.55                       | 2.55                  | 0.34       | 090              | 53.10                     |             |                                |
| 62361      |               | C             | 5.60        | 3.60                       | 3.60                  | 0.80       | 090              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 62362      |               | C             | 6.05        | 3.43                       | 3.43            | 1.18       | 090              | 53.10                     |             |                                |
| 62365      |               | C             | 4.60        | 2.94                       | 2.94            | 0.86       | 090              | 53.10                     |             |                                |
| 62367      |               | C             | 0.48        | 0.48                       | 0.12            | 0.03       | XXX              | 53.10                     |             |                                |
| 62367      | TC            | C             | 0.00        | 0.38                       | 0.00            | 0.01       | XXX              | 53.10                     |             |                                |
| 62367      | 26            | C             | 0.48        | 0.04                       | 0.11            | 0.02       | XXX              | 53.10                     |             |                                |
| 62368      |               | C             | 0.75        | 0.61                       | 0.18            | 0.06       | XXX              | 53.10                     |             |                                |
| 62368      | TC            | C             | 0.00        | 0.50                       | 0.00            | 0.00       | XXX              | 53.10                     |             |                                |
| 62368      | 26            | C             | 0.75        | 0.08                       | 0.17            | 0.06       | XXX              | 53.10                     |             |                                |
| 63001      |               | C             | 17.51       | 9.92                       | 9.92            | 3.77       | 090              | 53.10                     |             |                                |
| 63003      |               | C             | 17.64       | 10.00                      | 10.00           | 3.73       | 090              | 53.10                     |             |                                |
| 63005      |               | C             | 16.28       | 10.10                      | 10.10           | 3.35       | 090              | 53.10                     |             |                                |
| 63011      |               | C             | 15.78       | 9.00                       | 9.00            | 3.38       | 090              | 53.10                     |             |                                |
| 63012      |               | C             | 16.72       | 10.06                      | 10.06           | 3.49       | 090              | 53.10                     |             |                                |
| 63015      |               | C             | 20.70       | 12.10                      | 12.10           | 4.76       | 090              | 53.10                     |             |                                |
| 63016      |               | C             | 21.90       | 12.03                      | 12.03           | 4.59       | 090              | 53.10                     |             |                                |
| 63017      |               | C             | 17.18       | 10.57                      | 10.57           | 3.64       | 090              | 53.10                     |             |                                |
| 63020      |               | C             | 16.05       | 10.02                      | 10.02           | 3.72       | 090              | 53.10                     |             |                                |
| 63030      |               | C             | 13.03       | 8.69                       | 8.69            | 3.01       | 090              | 53.10                     |             |                                |
| 63035      |               | C             | 3.15        | 1.36                       | 1.36            | 0.79       | ZZZ              | 53.10                     |             |                                |
| 63040      |               | C             | 20.18       | 11.37                      | 11.37           | 4.68       | 090              | 53.10                     |             |                                |
| 63042      |               | C             | 18.61       | 11.02                      | 11.02           | 4.26       | 090              | 53.10                     |             |                                |
| 63043      |               | C             | 332.45      | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |
| 63044      |               | C             | 313.27      | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |
| 63045      |               | C             | 17.82       | 10.53                      | 10.53           | 3.99       | 090              | 53.10                     |             |                                |
| 63046      |               | C             | 17.12       | 10.15                      | 10.15           | 3.56       | 090              | 53.10                     |             |                                |
| 63047      |               | C             | 15.22       | 9.68                       | 9.68            | 3.24       | 090              | 53.10                     |             |                                |
| 63048      |               | C             | 3.47        | 1.47                       | 1.47            | 0.72       | ZZZ              | 53.10                     |             |                                |
| 63050      |               | C             | 21.88       | 12.27                      | 12.27           | 4.67       | 090              | 53.10                     |             |                                |
| 63051      |               | C             | 25.38       | 13.59                      | 13.59           | 4.67       | 090              | 53.10                     |             |                                |
| 63055      |               | C             | 23.42       | 12.95                      | 12.95           | 5.29       | 090              | 53.10                     |             |                                |
| 63056      |               | C             | 21.73       | 11.94                      | 11.94           | 4.76       | 090              | 53.10                     |             |                                |
| 63057      |               | C             | 5.25        | 2.24                       | 2.24            | 1.22       | ZZZ              | 53.10                     |             |                                |
| 63064      |               | C             | 26.09       | 13.73                      | 13.73           | 5.71       | 090              | 53.10                     |             |                                |
| 63066      |               | C             | 3.26        | 1.40                       | 1.40            | 0.69       | ZZZ              | 53.10                     |             |                                |
| 63075      |               | C             | 19.47       | 11.51                      | 11.51           | 4.63       | 090              | 53.10                     |             |                                |
| 63076      |               | C             | 4.04        | 1.73                       | 1.73            | 0.96       | ZZZ              | 53.10                     |             |                                |
| 63077      |               | C             | 22.75       | 11.94                      | 11.94           | 3.99       | 090              | 53.10                     |             |                                |
| 63078      |               | C             | 3.28        | 1.38                       | 1.38            | 0.66       | ZZZ              | 53.10                     |             |                                |
| 63081      |               | C             | 25.97       | 14.07                      | 14.07           | 5.56       | 090              | 53.10                     |             |                                |
| 63082      |               | C             | 4.36        | 1.88                       | 1.88            | 1.02       | ZZZ              | 53.10                     |             |                                |
| 63085      |               | C             | 29.34       | 14.43                      | 14.43           | 4.49       | 090              | 53.10                     |             |                                |
| 63086      |               | C             | 3.19        | 1.33                       | 1.33            | 0.59       | ZZZ              | 53.10                     |             |                                |
| 63087      |               | C             | 37.38       | 18.18                      | 18.18           | 6.22       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 63088      |               | C             | 4.32        | 1.86                       | 1.86                  | 0.82       | ZZZ              | 53.10                     |             |                                |
| 63090      |               | C             | 30.78       | 15.28                      | 15.28                 | 4.22       | 090              | 53.10                     |             |                                |
| 63091      |               | C             | 3.03        | 1.27                       | 1.27                  | 0.48       | ZZZ              | 53.10                     |             |                                |
| 63101      |               | C             | 33.92       | 18.25                      | 18.25                 | 5.71       | 090              | 53.10                     |             |                                |
| 63102      |               | C             | 33.92       | 18.01                      | 18.01                 | 5.71       | 090              | 53.10                     |             |                                |
| 63103      |               | C             | 4.82        | 2.10                       | 2.10                  | 0.69       | ZZZ              | 53.10                     |             |                                |
| 63170      |               | C             | 22.08       | 12.17                      | 12.17                 | 4.87       | 090              | 53.10                     |             |                                |
| 63172      |               | C             | 19.66       | 11.11                      | 11.11                 | 4.49       | 090              | 53.10                     |             |                                |
| 63173      |               | C             | 24.18       | 13.64                      | 13.64                 | 5.70       | 090              | 53.10                     |             |                                |
| 63180      |               | C             | 20.40       | 10.88                      | 10.88                 | 3.96       | 090              | 53.10                     |             |                                |
| 63182      |               | C             | 22.69       | 10.07                      | 10.07                 | 5.32       | 090              | 53.10                     |             |                                |
| 63185      |               | C             | 16.36       | 9.39                       | 9.39                  | 2.80       | 090              | 53.10                     |             |                                |
| 63190      |               | C             | 18.76       | 10.82                      | 10.82                 | 3.25       | 090              | 53.10                     |             |                                |
| 63191      |               | C             | 18.79       | 7.20                       | 7.20                  | 6.36       | 090              | 53.10                     |             |                                |
| 63194      |               | C             | 21.97       | 11.93                      | 11.93                 | 3.27       | 090              | 53.10                     |             |                                |
| 63195      |               | C             | 21.54       | 11.72                      | 11.72                 | 4.88       | 090              | 53.10                     |             |                                |
| 63196      |               | C             | 25.14       | 13.97                      | 13.97                 | 5.78       | 090              | 53.10                     |             |                                |
| 63197      |               | C             | 23.95       | 13.42                      | 13.42                 | 5.38       | 090              | 53.10                     |             |                                |
| 63198      |               | C             | 29.75       | 11.31                      | 11.31                 | 6.45       | 090              | 53.10                     |             |                                |
| 63199      |               | C             | 31.32       | 15.89                      | 15.89                 | 1.40       | 090              | 53.10                     |             |                                |
| 63200      |               | C             | 21.31       | 12.01                      | 12.01                 | 4.97       | 090              | 53.10                     |             |                                |
| 63250      |               | C             | 43.73       | 21.27                      | 21.27                 | 9.04       | 090              | 53.10                     |             |                                |
| 63251      |               | C             | 44.49       | 22.27                      | 22.27                 | 10.44      | 090              | 53.10                     |             |                                |
| 63252      |               | C             | 44.48       | 22.18                      | 22.18                 | 10.67      | 090              | 53.10                     |             |                                |
| 63265      |               | C             | 23.69       | 13.24                      | 13.24                 | 5.45       | 090              | 53.10                     |             |                                |
| 63266      |               | C             | 24.55       | 13.44                      | 13.44                 | 5.56       | 090              | 53.10                     |             |                                |
| 63267      |               | C             | 19.32       | 11.36                      | 11.36                 | 4.38       | 090              | 53.10                     |             |                                |
| 63268      |               | C             | 19.89       | 11.37                      | 11.37                 | 3.70       | 090              | 53.10                     |             |                                |
| 63270      |               | C             | 29.67       | 15.68                      | 15.68                 | 6.84       | 090              | 53.10                     |             |                                |
| 63271      |               | C             | 29.79       | 15.81                      | 15.81                 | 6.92       | 090              | 53.10                     |             |                                |
| 63272      |               | C             | 27.37       | 14.76                      | 14.76                 | 6.20       | 090              | 53.10                     |             |                                |
| 63273      |               | C             | 26.34       | 13.50                      | 13.50                 | 5.76       | 090              | 53.10                     |             |                                |
| 63275      |               | C             | 25.73       | 13.95                      | 13.95                 | 5.82       | 090              | 53.10                     |             |                                |
| 63276      |               | C             | 25.56       | 13.94                      | 13.94                 | 5.85       | 090              | 53.10                     |             |                                |
| 63277      |               | C             | 22.26       | 12.49                      | 12.49                 | 5.03       | 090              | 53.10                     |             |                                |
| 63278      |               | C             | 21.99       | 12.27                      | 12.27                 | 4.56       | 090              | 53.10                     |             |                                |
| 63280      |               | C             | 30.14       | 16.51                      | 16.51                 | 7.29       | 090              | 53.10                     |             |                                |
| 63281      |               | C             | 29.84       | 16.29                      | 16.29                 | 7.19       | 090              | 53.10                     |             |                                |
| 63282      |               | C             | 28.00       | 15.54                      | 15.54                 | 6.78       | 090              | 53.10                     |             |                                |
| 63283      |               | C             | 26.61       | 14.74                      | 14.74                 | 6.28       | 090              | 53.10                     |             |                                |
| 63285      |               | C             | 37.90       | 19.16                      | 19.16                 | 9.21       | 090              | 53.10                     |             |                                |
| 63286      |               | C             | 37.47       | 19.36                      | 19.36                 | 9.24       | 090              | 53.10                     |             |                                |
| 63287      |               | C             | 39.93       | 20.24                      | 20.24                 | 9.42       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 63290 |       | C      | 40.67 | 20.53    | 20.53    | 9.05 | 090    | 53.10   |      |                                |
| 63295 |       | C      | 5.25  | 2.06     | 2.06     | 1.03 | ZZZ    | 53.10   |      |                                |
| 63300 |       | C      | 26.67 | 14.25    | 14.25    | 5.99 | 090    | 53.10   |      |                                |
| 63301 |       | C      | 31.42 | 15.32    | 15.32    | 5.41 | 090    | 53.10   |      |                                |
| 63302 |       | C      | 31.00 | 15.34    | 15.34    | 5.55 | 090    | 53.10   |      |                                |
| 63303 |       | C      | 33.42 | 15.75    | 15.75    | 4.69 | 090    | 53.10   |      |                                |
| 63304 |       | C      | 33.70 | 17.56    | 17.56    | 6.43 | 090    | 53.10   |      |                                |
| 63305 |       | C      | 36.09 | 16.75    | 16.75    | 5.73 | 090    | 53.10   |      |                                |
| 63306 |       | C      | 35.40 | 18.55    | 18.55    | 8.35 | 090    | 53.10   |      |                                |
| 63307 |       | C      | 34.81 | 17.35    | 17.35    | 4.47 | 090    | 53.10   |      |                                |
| 63308 |       | C      | 5.24  | 2.22     | 2.22     | 1.29 | ZZZ    | 53.10   |      |                                |
| 63600 |       | C      | 15.02 | 4.77     | 4.77     | 1.52 | 090    | 53.10   |      |                                |
| 63610 |       | C      | 8.72  | 24.68    | 1.83     | 0.86 | 000    | 53.10   |      |                                |
| 63615 |       | C      | 17.22 | 8.91     | 8.91     | 2.85 | 090    | 53.10   |      |                                |
| 63620 |       | C      | 10.79 | 6.85     | 6.85     | 2.64 | 090    | 53.10   |      |                                |
| 63621 |       | C      | 4.00  | 1.54     | 1.54     | 0.83 | ZZZ    | 53.10   |      |                                |
| 63650 |       | C      | 7.15  | 2.83     | 2.83     | 0.53 | 090    | 53.10   |      |                                |
| 63655 |       | C      | 11.43 | 7.58     | 7.58     | 2.44 | 090    | 53.10   |      |                                |
| 63660 |       | C      | 6.87  | 3.52     | 3.52     | 0.78 | 090    | 53.10   |      |                                |
| 63685 |       | C      | 6.00  | 3.22     | 3.22     | 1.05 | 090    | 53.10   |      |                                |
| 63688 |       | C      | 5.25  | 3.05     | 3.05     | 0.89 | 090    | 53.10   |      |                                |
| 63700 |       | C      | 17.32 | 10.29    | 10.29    | 3.53 | 090    | 53.10   |      |                                |
| 63702 |       | C      | 19.26 | 11.69    | 11.69    | 4.13 | 090    | 53.10   |      |                                |
| 63704 |       | C      | 22.23 | 12.25    | 12.25    | 4.58 | 090    | 53.10   |      |                                |
| 63706 |       | C      | 25.15 | 14.42    | 14.42    | 6.25 | 090    | 53.10   |      |                                |
| 63707 |       | C      | 12.52 | 7.94     | 7.94     | 2.52 | 090    | 53.10   |      |                                |
| 63709 |       | C      | 15.52 | 9.31     | 9.31     | 3.10 | 090    | 53.10   |      |                                |
| 63710 |       | C      | 15.27 | 9.33     | 9.33     | 3.41 | 090    | 53.10   |      |                                |
| 63740 |       | C      | 12.50 | 8.35     | 8.35     | 2.94 | 090    | 53.10   |      |                                |
| 63741 |       | C      | 9.02  | 4.68     | 4.68     | 1.66 | 090    | 53.10   |      |                                |
| 63744 |       | C      | 8.86  | 5.43     | 5.43     | 1.90 | 090    | 53.10   |      |                                |
| 63746 |       | C      | 7.25  | 5.32     | 5.32     | 1.53 | 090    | 53.10   |      |                                |
| 64400 |       | C      | 1.11  | 1.54     | 0.45     | 0.07 | 000    | 53.10   |      |                                |
| 64402 |       | C      | 1.25  | 1.45     | 0.52     | 0.09 | 000    | 53.10   |      |                                |
| 64405 |       | C      | 1.32  | 1.23     | 0.50     | 0.08 | 000    | 53.10   |      |                                |
| 64408 |       | C      | 1.41  | 1.53     | 0.79     | 0.10 | 000    | 53.10   |      |                                |
| 64410 |       | C      | 1.43  | 2.01     | 0.52     | 0.09 | 000    | 53.10   |      |                                |
| 64412 |       | C      | 1.18  | 2.25     | 0.56     | 0.08 | 000    | 53.10   |      |                                |
| 64413 |       | C      | 1.40  | 1.44     | 0.50     | 0.08 | 000    | 53.10   |      |                                |
| 64415 |       | C      | 1.48  | 1.75     | 0.35     | 0.09 | 000    | 53.10   |      |                                |
| 64416 |       | C      | 1.81  | 0.36     | 0.36     | 0.31 | 010    | 53.10   |      |                                |
| 64417 |       | C      | 1.44  | 1.81     | 0.36     | 0.11 | 000    | 53.10   |      |                                |
| 64418 |       | C      | 1.32  | 2.02     | 0.50     | 0.07 | 000    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 64420      |               | C             | 1.18        | 2.80                       | 0.45            | 0.08      | 000        |                  | 53.10                     |             |                                |
| 64421      |               | C             | 1.68        | 4.20                       | 0.55            | 0.11      | 000        |                  | 53.10                     |             |                                |
| 64425      |               | C             | 1.75        | 1.40                       | 0.55            | 0.13      | 000        |                  | 53.10                     |             |                                |
| 64430      |               | C             | 1.46        | 2.43                       | 0.74            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 64435      |               | C             | 1.45        | 2.11                       | 0.61            | 0.16      | 000        |                  | 53.10                     |             |                                |
| 64445      |               | C             | 1.48        | 1.87                       | 0.51            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 64446      |               | C             | 1.81        | 0.43                       | 0.43            | 0.20      | 010        |                  | 53.10                     |             |                                |
| 64447      |               | C             | 1.50        | 0.24                       | 0.24            | 0.09      | 000        |                  | 53.10                     |             |                                |
| 64448      |               | C             | 1.63        | 0.35                       | 0.35            | 0.18      | 010        |                  | 53.10                     |             |                                |
| 64449      |               | C             | 1.81        | 0.44                       | 0.44            | 0.15      | 010        |                  | 53.10                     |             |                                |
| 64450      |               | C             | 1.27        | 1.25                       | 0.49            | 0.13      | 000        |                  | 53.10                     |             |                                |
| 64455      |               | C             | 0.75        | 0.52                       | 0.24            | 0.09      | 000        |                  | 53.10                     |             |                                |
| 64470      |               | C             | 1.85        | 4.68                       | 0.73            | 0.11      | 000        |                  | 53.10                     |             |                                |
| 64472      |               | C             | 1.29        | 1.51                       | 0.35            | 0.08      | ZZZ        |                  | 53.10                     |             |                                |
| 64475      |               | C             | 1.41        | 4.44                       | 0.61            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 64476      |               | C             | 0.98        | 1.37                       | 0.24            | 0.07      | ZZZ        |                  | 53.10                     |             |                                |
| 64479      |               | C             | 2.20        | 4.71                       | 0.86            | 0.12      | 000        |                  | 53.10                     |             |                                |
| 64480      |               | C             | 1.54        | 1.90                       | 0.44            | 0.10      | ZZZ        |                  | 53.10                     |             |                                |
| 64483      |               | C             | 1.90        | 4.83                       | 0.79            | 0.11      | 000        |                  | 53.10                     |             |                                |
| 64484      |               | C             | 1.33        | 2.06                       | 0.36            | 0.08      | ZZZ        |                  | 53.10                     |             |                                |
| 64505      |               | C             | 1.36        | 1.14                       | 0.72            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 64508      |               | C             | 1.12        | 2.42                       | 0.61            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 64510      |               | C             | 1.22        | 2.30                       | 0.46            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 64517      |               | C             | 2.20        | 2.01                       | 0.76            | 0.11      | 000        |                  | 53.10                     |             |                                |
| 64520      |               | C             | 1.35        | 3.27                       | 0.55            | 0.08      | 000        |                  | 53.10                     |             |                                |
| 64530      |               | C             | 1.58        | 3.18                       | 0.66            | 0.10      | 000        |                  | 53.10                     |             |                                |
| 64550      |               | C             | 0.18        | 0.21                       | 0.05            | 0.01      | 000        |                  | 53.10                     |             |                                |
| 64553      |               | C             | 2.33        | 2.66                       | 1.56            | 0.18      | 010        |                  | 53.10                     |             |                                |
| 64555      |               | C             | 2.29        | 3.01                       | 1.53            | 0.19      | 010        |                  | 53.10                     |             |                                |
| 64560      |               | C             | 2.38        | 2.85                       | 1.54            | 0.22      | 010        |                  | 53.10                     |             |                                |
| 64561      |               | C             | 7.07        | 22.04                      | 3.64            | 0.51      | 010        |                  | 53.10                     |             |                                |
| 64565      |               | C             | 1.78        | 2.42                       | 1.15            | 0.13      | 010        |                  | 53.10                     |             |                                |
| 64573      |               | C             | 8.15        | 5.31                       | 5.31            | 1.60      | 090        |                  | 53.10                     |             |                                |
| 64575      |               | C             | 4.37        | 2.38                       | 2.38            | 0.61      | 090        |                  | 53.10                     |             |                                |
| 64577      |               | C             | 4.64        | 3.54                       | 3.54            | 1.04      | 090        |                  | 53.10                     |             |                                |
| 64580      |               | C             | 4.14        | 3.03                       | 3.03            | 0.36      | 090        |                  | 53.10                     |             |                                |
| 64581      |               | C             | 14.15       | 6.59                       | 6.59            | 1.05      | 090        |                  | 53.10                     |             |                                |
| 64585      |               | C             | 2.08        | 6.30                       | 1.88            | 0.20      | 010        |                  | 53.10                     |             |                                |
| 64590      |               | C             | 2.42        | 5.44                       | 2.03            | 0.19      | 010        |                  | 53.10                     |             |                                |
| 64595      |               | C             | 1.75        | 6.38                       | 1.74            | 0.19      | 010        |                  | 53.10                     |             |                                |
| 64600      |               | C             | 3.46        | 6.44                       | 1.71            | 0.34      | 010        |                  | 53.10                     |             |                                |
| 64605      |               | C             | 5.62        | 8.10                       | 2.44            | 0.79      | 010        |                  | 53.10                     |             |                                |
| 64610      |               | C             | 7.17        | 9.10                       | 3.85            | 1.58      | 010        |                  | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 64612 |       | C      | 1.98  | 1.83     | 1.36     | 0.11 | 010    | 53.10   |      |                                |
| 64613 |       | C      | 1.98  | 1.77     | 1.17     | 0.11 | 010    | 53.10   |      |                                |
| 64614 |       | C      | 2.20  | 2.02     | 1.32     | 0.10 | 010    | 53.10   |      |                                |
| 64620 |       | C      | 2.86  | 3.82     | 1.22     | 0.20 | 010    | 53.10   |      |                                |
| 64622 |       | C      | 3.02  | 5.02     | 1.33     | 0.18 | 010    | 53.10   |      |                                |
| 64623 |       | C      | 0.99  | 2.00     | 0.23     | 0.06 | ZZZ    | 53.10   |      |                                |
| 64626 |       | C      | 3.82  | 5.54     | 1.95     | 0.20 | 010    | 53.10   |      |                                |
| 64627 |       | C      | 1.16  | 2.93     | 0.27     | 0.07 | ZZZ    | 53.10   |      |                                |
| 64630 |       | C      | 3.02  | 2.73     | 1.74     | 0.22 | 010    | 53.10   |      |                                |
| 64632 |       | C      | 1.20  | 0.95     | 0.63     | 0.05 | 010    | 53.10   |      |                                |
| 64640 |       | C      | 2.78  | 2.83     | 1.52     | 0.29 | 010    | 53.10   |      |                                |
| 64650 |       | C      | 0.70  | 0.95     | 0.27     | 0.06 | 000    | 53.10   |      |                                |
| 64653 |       | C      | 0.88  | 1.03     | 0.33     | 0.08 | 000    | 53.10   |      |                                |
| 64680 |       | C      | 2.64  | 4.96     | 1.33     | 0.18 | 010    | 53.10   |      |                                |
| 64681 |       | C      | 3.78  | 6.00     | 1.53     | 0.28 | 010    | 53.10   |      |                                |
| 64702 |       | C      | 6.10  | 4.91     | 4.91     | 0.61 | 090    | 53.10   |      |                                |
| 64704 |       | C      | 4.61  | 3.38     | 3.38     | 0.61 | 090    | 53.10   |      |                                |
| 64708 |       | C      | 6.22  | 5.00     | 5.00     | 0.96 | 090    | 53.10   |      |                                |
| 64712 |       | C      | 7.98  | 5.01     | 5.01     | 0.95 | 090    | 53.10   |      |                                |
| 64713 |       | C      | 11.29 | 6.54     | 6.54     | 1.83 | 090    | 53.10   |      |                                |
| 64714 |       | C      | 10.44 | 5.03     | 5.03     | 1.19 | 090    | 53.10   |      |                                |
| 64716 |       | C      | 6.86  | 5.69     | 5.69     | 0.63 | 090    | 53.10   |      |                                |
| 64718 |       | C      | 7.06  | 6.23     | 6.23     | 1.05 | 090    | 53.10   |      |                                |
| 64719 |       | C      | 4.89  | 4.30     | 4.30     | 0.77 | 090    | 53.10   |      |                                |
| 64721 |       | C      | 4.84  | 4.92     | 4.88     | 0.73 | 090    | 53.10   |      |                                |
| 64722 |       | C      | 4.74  | 3.24     | 3.24     | 0.48 | 090    | 53.10   |      |                                |
| 64726 |       | C      | 4.21  | 2.74     | 2.74     | 0.54 | 090    | 53.10   |      |                                |
| 64727 |       | C      | 3.10  | 1.34     | 1.34     | 0.48 | ZZZ    | 53.10   |      |                                |
| 64732 |       | C      | 4.81  | 4.03     | 4.03     | 0.98 | 090    | 53.10   |      |                                |
| 64734 |       | C      | 5.45  | 4.21     | 4.21     | 0.89 | 090    | 53.10   |      |                                |
| 64736 |       | C      | 5.13  | 4.21     | 4.21     | 0.52 | 090    | 53.10   |      |                                |
| 64738 |       | C      | 6.26  | 4.46     | 4.46     | 1.08 | 090    | 53.10   |      |                                |
| 64740 |       | C      | 6.12  | 4.84     | 4.84     | 0.69 | 090    | 53.10   |      |                                |
| 64742 |       | C      | 6.75  | 4.44     | 4.44     | 0.73 | 090    | 53.10   |      |                                |
| 64744 |       | C      | 5.64  | 3.84     | 3.84     | 1.16 | 090    | 53.10   |      |                                |
| 64746 |       | C      | 6.46  | 4.05     | 4.05     | 0.82 | 090    | 53.10   |      |                                |
| 64752 |       | C      | 7.59  | 4.30     | 4.30     | 0.93 | 090    | 53.10   |      |                                |
| 64755 |       | C      | 14.97 | 6.03     | 6.03     | 1.84 | 090    | 53.10   |      |                                |
| 64760 |       | C      | 7.49  | 3.78     | 3.78     | 0.81 | 090    | 53.10   |      |                                |
| 64761 |       | C      | 6.94  | 3.89     | 3.89     | 0.53 | 090    | 53.10   |      |                                |
| 64763 |       | C      | 7.46  | 5.47     | 5.47     | 0.94 | 090    | 53.10   |      |                                |
| 64766 |       | C      | 9.34  | 5.56     | 5.56     | 1.06 | 090    | 53.10   |      |                                |
| 64771 |       | C      | 8.02  | 5.82     | 5.82     | 1.23 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 64772      |               | C             | 7.74        | 5.42                       | 5.42                  | 1.40       | 090              | 53.10                     |             |                                |
| 64774      |               | C             | 5.70        | 3.98                       | 3.98                  | 0.74       | 090              | 53.10                     |             |                                |
| 64776      |               | C             | 5.52        | 3.75                       | 3.75                  | 0.76       | 090              | 53.10                     |             |                                |
| 64778      |               | C             | 3.11        | 1.31                       | 1.31                  | 0.46       | ZZZ              | 53.10                     |             |                                |
| 64782      |               | C             | 6.76        | 4.18                       | 4.18                  | 0.86       | 090              | 53.10                     |             |                                |
| 64783      |               | C             | 3.71        | 1.60                       | 1.60                  | 0.51       | ZZZ              | 53.10                     |             |                                |
| 64784      |               | C             | 10.49       | 6.51                       | 6.51                  | 1.38       | 090              | 53.10                     |             |                                |
| 64786      |               | C             | 16.12       | 9.03                       | 9.03                  | 2.61       | 090              | 53.10                     |             |                                |
| 64787      |               | C             | 4.29        | 1.81                       | 1.81                  | 0.58       | ZZZ              | 53.10                     |             |                                |
| 64788      |               | C             | 5.14        | 3.93                       | 3.93                  | 0.73       | 090              | 53.10                     |             |                                |
| 64790      |               | C             | 11.97       | 7.12                       | 7.12                  | 2.11       | 090              | 53.10                     |             |                                |
| 64792      |               | C             | 15.71       | 9.21                       | 9.21                  | 2.49       | 090              | 53.10                     |             |                                |
| 64795      |               | C             | 3.01        | 1.50                       | 1.50                  | 0.52       | 000              | 53.10                     |             |                                |
| 64802      |               | C             | 10.24       | 3.96                       | 3.96                  | 1.29       | 090              | 53.10                     |             |                                |
| 64804      |               | C             | 15.78       | 5.73                       | 5.73                  | 2.15       | 090              | 53.10                     |             |                                |
| 64809      |               | C             | 14.61       | 5.94                       | 5.94                  | 1.50       | 090              | 53.10                     |             |                                |
| 64818      |               | C             | 11.24       | 4.60                       | 4.60                  | 1.33       | 090              | 53.10                     |             |                                |
| 64820      |               | C             | 10.64       | 7.14                       | 7.14                  | 1.49       | 090              | 53.10                     |             |                                |
| 64821      |               | C             | 9.19        | 6.93                       | 6.93                  | 1.24       | 090              | 53.10                     |             |                                |
| 64822      |               | C             | 9.19        | 6.68                       | 6.68                  | 1.30       | 090              | 53.10                     |             |                                |
| 64823      |               | C             | 10.80       | 7.16                       | 7.16                  | 1.57       | 090              | 53.10                     |             |                                |
| 64831      |               | C             | 9.00        | 6.86                       | 6.86                  | 1.41       | 090              | 53.10                     |             |                                |
| 64832      |               | C             | 5.65        | 2.57                       | 2.57                  | 0.85       | ZZZ              | 53.10                     |             |                                |
| 64834      |               | C             | 10.71       | 6.83                       | 6.83                  | 1.54       | 090              | 53.10                     |             |                                |
| 64835      |               | C             | 11.60       | 7.37                       | 7.37                  | 1.74       | 090              | 53.10                     |             |                                |
| 64836      |               | C             | 11.60       | 7.40                       | 7.40                  | 1.68       | 090              | 53.10                     |             |                                |
| 64837      |               | C             | 6.25        | 2.86                       | 2.86                  | 0.97       | ZZZ              | 53.10                     |             |                                |
| 64840      |               | C             | 13.87       | 8.10                       | 8.10                  | 1.37       | 090              | 53.10                     |             |                                |
| 64856      |               | C             | 14.94       | 8.95                       | 8.95                  | 2.13       | 090              | 53.10                     |             |                                |
| 64857      |               | C             | 15.69       | 9.29                       | 9.29                  | 2.22       | 090              | 53.10                     |             |                                |
| 64858      |               | C             | 17.69       | 10.60                      | 10.60                 | 3.34       | 090              | 53.10                     |             |                                |
| 64859      |               | C             | 4.25        | 1.92                       | 1.92                  | 0.67       | ZZZ              | 53.10                     |             |                                |
| 64861      |               | C             | 20.74       | 10.94                      | 10.94                 | 4.09       | 090              | 53.10                     |             |                                |
| 64862      |               | C             | 20.94       | 9.87                       | 9.87                  | 4.32       | 090              | 53.10                     |             |                                |
| 64864      |               | C             | 13.31       | 7.78                       | 7.78                  | 1.26       | 090              | 53.10                     |             |                                |
| 64865      |               | C             | 15.96       | 12.08                      | 12.08                 | 1.50       | 090              | 53.10                     |             |                                |
| 64866      |               | C             | 16.70       | 12.12                      | 12.12                 | 2.05       | 090              | 53.10                     |             |                                |
| 64868      |               | C             | 14.80       | 10.65                      | 10.65                 | 1.43       | 090              | 53.10                     |             |                                |
| 64870      |               | C             | 16.95       | 7.92                       | 7.92                  | 1.30       | 090              | 53.10                     |             |                                |
| 64872      |               | C             | 1.99        | 0.92                       | 0.92                  | 0.29       | ZZZ              | 53.10                     |             |                                |
| 64874      |               | C             | 2.98        | 1.30                       | 1.30                  | 0.42       | ZZZ              | 53.10                     |             |                                |
| 64876      |               | C             | 3.37        | 1.29                       | 1.29                  | 0.47       | ZZZ              | 53.10                     |             |                                |
| 64885      |               | C             | 17.50       | 9.97                       | 9.97                  | 1.63       | 090              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 64886      |               | C             | 20.72       | 11.77                      | 11.77           | 2.09       | 090              | 53.10                     |             |                                |
| 64890      |               | C             | 16.11       | 9.62                       | 9.62            | 2.30       | 090              | 53.10                     |             |                                |
| 64891      |               | C             | 17.22       | 9.82                       | 9.82            | 1.63       | 090              | 53.10                     |             |                                |
| 64892      |               | C             | 15.61       | 9.26                       | 9.26            | 2.48       | 090              | 53.10                     |             |                                |
| 64893      |               | C             | 16.74       | 9.43                       | 9.43            | 2.62       | 090              | 53.10                     |             |                                |
| 64895      |               | C             | 20.26       | 10.75                      | 10.75           | 2.58       | 090              | 53.10                     |             |                                |
| 64896      |               | C             | 21.81       | 12.20                      | 12.20           | 3.17       | 090              | 53.10                     |             |                                |
| 64897      |               | C             | 19.25       | 10.74                      | 10.74           | 2.55       | 090              | 53.10                     |             |                                |
| 64898      |               | C             | 20.82       | 11.89                      | 11.89           | 2.78       | 090              | 53.10                     |             |                                |
| 64901      |               | C             | 10.20       | 4.40                       | 4.40            | 1.37       | ZZZ              | 53.10                     |             |                                |
| 64902      |               | C             | 11.81       | 4.98                       | 4.98            | 1.55       | ZZZ              | 53.10                     |             |                                |
| 64905      |               | C             | 14.98       | 9.04                       | 9.04            | 2.01       | 090              | 53.10                     |             |                                |
| 64907      |               | C             | 19.90       | 11.31                      | 11.31           | 3.17       | 090              | 53.10                     |             |                                |
| 64910      |               | C             | 11.21       | 8.04                       | 8.04            | 1.74       | 090              | 53.10                     |             |                                |
| 64911      |               | C             | 14.21       | 9.13                       | 9.13            | 1.91       | 090              | 53.10                     |             |                                |
| 64999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 65091      |               | C             | 7.13        | 7.26                       | 7.26            | 0.32       | 090              | 53.10                     |             |                                |
| 65093      |               | C             | 6.93        | 7.42                       | 7.42            | 0.34       | 090              | 53.10                     |             |                                |
| 65101      |               | C             | 8.10        | 8.50                       | 8.50            | 0.35       | 090              | 53.10                     |             |                                |
| 65103      |               | C             | 8.64        | 8.69                       | 8.69            | 0.37       | 090              | 53.10                     |             |                                |
| 65105      |               | C             | 9.70        | 9.41                       | 9.41            | 0.42       | 090              | 53.10                     |             |                                |
| 65110      |               | C             | 15.42       | 12.29                      | 12.29           | 0.81       | 090              | 53.10                     |             |                                |
| 65112      |               | C             | 18.18       | 14.22                      | 14.22           | 1.30       | 090              | 53.10                     |             |                                |
| 65114      |               | C             | 19.32       | 14.58                      | 14.58           | 1.02       | 090              | 53.10                     |             |                                |
| 65125      |               | C             | 3.18        | 7.20                       | 3.32            | 0.19       | 090              | 53.10                     |             |                                |
| 65130      |               | C             | 8.22        | 8.20                       | 8.20            | 0.35       | 090              | 53.10                     |             |                                |
| 65135      |               | C             | 8.40        | 8.32                       | 8.32            | 0.36       | 090              | 53.10                     |             |                                |
| 65140      |               | C             | 9.23        | 8.98                       | 8.98            | 0.40       | 090              | 53.10                     |             |                                |
| 65150      |               | C             | 6.32        | 6.87                       | 6.87            | 0.31       | 090              | 53.10                     |             |                                |
| 65155      |               | C             | 9.87        | 9.29                       | 9.29            | 0.50       | 090              | 53.10                     |             |                                |
| 65175      |               | C             | 7.22        | 7.58                       | 7.58            | 0.31       | 090              | 53.10                     |             |                                |
| 65205      |               | C             | 0.71        | 0.59                       | 0.32            | 0.03       | 000              | 53.10                     |             |                                |
| 65210      |               | C             | 0.84        | 0.75                       | 0.40            | 0.04       | 000              | 53.10                     |             |                                |
| 65220      |               | C             | 0.71        | 0.61                       | 0.29            | 0.05       | 000              | 53.10                     |             |                                |
| 65222      |               | C             | 0.93        | 0.82                       | 0.43            | 0.04       | 000              | 53.10                     |             |                                |
| 65235      |               | C             | 8.78        | 6.96                       | 6.96            | 0.37       | 090              | 53.10                     |             |                                |
| 65260      |               | C             | 12.29       | 9.25                       | 9.25            | 0.57       | 090              | 53.10                     |             |                                |
| 65265      |               | C             | 14.06       | 10.20                      | 10.20           | 0.62       | 090              | 53.10                     |             |                                |
| 65270      |               | C             | 1.92        | 4.18                       | 1.28            | 0.09       | 010              | 53.10                     |             |                                |
| 65272      |               | C             | 4.49        | 6.74                       | 3.31            | 0.19       | 090              | 53.10                     |             |                                |
| 65273      |               | C             | 5.03        | 3.53                       | 3.53            | 0.22       | 090              | 53.10                     |             |                                |
| 65275      |               | C             | 6.14        | 6.41                       | 4.04            | 0.26       | 090              | 53.10                     |             |                                |
| 65280      |               | C             | 8.87        | 6.15                       | 6.15            | 0.38       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 65285 |       | C      | 14.43 | 8.96     | 8.96     | 0.64 | 090    | 53.10   |      |                                |
| 65286 |       | C      | 6.45  | 9.44     | 4.60     | 0.27 | 090    | 53.10   |      |                                |
| 65290 |       | C      | 6.35  | 4.66     | 4.66     | 0.31 | 090    | 53.10   |      |                                |
| 65400 |       | C      | 7.27  | 7.81     | 6.08     | 0.30 | 090    | 53.10   |      |                                |
| 65410 |       | C      | 1.47  | 1.81     | 0.92     | 0.07 | 000    | 53.10   |      |                                |
| 65420 |       | C      | 4.24  | 7.42     | 4.17     | 0.21 | 090    | 53.10   |      |                                |
| 65426 |       | C      | 5.93  | 8.78     | 4.79     | 0.25 | 090    | 53.10   |      |                                |
| 65430 |       | C      | 1.47  | 1.17     | 0.92     | 0.07 | 000    | 53.10   |      |                                |
| 65435 |       | C      | 0.92  | 0.91     | 0.68     | 0.04 | 000    | 53.10   |      |                                |
| 65436 |       | C      | 4.72  | 3.95     | 3.60     | 0.21 | 090    | 53.10   |      |                                |
| 65450 |       | C      | 3.35  | 3.84     | 3.75     | 0.16 | 090    | 53.10   |      |                                |
| 65600 |       | C      | 4.07  | 4.66     | 3.48     | 0.17 | 090    | 53.10   |      |                                |
| 65710 |       | C      | 14.09 | 10.74    | 10.74    | 0.61 | 090    | 53.10   |      |                                |
| 65730 |       | C      | 15.99 | 11.61    | 11.61    | 0.70 | 090    | 53.10   |      |                                |
| 65750 |       | C      | 16.60 | 11.36    | 11.36    | 0.74 | 090    | 53.10   |      |                                |
| 65755 |       | C      | 16.49 | 11.31    | 11.31    | 0.73 | 090    | 53.10   |      |                                |
| 65756 |       | C      | 16.60 | 10.14    | 10.14    | 0.74 | 090    | 53.10   |      |                                |
| 65757 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | ZZZ    | 0.00    |      |                                |
| 65760 |       | C      | 40.93 | 20.34    | 20.34    | 7.03 | XXX    | 53.10   |      |                                |
| 65765 |       | C      | 51.14 | 17.99    | 17.99    | 4.85 | XXX    | 53.10   |      |                                |
| 65767 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 65770 |       | C      | 19.41 | 12.53    | 12.53    | 0.87 | 090    | 53.10   |      |                                |
| 65771 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 65772 |       | C      | 4.96  | 5.12     | 4.08     | 0.21 | 090    | 53.10   |      |                                |
| 65775 |       | C      | 6.73  | 5.63     | 5.63     | 0.28 | 090    | 53.10   |      |                                |
| 65780 |       | C      | 10.43 | 9.49     | 9.49     | 0.44 | 090    | 53.10   |      |                                |
| 65781 |       | C      | 17.84 | 12.54    | 12.54    | 0.44 | 090    | 53.10   |      |                                |
| 65782 |       | C      | 15.16 | 11.01    | 11.01    | 0.44 | 090    | 53.10   |      |                                |
| 65800 |       | C      | 1.91  | 1.54     | 1.11     | 0.09 | 000    | 53.10   |      |                                |
| 65805 |       | C      | 1.91  | 1.86     | 1.11     | 0.09 | 000    | 53.10   |      |                                |
| 65810 |       | C      | 5.67  | 4.81     | 4.81     | 0.24 | 090    | 53.10   |      |                                |
| 65815 |       | C      | 5.85  | 8.54     | 4.77     | 0.25 | 090    | 53.10   |      |                                |
| 65820 |       | C      | 8.72  | 8.15     | 8.15     | 0.40 | 090    | 53.10   |      |                                |
| 65850 |       | C      | 11.24 | 7.88     | 7.88     | 0.52 | 090    | 53.10   |      |                                |
| 65855 |       | C      | 3.90  | 3.78     | 2.84     | 0.19 | 010    | 53.10   |      |                                |
| 65860 |       | C      | 3.56  | 3.53     | 2.27     | 0.18 | 090    | 53.10   |      |                                |
| 65865 |       | C      | 5.66  | 5.05     | 5.05     | 0.28 | 090    | 53.10   |      |                                |
| 65870 |       | C      | 7.21  | 6.04     | 6.04     | 0.31 | 090    | 53.10   |      |                                |
| 65875 |       | C      | 7.61  | 6.47     | 6.47     | 0.32 | 090    | 53.10   |      |                                |
| 65880 |       | C      | 8.16  | 6.67     | 6.67     | 0.35 | 090    | 53.10   |      |                                |
| 65900 |       | C      | 12.26 | 9.48     | 9.48     | 0.54 | 090    | 53.10   |      |                                |
| 65920 |       | C      | 9.74  | 7.87     | 7.87     | 0.41 | 090    | 53.10   |      |                                |
| 65930 |       | C      | 8.24  | 6.23     | 6.23     | 0.37 | 090    | 53.10   |      |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 66020      |               | C             | 1.61        | 2.62                       | 1.35            | 0.08       | 010              | 53.10                     |             |                                |
| 66030      |               | C             | 1.27        | 2.48                       | 1.21            | 0.06       | 010              | 53.10                     |             |                                |
| 66130      |               | C             | 7.74        | 8.21                       | 5.25            | 0.38       | 090              | 53.10                     |             |                                |
| 66150      |               | C             | 10.18       | 9.19                       | 9.19            | 0.46       | 090              | 53.10                     |             |                                |
| 66155      |               | C             | 10.17       | 9.17                       | 9.17            | 0.41       | 090              | 53.10                     |             |                                |
| 66160      |               | C             | 12.04       | 9.94                       | 9.94            | 0.50       | 090              | 53.10                     |             |                                |
| 66165      |               | C             | 9.89        | 9.06                       | 9.06            | 0.40       | 090              | 53.10                     |             |                                |
| 66170      |               | C             | 14.57       | 12.05                      | 12.05           | 0.60       | 090              | 53.10                     |             |                                |
| 66172      |               | C             | 18.26       | 15.20                      | 15.20           | 0.74       | 090              | 53.10                     |             |                                |
| 66180      |               | C             | 16.02       | 10.36                      | 10.36           | 0.71       | 090              | 53.10                     |             |                                |
| 66185      |               | C             | 9.35        | 7.35                       | 7.35            | 0.40       | 090              | 53.10                     |             |                                |
| 66220      |               | C             | 8.98        | 7.33                       | 7.33            | 0.40       | 090              | 53.10                     |             |                                |
| 66225      |               | C             | 12.38       | 8.57                       | 8.57            | 0.55       | 090              | 53.10                     |             |                                |
| 66250      |               | C             | 6.92        | 9.98                       | 5.47            | 0.30       | 090              | 53.10                     |             |                                |
| 66500      |               | C             | 3.75        | 4.19                       | 4.19            | 0.18       | 090              | 53.10                     |             |                                |
| 66505      |               | C             | 4.13        | 4.56                       | 4.56            | 0.20       | 090              | 53.10                     |             |                                |
| 66600      |               | C             | 9.89        | 8.49                       | 8.49            | 0.43       | 090              | 53.10                     |             |                                |
| 66605      |               | C             | 13.99       | 9.74                       | 9.74            | 0.77       | 090              | 53.10                     |             |                                |
| 66625      |               | C             | 5.19        | 4.45                       | 4.45            | 0.26       | 090              | 53.10                     |             |                                |
| 66630      |               | C             | 7.10        | 5.60                       | 5.60            | 0.31       | 090              | 53.10                     |             |                                |
| 66635      |               | C             | 7.19        | 5.64                       | 5.64            | 0.31       | 090              | 53.10                     |             |                                |
| 66680      |               | C             | 6.24        | 5.25                       | 5.25            | 0.27       | 090              | 53.10                     |             |                                |
| 66682      |               | C             | 7.15        | 6.84                       | 6.84            | 0.31       | 090              | 53.10                     |             |                                |
| 66700      |               | C             | 5.06        | 5.02                       | 3.80            | 0.24       | 090              | 53.10                     |             |                                |
| 66710      |               | C             | 5.06        | 4.85                       | 3.78            | 0.23       | 090              | 53.10                     |             |                                |
| 66711      |               | C             | 7.70        | 6.52                       | 6.52            | 0.30       | 090              | 53.10                     |             |                                |
| 66720      |               | C             | 4.86        | 5.53                       | 4.49            | 0.26       | 090              | 53.10                     |             |                                |
| 66740      |               | C             | 5.06        | 4.78                       | 3.82            | 0.23       | 090              | 53.10                     |             |                                |
| 66761      |               | C             | 4.87        | 5.26                       | 4.33            | 0.20       | 090              | 53.10                     |             |                                |
| 66762      |               | C             | 5.25        | 5.35                       | 4.24            | 0.23       | 090              | 53.10                     |             |                                |
| 66770      |               | C             | 5.98        | 5.79                       | 4.78            | 0.26       | 090              | 53.10                     |             |                                |
| 66820      |               | C             | 3.93        | 5.00                       | 5.00            | 0.19       | 090              | 53.10                     |             |                                |
| 66821      |               | C             | 3.32        | 3.96                       | 3.54            | 0.11       | 090              | 53.10                     |             |                                |
| 66825      |               | C             | 8.82        | 8.29                       | 8.29            | 0.40       | 090              | 53.10                     |             |                                |
| 66830      |               | C             | 9.27        | 6.74                       | 6.74            | 0.36       | 090              | 53.10                     |             |                                |
| 66840      |               | C             | 8.98        | 6.60                       | 6.60            | 0.39       | 090              | 53.10                     |             |                                |
| 66850      |               | C             | 10.32       | 7.46                       | 7.46            | 0.45       | 090              | 53.10                     |             |                                |
| 66852      |               | C             | 11.18       | 7.84                       | 7.84            | 0.49       | 090              | 53.10                     |             |                                |
| 66920      |               | C             | 9.93        | 7.04                       | 7.04            | 0.44       | 090              | 53.10                     |             |                                |
| 66930      |               | C             | 11.38       | 7.91                       | 7.91            | 0.49       | 090              | 53.10                     |             |                                |
| 66940      |               | C             | 10.14       | 7.39                       | 7.39            | 0.43       | 090              | 53.10                     |             |                                |
| 66982      |               | C             | 14.83       | 9.26                       | 9.26            | 0.63       | 090              | 53.10                     |             |                                |
| 66983      |               | C             | 10.20       | 6.61                       | 6.61            | 0.14       | 090              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 66984 |       | C      | 10.36 | 6.96     | 6.96     | 0.39 | 090    | 53.10   |      |                                |
| 66985 |       | C      | 9.73  | 7.43     | 7.43     | 0.36 | 090    | 53.10   |      |                                |
| 66986 |       | C      | 12.26 | 8.63     | 8.63     | 0.60 | 090    | 53.10   |      |                                |
| 66990 |       | C      | 1.51  | 0.62     | 0.62     | 0.07 | ZZZ    | 53.10   |      |                                |
| 66999 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 67005 |       | C      | 5.77  | 4.78     | 4.78     | 0.28 | 090    | 53.10   |      |                                |
| 67010 |       | C      | 6.94  | 5.26     | 5.26     | 0.34 | 090    | 53.10   |      |                                |
| 67015 |       | C      | 7.00  | 6.04     | 6.04     | 0.34 | 090    | 53.10   |      |                                |
| 67025 |       | C      | 7.91  | 8.37     | 6.17     | 0.34 | 090    | 53.10   |      |                                |
| 67027 |       | C      | 11.43 | 7.80     | 7.80     | 0.54 | 090    | 53.10   |      |                                |
| 67028 |       | C      | 2.52  | 2.35     | 1.36     | 0.12 | 000    | 53.10   |      |                                |
| 67030 |       | C      | 5.91  | 5.79     | 5.79     | 0.24 | 090    | 53.10   |      |                                |
| 67031 |       | C      | 4.34  | 4.31     | 3.58     | 0.18 | 090    | 53.10   |      |                                |
| 67036 |       | C      | 13.09 | 8.65     | 8.65     | 0.58 | 090    | 53.10   |      |                                |
| 67039 |       | C      | 16.39 | 11.48    | 11.48    | 0.71 | 090    | 53.10   |      |                                |
| 67040 |       | C      | 19.23 | 12.90    | 12.90    | 0.85 | 090    | 53.10   |      |                                |
| 67041 |       | C      | 19.00 | 10.99    | 10.99    | 0.86 | 090    | 53.10   |      |                                |
| 67042 |       | C      | 22.13 | 12.21    | 12.21    | 1.00 | 090    | 53.10   |      |                                |
| 67043 |       | C      | 22.94 | 13.10    | 13.10    | 1.04 | 090    | 53.10   |      |                                |
| 67101 |       | C      | 8.60  | 8.83     | 6.46     | 0.37 | 090    | 53.10   |      |                                |
| 67105 |       | C      | 8.35  | 7.76     | 6.08     | 0.37 | 090    | 53.10   |      |                                |
| 67107 |       | C      | 16.35 | 10.99    | 10.99    | 0.73 | 090    | 53.10   |      |                                |
| 67108 |       | C      | 22.49 | 13.87    | 13.87    | 1.02 | 090    | 53.10   |      |                                |
| 67110 |       | C      | 10.02 | 9.48     | 7.31     | 0.44 | 090    | 53.10   |      |                                |
| 67112 |       | C      | 18.45 | 11.56    | 11.56    | 0.83 | 090    | 53.10   |      |                                |
| 67113 |       | C      | 25.00 | 14.47    | 14.47    | 1.13 | 090    | 53.10   |      |                                |
| 67115 |       | C      | 5.93  | 5.11     | 5.11     | 0.25 | 090    | 53.10   |      |                                |
| 67120 |       | C      | 6.92  | 7.80     | 5.51     | 0.29 | 090    | 53.10   |      |                                |
| 67121 |       | C      | 12.00 | 8.39     | 8.39     | 0.53 | 090    | 53.10   |      |                                |
| 67141 |       | C      | 6.00  | 5.65     | 4.84     | 0.26 | 090    | 53.10   |      |                                |
| 67145 |       | C      | 6.17  | 5.57     | 4.91     | 0.27 | 090    | 53.10   |      |                                |
| 67208 |       | C      | 7.50  | 5.94     | 5.46     | 0.33 | 090    | 53.10   |      |                                |
| 67210 |       | C      | 9.35  | 6.31     | 5.78     | 0.44 | 090    | 53.10   |      |                                |
| 67218 |       | C      | 20.22 | 11.52    | 11.52    | 0.92 | 090    | 53.10   |      |                                |
| 67220 |       | C      | 14.19 | 9.87     | 8.73     | 0.65 | 090    | 53.10   |      |                                |
| 67221 |       | C      | 3.45  | 3.35     | 1.58     | 0.20 | 000    | 53.10   |      |                                |
| 67225 |       | C      | 0.47  | 0.23     | 0.19     | 0.02 | ZZZ    | 53.10   |      |                                |
| 67227 |       | C      | 7.38  | 6.31     | 5.42     | 0.33 | 090    | 53.10   |      |                                |
| 67228 |       | C      | 13.67 | 13.35    | 10.10    | 0.63 | 090    | 53.10   |      |                                |
| 67229 |       | D      | 16.00 | 10.00    | 10.00    | 0.71 | 090    | 53.10   |      |                                |
| 67250 |       | C      | 9.46  | 8.26     | 8.26     | 0.47 | 090    | 53.10   |      |                                |
| 67255 |       | C      | 9.97  | 9.02     | 9.02     | 0.44 | 090    | 53.10   |      |                                |
| 67299 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 67311 |       | C      | 7.59  | 5.82     | 5.82     | 0.37 | 090    | 53.10   |      |                                |
| 67312 |       | C      | 9.48  | 6.56     | 6.56     | 0.43 | 090    | 53.10   |      |                                |
| 67314 |       | C      | 8.59  | 6.46     | 6.46     | 0.39 | 090    | 53.10   |      |                                |
| 67316 |       | C      | 10.73 | 7.27     | 7.27     | 0.49 | 090    | 53.10   |      |                                |
| 67318 |       | C      | 8.92  | 6.83     | 6.83     | 0.41 | 090    | 53.10   |      |                                |
| 67320 |       | C      | 5.40  | 2.08     | 2.08     | 0.22 | ZZZ    | 53.10   |      |                                |
| 67331 |       | C      | 5.13  | 1.95     | 1.95     | 0.21 | ZZZ    | 53.10   |      |                                |
| 67332 |       | C      | 5.56  | 2.14     | 2.14     | 0.23 | ZZZ    | 53.10   |      |                                |
| 67334 |       | C      | 5.05  | 1.94     | 1.94     | 0.20 | ZZZ    | 53.10   |      |                                |
| 67335 |       | C      | 2.49  | 1.01     | 1.01     | 0.13 | ZZZ    | 53.10   |      |                                |
| 67340 |       | C      | 6.00  | 2.32     | 2.32     | 0.25 | ZZZ    | 53.10   |      |                                |
| 67343 |       | C      | 8.29  | 6.34     | 6.34     | 0.37 | 090    | 53.10   |      |                                |
| 67345 |       | C      | 2.98  | 2.33     | 1.84     | 0.17 | 010    | 53.10   |      |                                |
| 67346 |       | C      | 2.87  | 1.76     | 1.76     | 0.15 | 000    | 53.10   |      |                                |
| 67399 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 67400 |       | C      | 10.97 | 10.11    | 10.11    | 0.56 | 090    | 53.10   |      |                                |
| 67405 |       | C      | 9.00  | 8.97     | 8.97     | 0.44 | 090    | 53.10   |      |                                |
| 67412 |       | C      | 10.17 | 9.37     | 9.37     | 0.48 | 090    | 53.10   |      |                                |
| 67413 |       | C      | 10.09 | 9.45     | 9.45     | 0.50 | 090    | 53.10   |      |                                |
| 67414 |       | C      | 17.78 | 12.19    | 12.19    | 0.65 | 090    | 53.10   |      |                                |
| 67415 |       | C      | 1.76  | 0.69     | 0.69     | 0.09 | 000    | 53.10   |      |                                |
| 67420 |       | C      | 21.62 | 15.52    | 15.52    | 1.15 | 090    | 53.10   |      |                                |
| 67430 |       | C      | 14.99 | 13.27    | 13.27    | 0.86 | 090    | 53.10   |      |                                |
| 67440 |       | C      | 14.56 | 12.77    | 12.77    | 0.70 | 090    | 53.10   |      |                                |
| 67445 |       | C      | 18.96 | 13.07    | 13.07    | 0.90 | 090    | 53.10   |      |                                |
| 67450 |       | C      | 15.11 | 13.28    | 13.28    | 0.68 | 090    | 53.10   |      |                                |
| 67500 |       | C      | 1.44  | 0.63     | 0.43     | 0.05 | 000    | 53.10   |      |                                |
| 67505 |       | C      | 1.27  | 0.75     | 0.54     | 0.05 | 000    | 53.10   |      |                                |
| 67515 |       | C      | 1.40  | 0.76     | 0.59     | 0.03 | 000    | 53.10   |      |                                |
| 67550 |       | C      | 11.52 | 10.36    | 10.36    | 0.72 | 090    | 53.10   |      |                                |
| 67560 |       | C      | 11.93 | 10.43    | 10.43    | 0.60 | 090    | 53.10   |      |                                |
| 67570 |       | C      | 14.21 | 12.08    | 12.08    | 0.68 | 090    | 53.10   |      |                                |
| 67599 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 67700 |       | C      | 1.37  | 4.74     | 1.22     | 0.07 | 010    | 53.10   |      |                                |
| 67710 |       | C      | 1.04  | 4.12     | 1.13     | 0.05 | 010    | 53.10   |      |                                |
| 67715 |       | C      | 1.24  | 4.19     | 1.21     | 0.06 | 010    | 53.10   |      |                                |
| 67800 |       | C      | 1.39  | 1.48     | 0.97     | 0.07 | 010    | 53.10   |      |                                |
| 67801 |       | C      | 1.89  | 1.79     | 1.17     | 0.09 | 010    | 53.10   |      |                                |
| 67805 |       | C      | 2.24  | 2.32     | 1.52     | 0.11 | 010    | 53.10   |      |                                |
| 67808 |       | C      | 4.47  | 3.73     | 3.73     | 0.19 | 090    | 53.10   |      |                                |
| 67810 |       | C      | 1.48  | 3.77     | 0.72     | 0.06 | 000    | 53.10   |      |                                |
| 67820 |       | C      | 0.71  | 0.49     | 0.53     | 0.04 | 000    | 53.10   |      |                                |
| 67825 |       | C      | 1.40  | 1.51     | 1.33     | 0.07 | 010    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 67830      |               | C             | 1.72        | 4.39                       | 1.40                  | 0.08       | 010              | 53.10                     |             |                                |
| 67835      |               | C             | 5.61        | 4.33                       | 4.33                  | 0.28       | 090              | 53.10                     |             |                                |
| 67840      |               | C             | 2.06        | 4.32                       | 1.55                  | 0.10       | 010              | 53.10                     |             |                                |
| 67850      |               | C             | 1.71        | 3.43                       | 1.54                  | 0.07       | 010              | 53.10                     |             |                                |
| 67875      |               | C             | 1.35        | 2.63                       | 0.89                  | 0.07       | 000              | 53.10                     |             |                                |
| 67880      |               | C             | 4.47        | 5.81                       | 3.73                  | 0.19       | 090              | 53.10                     |             |                                |
| 67882      |               | C             | 5.87        | 6.80                       | 4.69                  | 0.25       | 090              | 53.10                     |             |                                |
| 67900      |               | C             | 6.69        | 7.90                       | 4.91                  | 0.38       | 090              | 53.10                     |             |                                |
| 67901      |               | C             | 7.47        | 8.20                       | 5.47                  | 0.54       | 090              | 53.10                     |             |                                |
| 67902      |               | C             | 9.68        | 6.38                       | 6.38                  | 0.60       | 090              | 53.10                     |             |                                |
| 67903      |               | C             | 6.42        | 7.46                       | 4.76                  | 0.47       | 090              | 53.10                     |             |                                |
| 67904      |               | C             | 7.83        | 8.68                       | 5.52                  | 0.41       | 090              | 53.10                     |             |                                |
| 67906      |               | C             | 6.84        | 4.76                       | 4.76                  | 0.46       | 090              | 53.10                     |             |                                |
| 67908      |               | C             | 5.19        | 5.93                       | 4.55                  | 0.28       | 090              | 53.10                     |             |                                |
| 67909      |               | C             | 5.46        | 6.75                       | 4.49                  | 0.31       | 090              | 53.10                     |             |                                |
| 67911      |               | C             | 7.38        | 5.15                       | 5.15                  | 0.31       | 090              | 53.10                     |             |                                |
| 67912      |               | C             | 6.23        | 14.60                      | 5.05                  | 0.28       | 090              | 53.10                     |             |                                |
| 67914      |               | C             | 3.70        | 5.21                       | 2.86                  | 0.19       | 090              | 53.10                     |             |                                |
| 67915      |               | C             | 3.21        | 4.78                       | 2.59                  | 0.16       | 090              | 53.10                     |             |                                |
| 67916      |               | C             | 5.37        | 6.88                       | 4.42                  | 0.28       | 090              | 53.10                     |             |                                |
| 67917      |               | C             | 6.08        | 7.27                       | 4.71                  | 0.36       | 090              | 53.10                     |             |                                |
| 67921      |               | C             | 3.42        | 5.07                       | 2.72                  | 0.17       | 090              | 53.10                     |             |                                |
| 67922      |               | C             | 3.09        | 4.65                       | 2.50                  | 0.15       | 090              | 53.10                     |             |                                |
| 67923      |               | C             | 5.94        | 6.97                       | 4.62                  | 0.30       | 090              | 53.10                     |             |                                |
| 67924      |               | C             | 5.84        | 7.53                       | 4.36                  | 0.30       | 090              | 53.10                     |             |                                |
| 67930      |               | C             | 3.62        | 4.78                       | 1.98                  | 0.19       | 010              | 53.10                     |             |                                |
| 67935      |               | C             | 6.27        | 7.31                       | 3.94                  | 0.39       | 090              | 53.10                     |             |                                |
| 67938      |               | C             | 1.35        | 4.23                       | 1.26                  | 0.06       | 010              | 53.10                     |             |                                |
| 67950      |               | C             | 5.88        | 7.25                       | 4.71                  | 0.36       | 090              | 53.10                     |             |                                |
| 67961      |               | C             | 5.75        | 7.38                       | 4.61                  | 0.33       | 090              | 53.10                     |             |                                |
| 67966      |               | C             | 8.83        | 8.50                       | 5.90                  | 0.37       | 090              | 53.10                     |             |                                |
| 67971      |               | C             | 9.87        | 6.69                       | 6.69                  | 0.53       | 090              | 53.10                     |             |                                |
| 67973      |               | C             | 12.96       | 8.45                       | 8.45                  | 0.75       | 090              | 53.10                     |             |                                |
| 67974      |               | C             | 12.93       | 8.39                       | 8.39                  | 0.75       | 090              | 53.10                     |             |                                |
| 67975      |               | C             | 9.21        | 6.43                       | 6.43                  | 0.50       | 090              | 53.10                     |             |                                |
| 67999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 68020      |               | C             | 1.39        | 1.31                       | 1.12                  | 0.06       | 010              | 53.10                     |             |                                |
| 68040      |               | C             | 0.85        | 0.65                       | 0.39                  | 0.04       | 000              | 53.10                     |             |                                |
| 68100      |               | C             | 1.35        | 2.60                       | 0.91                  | 0.07       | 000              | 53.10                     |             |                                |
| 68110      |               | C             | 1.79        | 3.35                       | 1.56                  | 0.09       | 010              | 53.10                     |             |                                |
| 68115      |               | C             | 2.38        | 4.76                       | 1.79                  | 0.12       | 010              | 53.10                     |             |                                |
| 68130      |               | C             | 4.99        | 7.26                       | 4.29                  | 0.24       | 090              | 53.10                     |             |                                |
| 68135      |               | C             | 1.86        | 1.68                       | 1.56                  | 0.09       | 010              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 68200      |               | C             | 0.49        | 0.48                       | 0.31            | 0.02       | 000              | 53.10                     |             |                                |
| 68320      |               | C             | 6.44        | 9.81                       | 5.51            | 0.27       | 090              | 53.10                     |             |                                |
| 68325      |               | C             | 8.43        | 6.36                       | 6.36            | 0.44       | 090              | 53.10                     |             |                                |
| 68326      |               | C             | 8.22        | 6.23                       | 6.23            | 0.35       | 090              | 53.10                     |             |                                |
| 68328      |               | C             | 9.25        | 6.79                       | 6.79            | 0.54       | 090              | 53.10                     |             |                                |
| 68330      |               | C             | 5.63        | 8.01                       | 4.64            | 0.24       | 090              | 53.10                     |             |                                |
| 68335      |               | C             | 8.26        | 6.23                       | 6.23            | 0.36       | 090              | 53.10                     |             |                                |
| 68340      |               | C             | 4.84        | 7.45                       | 4.03            | 0.21       | 090              | 53.10                     |             |                                |
| 68360      |               | C             | 5.04        | 6.93                       | 4.13            | 0.22       | 090              | 53.10                     |             |                                |
| 68362      |               | C             | 8.41        | 6.28                       | 6.28            | 0.36       | 090              | 53.10                     |             |                                |
| 68371      |               | C             | 4.97        | 4.34                       | 4.34            | 0.44       | 010              | 53.10                     |             |                                |
| 68399      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 68400      |               | C             | 1.71        | 4.74                       | 1.39            | 0.08       | 010              | 53.10                     |             |                                |
| 68420      |               | C             | 2.32        | 5.02                       | 1.65            | 0.11       | 010              | 53.10                     |             |                                |
| 68440      |               | C             | 0.96        | 1.47                       | 1.22            | 0.05       | 010              | 53.10                     |             |                                |
| 68500      |               | C             | 12.49       | 9.39                       | 9.39            | 0.55       | 090              | 53.10                     |             |                                |
| 68505      |               | C             | 12.41       | 9.61                       | 9.61            | 0.55       | 090              | 53.10                     |             |                                |
| 68510      |               | C             | 4.60        | 5.82                       | 2.16            | 0.23       | 000              | 53.10                     |             |                                |
| 68520      |               | C             | 8.58        | 6.93                       | 6.93            | 0.37       | 090              | 53.10                     |             |                                |
| 68525      |               | C             | 4.42        | 1.79                       | 1.79            | 0.22       | 000              | 53.10                     |             |                                |
| 68530      |               | C             | 3.67        | 6.30                       | 2.31            | 0.18       | 010              | 53.10                     |             |                                |
| 68540      |               | C             | 11.93       | 9.00                       | 9.00            | 0.52       | 090              | 53.10                     |             |                                |
| 68550      |               | C             | 14.86       | 10.76                      | 10.76           | 0.80       | 090              | 53.10                     |             |                                |
| 68700      |               | C             | 7.67        | 5.85                       | 5.85            | 0.32       | 090              | 53.10                     |             |                                |
| 68705      |               | C             | 2.08        | 3.35                       | 1.68            | 0.10       | 010              | 53.10                     |             |                                |
| 68720      |               | C             | 9.78        | 7.36                       | 7.36            | 0.44       | 090              | 53.10                     |             |                                |
| 68745      |               | C             | 9.70        | 7.46                       | 7.46            | 0.52       | 090              | 53.10                     |             |                                |
| 68750      |               | C             | 9.87        | 7.84                       | 7.84            | 0.43       | 090              | 53.10                     |             |                                |
| 68760      |               | C             | 1.75        | 2.85                       | 1.54            | 0.09       | 010              | 53.10                     |             |                                |
| 68761      |               | C             | 1.38        | 1.97                       | 1.30            | 0.06       | 010              | 53.10                     |             |                                |
| 68770      |               | C             | 8.09        | 5.25                       | 5.25            | 0.35       | 090              | 53.10                     |             |                                |
| 68801      |               | C             | 0.96        | 1.82                       | 1.44            | 0.05       | 010              | 53.10                     |             |                                |
| 68810      |               | C             | 2.09        | 3.29                       | 2.20            | 0.10       | 010              | 53.10                     |             |                                |
| 68811      |               | C             | 2.39        | 2.25                       | 2.25            | 0.13       | 010              | 53.10                     |             |                                |
| 68815      |               | C             | 3.24        | 6.91                       | 2.60            | 0.17       | 010              | 53.10                     |             |                                |
| 68816      |               | C             | 3.00        | 12.66                      | 2.60            | 0.16       | 010              | 53.10                     |             |                                |
| 68840      |               | C             | 1.27        | 1.55                       | 1.26            | 0.06       | 010              | 53.10                     |             |                                |
| 68850      |               | C             | 0.80        | 0.78                       | 0.64            | 0.04       | 000              | 53.10                     |             |                                |
| 68899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             |                                |
| 69000      |               | C             | 1.47        | 2.87                       | 1.35            | 0.12       | 010              | 53.10                     |             |                                |
| 69005      |               | C             | 2.13        | 2.99                       | 1.70            | 0.17       | 010              | 53.10                     |             |                                |
| 69020      |               | C             | 1.50        | 4.06                       | 1.96            | 0.12       | 010              | 53.10                     |             |                                |
| 69090      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 69100 |       | C      | 0.81  | 1.80     | 0.41     | 0.03 | 000    | 53.10   |      |                                |
| 69105 |       | C      | 0.85  | 2.55     | 0.73     | 0.07 | 000    | 53.10   |      |                                |
| 69110 |       | C      | 3.47  | 7.55     | 4.49     | 0.30 | 090    | 53.10   |      |                                |
| 69120 |       | C      | 4.08  | 5.59     | 5.59     | 0.38 | 090    | 53.10   |      |                                |
| 69140 |       | C      | 8.03  | 13.23    | 13.23    | 0.65 | 090    | 53.10   |      |                                |
| 69145 |       | C      | 2.65  | 6.65     | 3.36     | 0.21 | 090    | 53.10   |      |                                |
| 69150 |       | C      | 13.49 | 12.15    | 12.15    | 1.22 | 090    | 53.10   |      |                                |
| 69155 |       | C      | 23.06 | 18.10    | 18.10    | 1.93 | 090    | 53.10   |      |                                |
| 69200 |       | C      | 0.77  | 2.19     | 0.60     | 0.06 | 000    | 53.10   |      |                                |
| 69205 |       | C      | 1.20  | 1.27     | 1.27     | 0.10 | 010    | 53.10   |      |                                |
| 69210 |       | C      | 0.61  | 0.59     | 0.19     | 0.05 | 000    | 53.10   |      |                                |
| 69220 |       | C      | 0.83  | 2.49     | 0.70     | 0.07 | 000    | 53.10   |      |                                |
| 69222 |       | C      | 1.42  | 3.90     | 1.94     | 0.12 | 010    | 53.10   |      |                                |
| 69300 |       | C      | 6.69  | 8.93     | 4.96     | 0.72 | YYY    | 53.10   |      |                                |
| 69310 |       | C      | 10.85 | 15.66    | 15.66    | 0.85 | 090    | 53.10   |      |                                |
| 69320 |       | C      | 17.03 | 20.64    | 20.64    | 1.37 | 090    | 53.10   |      |                                |
| 69399 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 69400 |       | C      | 0.83  | 2.62     | 0.69     | 0.07 | 000    | 53.10   |      |                                |
| 69401 |       | C      | 0.63  | 1.38     | 0.59     | 0.05 | 000    | 53.10   |      |                                |
| 69405 |       | C      | 2.65  | 3.62     | 2.09     | 0.21 | 010    | 53.10   |      |                                |
| 69420 |       | C      | 1.35  | 3.25     | 1.57     | 0.11 | 010    | 53.10   |      |                                |
| 69421 |       | C      | 1.75  | 1.94     | 1.94     | 0.15 | 010    | 53.10   |      |                                |
| 69424 |       | C      | 0.85  | 2.28     | 0.68     | 0.07 | 000    | 53.10   |      |                                |
| 69433 |       | C      | 1.54  | 3.24     | 1.61     | 0.13 | 010    | 53.10   |      |                                |
| 69436 |       | C      | 1.98  | 2.01     | 2.01     | 0.19 | 010    | 53.10   |      |                                |
| 69440 |       | C      | 7.62  | 9.04     | 9.04     | 0.61 | 090    | 53.10   |      |                                |
| 69450 |       | C      | 5.61  | 7.49     | 7.49     | 0.45 | 090    | 53.10   |      |                                |
| 69501 |       | C      | 9.12  | 8.71     | 8.71     | 0.73 | 090    | 53.10   |      |                                |
| 69502 |       | C      | 12.44 | 11.26    | 11.26    | 1.00 | 090    | 53.10   |      |                                |
| 69505 |       | C      | 13.05 | 16.39    | 16.39    | 1.05 | 090    | 53.10   |      |                                |
| 69511 |       | C      | 13.58 | 16.68    | 16.68    | 1.09 | 090    | 53.10   |      |                                |
| 69530 |       | C      | 20.24 | 20.45    | 20.45    | 1.54 | 090    | 53.10   |      |                                |
| 69535 |       | C      | 37.27 | 28.55    | 28.55    | 2.93 | 090    | 53.10   |      |                                |
| 69540 |       | C      | 1.22  | 3.81     | 1.88     | 0.10 | 010    | 53.10   |      |                                |
| 69550 |       | C      | 11.04 | 14.42    | 14.42    | 0.89 | 090    | 53.10   |      |                                |
| 69552 |       | C      | 19.69 | 18.97    | 18.97    | 1.59 | 090    | 53.10   |      |                                |
| 69554 |       | C      | 35.71 | 25.32    | 25.32    | 2.92 | 090    | 53.10   |      |                                |
| 69601 |       | C      | 13.31 | 12.25    | 12.25    | 1.07 | 090    | 53.10   |      |                                |
| 69602 |       | C      | 13.64 | 12.96    | 12.96    | 1.10 | 090    | 53.10   |      |                                |
| 69603 |       | C      | 14.08 | 17.03    | 17.03    | 1.14 | 090    | 53.10   |      |                                |
| 69604 |       | C      | 14.08 | 13.36    | 13.36    | 1.14 | 090    | 53.10   |      |                                |
| 69605 |       | C      | 18.55 | 19.83    | 19.83    | 1.50 | 090    | 53.10   |      |                                |
| 69610 |       | C      | 4.44  | 5.10     | 2.83     | 0.36 | 010    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 69620 |       | C      | 5.94  | 10.91    | 5.99     | 0.48 | 090    | 53.10   |      |                                |
| 69631 |       | C      | 9.93  | 11.49    | 11.49    | 0.80 | 090    | 53.10   |      |                                |
| 69632 |       | C      | 12.82 | 13.45    | 13.45    | 1.03 | 090    | 53.10   |      |                                |
| 69633 |       | C      | 12.17 | 13.15    | 13.15    | 0.98 | 090    | 53.10   |      |                                |
| 69635 |       | C      | 13.39 | 16.46    | 16.46    | 1.08 | 090    | 53.10   |      |                                |
| 69636 |       | C      | 15.29 | 18.53    | 18.53    | 1.23 | 090    | 53.10   |      |                                |
| 69637 |       | C      | 15.18 | 18.49    | 18.49    | 1.22 | 090    | 53.10   |      |                                |
| 69641 |       | C      | 12.77 | 12.65    | 12.65    | 1.03 | 090    | 53.10   |      |                                |
| 69642 |       | C      | 16.91 | 15.85    | 15.85    | 1.36 | 090    | 53.10   |      |                                |
| 69643 |       | C      | 15.45 | 14.47    | 14.47    | 1.24 | 090    | 53.10   |      |                                |
| 69644 |       | C      | 17.09 | 19.27    | 19.27    | 1.37 | 090    | 53.10   |      |                                |
| 69645 |       | C      | 16.57 | 19.06    | 19.06    | 1.33 | 090    | 53.10   |      |                                |
| 69646 |       | C      | 18.23 | 19.61    | 19.61    | 1.46 | 090    | 53.10   |      |                                |
| 69650 |       | C      | 9.71  | 9.65     | 9.65     | 0.78 | 090    | 53.10   |      |                                |
| 69660 |       | C      | 11.94 | 10.80    | 10.80    | 0.96 | 090    | 53.10   |      |                                |
| 69661 |       | C      | 15.80 | 13.93    | 13.93    | 1.27 | 090    | 53.10   |      |                                |
| 69662 |       | C      | 15.49 | 12.98    | 12.98    | 1.25 | 090    | 53.10   |      |                                |
| 69666 |       | C      | 9.80  | 9.85     | 9.85     | 0.79 | 090    | 53.10   |      |                                |
| 69667 |       | C      | 9.81  | 9.91     | 9.91     | 0.79 | 090    | 53.10   |      |                                |
| 69670 |       | C      | 11.62 | 11.37    | 11.37    | 0.93 | 090    | 53.10   |      |                                |
| 69676 |       | C      | 9.58  | 10.70    | 10.70    | 0.81 | 090    | 53.10   |      |                                |
| 69700 |       | C      | 8.28  | 8.63     | 8.63     | 0.67 | 090    | 53.10   |      |                                |
| 69710 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 69711 |       | C      | 10.50 | 10.66    | 10.66    | 0.83 | 090    | 53.10   |      |                                |
| 69714 |       | C      | 14.31 | 12.09    | 12.09    | 1.13 | 090    | 53.10   |      |                                |
| 69715 |       | C      | 18.80 | 13.99    | 13.99    | 1.48 | 090    | 53.10   |      |                                |
| 69717 |       | C      | 15.29 | 12.81    | 12.81    | 0.90 | 090    | 53.10   |      |                                |
| 69718 |       | C      | 19.05 | 14.13    | 14.13    | 3.22 | 090    | 53.10   |      |                                |
| 69720 |       | C      | 14.57 | 14.13    | 14.13    | 1.16 | 090    | 53.10   |      |                                |
| 69725 |       | C      | 27.44 | 18.93    | 18.93    | 2.45 | 090    | 53.10   |      |                                |
| 69740 |       | C      | 16.18 | 12.64    | 12.64    | 1.27 | 090    | 53.10   |      |                                |
| 69745 |       | C      | 16.91 | 13.84    | 13.84    | 1.14 | 090    | 53.10   |      |                                |
| 69799 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | YYY    | 0.00    |      |                                |
| 69801 |       | C      | 8.61  | 9.62     | 9.62     | 0.69 | 090    | 53.10   |      |                                |
| 69802 |       | C      | 13.39 | 12.11    | 12.11    | 1.06 | 090    | 53.10   |      |                                |
| 69805 |       | C      | 14.55 | 11.27    | 11.27    | 1.12 | 090    | 53.10   |      |                                |
| 69806 |       | C      | 12.52 | 10.68    | 10.68    | 1.00 | 090    | 53.10   |      |                                |
| 69820 |       | C      | 10.40 | 10.66    | 10.66    | 0.90 | 090    | 53.10   |      |                                |
| 69840 |       | C      | 10.32 | 11.92    | 11.92    | 0.79 | 090    | 53.10   |      |                                |
| 69905 |       | C      | 11.15 | 11.33    | 11.33    | 0.90 | 090    | 53.10   |      |                                |
| 69910 |       | C      | 13.80 | 11.29    | 11.29    | 1.07 | 090    | 53.10   |      |                                |
| 69915 |       | C      | 22.65 | 15.29    | 15.29    | 1.70 | 090    | 53.10   |      |                                |
| 69930 |       | C      | 17.60 | 12.90    | 12.90    | 1.36 | 090    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 69949      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 69950      |               | C             | 27.44       | 17.30                      | 17.30                 | 2.29       | 090              | 53.10                     |             |                                |
| 69955      |               | C             | 29.22       | 19.73                      | 19.73                 | 2.49       | 090              | 53.10                     |             |                                |
| 69960      |               | C             | 29.22       | 18.38                      | 18.38                 | 2.18       | 090              | 53.10                     |             |                                |
| 69970      |               | C             | 32.21       | 20.96                      | 20.96                 | 2.42       | 090              | 53.10                     |             |                                |
| 69979      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 69990      |               | C             | 3.46        | 1.46                       | 1.46                  | 0.89       | ZZZ              | 53.10                     |             |                                |
| 70010      |               | C             | 1.19        | 3.28                       | 3.28                  | 0.27       | XXX              | 53.10                     |             |                                |
| 70010      | TC            | C             | 0.00        | 2.85                       | 2.85                  | 0.22       | XXX              | 53.10                     |             |                                |
| 70010      | 26            | C             | 1.19        | 0.43                       | 0.43                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70015      |               | C             | 1.19        | 2.59                       | 2.59                  | 0.16       | XXX              | 53.10                     |             |                                |
| 70015      | TC            | C             | 0.00        | 2.14                       | 2.14                  | 0.08       | XXX              | 53.10                     |             |                                |
| 70015      | 26            | C             | 1.19        | 0.45                       | 0.45                  | 0.08       | XXX              | 53.10                     |             |                                |
| 70030      |               | C             | 0.17        | 0.57                       | 0.57                  | 0.03       | XXX              | 53.10                     |             |                                |
| 70030      | TC            | C             | 0.00        | 0.51                       | 0.51                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70030      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70100      |               | C             | 0.18        | 0.62                       | 0.62                  | 0.03       | XXX              | 53.10                     |             |                                |
| 70100      | TC            | C             | 0.00        | 0.56                       | 0.56                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70100      | 26            | C             | 0.18        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70110      |               | C             | 0.25        | 0.78                       | 0.78                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70110      | TC            | C             | 0.00        | 0.69                       | 0.69                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70110      | 26            | C             | 0.25        | 0.09                       | 0.09                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70120      |               | C             | 0.18        | 0.68                       | 0.68                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70120      | TC            | C             | 0.00        | 0.62                       | 0.62                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70120      | 26            | C             | 0.18        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70130      |               | C             | 0.34        | 1.09                       | 1.09                  | 0.07       | XXX              | 53.10                     |             |                                |
| 70130      | TC            | C             | 0.00        | 0.97                       | 0.97                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70130      | 26            | C             | 0.34        | 0.12                       | 0.12                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70134      |               | C             | 0.34        | 0.88                       | 0.88                  | 0.07       | XXX              | 53.10                     |             |                                |
| 70134      | TC            | C             | 0.00        | 0.76                       | 0.76                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70134      | 26            | C             | 0.34        | 0.12                       | 0.12                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70140      |               | C             | 0.19        | 0.58                       | 0.58                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70140      | TC            | C             | 0.00        | 0.52                       | 0.52                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70140      | 26            | C             | 0.19        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70150      |               | C             | 0.26        | 0.85                       | 0.85                  | 0.06       | XXX              | 53.10                     |             |                                |
| 70150      | TC            | C             | 0.00        | 0.76                       | 0.76                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70150      | 26            | C             | 0.26        | 0.09                       | 0.09                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70160      |               | C             | 0.17        | 0.67                       | 0.67                  | 0.03       | XXX              | 53.10                     |             |                                |
| 70160      | TC            | C             | 0.00        | 0.61                       | 0.61                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70160      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70170      |               | C             | 0.30        | 0.00                       | 0.00                  | 0.30       | XXX              | 53.10                     |             |                                |
| 70170      | TC            | C             | 0.00        | 0.00                       | 0.00                  | 0.29       | XXX              | 53.10                     |             |                                |
| 70170      | 26            | C             | 0.30        | 0.11                       | 0.11                  | 0.01       | XXX              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 70190      |               | C             | 0.21        | 0.71                       | 0.71            | 0.05       | XXX              | 53.10                     |             |                                |
| 70190      | TC            | C             | 0.00        | 0.64                       | 0.64            | 0.04       | XXX              | 53.10                     |             |                                |
| 70190      | 26            | C             | 0.21        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 70200      |               | C             | 0.28        | 0.87                       | 0.87            | 0.06       | XXX              | 53.10                     |             |                                |
| 70200      | TC            | C             | 0.00        | 0.77                       | 0.77            | 0.05       | XXX              | 53.10                     |             |                                |
| 70200      | 26            | C             | 0.28        | 0.10                       | 0.10            | 0.01       | XXX              | 53.10                     |             |                                |
| 70210      |               | C             | 0.17        | 0.60                       | 0.60            | 0.05       | XXX              | 53.10                     |             |                                |
| 70210      | TC            | C             | 0.00        | 0.54                       | 0.54            | 0.04       | XXX              | 53.10                     |             |                                |
| 70210      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 70220      |               | C             | 0.25        | 0.76                       | 0.76            | 0.06       | XXX              | 53.10                     |             |                                |
| 70220      | TC            | C             | 0.00        | 0.68                       | 0.68            | 0.05       | XXX              | 53.10                     |             |                                |
| 70220      | 26            | C             | 0.25        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 70240      |               | C             | 0.19        | 0.58                       | 0.58            | 0.03       | XXX              | 53.10                     |             |                                |
| 70240      | TC            | C             | 0.00        | 0.51                       | 0.51            | 0.02       | XXX              | 53.10                     |             |                                |
| 70240      | 26            | C             | 0.19        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 70250      |               | C             | 0.24        | 0.70                       | 0.70            | 0.05       | XXX              | 53.10                     |             |                                |
| 70250      | TC            | C             | 0.00        | 0.62                       | 0.62            | 0.04       | XXX              | 53.10                     |             |                                |
| 70250      | 26            | C             | 0.24        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 70260      |               | C             | 0.34        | 0.90                       | 0.90            | 0.08       | XXX              | 53.10                     |             |                                |
| 70260      | TC            | C             | 0.00        | 0.79                       | 0.79            | 0.06       | XXX              | 53.10                     |             |                                |
| 70260      | 26            | C             | 0.34        | 0.11                       | 0.11            | 0.02       | XXX              | 53.10                     |             |                                |
| 70300      |               | C             | 0.10        | 0.26                       | 0.26            | 0.03       | XXX              | 53.10                     |             |                                |
| 70300      | TC            | C             | 0.00        | 0.22                       | 0.22            | 0.02       | XXX              | 53.10                     |             |                                |
| 70300      | 26            | C             | 0.10        | 0.04                       | 0.04            | 0.01       | XXX              | 53.10                     |             |                                |
| 70310      |               | C             | 0.16        | 0.73                       | 0.73            | 0.03       | XXX              | 53.10                     |             |                                |
| 70310      | TC            | C             | 0.00        | 0.67                       | 0.67            | 0.02       | XXX              | 53.10                     |             |                                |
| 70310      | 26            | C             | 0.16        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 70320      |               | C             | 0.22        | 1.02                       | 1.02            | 0.06       | XXX              | 53.10                     |             |                                |
| 70320      | TC            | C             | 0.00        | 0.94                       | 0.94            | 0.05       | XXX              | 53.10                     |             |                                |
| 70320      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 70328      |               | C             | 0.18        | 0.60                       | 0.60            | 0.03       | XXX              | 53.10                     |             |                                |
| 70328      | TC            | C             | 0.00        | 0.54                       | 0.54            | 0.02       | XXX              | 53.10                     |             |                                |
| 70328      | 26            | C             | 0.18        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 70330      |               | C             | 0.24        | 0.99                       | 0.99            | 0.06       | XXX              | 53.10                     |             |                                |
| 70330      | TC            | C             | 0.00        | 0.90                       | 0.90            | 0.05       | XXX              | 53.10                     |             |                                |
| 70330      | 26            | C             | 0.24        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 70332      |               | C             | 0.54        | 1.65                       | 1.65            | 0.14       | XXX              | 53.10                     |             |                                |
| 70332      | TC            | C             | 0.00        | 1.47                       | 1.47            | 0.12       | XXX              | 53.10                     |             |                                |
| 70332      | 26            | C             | 0.54        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 70336      |               | C             | 1.48        | 12.00                      | 12.00           | 0.66       | XXX              | 53.10                     |             |                                |
| 70336      | TC            | C             | 0.00        | 11.46                      | 11.46           | 0.59       | XXX              | 53.10                     |             |                                |
| 70336      | 26            | C             | 1.48        | 0.54                       | 0.54            | 0.07       | XXX              | 53.10                     |             |                                |
| 70350      |               | C             | 0.17        | 0.36                       | 0.36            | 0.03       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 70350      | TC            | C             | 0.00        | 0.30                       | 0.30                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70350      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70355      |               | C             | 0.20        | 0.38                       | 0.38                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70355      | TC            | C             | 0.00        | 0.31                       | 0.31                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70355      | 26            | C             | 0.20        | 0.07                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70360      |               | C             | 0.17        | 0.54                       | 0.54                  | 0.03       | XXX              | 53.10                     |             |                                |
| 70360      | TC            | C             | 0.00        | 0.48                       | 0.48                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70360      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70370      |               | C             | 0.32        | 1.63                       | 1.63                  | 0.08       | XXX              | 53.10                     |             |                                |
| 70370      | TC            | C             | 0.00        | 1.52                       | 1.52                  | 0.07       | XXX              | 53.10                     |             |                                |
| 70370      | 26            | C             | 0.32        | 0.11                       | 0.11                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70371      |               | C             | 0.84        | 1.69                       | 1.69                  | 0.16       | XXX              | 53.10                     |             |                                |
| 70371      | TC            | C             | 0.00        | 1.42                       | 1.42                  | 0.12       | XXX              | 53.10                     |             |                                |
| 70371      | 26            | C             | 0.84        | 0.27                       | 0.27                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70373      |               | C             | 0.44        | 1.64                       | 1.64                  | 0.13       | XXX              | 53.10                     |             |                                |
| 70373      | TC            | C             | 0.00        | 1.52                       | 1.52                  | 0.11       | XXX              | 53.10                     |             |                                |
| 70373      | 26            | C             | 0.44        | 0.12                       | 0.12                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70380      |               | C             | 0.17        | 0.79                       | 0.79                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70380      | TC            | C             | 0.00        | 0.73                       | 0.73                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70380      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 70390      |               | C             | 0.38        | 2.22                       | 2.22                  | 0.13       | XXX              | 53.10                     |             |                                |
| 70390      | TC            | C             | 0.00        | 2.08                       | 2.08                  | 0.11       | XXX              | 53.10                     |             |                                |
| 70390      | 26            | C             | 0.38        | 0.14                       | 0.14                  | 0.02       | XXX              | 53.10                     |             |                                |
| 70450      |               | C             | 0.85        | 4.92                       | 4.92                  | 0.29       | XXX              | 53.10                     |             |                                |
| 70450      | TC            | C             | 0.00        | 4.60                       | 4.60                  | 0.25       | XXX              | 53.10                     |             |                                |
| 70450      | 26            | C             | 0.85        | 0.32                       | 0.32                  | 0.04       | XXX              | 53.10                     |             |                                |
| 70460      |               | C             | 1.13        | 6.35                       | 6.35                  | 0.35       | XXX              | 53.10                     |             |                                |
| 70460      | TC            | C             | 0.00        | 5.93                       | 5.93                  | 0.30       | XXX              | 53.10                     |             |                                |
| 70460      | 26            | C             | 1.13        | 0.42                       | 0.42                  | 0.05       | XXX              | 53.10                     |             |                                |
| 70470      |               | C             | 1.27        | 7.78                       | 7.78                  | 0.43       | XXX              | 53.10                     |             |                                |
| 70470      | TC            | C             | 0.00        | 7.31                       | 7.31                  | 0.37       | XXX              | 53.10                     |             |                                |
| 70470      | 26            | C             | 1.27        | 0.47                       | 0.47                  | 0.06       | XXX              | 53.10                     |             |                                |
| 70480      |               | C             | 1.28        | 7.60                       | 7.60                  | 0.31       | XXX              | 53.10                     |             |                                |
| 70480      | TC            | C             | 0.00        | 7.13                       | 7.13                  | 0.25       | XXX              | 53.10                     |             |                                |
| 70480      | 26            | C             | 1.28        | 0.47                       | 0.47                  | 0.06       | XXX              | 53.10                     |             |                                |
| 70481      |               | C             | 1.38        | 8.95                       | 8.95                  | 0.36       | XXX              | 53.10                     |             |                                |
| 70481      | TC            | C             | 0.00        | 8.44                       | 8.44                  | 0.30       | XXX              | 53.10                     |             |                                |
| 70481      | 26            | C             | 1.38        | 0.51                       | 0.51                  | 0.06       | XXX              | 53.10                     |             |                                |
| 70482      |               | C             | 1.45        | 10.37                      | 10.37                 | 0.43       | XXX              | 53.10                     |             |                                |
| 70482      | TC            | C             | 0.00        | 9.84                       | 9.84                  | 0.37       | XXX              | 53.10                     |             |                                |
| 70482      | 26            | C             | 1.45        | 0.53                       | 0.53                  | 0.06       | XXX              | 53.10                     |             |                                |
| 70486      |               | C             | 1.14        | 6.34                       | 6.34                  | 0.30       | XXX              | 53.10                     |             |                                |
| 70486      | TC            | C             | 0.00        | 5.92                       | 5.92                  | 0.25       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 70486      | 26            | C             | 1.14        | 0.42                       | 0.42            | 0.05      | XXX        | 53.10            |                           |             |                                |
| 70487      |               | C             | 1.30        | 7.75                       | 7.75            | 0.36      | XXX        | 53.10            |                           |             |                                |
| 70487      | TC            | C             | 0.00        | 7.26                       | 7.26            | 0.30      | XXX        | 53.10            |                           |             |                                |
| 70487      | 26            | C             | 1.30        | 0.49                       | 0.49            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70488      |               | C             | 1.42        | 9.60                       | 9.60            | 0.43      | XXX        | 53.10            |                           |             |                                |
| 70488      | TC            | C             | 0.00        | 9.08                       | 9.08            | 0.37      | XXX        | 53.10            |                           |             |                                |
| 70488      | 26            | C             | 1.42        | 0.52                       | 0.52            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70490      |               | C             | 1.28        | 6.12                       | 6.12            | 0.31      | XXX        | 53.10            |                           |             |                                |
| 70490      | TC            | C             | 0.00        | 5.64                       | 5.64            | 0.25      | XXX        | 53.10            |                           |             |                                |
| 70490      | 26            | C             | 1.28        | 0.48                       | 0.48            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70491      |               | C             | 1.38        | 7.51                       | 7.51            | 0.36      | XXX        | 53.10            |                           |             |                                |
| 70491      | TC            | C             | 0.00        | 7.00                       | 7.00            | 0.30      | XXX        | 53.10            |                           |             |                                |
| 70491      | 26            | C             | 1.38        | 0.51                       | 0.51            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70492      |               | C             | 1.45        | 9.35                       | 9.35            | 0.43      | XXX        | 53.10            |                           |             |                                |
| 70492      | TC            | C             | 0.00        | 8.82                       | 8.82            | 0.37      | XXX        | 53.10            |                           |             |                                |
| 70492      | 26            | C             | 1.45        | 0.53                       | 0.53            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70496      |               | C             | 1.75        | 15.49                      | 15.49           | 0.66      | XXX        | 53.10            |                           |             |                                |
| 70496      | TC            | C             | 0.00        | 14.83                      | 14.83           | 0.58      | XXX        | 53.10            |                           |             |                                |
| 70496      | 26            | C             | 1.75        | 0.66                       | 0.66            | 0.08      | XXX        | 53.10            |                           |             |                                |
| 70498      |               | C             | 1.75        | 15.57                      | 15.57           | 0.66      | XXX        | 53.10            |                           |             |                                |
| 70498      | TC            | C             | 0.00        | 14.90                      | 14.90           | 0.58      | XXX        | 53.10            |                           |             |                                |
| 70498      | 26            | C             | 1.75        | 0.67                       | 0.67            | 0.08      | XXX        | 53.10            |                           |             |                                |
| 70540      |               | C             | 1.35        | 13.44                      | 13.44           | 0.45      | XXX        | 53.10            |                           |             |                                |
| 70540      | TC            | C             | 0.00        | 12.95                      | 12.95           | 0.39      | XXX        | 53.10            |                           |             |                                |
| 70540      | 26            | C             | 1.35        | 0.49                       | 0.49            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 70542      |               | C             | 1.62        | 14.78                      | 14.78           | 0.54      | XXX        | 53.10            |                           |             |                                |
| 70542      | TC            | C             | 0.00        | 14.19                      | 14.19           | 0.47      | XXX        | 53.10            |                           |             |                                |
| 70542      | 26            | C             | 1.62        | 0.59                       | 0.59            | 0.07      | XXX        | 53.10            |                           |             |                                |
| 70543      |               | C             | 2.15        | 20.32                      | 20.32           | 0.94      | XXX        | 53.10            |                           |             |                                |
| 70543      | TC            | C             | 0.00        | 19.54                      | 19.54           | 0.84      | XXX        | 53.10            |                           |             |                                |
| 70543      | 26            | C             | 2.15        | 0.78                       | 0.78            | 0.10      | XXX        | 53.10            |                           |             |                                |
| 70544      |               | C             | 1.20        | 14.65                      | 14.65           | 0.64      | XXX        | 53.10            |                           |             |                                |
| 70544      | TC            | C             | 0.00        | 14.21                      | 14.21           | 0.59      | XXX        | 53.10            |                           |             |                                |
| 70544      | 26            | C             | 1.20        | 0.44                       | 0.44            | 0.05      | XXX        | 53.10            |                           |             |                                |
| 70545      |               | C             | 1.20        | 14.58                      | 14.58           | 0.64      | XXX        | 53.10            |                           |             |                                |
| 70545      | TC            | C             | 0.00        | 14.14                      | 14.14           | 0.59      | XXX        | 53.10            |                           |             |                                |
| 70545      | 26            | C             | 1.20        | 0.44                       | 0.44            | 0.05      | XXX        | 53.10            |                           |             |                                |
| 70546      |               | C             | 1.80        | 23.57                      | 23.57           | 0.67      | XXX        | 53.10            |                           |             |                                |
| 70546      | TC            | C             | 0.00        | 22.91                      | 22.91           | 0.59      | XXX        | 53.10            |                           |             |                                |
| 70546      | 26            | C             | 1.80        | 0.66                       | 0.66            | 0.08      | XXX        | 53.10            |                           |             |                                |
| 70547      |               | C             | 1.20        | 14.61                      | 14.61           | 0.64      | XXX        | 53.10            |                           |             |                                |
| 70547      | TC            | C             | 0.00        | 14.17                      | 14.17           | 0.59      | XXX        | 53.10            |                           |             |                                |
| 70547      | 26            | C             | 1.20        | 0.44                       | 0.44            | 0.05      | XXX        | 53.10            |                           |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   |       |        |      | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS | IFIER | STATUS | RVU  | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 70548 |       | C      | 1.20 | 15.25    | 15.25    | 0.64 | XXX    | 53.10   |      |                                |
| 70548 | TC    | C      | 0.00 | 14.81    | 14.81    | 0.59 | XXX    | 53.10   |      |                                |
| 70548 | 26    | C      | 1.20 | 0.44     | 0.44     | 0.05 | XXX    | 53.10   |      |                                |
| 70549 |       | C      | 1.80 | 23.59    | 23.59    | 0.67 | XXX    | 53.10   |      |                                |
| 70549 | TC    | C      | 0.00 | 22.93    | 22.93    | 0.59 | XXX    | 53.10   |      |                                |
| 70549 | 26    | C      | 1.80 | 0.66     | 0.66     | 0.08 | XXX    | 53.10   |      |                                |
| 70551 |       | C      | 1.48 | 13.66    | 13.66    | 0.66 | XXX    | 53.10   |      |                                |
| 70551 | TC    | C      | 0.00 | 13.12    | 13.12    | 0.59 | XXX    | 53.10   |      |                                |
| 70551 | 26    | C      | 1.48 | 0.54     | 0.54     | 0.07 | XXX    | 53.10   |      |                                |
| 70552 |       | C      | 1.78 | 15.11    | 15.11    | 0.78 | XXX    | 53.10   |      |                                |
| 70552 | TC    | C      | 0.00 | 14.45    | 14.45    | 0.70 | XXX    | 53.10   |      |                                |
| 70552 | 26    | C      | 1.78 | 0.66     | 0.66     | 0.08 | XXX    | 53.10   |      |                                |
| 70553 |       | C      | 2.36 | 19.87    | 19.87    | 1.41 | XXX    | 53.10   |      |                                |
| 70553 | TC    | C      | 0.00 | 19.00    | 19.00    | 1.31 | XXX    | 53.10   |      |                                |
| 70553 | 26    | C      | 2.36 | 0.87     | 0.87     | 0.10 | XXX    | 53.10   |      |                                |
| 70554 |       | C      | 2.11 | 14.14    | 14.14    | 0.92 | XXX    | 53.10   |      |                                |
| 70554 | TC    | C      | 0.00 | 13.34    | 13.34    | 0.82 | XXX    | 53.10   |      |                                |
| 70554 | 26    | C      | 2.11 | 0.80     | 0.80     | 0.10 | XXX    | 53.10   |      |                                |
| 70555 |       | C      | 2.54 | 13.79    | 13.79    | 0.93 | XXX    | 53.10   |      |                                |
| 70555 | TC    | C      | 0.00 | 12.89    | 12.89    | 0.82 | XXX    | 53.10   |      |                                |
| 70555 | 26    | C      | 2.54 | 0.98     | 0.98     | 0.11 | XXX    | 53.10   |      |                                |
| 70557 |       | C      | 2.90 | 9.55     | 9.55     | 0.76 | XXX    | 53.10   |      |                                |
| 70557 | TC    | C      | 0.00 | 8.52     | 8.52     | 0.68 | XXX    | 53.10   |      |                                |
| 70557 | 26    | C      | 2.90 | 1.13     | 1.13     | 0.08 | XXX    | 53.10   |      |                                |
| 70558 |       | C      | 3.20 | 9.30     | 9.30     | 0.83 | XXX    | 53.10   |      |                                |
| 70558 | TC    | C      | 0.00 | 9.20     | 9.20     | 0.73 | XXX    | 53.10   |      |                                |
| 70558 | 26    | C      | 3.20 | 1.19     | 1.19     | 0.10 | XXX    | 53.10   |      |                                |
| 70559 |       | C      | 3.20 | 13.33    | 13.33    | 1.09 | XXX    | 53.10   |      |                                |
| 70559 | TC    | C      | 0.00 | 12.19    | 12.19    | 0.97 | XXX    | 53.10   |      |                                |
| 70559 | 26    | C      | 3.20 | 1.25     | 1.25     | 0.12 | XXX    | 53.10   |      |                                |
| 71010 |       | C      | 0.18 | 0.45     | 0.45     | 0.03 | XXX    | 53.10   |      |                                |
| 71010 | TC    | C      | 0.00 | 0.39     | 0.39     | 0.02 | XXX    | 53.10   |      |                                |
| 71010 | 26    | C      | 0.18 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 71015 |       | C      | 0.21 | 0.57     | 0.57     | 0.03 | XXX    | 53.10   |      |                                |
| 71015 | TC    | C      | 0.00 | 0.50     | 0.50     | 0.02 | XXX    | 53.10   |      |                                |
| 71015 | 26    | C      | 0.21 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 71020 |       | C      | 0.22 | 0.61     | 0.61     | 0.05 | XXX    | 53.10   |      |                                |
| 71020 | TC    | C      | 0.00 | 0.53     | 0.53     | 0.04 | XXX    | 53.10   |      |                                |
| 71020 | 26    | C      | 0.22 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 71021 |       | C      | 0.27 | 0.73     | 0.73     | 0.06 | XXX    | 53.10   |      |                                |
| 71021 | TC    | C      | 0.00 | 0.64     | 0.64     | 0.05 | XXX    | 53.10   |      |                                |
| 71021 | 26    | C      | 0.27 | 0.09     | 0.09     | 0.01 | XXX    | 53.10   |      |                                |
| 71022 |       | C      | 0.31 | 0.90     | 0.90     | 0.06 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 71022      | TC            | C             | 0.00        | 0.79                       | 0.79            | 0.05       | XXX              | 53.10                     |             |                                |
| 71022      | 26            | C             | 0.31        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 71023      |               | C             | 0.38        | 1.39                       | 1.39            | 0.06       | XXX              | 53.10                     |             |                                |
| 71023      | TC            | C             | 0.00        | 1.24                       | 1.24            | 0.05       | XXX              | 53.10                     |             |                                |
| 71023      | 26            | C             | 0.38        | 0.15                       | 0.15            | 0.01       | XXX              | 53.10                     |             |                                |
| 71030      |               | C             | 0.31        | 0.91                       | 0.91            | 0.06       | XXX              | 53.10                     |             |                                |
| 71030      | TC            | C             | 0.00        | 0.80                       | 0.80            | 0.05       | XXX              | 53.10                     |             |                                |
| 71030      | 26            | C             | 0.31        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 71034      |               | C             | 0.46        | 1.96                       | 1.96            | 0.10       | XXX              | 53.10                     |             |                                |
| 71034      | TC            | C             | 0.00        | 1.75                       | 1.75            | 0.08       | XXX              | 53.10                     |             |                                |
| 71034      | 26            | C             | 0.46        | 0.21                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 71035      |               | C             | 0.18        | 0.73                       | 0.73            | 0.03       | XXX              | 53.10                     |             |                                |
| 71035      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.02       | XXX              | 53.10                     |             |                                |
| 71035      | 26            | C             | 0.18        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 71040      |               | C             | 0.58        | 1.94                       | 1.94            | 0.11       | XXX              | 53.10                     |             |                                |
| 71040      | TC            | C             | 0.00        | 1.73                       | 1.73            | 0.08       | XXX              | 53.10                     |             |                                |
| 71040      | 26            | C             | 0.58        | 0.21                       | 0.21            | 0.03       | XXX              | 53.10                     |             |                                |
| 71060      |               | C             | 0.74        | 2.93                       | 2.93            | 0.16       | XXX              | 53.10                     |             |                                |
| 71060      | TC            | C             | 0.00        | 2.66                       | 2.66            | 0.13       | XXX              | 53.10                     |             |                                |
| 71060      | 26            | C             | 0.74        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 71090      |               | C             | 0.54        | 2.28                       | 2.28            | 0.11       | XXX              | 53.10                     |             |                                |
| 71090      | TC            | C             | 0.00        | 2.00                       | 2.00            | 0.09       | XXX              | 53.10                     |             |                                |
| 71090      | 26            | C             | 0.54        | 0.26                       | 0.26            | 0.02       | XXX              | 53.10                     |             |                                |
| 71100      |               | C             | 0.22        | 0.63                       | 0.63            | 0.05       | XXX              | 53.10                     |             |                                |
| 71100      | TC            | C             | 0.00        | 0.55                       | 0.55            | 0.04       | XXX              | 53.10                     |             |                                |
| 71100      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 71101      |               | C             | 0.27        | 0.76                       | 0.76            | 0.05       | XXX              | 53.10                     |             |                                |
| 71101      | TC            | C             | 0.00        | 0.67                       | 0.67            | 0.04       | XXX              | 53.10                     |             |                                |
| 71101      | 26            | C             | 0.27        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 71110      |               | C             | 0.27        | 0.79                       | 0.79            | 0.06       | XXX              | 53.10                     |             |                                |
| 71110      | TC            | C             | 0.00        | 0.70                       | 0.70            | 0.05       | XXX              | 53.10                     |             |                                |
| 71110      | 26            | C             | 0.27        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 71111      |               | C             | 0.32        | 1.04                       | 1.04            | 0.07       | XXX              | 53.10                     |             |                                |
| 71111      | TC            | C             | 0.00        | 0.93                       | 0.93            | 0.06       | XXX              | 53.10                     |             |                                |
| 71111      | 26            | C             | 0.32        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 71120      |               | C             | 0.20        | 0.65                       | 0.65            | 0.05       | XXX              | 53.10                     |             |                                |
| 71120      | TC            | C             | 0.00        | 0.58                       | 0.58            | 0.04       | XXX              | 53.10                     |             |                                |
| 71120      | 26            | C             | 0.20        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 71130      |               | C             | 0.22        | 0.76                       | 0.76            | 0.05       | XXX              | 53.10                     |             |                                |
| 71130      | TC            | C             | 0.00        | 0.68                       | 0.68            | 0.04       | XXX              | 53.10                     |             |                                |
| 71130      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 71250      |               | C             | 1.16        | 6.38                       | 6.38            | 0.36       | XXX              | 53.10                     |             |                                |
| 71250      | TC            | C             | 0.00        | 5.95                       | 5.95            | 0.31       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 71250      | 26            | C             | 1.16        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 71260      |               | C             | 1.24        | 7.82                       | 7.82            | 0.42       | XXX              | 53.10                     |             |                                |
| 71260      | TC            | C             | 0.00        | 7.36                       | 7.36            | 0.37       | XXX              | 53.10                     |             |                                |
| 71260      | 26            | C             | 1.24        | 0.46                       | 0.46            | 0.05       | XXX              | 53.10                     |             |                                |
| 71270      |               | C             | 1.38        | 9.81                       | 9.81            | 0.52       | XXX              | 53.10                     |             |                                |
| 71270      | TC            | C             | 0.00        | 9.30                       | 9.30            | 0.46       | XXX              | 53.10                     |             |                                |
| 71270      | 26            | C             | 1.38        | 0.51                       | 0.51            | 0.06       | XXX              | 53.10                     |             |                                |
| 71275      |               | C             | 1.92        | 11.99                      | 11.99           | 0.48       | XXX              | 53.10                     |             |                                |
| 71275      | TC            | C             | 0.00        | 11.27                      | 11.27           | 0.39       | XXX              | 53.10                     |             |                                |
| 71275      | 26            | C             | 1.92        | 0.72                       | 0.72            | 0.09       | XXX              | 53.10                     |             |                                |
| 71550      |               | C             | 1.46        | 15.05                      | 15.05           | 0.51       | XXX              | 53.10                     |             |                                |
| 71550      | TC            | C             | 0.00        | 14.52                      | 14.52           | 0.45       | XXX              | 53.10                     |             |                                |
| 71550      | 26            | C             | 1.46        | 0.53                       | 0.53            | 0.06       | XXX              | 53.10                     |             |                                |
| 71551      |               | C             | 1.73        | 16.77                      | 16.77           | 0.60       | XXX              | 53.10                     |             |                                |
| 71551      | TC            | C             | 0.00        | 16.15                      | 16.15           | 0.52       | XXX              | 53.10                     |             |                                |
| 71551      | 26            | C             | 1.73        | 0.62                       | 0.62            | 0.08       | XXX              | 53.10                     |             |                                |
| 71552      |               | C             | 2.26        | 23.15                      | 23.15           | 0.78       | XXX              | 53.10                     |             |                                |
| 71552      | TC            | C             | 0.00        | 22.30                      | 22.30           | 0.68       | XXX              | 53.10                     |             |                                |
| 71552      | 26            | C             | 2.26        | 0.85                       | 0.85            | 0.10       | XXX              | 53.10                     |             |                                |
| 71555      |               | C             | 1.81        | 14.30                      | 14.30           | 0.67       | XXX              | 53.10                     |             |                                |
| 71555      | TC            | C             | 0.00        | 13.61                      | 13.61           | 0.59       | XXX              | 53.10                     |             |                                |
| 71555      | 26            | C             | 1.81        | 0.69                       | 0.69            | 0.08       | XXX              | 53.10                     |             |                                |
| 72010      |               | C             | 0.45        | 1.36                       | 1.36            | 0.08       | XXX              | 53.10                     |             |                                |
| 72010      | TC            | C             | 0.00        | 1.22                       | 1.22            | 0.06       | XXX              | 53.10                     |             |                                |
| 72010      | 26            | C             | 0.45        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 72020      |               | C             | 0.15        | 0.47                       | 0.47            | 0.03       | XXX              | 53.10                     |             |                                |
| 72020      | TC            | C             | 0.00        | 0.41                       | 0.41            | 0.02       | XXX              | 53.10                     |             |                                |
| 72020      | 26            | C             | 0.15        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 72040      |               | C             | 0.22        | 0.74                       | 0.74            | 0.05       | XXX              | 53.10                     |             |                                |
| 72040      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.04       | XXX              | 53.10                     |             |                                |
| 72040      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72050      |               | C             | 0.31        | 1.05                       | 1.05            | 0.07       | XXX              | 53.10                     |             |                                |
| 72050      | TC            | C             | 0.00        | 0.94                       | 0.94            | 0.06       | XXX              | 53.10                     |             |                                |
| 72050      | 26            | C             | 0.31        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 72052      |               | C             | 0.36        | 1.35                       | 1.35            | 0.08       | XXX              | 53.10                     |             |                                |
| 72052      | TC            | C             | 0.00        | 1.22                       | 1.22            | 0.06       | XXX              | 53.10                     |             |                                |
| 72052      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 72069      |               | C             | 0.22        | 0.70                       | 0.70            | 0.03       | XXX              | 53.10                     |             |                                |
| 72069      | TC            | C             | 0.00        | 0.62                       | 0.62            | 0.02       | XXX              | 53.10                     |             |                                |
| 72069      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72070      |               | C             | 0.22        | 0.66                       | 0.66            | 0.05       | XXX              | 53.10                     |             |                                |
| 72070      | TC            | C             | 0.00        | 0.58                       | 0.58            | 0.04       | XXX              | 53.10                     |             |                                |
| 72070      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 72072      |               | C             | 0.22        | 0.78                       | 0.78            | 0.06       | XXX              | 53.10                     |             |                                |
| 72072      | TC            | C             | 0.00        | 0.70                       | 0.70            | 0.05       | XXX              | 53.10                     |             |                                |
| 72072      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72074      |               | C             | 0.22        | 0.95                       | 0.95            | 0.07       | XXX              | 53.10                     |             |                                |
| 72074      | TC            | C             | 0.00        | 0.87                       | 0.87            | 0.06       | XXX              | 53.10                     |             |                                |
| 72074      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72080      |               | C             | 0.22        | 0.70                       | 0.70            | 0.05       | XXX              | 53.10                     |             |                                |
| 72080      | TC            | C             | 0.00        | 0.62                       | 0.62            | 0.04       | XXX              | 53.10                     |             |                                |
| 72080      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72090      |               | C             | 0.28        | 0.94                       | 0.94            | 0.05       | XXX              | 53.10                     |             |                                |
| 72090      | TC            | C             | 0.00        | 0.83                       | 0.83            | 0.04       | XXX              | 53.10                     |             |                                |
| 72090      | 26            | C             | 0.28        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 72100      |               | C             | 0.22        | 0.79                       | 0.79            | 0.05       | XXX              | 53.10                     |             |                                |
| 72100      | TC            | C             | 0.00        | 0.71                       | 0.71            | 0.04       | XXX              | 53.10                     |             |                                |
| 72100      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72110      |               | C             | 0.31        | 1.10                       | 1.10            | 0.07       | XXX              | 53.10                     |             |                                |
| 72110      | TC            | C             | 0.00        | 0.99                       | 0.99            | 0.06       | XXX              | 53.10                     |             |                                |
| 72110      | 26            | C             | 0.31        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 72114      |               | C             | 0.36        | 1.49                       | 1.49            | 0.08       | XXX              | 53.10                     |             |                                |
| 72114      | TC            | C             | 0.00        | 1.36                       | 1.36            | 0.06       | XXX              | 53.10                     |             |                                |
| 72114      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 72120      |               | C             | 0.22        | 1.04                       | 1.04            | 0.07       | XXX              | 53.10                     |             |                                |
| 72120      | TC            | C             | 0.00        | 0.96                       | 0.96            | 0.06       | XXX              | 53.10                     |             |                                |
| 72120      | 26            | C             | 0.22        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 72125      |               | C             | 1.16        | 6.40                       | 6.40            | 0.36       | XXX              | 53.10                     |             |                                |
| 72125      | TC            | C             | 0.00        | 5.97                       | 5.97            | 0.31       | XXX              | 53.10                     |             |                                |
| 72125      | 26            | C             | 1.16        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 72126      |               | C             | 1.22        | 7.82                       | 7.82            | 0.42       | XXX              | 53.10                     |             |                                |
| 72126      | TC            | C             | 0.00        | 7.37                       | 7.37            | 0.37       | XXX              | 53.10                     |             |                                |
| 72126      | 26            | C             | 1.22        | 0.45                       | 0.45            | 0.05       | XXX              | 53.10                     |             |                                |
| 72127      |               | C             | 1.27        | 9.74                       | 9.74            | 0.52       | XXX              | 53.10                     |             |                                |
| 72127      | TC            | C             | 0.00        | 9.28                       | 9.28            | 0.46       | XXX              | 53.10                     |             |                                |
| 72127      | 26            | C             | 1.27        | 0.46                       | 0.46            | 0.06       | XXX              | 53.10                     |             |                                |
| 72128      |               | C             | 1.16        | 6.38                       | 6.38            | 0.36       | XXX              | 53.10                     |             |                                |
| 72128      | TC            | C             | 0.00        | 5.95                       | 5.95            | 0.31       | XXX              | 53.10                     |             |                                |
| 72128      | 26            | C             | 1.16        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 72129      |               | C             | 1.22        | 7.83                       | 7.83            | 0.42       | XXX              | 53.10                     |             |                                |
| 72129      | TC            | C             | 0.00        | 7.37                       | 7.37            | 0.37       | XXX              | 53.10                     |             |                                |
| 72129      | 26            | C             | 1.22        | 0.46                       | 0.46            | 0.05       | XXX              | 53.10                     |             |                                |
| 72130      |               | C             | 1.27        | 9.77                       | 9.77            | 0.52       | XXX              | 53.10                     |             |                                |
| 72130      | TC            | C             | 0.00        | 9.30                       | 9.30            | 0.46       | XXX              | 53.10                     |             |                                |
| 72130      | 26            | C             | 1.27        | 0.47                       | 0.47            | 0.06       | XXX              | 53.10                     |             |                                |
| 72131      |               | C             | 1.16        | 6.37                       | 6.37            | 0.36       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 72131      | TC            | C             | 0.00        | 5.94                       | 5.94                  | 0.31       | XXX              | 53.10                     |             |                                |
| 72131      | 26            | C             | 1.16        | 0.43                       | 0.43                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72132      |               | C             | 1.22        | 7.82                       | 7.82                  | 0.42       | XXX              | 53.10                     |             |                                |
| 72132      | TC            | C             | 0.00        | 7.36                       | 7.36                  | 0.37       | XXX              | 53.10                     |             |                                |
| 72132      | 26            | C             | 1.22        | 0.46                       | 0.46                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72133      |               | C             | 1.27        | 9.76                       | 9.76                  | 0.52       | XXX              | 53.10                     |             |                                |
| 72133      | TC            | C             | 0.00        | 9.29                       | 9.29                  | 0.46       | XXX              | 53.10                     |             |                                |
| 72133      | 26            | C             | 1.27        | 0.47                       | 0.47                  | 0.06       | XXX              | 53.10                     |             |                                |
| 72141      |               | C             | 1.60        | 12.20                      | 12.20                 | 0.66       | XXX              | 53.10                     |             |                                |
| 72141      | TC            | C             | 0.00        | 11.62                      | 11.62                 | 0.59       | XXX              | 53.10                     |             |                                |
| 72141      | 26            | C             | 1.60        | 0.58                       | 0.58                  | 0.07       | XXX              | 53.10                     |             |                                |
| 72142      |               | C             | 1.92        | 15.13                      | 15.13                 | 0.79       | XXX              | 53.10                     |             |                                |
| 72142      | TC            | C             | 0.00        | 14.43                      | 14.43                 | 0.70       | XXX              | 53.10                     |             |                                |
| 72142      | 26            | C             | 1.92        | 0.70                       | 0.70                  | 0.09       | XXX              | 53.10                     |             |                                |
| 72146      |               | C             | 1.60        | 12.53                      | 12.53                 | 0.71       | XXX              | 53.10                     |             |                                |
| 72146      | TC            | C             | 0.00        | 11.94                      | 11.94                 | 0.64       | XXX              | 53.10                     |             |                                |
| 72146      | 26            | C             | 1.60        | 0.59                       | 0.59                  | 0.07       | XXX              | 53.10                     |             |                                |
| 72147      |               | C             | 1.92        | 13.62                      | 13.62                 | 0.79       | XXX              | 53.10                     |             |                                |
| 72147      | TC            | C             | 0.00        | 12.91                      | 12.91                 | 0.70       | XXX              | 53.10                     |             |                                |
| 72147      | 26            | C             | 1.92        | 0.71                       | 0.71                  | 0.09       | XXX              | 53.10                     |             |                                |
| 72148      |               | C             | 1.48        | 12.47                      | 12.47                 | 0.71       | XXX              | 53.10                     |             |                                |
| 72148      | TC            | C             | 0.00        | 11.93                      | 11.93                 | 0.64       | XXX              | 53.10                     |             |                                |
| 72148      | 26            | C             | 1.48        | 0.54                       | 0.54                  | 0.07       | XXX              | 53.10                     |             |                                |
| 72149      |               | C             | 1.78        | 15.08                      | 15.08                 | 0.78       | XXX              | 53.10                     |             |                                |
| 72149      | TC            | C             | 0.00        | 14.42                      | 14.42                 | 0.70       | XXX              | 53.10                     |             |                                |
| 72149      | 26            | C             | 1.78        | 0.66                       | 0.66                  | 0.08       | XXX              | 53.10                     |             |                                |
| 72156      |               | C             | 2.57        | 19.66                      | 19.66                 | 1.42       | XXX              | 53.10                     |             |                                |
| 72156      | TC            | C             | 0.00        | 18.72                      | 18.72                 | 1.31       | XXX              | 53.10                     |             |                                |
| 72156      | 26            | C             | 2.57        | 0.94                       | 0.94                  | 0.11       | XXX              | 53.10                     |             |                                |
| 72157      |               | C             | 2.57        | 18.50                      | 18.50                 | 1.42       | XXX              | 53.10                     |             |                                |
| 72157      | TC            | C             | 0.00        | 17.55                      | 17.55                 | 1.31       | XXX              | 53.10                     |             |                                |
| 72157      | 26            | C             | 2.57        | 0.95                       | 0.95                  | 0.11       | XXX              | 53.10                     |             |                                |
| 72158      |               | C             | 2.36        | 19.57                      | 19.57                 | 1.41       | XXX              | 53.10                     |             |                                |
| 72158      | TC            | C             | 0.00        | 18.71                      | 18.71                 | 1.31       | XXX              | 53.10                     |             |                                |
| 72158      | 26            | C             | 2.36        | 0.86                       | 0.86                  | 0.10       | XXX              | 53.10                     |             |                                |
| 72159      |               | C             | 1.80        | 15.46                      | 15.46                 | 0.74       | XXX              | 53.10                     |             |                                |
| 72159      | TC            | C             | 0.00        | 14.83                      | 14.83                 | 0.64       | XXX              | 53.10                     |             |                                |
| 72159      | 26            | C             | 1.80        | 0.63                       | 0.63                  | 0.10       | XXX              | 53.10                     |             |                                |
| 72170      |               | C             | 0.17        | 0.51                       | 0.51                  | 0.03       | XXX              | 53.10                     |             |                                |
| 72170      | TC            | C             | 0.00        | 0.45                       | 0.45                  | 0.02       | XXX              | 53.10                     |             |                                |
| 72170      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 72190      |               | C             | 0.21        | 0.82                       | 0.82                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72190      | TC            | C             | 0.00        | 0.74                       | 0.74                  | 0.04       | XXX              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 72190      | 26            | C             | 0.21        | 0.08                       | 0.08                  | 0.01       | XXX              | 53.10                     |             |                                |
| 72191      |               | C             | 1.81        | 11.59                      | 11.59                 | 0.47       | XXX              | 53.10                     |             |                                |
| 72191      | TC            | C             | 0.00        | 10.91                      | 10.91                 | 0.39       | XXX              | 53.10                     |             |                                |
| 72191      | 26            | C             | 1.81        | 0.68                       | 0.68                  | 0.08       | XXX              | 53.10                     |             |                                |
| 72192      |               | C             | 1.09        | 6.07                       | 6.07                  | 0.36       | XXX              | 53.10                     |             |                                |
| 72192      | TC            | C             | 0.00        | 5.66                       | 5.66                  | 0.31       | XXX              | 53.10                     |             |                                |
| 72192      | 26            | C             | 1.09        | 0.41                       | 0.41                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72193      |               | C             | 1.16        | 7.43                       | 7.43                  | 0.41       | XXX              | 53.10                     |             |                                |
| 72193      | TC            | C             | 0.00        | 7.00                       | 7.00                  | 0.36       | XXX              | 53.10                     |             |                                |
| 72193      | 26            | C             | 1.16        | 0.43                       | 0.43                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72194      |               | C             | 1.22        | 9.77                       | 9.77                  | 0.48       | XXX              | 53.10                     |             |                                |
| 72194      | TC            | C             | 0.00        | 9.32                       | 9.32                  | 0.43       | XXX              | 53.10                     |             |                                |
| 72194      | 26            | C             | 1.22        | 0.45                       | 0.45                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72195      |               | C             | 1.46        | 13.63                      | 13.63                 | 0.51       | XXX              | 53.10                     |             |                                |
| 72195      | TC            | C             | 0.00        | 13.10                      | 13.10                 | 0.45       | XXX              | 53.10                     |             |                                |
| 72195      | 26            | C             | 1.46        | 0.53                       | 0.53                  | 0.06       | XXX              | 53.10                     |             |                                |
| 72196      |               | C             | 1.73        | 14.97                      | 14.97                 | 0.60       | XXX              | 53.10                     |             |                                |
| 72196      | TC            | C             | 0.00        | 14.33                      | 14.33                 | 0.52       | XXX              | 53.10                     |             |                                |
| 72196      | 26            | C             | 1.73        | 0.64                       | 0.64                  | 0.08       | XXX              | 53.10                     |             |                                |
| 72197      |               | C             | 2.26        | 20.49                      | 20.49                 | 1.02       | XXX              | 53.10                     |             |                                |
| 72197      | TC            | C             | 0.00        | 19.66                      | 19.66                 | 0.92       | XXX              | 53.10                     |             |                                |
| 72197      | 26            | C             | 2.26        | 0.83                       | 0.83                  | 0.10       | XXX              | 53.10                     |             |                                |
| 72198      |               | C             | 1.80        | 14.21                      | 14.21                 | 0.67       | XXX              | 53.10                     |             |                                |
| 72198      | TC            | C             | 0.00        | 13.54                      | 13.54                 | 0.59       | XXX              | 53.10                     |             |                                |
| 72198      | 26            | C             | 1.80        | 0.67                       | 0.67                  | 0.08       | XXX              | 53.10                     |             |                                |
| 72200      |               | C             | 0.17        | 0.59                       | 0.59                  | 0.03       | XXX              | 53.10                     |             |                                |
| 72200      | TC            | C             | 0.00        | 0.53                       | 0.53                  | 0.02       | XXX              | 53.10                     |             |                                |
| 72200      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 72202      |               | C             | 0.19        | 0.72                       | 0.72                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72202      | TC            | C             | 0.00        | 0.65                       | 0.65                  | 0.04       | XXX              | 53.10                     |             |                                |
| 72202      | 26            | C             | 0.19        | 0.07                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 72220      |               | C             | 0.17        | 0.59                       | 0.59                  | 0.05       | XXX              | 53.10                     |             |                                |
| 72220      | TC            | C             | 0.00        | 0.53                       | 0.53                  | 0.04       | XXX              | 53.10                     |             |                                |
| 72220      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 72240      |               | C             | 0.91        | 3.19                       | 3.19                  | 0.29       | XXX              | 53.10                     |             |                                |
| 72240      | TC            | C             | 0.00        | 2.86                       | 2.86                  | 0.25       | XXX              | 53.10                     |             |                                |
| 72240      | 26            | C             | 0.91        | 0.33                       | 0.33                  | 0.04       | XXX              | 53.10                     |             |                                |
| 72255      |               | C             | 0.91        | 2.84                       | 2.84                  | 0.26       | XXX              | 53.10                     |             |                                |
| 72255      | TC            | C             | 0.00        | 2.54                       | 2.54                  | 0.22       | XXX              | 53.10                     |             |                                |
| 72255      | 26            | C             | 0.91        | 0.30                       | 0.30                  | 0.04       | XXX              | 53.10                     |             |                                |
| 72265      |               | C             | 0.83        | 2.99                       | 2.99                  | 0.26       | XXX              | 53.10                     |             |                                |
| 72265      | TC            | C             | 0.00        | 2.69                       | 2.69                  | 0.22       | XXX              | 53.10                     |             |                                |
| 72265      | 26            | C             | 0.83        | 0.30                       | 0.30                  | 0.04       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 72270      |               | C             | 1.33        | 4.64                       | 4.64            | 0.39       | XXX              | 53.10                     |             |                                |
| 72270      | TC            | C             | 0.00        | 4.15                       | 4.15            | 0.33       | XXX              | 53.10                     |             |                                |
| 72270      | 26            | C             | 1.33        | 0.49                       | 0.49            | 0.06       | XXX              | 53.10                     |             |                                |
| 72275      |               | C             | 0.76        | 1.88                       | 1.88            | 0.26       | XXX              | 53.10                     |             |                                |
| 72275      | TC            | C             | 0.00        | 1.67                       | 1.67            | 0.22       | XXX              | 53.10                     |             |                                |
| 72275      | 26            | C             | 0.76        | 0.21                       | 0.21            | 0.04       | XXX              | 53.10                     |             |                                |
| 72285      |               | C             | 1.16        | 3.30                       | 3.30            | 0.50       | XXX              | 53.10                     |             |                                |
| 72285      | TC            | C             | 0.00        | 2.96                       | 2.96            | 0.43       | XXX              | 53.10                     |             |                                |
| 72285      | 26            | C             | 1.16        | 0.34                       | 0.34            | 0.07       | XXX              | 53.10                     |             |                                |
| 72291      |               | C             | 1.31        | 4.42                       | 4.42            | 0.29       | XXX              | 53.10                     |             |                                |
| 72291      | TC            | C             | 0.00        | 3.95                       | 3.95            | 0.19       | XXX              | 53.10                     |             |                                |
| 72291      | 26            | C             | 1.31        | 0.51                       | 0.51            | 0.10       | XXX              | 53.10                     |             |                                |
| 72292      |               | C             | 1.38        | 1.81                       | 1.81            | 0.14       | XXX              | 53.10                     |             |                                |
| 72292      | TC            | C             | 0.00        | 1.31                       | 1.31            | 0.07       | XXX              | 53.10                     |             |                                |
| 72292      | 26            | C             | 1.38        | 0.54                       | 0.54            | 0.07       | XXX              | 53.10                     |             |                                |
| 72295      |               | C             | 0.83        | 3.13                       | 3.13            | 0.46       | XXX              | 53.10                     |             |                                |
| 72295      | TC            | C             | 0.00        | 2.87                       | 2.87            | 0.40       | XXX              | 53.10                     |             |                                |
| 72295      | 26            | C             | 0.83        | 0.26                       | 0.26            | 0.06       | XXX              | 53.10                     |             |                                |
| 73000      |               | C             | 0.16        | 0.56                       | 0.56            | 0.03       | XXX              | 53.10                     |             |                                |
| 73000      | TC            | C             | 0.00        | 0.50                       | 0.50            | 0.02       | XXX              | 53.10                     |             |                                |
| 73000      | 26            | C             | 0.16        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73010      |               | C             | 0.17        | 0.57                       | 0.57            | 0.03       | XXX              | 53.10                     |             |                                |
| 73010      | TC            | C             | 0.00        | 0.51                       | 0.51            | 0.02       | XXX              | 53.10                     |             |                                |
| 73010      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73020      |               | C             | 0.15        | 0.46                       | 0.46            | 0.03       | XXX              | 53.10                     |             |                                |
| 73020      | TC            | C             | 0.00        | 0.41                       | 0.41            | 0.02       | XXX              | 53.10                     |             |                                |
| 73020      | 26            | C             | 0.15        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73030      |               | C             | 0.18        | 0.59                       | 0.59            | 0.05       | XXX              | 53.10                     |             |                                |
| 73030      | TC            | C             | 0.00        | 0.52                       | 0.52            | 0.04       | XXX              | 53.10                     |             |                                |
| 73030      | 26            | C             | 0.18        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 73040      |               | C             | 0.54        | 2.25                       | 2.25            | 0.14       | XXX              | 53.10                     |             |                                |
| 73040      | TC            | C             | 0.00        | 2.05                       | 2.05            | 0.12       | XXX              | 53.10                     |             |                                |
| 73040      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 73050      |               | C             | 0.20        | 0.73                       | 0.73            | 0.05       | XXX              | 53.10                     |             |                                |
| 73050      | TC            | C             | 0.00        | 0.65                       | 0.65            | 0.04       | XXX              | 53.10                     |             |                                |
| 73050      | 26            | C             | 0.20        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 73060      |               | C             | 0.17        | 0.58                       | 0.58            | 0.05       | XXX              | 53.10                     |             |                                |
| 73060      | TC            | C             | 0.00        | 0.52                       | 0.52            | 0.04       | XXX              | 53.10                     |             |                                |
| 73060      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73070      |               | C             | 0.15        | 0.55                       | 0.55            | 0.03       | XXX              | 53.10                     |             |                                |
| 73070      | TC            | C             | 0.00        | 0.50                       | 0.50            | 0.02       | XXX              | 53.10                     |             |                                |
| 73070      | 26            | C             | 0.15        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73080      |               | C             | 0.17        | 0.72                       | 0.72            | 0.05       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 73080      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.04       | XXX              | 53.10                     |             |                                |
| 73080      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73085      |               | C             | 0.54        | 1.97                       | 1.97            | 0.14       | XXX              | 53.10                     |             |                                |
| 73085      | TC            | C             | 0.00        | 1.78                       | 1.78            | 0.12       | XXX              | 53.10                     |             |                                |
| 73085      | 26            | C             | 0.54        | 0.19                       | 0.19            | 0.02       | XXX              | 53.10                     |             |                                |
| 73090      |               | C             | 0.16        | 0.55                       | 0.55            | 0.03       | XXX              | 53.10                     |             |                                |
| 73090      | TC            | C             | 0.00        | 0.50                       | 0.50            | 0.02       | XXX              | 53.10                     |             |                                |
| 73090      | 26            | C             | 0.16        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73092      |               | D             | 0.16        | 0.57                       | 0.57            | 0.03       | XXX              | 53.10                     |             |                                |
| 73092      | TC            | D             | 0.00        | 0.52                       | 0.52            | 0.02       | XXX              | 53.10                     |             |                                |
| 73092      | 26            | D             | 0.16        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73100      |               | C             | 0.16        | 0.58                       | 0.58            | 0.03       | XXX              | 53.10                     |             |                                |
| 73100      | TC            | C             | 0.00        | 0.52                       | 0.52            | 0.02       | XXX              | 53.10                     |             |                                |
| 73100      | 26            | C             | 0.16        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73110      |               | C             | 0.17        | 0.72                       | 0.72            | 0.03       | XXX              | 53.10                     |             |                                |
| 73110      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.02       | XXX              | 53.10                     |             |                                |
| 73110      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73115      |               | C             | 0.54        | 2.14                       | 2.14            | 0.12       | XXX              | 53.10                     |             |                                |
| 73115      | TC            | C             | 0.00        | 1.94                       | 1.94            | 0.10       | XXX              | 53.10                     |             |                                |
| 73115      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 73120      |               | C             | 0.16        | 0.54                       | 0.54            | 0.03       | XXX              | 53.10                     |             |                                |
| 73120      | TC            | C             | 0.00        | 0.49                       | 0.49            | 0.02       | XXX              | 53.10                     |             |                                |
| 73120      | 26            | C             | 0.16        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73130      |               | C             | 0.17        | 0.64                       | 0.64            | 0.03       | XXX              | 53.10                     |             |                                |
| 73130      | TC            | C             | 0.00        | 0.58                       | 0.58            | 0.02       | XXX              | 53.10                     |             |                                |
| 73130      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 73140      |               | C             | 0.13        | 0.62                       | 0.62            | 0.03       | XXX              | 53.10                     |             |                                |
| 73140      | TC            | C             | 0.00        | 0.57                       | 0.57            | 0.02       | XXX              | 53.10                     |             |                                |
| 73140      | 26            | C             | 0.13        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 73200      |               | C             | 1.09        | 6.09                       | 6.09            | 0.30       | XXX              | 53.10                     |             |                                |
| 73200      | TC            | C             | 0.00        | 5.69                       | 5.69            | 0.25       | XXX              | 53.10                     |             |                                |
| 73200      | 26            | C             | 1.09        | 0.40                       | 0.40            | 0.05       | XXX              | 53.10                     |             |                                |
| 73201      |               | C             | 1.16        | 7.46                       | 7.46            | 0.36       | XXX              | 53.10                     |             |                                |
| 73201      | TC            | C             | 0.00        | 7.03                       | 7.03            | 0.31       | XXX              | 53.10                     |             |                                |
| 73201      | 26            | C             | 1.16        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 73202      |               | C             | 1.22        | 9.83                       | 9.83            | 0.44       | XXX              | 53.10                     |             |                                |
| 73202      | TC            | C             | 0.00        | 9.38                       | 9.38            | 0.39       | XXX              | 53.10                     |             |                                |
| 73202      | 26            | C             | 1.22        | 0.45                       | 0.45            | 0.05       | XXX              | 53.10                     |             |                                |
| 73206      |               | C             | 1.81        | 11.01                      | 11.01           | 0.47       | XXX              | 53.10                     |             |                                |
| 73206      | TC            | C             | 0.00        | 10.31                      | 10.31           | 0.39       | XXX              | 53.10                     |             |                                |
| 73206      | 26            | C             | 1.81        | 0.70                       | 0.70            | 0.08       | XXX              | 53.10                     |             |                                |
| 73218      |               | C             | 1.35        | 13.79                      | 13.79           | 0.45       | XXX              | 53.10                     |             |                                |
| 73218      | TC            | C             | 0.00        | 13.31                      | 13.31           | 0.39       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 73218      | 26            | C             | 1.35        | 0.48                       | 0.48                  | 0.06       | XXX              | 53.10                     |             |                                |
| 73219      |               | C             | 1.62        | 14.97                      | 14.97                 | 0.54       | XXX              | 53.10                     |             |                                |
| 73219      | TC            | C             | 0.00        | 14.38                      | 14.38                 | 0.47       | XXX              | 53.10                     |             |                                |
| 73219      | 26            | C             | 1.62        | 0.59                       | 0.59                  | 0.07       | XXX              | 53.10                     |             |                                |
| 73220      |               | C             | 2.15        | 20.53                      | 20.53                 | 0.94       | XXX              | 53.10                     |             |                                |
| 73220      | TC            | C             | 0.00        | 19.74                      | 19.74                 | 0.84       | XXX              | 53.10                     |             |                                |
| 73220      | 26            | C             | 2.15        | 0.79                       | 0.79                  | 0.10       | XXX              | 53.10                     |             |                                |
| 73221      |               | C             | 1.35        | 12.96                      | 12.96                 | 0.45       | XXX              | 53.10                     |             |                                |
| 73221      | TC            | C             | 0.00        | 12.47                      | 12.47                 | 0.39       | XXX              | 53.10                     |             |                                |
| 73221      | 26            | C             | 1.35        | 0.49                       | 0.49                  | 0.06       | XXX              | 53.10                     |             |                                |
| 73222      |               | C             | 1.62        | 14.13                      | 14.13                 | 0.54       | XXX              | 53.10                     |             |                                |
| 73222      | TC            | C             | 0.00        | 13.54                      | 13.54                 | 0.47       | XXX              | 53.10                     |             |                                |
| 73222      | 26            | C             | 1.62        | 0.59                       | 0.59                  | 0.07       | XXX              | 53.10                     |             |                                |
| 73223      |               | C             | 2.15        | 19.51                      | 19.51                 | 0.94       | XXX              | 53.10                     |             |                                |
| 73223      | TC            | C             | 0.00        | 18.73                      | 18.73                 | 0.84       | XXX              | 53.10                     |             |                                |
| 73223      | 26            | C             | 2.15        | 0.78                       | 0.78                  | 0.10       | XXX              | 53.10                     |             |                                |
| 73225      |               | C             | 1.73        | 15.12                      | 15.12                 | 0.69       | XXX              | 53.10                     |             |                                |
| 73225      | TC            | C             | 0.00        | 14.52                      | 14.52                 | 0.59       | XXX              | 53.10                     |             |                                |
| 73225      | 26            | C             | 1.73        | 0.60                       | 0.60                  | 0.10       | XXX              | 53.10                     |             |                                |
| 73500      |               | C             | 0.17        | 0.49                       | 0.49                  | 0.03       | XXX              | 53.10                     |             |                                |
| 73500      | TC            | C             | 0.00        | 0.43                       | 0.43                  | 0.02       | XXX              | 53.10                     |             |                                |
| 73500      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 73510      |               | C             | 0.21        | 0.74                       | 0.74                  | 0.05       | XXX              | 53.10                     |             |                                |
| 73510      | TC            | C             | 0.00        | 0.66                       | 0.66                  | 0.04       | XXX              | 53.10                     |             |                                |
| 73510      | 26            | C             | 0.21        | 0.08                       | 0.08                  | 0.01       | XXX              | 53.10                     |             |                                |
| 73520      |               | C             | 0.26        | 0.77                       | 0.77                  | 0.05       | XXX              | 53.10                     |             |                                |
| 73520      | TC            | C             | 0.00        | 0.68                       | 0.68                  | 0.04       | XXX              | 53.10                     |             |                                |
| 73520      | 26            | C             | 0.26        | 0.09                       | 0.09                  | 0.01       | XXX              | 53.10                     |             |                                |
| 73525      |               | C             | 0.54        | 1.96                       | 1.96                  | 0.15       | XXX              | 53.10                     |             |                                |
| 73525      | TC            | C             | 0.00        | 1.76                       | 1.76                  | 0.12       | XXX              | 53.10                     |             |                                |
| 73525      | 26            | C             | 0.54        | 0.20                       | 0.20                  | 0.03       | XXX              | 53.10                     |             |                                |
| 73530      |               | C             | 0.29        | 1.98                       | 1.98                  | 0.12       | XXX              | 53.10                     |             |                                |
| 73530      | TC            | C             | 0.00        | 1.87                       | 1.87                  | 0.11       | XXX              | 53.10                     |             |                                |
| 73530      | 26            | C             | 0.29        | 0.11                       | 0.11                  | 0.01       | XXX              | 53.10                     |             |                                |
| 73540      |               | C             | 0.20        | 0.75                       | 0.75                  | 0.05       | XXX              | 53.10                     |             |                                |
| 73540      | TC            | C             | 0.00        | 0.68                       | 0.68                  | 0.04       | XXX              | 53.10                     |             |                                |
| 73540      | 26            | C             | 0.20        | 0.07                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 73542      |               | C             | 0.59        | 1.44                       | 1.44                  | 0.15       | XXX              | 53.10                     |             |                                |
| 73542      | TC            | C             | 0.00        | 1.28                       | 1.28                  | 0.12       | XXX              | 53.10                     |             |                                |
| 73542      | 26            | C             | 0.59        | 0.16                       | 0.16                  | 0.03       | XXX              | 53.10                     |             |                                |
| 73550      |               | C             | 0.17        | 0.56                       | 0.56                  | 0.05       | XXX              | 53.10                     |             |                                |
| 73550      | TC            | C             | 0.00        | 0.50                       | 0.50                  | 0.04       | XXX              | 53.10                     |             |                                |
| 73550      | 26            | C             | 0.17        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 73560 |       | C      | 0.17 | 0.57     | 0.57     | 0.03 | XXX    | 53.10   |      |                                |
| 73560 | TC    | C      | 0.00 | 0.51     | 0.51     | 0.02 | XXX    | 53.10   |      |                                |
| 73560 | 26    | C      | 0.17 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 73562 |       | C      | 0.18 | 0.70     | 0.70     | 0.05 | XXX    | 53.10   |      |                                |
| 73562 | TC    | C      | 0.00 | 0.63     | 0.63     | 0.04 | XXX    | 53.10   |      |                                |
| 73562 | 26    | C      | 0.18 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 73564 |       | C      | 0.22 | 0.81     | 0.81     | 0.05 | XXX    | 53.10   |      |                                |
| 73564 | TC    | C      | 0.00 | 0.73     | 0.73     | 0.04 | XXX    | 53.10   |      |                                |
| 73564 | 26    | C      | 0.22 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 73565 |       | C      | 0.17 | 0.62     | 0.62     | 0.03 | XXX    | 53.10   |      |                                |
| 73565 | TC    | C      | 0.00 | 0.55     | 0.55     | 0.02 | XXX    | 53.10   |      |                                |
| 73565 | 26    | C      | 0.17 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 73580 |       | C      | 0.54 | 2.59     | 2.59     | 0.17 | XXX    | 53.10   |      |                                |
| 73580 | TC    | C      | 0.00 | 2.39     | 2.39     | 0.14 | XXX    | 53.10   |      |                                |
| 73580 | 26    | C      | 0.54 | 0.20     | 0.20     | 0.03 | XXX    | 53.10   |      |                                |
| 73590 |       | C      | 0.17 | 0.54     | 0.54     | 0.03 | XXX    | 53.10   |      |                                |
| 73590 | TC    | C      | 0.00 | 0.48     | 0.48     | 0.02 | XXX    | 53.10   |      |                                |
| 73590 | 26    | C      | 0.17 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 73592 |       | D      | 0.16 | 0.57     | 0.57     | 0.03 | XXX    | 53.10   |      |                                |
| 73592 | TC    | D      | 0.00 | 0.52     | 0.52     | 0.02 | XXX    | 53.10   |      |                                |
| 73592 | 26    | D      | 0.16 | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 73600 |       | C      | 0.16 | 0.54     | 0.54     | 0.03 | XXX    | 53.10   |      |                                |
| 73600 | TC    | C      | 0.00 | 0.49     | 0.49     | 0.02 | XXX    | 53.10   |      |                                |
| 73600 | 26    | C      | 0.16 | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 73610 |       | C      | 0.17 | 0.64     | 0.64     | 0.03 | XXX    | 53.10   |      |                                |
| 73610 | TC    | C      | 0.00 | 0.58     | 0.58     | 0.02 | XXX    | 53.10   |      |                                |
| 73610 | 26    | C      | 0.17 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 73615 |       | C      | 0.54 | 2.03     | 2.03     | 0.15 | XXX    | 53.10   |      |                                |
| 73615 | TC    | C      | 0.00 | 1.84     | 1.84     | 0.12 | XXX    | 53.10   |      |                                |
| 73615 | 26    | C      | 0.54 | 0.19     | 0.19     | 0.03 | XXX    | 53.10   |      |                                |
| 73620 |       | C      | 0.16 | 0.52     | 0.52     | 0.03 | XXX    | 53.10   |      |                                |
| 73620 | TC    | C      | 0.00 | 0.47     | 0.47     | 0.02 | XXX    | 53.10   |      |                                |
| 73620 | 26    | C      | 0.16 | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 73630 |       | C      | 0.17 | 0.63     | 0.63     | 0.03 | XXX    | 53.10   |      |                                |
| 73630 | TC    | C      | 0.00 | 0.57     | 0.57     | 0.02 | XXX    | 53.10   |      |                                |
| 73630 | 26    | C      | 0.17 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 73650 |       | C      | 0.16 | 0.53     | 0.53     | 0.03 | XXX    | 53.10   |      |                                |
| 73650 | TC    | C      | 0.00 | 0.48     | 0.48     | 0.02 | XXX    | 53.10   |      |                                |
| 73650 | 26    | C      | 0.16 | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 73660 |       | C      | 0.13 | 0.58     | 0.58     | 0.03 | XXX    | 53.10   |      |                                |
| 73660 | TC    | C      | 0.00 | 0.54     | 0.54     | 0.02 | XXX    | 53.10   |      |                                |
| 73660 | 26    | C      | 0.13 | 0.04     | 0.04     | 0.01 | XXX    | 53.10   |      |                                |
| 73700 |       | C      | 1.09 | 6.10     | 6.10     | 0.30 | XXX    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 73700 | TC    | C      | 0.00 | 5.70     | 5.70     | 0.25 | XXX    | 53.10   |      |                                |
| 73700 | 26    | C      | 1.09 | 0.40     | 0.40     | 0.05 | XXX    | 53.10   |      |                                |
| 73701 |       | C      | 1.16 | 7.52     | 7.52     | 0.36 | XXX    | 53.10   |      |                                |
| 73701 | TC    | C      | 0.00 | 7.08     | 7.08     | 0.31 | XXX    | 53.10   |      |                                |
| 73701 | 26    | C      | 1.16 | 0.44     | 0.44     | 0.05 | XXX    | 53.10   |      |                                |
| 73702 |       | C      | 1.22 | 9.86     | 9.86     | 0.44 | XXX    | 53.10   |      |                                |
| 73702 | TC    | C      | 0.00 | 9.40     | 9.40     | 0.39 | XXX    | 53.10   |      |                                |
| 73702 | 26    | C      | 1.22 | 0.46     | 0.46     | 0.05 | XXX    | 53.10   |      |                                |
| 73706 |       | C      | 1.90 | 12.06    | 12.06    | 0.47 | XXX    | 53.10   |      |                                |
| 73706 | TC    | C      | 0.00 | 11.32    | 11.32    | 0.39 | XXX    | 53.10   |      |                                |
| 73706 | 26    | C      | 1.90 | 0.74     | 0.74     | 0.08 | XXX    | 53.10   |      |                                |
| 73718 |       | C      | 1.35 | 13.52    | 13.52    | 0.45 | XXX    | 53.10   |      |                                |
| 73718 | TC    | C      | 0.00 | 13.03    | 13.03    | 0.39 | XXX    | 53.10   |      |                                |
| 73718 | 26    | C      | 1.35 | 0.49     | 0.49     | 0.06 | XXX    | 53.10   |      |                                |
| 73719 |       | C      | 1.62 | 14.79    | 14.79    | 0.54 | XXX    | 53.10   |      |                                |
| 73719 | TC    | C      | 0.00 | 14.20    | 14.20    | 0.47 | XXX    | 53.10   |      |                                |
| 73719 | 26    | C      | 1.62 | 0.59     | 0.59     | 0.07 | XXX    | 53.10   |      |                                |
| 73720 |       | C      | 2.15 | 20.52    | 20.52    | 0.94 | XXX    | 53.10   |      |                                |
| 73720 | TC    | C      | 0.00 | 19.73    | 19.73    | 0.84 | XXX    | 53.10   |      |                                |
| 73720 | 26    | C      | 2.15 | 0.79     | 0.79     | 0.10 | XXX    | 53.10   |      |                                |
| 73721 |       | C      | 1.35 | 13.21    | 13.21    | 0.45 | XXX    | 53.10   |      |                                |
| 73721 | TC    | C      | 0.00 | 12.72    | 12.72    | 0.39 | XXX    | 53.10   |      |                                |
| 73721 | 26    | C      | 1.35 | 0.49     | 0.49     | 0.06 | XXX    | 53.10   |      |                                |
| 73722 |       | C      | 1.62 | 14.26    | 14.26    | 0.54 | XXX    | 53.10   |      |                                |
| 73722 | TC    | C      | 0.00 | 13.66    | 13.66    | 0.47 | XXX    | 53.10   |      |                                |
| 73722 | 26    | C      | 1.62 | 0.60     | 0.60     | 0.07 | XXX    | 53.10   |      |                                |
| 73723 |       | C      | 2.15 | 19.46    | 19.46    | 0.94 | XXX    | 53.10   |      |                                |
| 73723 | TC    | C      | 0.00 | 18.67    | 18.67    | 0.84 | XXX    | 53.10   |      |                                |
| 73723 | 26    | C      | 2.15 | 0.79     | 0.79     | 0.10 | XXX    | 53.10   |      |                                |
| 73725 |       | C      | 1.82 | 14.21    | 14.21    | 0.67 | XXX    | 53.10   |      |                                |
| 73725 | TC    | C      | 0.00 | 13.53    | 13.53    | 0.59 | XXX    | 53.10   |      |                                |
| 73725 | 26    | C      | 1.82 | 0.68     | 0.68     | 0.08 | XXX    | 53.10   |      |                                |
| 74000 |       | C      | 0.18 | 0.49     | 0.49     | 0.03 | XXX    | 53.10   |      |                                |
| 74000 | TC    | C      | 0.00 | 0.43     | 0.43     | 0.02 | XXX    | 53.10   |      |                                |
| 74000 | 26    | C      | 0.18 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 74010 |       | C      | 0.23 | 0.75     | 0.75     | 0.05 | XXX    | 53.10   |      |                                |
| 74010 | TC    | C      | 0.00 | 0.67     | 0.67     | 0.04 | XXX    | 53.10   |      |                                |
| 74010 | 26    | C      | 0.23 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 74020 |       | C      | 0.27 | 0.78     | 0.78     | 0.05 | XXX    | 53.10   |      |                                |
| 74020 | TC    | C      | 0.00 | 0.68     | 0.68     | 0.04 | XXX    | 53.10   |      |                                |
| 74020 | 26    | C      | 0.27 | 0.10     | 0.10     | 0.01 | XXX    | 53.10   |      |                                |
| 74022 |       | C      | 0.32 | 0.95     | 0.95     | 0.06 | XXX    | 53.10   |      |                                |
| 74022 | TC    | C      | 0.00 | 0.83     | 0.83     | 0.05 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 74022      | 26            | C             | 0.32        | 0.12                       | 0.12                  | 0.01       | XXX              | 53.10                     |             |                                |
| 74150      |               | C             | 1.19        | 6.04                       | 6.04                  | 0.35       | XXX              | 53.10                     |             |                                |
| 74150      | TC            | C             | 0.00        | 5.60                       | 5.60                  | 0.30       | XXX              | 53.10                     |             |                                |
| 74150      | 26            | C             | 1.19        | 0.44                       | 0.44                  | 0.05       | XXX              | 53.10                     |             |                                |
| 74160      |               | C             | 1.27        | 8.39                       | 8.39                  | 0.42       | XXX              | 53.10                     |             |                                |
| 74160      | TC            | C             | 0.00        | 7.91                       | 7.91                  | 0.36       | XXX              | 53.10                     |             |                                |
| 74160      | 26            | C             | 1.27        | 0.48                       | 0.48                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74170      |               | C             | 1.40        | 11.30                      | 11.30                 | 0.49       | XXX              | 53.10                     |             |                                |
| 74170      | TC            | C             | 0.00        | 10.78                      | 10.78                 | 0.43       | XXX              | 53.10                     |             |                                |
| 74170      | 26            | C             | 1.40        | 0.52                       | 0.52                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74175      |               | C             | 1.90        | 12.30                      | 12.30                 | 0.47       | XXX              | 53.10                     |             |                                |
| 74175      | TC            | C             | 0.00        | 11.58                      | 11.58                 | 0.39       | XXX              | 53.10                     |             |                                |
| 74175      | 26            | C             | 1.90        | 0.72                       | 0.72                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74181      |               | C             | 1.46        | 12.18                      | 12.18                 | 0.51       | XXX              | 53.10                     |             |                                |
| 74181      | TC            | C             | 0.00        | 11.64                      | 11.64                 | 0.45       | XXX              | 53.10                     |             |                                |
| 74181      | 26            | C             | 1.46        | 0.54                       | 0.54                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74182      |               | C             | 1.73        | 16.43                      | 16.43                 | 0.60       | XXX              | 53.10                     |             |                                |
| 74182      | TC            | C             | 0.00        | 15.79                      | 15.79                 | 0.52       | XXX              | 53.10                     |             |                                |
| 74182      | 26            | C             | 1.73        | 0.64                       | 0.64                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74183      |               | C             | 2.26        | 20.51                      | 20.51                 | 1.02       | XXX              | 53.10                     |             |                                |
| 74183      | TC            | C             | 0.00        | 19.68                      | 19.68                 | 0.92       | XXX              | 53.10                     |             |                                |
| 74183      | 26            | C             | 2.26        | 0.83                       | 0.83                  | 0.10       | XXX              | 53.10                     |             |                                |
| 74185      |               | C             | 1.80        | 14.17                      | 14.17                 | 0.67       | XXX              | 53.10                     |             |                                |
| 74185      | TC            | C             | 0.00        | 13.50                      | 13.50                 | 0.59       | XXX              | 53.10                     |             |                                |
| 74185      | 26            | C             | 1.80        | 0.67                       | 0.67                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74190      |               | C             | 0.48        | 4.78                       | 4.78                  | 0.21       | XXX              | 53.10                     |             |                                |
| 74190      | TC            | C             | 0.00        | 4.61                       | 4.61                  | 0.19       | XXX              | 53.10                     |             |                                |
| 74190      | 26            | C             | 0.48        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74210      |               | C             | 0.36        | 1.66                       | 1.66                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74210      | TC            | C             | 0.00        | 1.52                       | 1.52                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74210      | 26            | C             | 0.36        | 0.14                       | 0.14                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74220      |               | C             | 0.46        | 1.84                       | 1.84                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74220      | TC            | C             | 0.00        | 1.67                       | 1.67                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74220      | 26            | C             | 0.46        | 0.17                       | 0.17                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74230      |               | C             | 0.53        | 1.83                       | 1.83                  | 0.09       | XXX              | 53.10                     |             |                                |
| 74230      | TC            | C             | 0.00        | 1.63                       | 1.63                  | 0.07       | XXX              | 53.10                     |             |                                |
| 74230      | 26            | C             | 0.53        | 0.20                       | 0.20                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74235      |               | C             | 1.19        | 2.18                       | 2.18                  | 0.12       | XXX              | 53.10                     |             |                                |
| 74235      | TC            | C             | 0.00        | 1.71                       | 1.71                  | 0.07       | XXX              | 53.10                     |             |                                |
| 74235      | 26            | C             | 1.19        | 0.48                       | 0.48                  | 0.05       | XXX              | 53.10                     |             |                                |
| 74240      |               | C             | 0.69        | 2.15                       | 2.15                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74240      | TC            | C             | 0.00        | 1.89                       | 1.89                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74240      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 74241      |               | C             | 0.69        | 2.34                       | 2.34                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74241      | TC            | C             | 0.00        | 2.09                       | 2.09                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74241      | 26            | C             | 0.69        | 0.25                       | 0.25                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74245      |               | C             | 0.91        | 3.63                       | 3.63                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74245      | TC            | C             | 0.00        | 3.29                       | 3.29                  | 0.13       | XXX              | 53.10                     |             |                                |
| 74245      | 26            | C             | 0.91        | 0.34                       | 0.34                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74246      |               | C             | 0.69        | 2.56                       | 2.56                  | 0.13       | XXX              | 53.10                     |             |                                |
| 74246      | TC            | C             | 0.00        | 2.30                       | 2.30                  | 0.10       | XXX              | 53.10                     |             |                                |
| 74246      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74247      |               | C             | 0.69        | 2.88                       | 2.88                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74247      | TC            | C             | 0.00        | 2.62                       | 2.62                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74247      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74249      |               | C             | 0.91        | 3.96                       | 3.96                  | 0.18       | XXX              | 53.10                     |             |                                |
| 74249      | TC            | C             | 0.00        | 3.62                       | 3.62                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74249      | 26            | C             | 0.91        | 0.34                       | 0.34                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74250      |               | C             | 0.47        | 2.21                       | 2.21                  | 0.09       | XXX              | 53.10                     |             |                                |
| 74250      | TC            | C             | 0.00        | 2.04                       | 2.04                  | 0.07       | XXX              | 53.10                     |             |                                |
| 74250      | 26            | C             | 0.47        | 0.17                       | 0.17                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74251      |               | C             | 0.69        | 7.82                       | 7.82                  | 0.10       | XXX              | 53.10                     |             |                                |
| 74251      | TC            | C             | 0.00        | 7.56                       | 7.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 74251      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74260      |               | C             | 0.50        | 6.58                       | 6.58                  | 0.10       | XXX              | 53.10                     |             |                                |
| 74260      | TC            | C             | 0.00        | 6.40                       | 6.40                  | 0.08       | XXX              | 53.10                     |             |                                |
| 74260      | 26            | C             | 0.50        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74270      |               | C             | 0.69        | 3.15                       | 3.15                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74270      | TC            | C             | 0.00        | 2.89                       | 2.89                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74270      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74280      |               | C             | 0.99        | 4.34                       | 4.34                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74280      | TC            | C             | 0.00        | 3.97                       | 3.97                  | 0.13       | XXX              | 53.10                     |             |                                |
| 74280      | 26            | C             | 0.99        | 0.37                       | 0.37                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74283      |               | C             | 2.02        | 3.45                       | 3.45                  | 0.23       | XXX              | 53.10                     |             |                                |
| 74283      | TC            | C             | 0.00        | 2.71                       | 2.71                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74283      | 26            | C             | 2.02        | 0.74                       | 0.74                  | 0.09       | XXX              | 53.10                     |             |                                |
| 74290      |               | C             | 0.32        | 1.39                       | 1.39                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74290      | TC            | C             | 0.00        | 1.27                       | 1.27                  | 0.05       | XXX              | 53.10                     |             |                                |
| 74290      | 26            | C             | 0.32        | 0.12                       | 0.12                  | 0.01       | XXX              | 53.10                     |             |                                |
| 74291      |               | C             | 0.20        | 1.29                       | 1.29                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74291      | TC            | C             | 0.00        | 1.22                       | 1.22                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74291      | 26            | C             | 0.20        | 0.07                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 74300      |               | C             | 0.36        | 2.84                       | 2.84                  | 0.06       | XXX              | 53.10                     |             |                                |
| 74300      | TC            | C             | 0.00        | 2.71                       | 2.71                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74300      | 26            | C             | 0.36        | 0.13                       | 0.13                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74301      |               | C             | 0.36        | 2.78                       | 2.78                  | 0.05       | ZZZ              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 74301      | TC            | C             | 0.15        | 2.71                       | 2.71                  | 0.04       | ZZZ              | 53.10                     |             |                                |
| 74301      | 26            | C             | 0.21        | 0.08                       | 0.08                  | 0.01       | ZZZ              | 53.10                     |             |                                |
| 74305      |               | C             | 0.42        | 2.67                       | 2.67                  | 0.25       | XXX              | 53.10                     |             |                                |
| 74305      | TC            | C             | 0.00        | 2.52                       | 2.52                  | 0.23       | XXX              | 53.10                     |             |                                |
| 74305      | 26            | C             | 0.42        | 0.16                       | 0.16                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74320      |               | C             | 0.54        | 2.44                       | 2.44                  | 0.19       | XXX              | 53.10                     |             |                                |
| 74320      | TC            | C             | 0.00        | 2.23                       | 2.23                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74320      | 26            | C             | 0.54        | 0.21                       | 0.21                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74327      |               | C             | 0.70        | 2.74                       | 2.74                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74327      | TC            | C             | 0.00        | 2.47                       | 2.47                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74327      | 26            | C             | 0.70        | 0.27                       | 0.27                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74328      |               | C             | 0.70        | 3.42                       | 3.42                  | 0.20       | XXX              | 53.10                     |             |                                |
| 74328      | TC            | C             | 0.00        | 3.16                       | 3.16                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74328      | 26            | C             | 0.70        | 0.27                       | 0.27                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74329      |               | C             | 0.70        | 3.42                       | 3.42                  | 0.20       | XXX              | 53.10                     |             |                                |
| 74329      | TC            | C             | 0.00        | 3.15                       | 3.15                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74329      | 26            | C             | 0.70        | 0.27                       | 0.27                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74330      |               | C             | 0.90        | 3.49                       | 3.49                  | 0.21       | XXX              | 53.10                     |             |                                |
| 74330      | TC            | C             | 0.00        | 3.16                       | 3.16                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74330      | 26            | C             | 0.90        | 0.34                       | 0.34                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74340      |               | C             | 0.54        | 2.11                       | 2.11                  | 0.19       | XXX              | 53.10                     |             |                                |
| 74340      | TC            | C             | 0.00        | 1.92                       | 1.92                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74340      | 26            | C             | 0.54        | 0.20                       | 0.20                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74355      |               | C             | 0.76        | 2.80                       | 2.80                  | 0.26       | XXX              | 53.10                     |             |                                |
| 74355      | TC            | C             | 0.00        | 2.52                       | 2.52                  | 0.23       | XXX              | 53.10                     |             |                                |
| 74355      | 26            | C             | 0.76        | 0.29                       | 0.29                  | 0.03       | XXX              | 53.10                     |             |                                |
| 74360      |               | C             | 0.54        | 1.87                       | 1.87                  | 0.17       | XXX              | 53.10                     |             |                                |
| 74360      | TC            | C             | 0.00        | 1.63                       | 1.63                  | 0.15       | XXX              | 53.10                     |             |                                |
| 74360      | 26            | C             | 0.54        | 0.23                       | 0.23                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74363      |               | C             | 0.88        | 5.72                       | 5.72                  | 0.54       | XXX              | 53.10                     |             |                                |
| 74363      | TC            | C             | 0.00        | 5.40                       | 5.40                  | 0.50       | XXX              | 53.10                     |             |                                |
| 74363      | 26            | C             | 0.88        | 0.34                       | 0.34                  | 0.04       | XXX              | 53.10                     |             |                                |
| 74400      |               | C             | 0.49        | 2.39                       | 2.39                  | 0.13       | XXX              | 53.10                     |             |                                |
| 74400      | TC            | C             | 0.00        | 2.21                       | 2.21                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74400      | 26            | C             | 0.49        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74410      |               | C             | 0.49        | 2.55                       | 2.55                  | 0.13       | XXX              | 53.10                     |             |                                |
| 74410      | TC            | C             | 0.00        | 2.36                       | 2.36                  | 0.11       | XXX              | 53.10                     |             |                                |
| 74410      | 26            | C             | 0.49        | 0.19                       | 0.19                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74415      |               | C             | 0.49        | 3.00                       | 3.00                  | 0.14       | XXX              | 53.10                     |             |                                |
| 74415      | TC            | C             | 0.00        | 2.82                       | 2.82                  | 0.12       | XXX              | 53.10                     |             |                                |
| 74415      | 26            | C             | 0.49        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 74420      |               | C             | 0.36        | 3.90                       | 3.90                  | 0.18       | XXX              | 53.10                     |             |                                |
| 74420      | TC            | C             | 0.00        | 3.76                       | 3.76                  | 0.16       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 74420      | 26            | C             | 0.36        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 74425      |               | C             | 0.36        | 3.89                       | 3.89            | 0.18       | XXX              | 53.10                     |             |                                |
| 74425      | TC            | C             | 0.00        | 3.76                       | 3.76            | 0.16       | XXX              | 53.10                     |             |                                |
| 74425      | 26            | C             | 0.36        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 74430      |               | C             | 0.32        | 1.75                       | 1.75            | 0.08       | XXX              | 53.10                     |             |                                |
| 74430      | TC            | C             | 0.00        | 1.63                       | 1.63            | 0.06       | XXX              | 53.10                     |             |                                |
| 74430      | 26            | C             | 0.32        | 0.12                       | 0.12            | 0.02       | XXX              | 53.10                     |             |                                |
| 74440      |               | C             | 0.38        | 1.85                       | 1.85            | 0.08       | XXX              | 53.10                     |             |                                |
| 74440      | TC            | C             | 0.00        | 1.71                       | 1.71            | 0.06       | XXX              | 53.10                     |             |                                |
| 74440      | 26            | C             | 0.38        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 74445      |               | C             | 1.14        | 1.58                       | 1.58            | 0.13       | XXX              | 53.10                     |             |                                |
| 74445      | TC            | C             | 0.00        | 1.13                       | 1.13            | 0.06       | XXX              | 53.10                     |             |                                |
| 74445      | 26            | C             | 1.14        | 0.45                       | 0.45            | 0.07       | XXX              | 53.10                     |             |                                |
| 74450      |               | C             | 0.33        | 3.84                       | 3.84            | 0.22       | XXX              | 53.10                     |             |                                |
| 74450      | TC            | C             | 0.00        | 3.72                       | 3.72            | 0.20       | XXX              | 53.10                     |             |                                |
| 74450      | 26            | C             | 0.33        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 74455      |               | C             | 0.33        | 2.05                       | 2.05            | 0.12       | XXX              | 53.10                     |             |                                |
| 74455      | TC            | C             | 0.00        | 1.92                       | 1.92            | 0.10       | XXX              | 53.10                     |             |                                |
| 74455      | 26            | C             | 0.33        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 74470      |               | C             | 0.54        | 2.78                       | 2.78            | 0.16       | XXX              | 53.10                     |             |                                |
| 74470      | TC            | C             | 0.00        | 2.61                       | 2.61            | 0.14       | XXX              | 53.10                     |             |                                |
| 74470      | 26            | C             | 0.54        | 0.21                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 74475      |               | C             | 0.54        | 2.66                       | 2.66            | 0.24       | XXX              | 53.10                     |             |                                |
| 74475      | TC            | C             | 0.00        | 2.45                       | 2.45            | 0.22       | XXX              | 53.10                     |             |                                |
| 74475      | 26            | C             | 0.54        | 0.21                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 74480      |               | C             | 0.54        | 2.67                       | 2.67            | 0.24       | XXX              | 53.10                     |             |                                |
| 74480      | TC            | C             | 0.00        | 2.46                       | 2.46            | 0.22       | XXX              | 53.10                     |             |                                |
| 74480      | 26            | C             | 0.54        | 0.21                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 74485      |               | C             | 0.54        | 2.54                       | 2.54            | 0.20       | XXX              | 53.10                     |             |                                |
| 74485      | TC            | C             | 0.00        | 2.33                       | 2.33            | 0.17       | XXX              | 53.10                     |             |                                |
| 74485      | 26            | C             | 0.54        | 0.21                       | 0.21            | 0.03       | XXX              | 53.10                     |             |                                |
| 74710      |               | C             | 0.34        | 0.79                       | 0.79            | 0.08       | XXX              | 53.10                     |             |                                |
| 74710      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.06       | XXX              | 53.10                     |             |                                |
| 74710      | 26            | C             | 0.34        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 74740      |               | C             | 0.38        | 1.67                       | 1.67            | 0.09       | XXX              | 53.10                     |             |                                |
| 74740      | TC            | C             | 0.00        | 1.53                       | 1.53            | 0.07       | XXX              | 53.10                     |             |                                |
| 74740      | 26            | C             | 0.38        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 74742      |               | C             | 0.61        | 4.80                       | 4.80            | 0.22       | XXX              | 53.10                     |             |                                |
| 74742      | TC            | C             | 0.00        | 4.61                       | 4.61            | 0.19       | XXX              | 53.10                     |             |                                |
| 74742      | 26            | C             | 0.61        | 0.22                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 74775      |               | C             | 0.62        | 3.98                       | 3.98            | 0.19       | XXX              | 53.10                     |             |                                |
| 74775      | TC            | C             | 0.00        | 3.76                       | 3.76            | 0.16       | XXX              | 53.10                     |             |                                |
| 74775      | 26            | C             | 0.62        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 75557      |               | C             | 2.35        | 11.04                      | 11.04           | 0.97       | XXX              | 53.10                     |             |                                |
| 75557      | TC            | C             | 0.00        | 10.04                      | 10.04           | 0.87       | XXX              | 53.10                     |             |                                |
| 75557      | 26            | C             | 2.35        | 1.00                       | 1.00            | 0.10       | XXX              | 53.10                     |             |                                |
| 75558      |               | C             | 2.60        | 13.80                      | 13.80           | 1.07       | XXX              | 53.10                     |             |                                |
| 75558      | TC            | C             | 0.00        | 12.93                      | 12.93           | 0.96       | XXX              | 53.10                     |             |                                |
| 75558      | 26            | C             | 2.60        | 0.87                       | 0.87            | 0.11       | XXX              | 53.10                     |             |                                |
| 75559      |               | C             | 2.95        | 16.82                      | 16.82           | 0.97       | XXX              | 53.10                     |             |                                |
| 75559      | TC            | C             | 0.00        | 15.47                      | 15.47           | 0.87       | XXX              | 53.10                     |             |                                |
| 75559      | 26            | C             | 2.95        | 1.35                       | 1.35            | 0.10       | XXX              | 53.10                     |             |                                |
| 75560      |               | C             | 3.00        | 18.71                      | 18.71           | 1.00       | XXX              | 53.10                     |             |                                |
| 75560      | TC            | C             | 0.00        | 17.71                      | 17.71           | 0.89       | XXX              | 53.10                     |             |                                |
| 75560      | 26            | C             | 3.00        | 1.00                       | 1.00            | 0.11       | XXX              | 53.10                     |             |                                |
| 75561      |               | C             | 2.60        | 15.63                      | 15.63           | 1.07       | XXX              | 53.10                     |             |                                |
| 75561      | TC            | C             | 0.00        | 14.53                      | 14.53           | 0.96       | XXX              | 53.10                     |             |                                |
| 75561      | 26            | C             | 2.60        | 1.10                       | 1.10            | 0.11       | XXX              | 53.10                     |             |                                |
| 75562      |               | C             | 2.86        | 18.62                      | 18.62           | 1.03       | XXX              | 53.10                     |             |                                |
| 75562      | TC            | C             | 0.00        | 17.66                      | 17.66           | 0.92       | XXX              | 53.10                     |             |                                |
| 75562      | 26            | C             | 2.86        | 0.96                       | 0.96            | 0.11       | XXX              | 53.10                     |             |                                |
| 75563      |               | C             | 3.00        | 19.59                      | 19.59           | 1.08       | XXX              | 53.10                     |             |                                |
| 75563      | TC            | C             | 0.00        | 18.15                      | 18.15           | 0.97       | XXX              | 53.10                     |             |                                |
| 75563      | 26            | C             | 3.00        | 1.44                       | 1.44            | 0.11       | XXX              | 53.10                     |             |                                |
| 75564      |               | C             | 3.35        | 21.91                      | 21.91           | 1.21       | XXX              | 53.10                     |             |                                |
| 75564      | TC            | C             | 0.00        | 20.79                      | 20.79           | 1.08       | XXX              | 53.10                     |             |                                |
| 75564      | 26            | C             | 3.35        | 1.12                       | 1.12            | 0.13       | XXX              | 53.10                     |             |                                |
| 75600      |               | C             | 0.49        | 7.79                       | 7.79            | 0.67       | XXX              | 53.10                     |             |                                |
| 75600      | TC            | C             | 0.00        | 7.56                       | 7.56            | 0.65       | XXX              | 53.10                     |             |                                |
| 75600      | 26            | C             | 0.49        | 0.23                       | 0.23            | 0.02       | XXX              | 53.10                     |             |                                |
| 75605      |               | C             | 1.14        | 5.84                       | 5.84            | 0.70       | XXX              | 53.10                     |             |                                |
| 75605      | TC            | C             | 0.00        | 5.36                       | 5.36            | 0.65       | XXX              | 53.10                     |             |                                |
| 75605      | 26            | C             | 1.14        | 0.48                       | 0.48            | 0.05       | XXX              | 53.10                     |             |                                |
| 75625      |               | C             | 1.14        | 5.73                       | 5.73            | 0.71       | XXX              | 53.10                     |             |                                |
| 75625      | TC            | C             | 0.00        | 5.30                       | 5.30            | 0.65       | XXX              | 53.10                     |             |                                |
| 75625      | 26            | C             | 1.14        | 0.43                       | 0.43            | 0.06       | XXX              | 53.10                     |             |                                |
| 75630      |               | C             | 1.79        | 6.20                       | 6.20            | 0.80       | XXX              | 53.10                     |             |                                |
| 75630      | TC            | C             | 0.00        | 5.49                       | 5.49            | 0.69       | XXX              | 53.10                     |             |                                |
| 75630      | 26            | C             | 1.79        | 0.71                       | 0.71            | 0.11       | XXX              | 53.10                     |             |                                |
| 75635      |               | C             | 2.40        | 13.78                      | 13.78           | 0.50       | XXX              | 53.10                     |             |                                |
| 75635      | TC            | C             | 0.00        | 12.83                      | 12.83           | 0.39       | XXX              | 53.10                     |             |                                |
| 75635      | 26            | C             | 2.40        | 0.95                       | 0.95            | 0.11       | XXX              | 53.10                     |             |                                |
| 75650      |               | C             | 1.49        | 5.91                       | 5.91            | 0.72       | XXX              | 53.10                     |             |                                |
| 75650      | TC            | C             | 0.00        | 5.33                       | 5.33            | 0.65       | XXX              | 53.10                     |             |                                |
| 75650      | 26            | C             | 1.49        | 0.58                       | 0.58            | 0.07       | XXX              | 53.10                     |             |                                |
| 75658      |               | C             | 1.31        | 6.00                       | 6.00            | 0.72       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 75658      | TC            | C             | 0.00        | 5.54                       | 5.54                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75658      | 26            | C             | 1.31        | 0.46                       | 0.46                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75660      |               | C             | 1.31        | 6.15                       | 6.15                  | 0.71       | XXX              | 53.10                     |             |                                |
| 75660      | TC            | C             | 0.00        | 5.64                       | 5.64                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75660      | 26            | C             | 1.31        | 0.51                       | 0.51                  | 0.06       | XXX              | 53.10                     |             |                                |
| 75662      |               | C             | 1.66        | 6.98                       | 6.98                  | 0.71       | XXX              | 53.10                     |             |                                |
| 75662      | TC            | C             | 0.00        | 6.29                       | 6.29                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75662      | 26            | C             | 1.66        | 0.69                       | 0.69                  | 0.06       | XXX              | 53.10                     |             |                                |
| 75665      |               | C             | 1.31        | 6.34                       | 6.34                  | 0.74       | XXX              | 53.10                     |             |                                |
| 75665      | TC            | C             | 0.00        | 5.84                       | 5.84                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75665      | 26            | C             | 1.31        | 0.50                       | 0.50                  | 0.09       | XXX              | 53.10                     |             |                                |
| 75671      |               | C             | 1.66        | 7.09                       | 7.09                  | 0.72       | XXX              | 53.10                     |             |                                |
| 75671      | TC            | C             | 0.00        | 6.44                       | 6.44                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75671      | 26            | C             | 1.66        | 0.65                       | 0.65                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75676      |               | C             | 1.31        | 6.15                       | 6.15                  | 0.72       | XXX              | 53.10                     |             |                                |
| 75676      | TC            | C             | 0.00        | 5.65                       | 5.65                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75676      | 26            | C             | 1.31        | 0.50                       | 0.50                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75680      |               | C             | 1.66        | 6.72                       | 6.72                  | 0.72       | XXX              | 53.10                     |             |                                |
| 75680      | TC            | C             | 0.00        | 6.06                       | 6.06                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75680      | 26            | C             | 1.66        | 0.66                       | 0.66                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75685      |               | C             | 1.31        | 6.17                       | 6.17                  | 0.71       | XXX              | 53.10                     |             |                                |
| 75685      | TC            | C             | 0.00        | 5.66                       | 5.66                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75685      | 26            | C             | 1.31        | 0.51                       | 0.51                  | 0.06       | XXX              | 53.10                     |             |                                |
| 75705      |               | C             | 2.18        | 6.46                       | 6.46                  | 0.78       | XXX              | 53.10                     |             |                                |
| 75705      | TC            | C             | 0.00        | 5.62                       | 5.62                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75705      | 26            | C             | 2.18        | 0.84                       | 0.84                  | 0.13       | XXX              | 53.10                     |             |                                |
| 75710      |               | C             | 1.14        | 6.15                       | 6.15                  | 0.72       | XXX              | 53.10                     |             |                                |
| 75710      | TC            | C             | 0.00        | 5.72                       | 5.72                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75710      | 26            | C             | 1.14        | 0.43                       | 0.43                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75716      |               | C             | 1.31        | 6.88                       | 6.88                  | 0.72       | XXX              | 53.10                     |             |                                |
| 75716      | TC            | C             | 0.00        | 6.38                       | 6.38                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75716      | 26            | C             | 1.31        | 0.50                       | 0.50                  | 0.07       | XXX              | 53.10                     |             |                                |
| 75722      |               | C             | 1.14        | 6.07                       | 6.07                  | 0.70       | XXX              | 53.10                     |             |                                |
| 75722      | TC            | C             | 0.00        | 5.60                       | 5.60                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75722      | 26            | C             | 1.14        | 0.47                       | 0.47                  | 0.05       | XXX              | 53.10                     |             |                                |
| 75724      |               | C             | 1.49        | 6.99                       | 6.99                  | 0.70       | XXX              | 53.10                     |             |                                |
| 75724      | TC            | C             | 0.00        | 6.28                       | 6.28                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75724      | 26            | C             | 1.49        | 0.71                       | 0.71                  | 0.05       | XXX              | 53.10                     |             |                                |
| 75726      |               | C             | 1.14        | 6.08                       | 6.08                  | 0.70       | XXX              | 53.10                     |             |                                |
| 75726      | TC            | C             | 0.00        | 5.64                       | 5.64                  | 0.65       | XXX              | 53.10                     |             |                                |
| 75726      | 26            | C             | 1.14        | 0.44                       | 0.44                  | 0.05       | XXX              | 53.10                     |             |                                |
| 75731      |               | C             | 1.14        | 6.34                       | 6.34                  | 0.71       | XXX              | 53.10                     |             |                                |
| 75731      | TC            | C             | 0.00        | 5.82                       | 5.82                  | 0.65       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 75731      | 26            | C             | 1.14        | 0.52                       | 0.52            | 0.06       | XXX              | 53.10                     |             |                                |
| 75733      |               | C             | 1.31        | 7.23                       | 7.23            | 0.71       | XXX              | 53.10                     |             |                                |
| 75733      | TC            | C             | 0.00        | 6.60                       | 6.60            | 0.65       | XXX              | 53.10                     |             |                                |
| 75733      | 26            | C             | 1.31        | 0.63                       | 0.63            | 0.06       | XXX              | 53.10                     |             |                                |
| 75736      |               | C             | 1.14        | 6.14                       | 6.14            | 0.71       | XXX              | 53.10                     |             |                                |
| 75736      | TC            | C             | 0.00        | 5.69                       | 5.69            | 0.65       | XXX              | 53.10                     |             |                                |
| 75736      | 26            | C             | 1.14        | 0.45                       | 0.45            | 0.06       | XXX              | 53.10                     |             |                                |
| 75741      |               | C             | 1.31        | 5.66                       | 5.66            | 0.71       | XXX              | 53.10                     |             |                                |
| 75741      | TC            | C             | 0.00        | 5.15                       | 5.15            | 0.65       | XXX              | 53.10                     |             |                                |
| 75741      | 26            | C             | 1.31        | 0.51                       | 0.51            | 0.06       | XXX              | 53.10                     |             |                                |
| 75743      |               | C             | 1.66        | 6.01                       | 6.01            | 0.72       | XXX              | 53.10                     |             |                                |
| 75743      | TC            | C             | 0.00        | 5.35                       | 5.35            | 0.65       | XXX              | 53.10                     |             |                                |
| 75743      | 26            | C             | 1.66        | 0.66                       | 0.66            | 0.07       | XXX              | 53.10                     |             |                                |
| 75746      |               | C             | 1.14        | 5.91                       | 5.91            | 0.70       | XXX              | 53.10                     |             |                                |
| 75746      | TC            | C             | 0.00        | 5.48                       | 5.48            | 0.65       | XXX              | 53.10                     |             |                                |
| 75746      | 26            | C             | 1.14        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 75756      |               | C             | 1.14        | 6.38                       | 6.38            | 0.69       | XXX              | 53.10                     |             |                                |
| 75756      | TC            | C             | 0.00        | 5.83                       | 5.83            | 0.65       | XXX              | 53.10                     |             |                                |
| 75756      | 26            | C             | 1.14        | 0.55                       | 0.55            | 0.04       | XXX              | 53.10                     |             |                                |
| 75774      |               | C             | 0.36        | 5.03                       | 5.03            | 0.67       | ZZZ              | 53.10                     |             |                                |
| 75774      | TC            | C             | 0.00        | 4.89                       | 4.89            | 0.65       | ZZZ              | 53.10                     |             |                                |
| 75774      | 26            | C             | 0.36        | 0.14                       | 0.14            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 75790      |               | C             | 1.84        | 2.83                       | 2.83            | 0.17       | XXX              | 53.10                     |             |                                |
| 75790      | TC            | C             | 0.00        | 2.20                       | 2.20            | 0.08       | XXX              | 53.10                     |             |                                |
| 75790      | 26            | C             | 1.84        | 0.63                       | 0.63            | 0.09       | XXX              | 53.10                     |             |                                |
| 75801      |               | C             | 0.81        | 4.89                       | 4.89            | 0.21       | XXX              | 53.10                     |             |                                |
| 75801      | TC            | C             | 0.00        | 4.67                       | 4.67            | 0.13       | XXX              | 53.10                     |             |                                |
| 75801      | 26            | C             | 0.81        | 0.25                       | 0.25            | 0.08       | XXX              | 53.10                     |             |                                |
| 75803      |               | C             | 1.17        | 5.07                       | 5.07            | 0.18       | XXX              | 53.10                     |             |                                |
| 75803      | TC            | C             | 0.00        | 4.67                       | 4.67            | 0.13       | XXX              | 53.10                     |             |                                |
| 75803      | 26            | C             | 1.17        | 0.45                       | 0.45            | 0.05       | XXX              | 53.10                     |             |                                |
| 75805      |               | C             | 0.81        | 4.94                       | 4.94            | 0.18       | XXX              | 53.10                     |             |                                |
| 75805      | TC            | C             | 0.00        | 4.67                       | 4.67            | 0.13       | XXX              | 53.10                     |             |                                |
| 75805      | 26            | C             | 0.81        | 0.31                       | 0.31            | 0.05       | XXX              | 53.10                     |             |                                |
| 75807      |               | C             | 1.17        | 5.06                       | 5.06            | 0.18       | XXX              | 53.10                     |             |                                |
| 75807      | TC            | C             | 0.00        | 4.67                       | 4.67            | 0.13       | XXX              | 53.10                     |             |                                |
| 75807      | 26            | C             | 1.17        | 0.45                       | 0.45            | 0.05       | XXX              | 53.10                     |             |                                |
| 75809      |               | C             | 0.47        | 1.85                       | 1.85            | 0.07       | XXX              | 53.10                     |             |                                |
| 75809      | TC            | C             | 0.00        | 1.68                       | 1.68            | 0.05       | XXX              | 53.10                     |             |                                |
| 75809      | 26            | C             | 0.47        | 0.17                       | 0.17            | 0.02       | XXX              | 53.10                     |             |                                |
| 75810      |               | C             | 1.14        | 15.41                      | 15.41           | 0.45       | XXX              | 53.10                     |             |                                |
| 75810      | TC            | C             | 0.00        | 15.02                      | 15.02           | 0.40       | XXX              | 53.10                     |             |                                |
| 75810      | 26            | C             | 1.14        | 0.45                       | 0.45            | 0.05       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 75820 |       | C      | 0.70 | 2.49     | 2.49     | 0.09 | XXX    | 53.10   |      |                                |
| 75820 | TC    | C      | 0.00 | 2.21     | 2.21     | 0.06 | XXX    | 53.10   |      |                                |
| 75820 | 26    | C      | 0.70 | 0.28     | 0.28     | 0.03 | XXX    | 53.10   |      |                                |
| 75822 |       | C      | 1.06 | 2.83     | 2.83     | 0.13 | XXX    | 53.10   |      |                                |
| 75822 | TC    | C      | 0.00 | 2.44     | 2.44     | 0.08 | XXX    | 53.10   |      |                                |
| 75822 | 26    | C      | 1.06 | 0.39     | 0.39     | 0.05 | XXX    | 53.10   |      |                                |
| 75825 |       | C      | 1.14 | 5.46     | 5.46     | 0.72 | XXX    | 53.10   |      |                                |
| 75825 | TC    | C      | 0.00 | 5.05     | 5.05     | 0.65 | XXX    | 53.10   |      |                                |
| 75825 | 26    | C      | 1.14 | 0.41     | 0.41     | 0.07 | XXX    | 53.10   |      |                                |
| 75827 |       | C      | 1.14 | 5.46     | 5.46     | 0.70 | XXX    | 53.10   |      |                                |
| 75827 | TC    | C      | 0.00 | 5.07     | 5.07     | 0.65 | XXX    | 53.10   |      |                                |
| 75827 | 26    | C      | 1.14 | 0.39     | 0.39     | 0.05 | XXX    | 53.10   |      |                                |
| 75831 |       | C      | 1.14 | 5.55     | 5.55     | 0.71 | XXX    | 53.10   |      |                                |
| 75831 | TC    | C      | 0.00 | 5.13     | 5.13     | 0.65 | XXX    | 53.10   |      |                                |
| 75831 | 26    | C      | 1.14 | 0.42     | 0.42     | 0.06 | XXX    | 53.10   |      |                                |
| 75833 |       | C      | 1.49 | 6.01     | 6.01     | 0.74 | XXX    | 53.10   |      |                                |
| 75833 | TC    | C      | 0.00 | 5.49     | 5.49     | 0.65 | XXX    | 53.10   |      |                                |
| 75833 | 26    | C      | 1.49 | 0.52     | 0.52     | 0.09 | XXX    | 53.10   |      |                                |
| 75840 |       | C      | 1.14 | 5.48     | 5.48     | 0.72 | XXX    | 53.10   |      |                                |
| 75840 | TC    | C      | 0.00 | 5.09     | 5.09     | 0.65 | XXX    | 53.10   |      |                                |
| 75840 | 26    | C      | 1.14 | 0.39     | 0.39     | 0.07 | XXX    | 53.10   |      |                                |
| 75842 |       | C      | 1.49 | 6.07     | 6.07     | 0.72 | XXX    | 53.10   |      |                                |
| 75842 | TC    | C      | 0.00 | 5.51     | 5.51     | 0.65 | XXX    | 53.10   |      |                                |
| 75842 | 26    | C      | 1.49 | 0.56     | 0.56     | 0.07 | XXX    | 53.10   |      |                                |
| 75860 |       | C      | 1.14 | 5.71     | 5.71     | 0.69 | XXX    | 53.10   |      |                                |
| 75860 | TC    | C      | 0.00 | 5.24     | 5.24     | 0.65 | XXX    | 53.10   |      |                                |
| 75860 | 26    | C      | 1.14 | 0.47     | 0.47     | 0.04 | XXX    | 53.10   |      |                                |
| 75870 |       | C      | 1.14 | 5.64     | 5.64     | 0.70 | XXX    | 53.10   |      |                                |
| 75870 | TC    | C      | 0.00 | 5.22     | 5.22     | 0.65 | XXX    | 53.10   |      |                                |
| 75870 | 26    | C      | 1.14 | 0.42     | 0.42     | 0.05 | XXX    | 53.10   |      |                                |
| 75872 |       | C      | 1.14 | 6.24     | 6.24     | 0.79 | XXX    | 53.10   |      |                                |
| 75872 | TC    | C      | 0.00 | 5.79     | 5.79     | 0.65 | XXX    | 53.10   |      |                                |
| 75872 | 26    | C      | 1.14 | 0.45     | 0.45     | 0.14 | XXX    | 53.10   |      |                                |
| 75880 |       | C      | 0.70 | 2.52     | 2.52     | 0.09 | XXX    | 53.10   |      |                                |
| 75880 | TC    | C      | 0.00 | 2.28     | 2.28     | 0.06 | XXX    | 53.10   |      |                                |
| 75880 | 26    | C      | 0.70 | 0.24     | 0.24     | 0.03 | XXX    | 53.10   |      |                                |
| 75885 |       | C      | 1.44 | 5.71     | 5.71     | 0.71 | XXX    | 53.10   |      |                                |
| 75885 | TC    | C      | 0.00 | 5.15     | 5.15     | 0.65 | XXX    | 53.10   |      |                                |
| 75885 | 26    | C      | 1.44 | 0.56     | 0.56     | 0.06 | XXX    | 53.10   |      |                                |
| 75887 |       | C      | 1.44 | 5.77     | 5.77     | 0.71 | XXX    | 53.10   |      |                                |
| 75887 | TC    | C      | 0.00 | 5.21     | 5.21     | 0.65 | XXX    | 53.10   |      |                                |
| 75887 | 26    | C      | 1.44 | 0.56     | 0.56     | 0.06 | XXX    | 53.10   |      |                                |
| 75889 |       | C      | 1.14 | 5.58     | 5.58     | 0.70 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 75889      | TC            | C             | 0.00        | 5.14                       | 5.14            | 0.65       | XXX              | 53.10                     |             |                                |
| 75889      | 26            | C             | 1.14        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 75891      |               | C             | 1.14        | 5.58                       | 5.58            | 0.70       | XXX              | 53.10                     |             |                                |
| 75891      | TC            | C             | 0.00        | 5.14                       | 5.14            | 0.65       | XXX              | 53.10                     |             |                                |
| 75891      | 26            | C             | 1.14        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 75893      |               | C             | 0.54        | 5.33                       | 5.33            | 0.67       | XXX              | 53.10                     |             |                                |
| 75893      | TC            | C             | 0.00        | 5.13                       | 5.13            | 0.65       | XXX              | 53.10                     |             |                                |
| 75893      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 75894      |               | C             | 1.31        | 11.21                      | 11.21           | 2.94       | XXX              | 53.10                     |             |                                |
| 75894      | TC            | C             | 0.00        | 10.75                      | 10.75           | 2.86       | XXX              | 53.10                     |             |                                |
| 75894      | 26            | C             | 1.31        | 0.49                       | 0.49            | 0.08       | XXX              | 53.10                     |             |                                |
| 75896      |               | C             | 1.31        | 11.27                      | 11.27           | 2.91       | XXX              | 53.10                     |             |                                |
| 75896      | TC            | C             | 0.00        | 10.75                      | 10.75           | 2.86       | XXX              | 53.10                     |             |                                |
| 75896      | 26            | C             | 1.31        | 0.52                       | 0.52            | 0.05       | XXX              | 53.10                     |             |                                |
| 75898      |               | C             | 1.65        | 2.80                       | 2.80            | 0.65       | XXX              | 53.10                     |             |                                |
| 75898      | TC            | C             | 0.00        | 2.17                       | 2.17            | 0.58       | XXX              | 53.10                     |             |                                |
| 75898      | 26            | C             | 1.65        | 0.65                       | 0.65            | 0.07       | XXX              | 53.10                     |             |                                |
| 75900      |               | C             | 0.49        | 21.14                      | 21.14           | 1.14       | XXX              | 53.10                     |             |                                |
| 75900      | TC            | C             | 0.00        | 20.97                      | 20.97           | 1.11       | XXX              | 53.10                     |             |                                |
| 75900      | 26            | C             | 0.49        | 0.18                       | 0.18            | 0.03       | XXX              | 53.10                     |             |                                |
| 75901      |               | C             | 0.49        | 3.48                       | 3.48            | 0.85       | XXX              | 53.10                     |             |                                |
| 75901      | TC            | C             | 0.00        | 3.30                       | 3.30            | 0.83       | XXX              | 53.10                     |             |                                |
| 75901      | 26            | C             | 0.49        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 75902      |               | C             | 0.39        | 1.58                       | 1.58            | 0.85       | XXX              | 53.10                     |             |                                |
| 75902      | TC            | C             | 0.00        | 1.44                       | 1.44            | 0.83       | XXX              | 53.10                     |             |                                |
| 75902      | 26            | C             | 0.39        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 75940      |               | C             | 0.54        | 11.75                      | 11.75           | 2.08       | XXX              | 53.10                     |             |                                |
| 75940      | TC            | C             | 0.00        | 11.57                      | 11.57           | 2.04       | XXX              | 53.10                     |             |                                |
| 75940      | 26            | C             | 0.54        | 0.19                       | 0.19            | 0.04       | XXX              | 53.10                     |             |                                |
| 75945      |               | C             | 0.40        | 3.53                       | 3.53            | 0.64       | XXX              | 53.10                     |             |                                |
| 75945      | TC            | C             | 0.00        | 3.39                       | 3.39            | 0.60       | XXX              | 53.10                     |             |                                |
| 75945      | 26            | C             | 0.40        | 0.15                       | 0.15            | 0.04       | XXX              | 53.10                     |             |                                |
| 75946      |               | C             | 0.40        | 2.27                       | 2.27            | 0.43       | ZZZ              | 53.10                     |             |                                |
| 75946      | TC            | C             | 0.00        | 2.15                       | 2.15            | 0.38       | ZZZ              | 53.10                     |             |                                |
| 75946      | 26            | C             | 0.40        | 0.13                       | 0.13            | 0.05       | ZZZ              | 53.10                     |             |                                |
| 75952      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75952      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75952      | 26            | C             | 4.49        | 1.42                       | 1.42            | 0.43       | XXX              | 53.10                     |             |                                |
| 75953      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75953      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75953      | 26            | C             | 1.36        | 0.43                       | 0.43            | 0.13       | XXX              | 53.10                     |             |                                |
| 75954      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75954      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 75954      | 26            | C             | 2.25        | 0.71                       | 0.71            | 0.15       | XXX              | 53.10                     |             |                                |
| 75956      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75956      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75956      | 26            | C             | 7.00        | 2.25                       | 2.25            | 0.69       | XXX              | 53.10                     |             |                                |
| 75957      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75957      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75957      | 26            | C             | 6.00        | 1.92                       | 1.92            | 0.59       | XXX              | 53.10                     |             |                                |
| 75958      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75958      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75958      | 26            | C             | 4.00        | 1.23                       | 1.23            | 0.39       | XXX              | 53.10                     |             |                                |
| 75959      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75959      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 75959      | 26            | C             | 3.50        | 1.10                       | 1.10            | 0.34       | XXX              | 53.10                     |             |                                |
| 75960      |               | C             | 0.82        | 5.79                       | 5.79            | 0.82       | XXX              | 53.10                     |             |                                |
| 75960      | TC            | C             | 0.00        | 5.47                       | 5.47            | 0.77       | XXX              | 53.10                     |             |                                |
| 75960      | 26            | C             | 0.82        | 0.32                       | 0.32            | 0.05       | XXX              | 53.10                     |             |                                |
| 75961      |               | C             | 4.24        | 6.57                       | 6.57            | 0.73       | XXX              | 53.10                     |             |                                |
| 75961      | TC            | C             | 0.00        | 4.98                       | 4.98            | 0.55       | XXX              | 53.10                     |             |                                |
| 75961      | 26            | C             | 4.24        | 1.59                       | 1.59            | 0.18       | XXX              | 53.10                     |             |                                |
| 75962      |               | C             | 0.54        | 6.54                       | 6.54            | 0.86       | XXX              | 53.10                     |             |                                |
| 75962      | TC            | C             | 0.00        | 6.34                       | 6.34            | 0.83       | XXX              | 53.10                     |             |                                |
| 75962      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.03       | XXX              | 53.10                     |             |                                |
| 75964      |               | C             | 0.36        | 3.85                       | 3.85            | 0.46       | ZZZ              | 53.10                     |             |                                |
| 75964      | TC            | C             | 0.00        | 3.72                       | 3.72            | 0.43       | ZZZ              | 53.10                     |             |                                |
| 75964      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.03       | ZZZ              | 53.10                     |             |                                |
| 75966      |               | C             | 1.31        | 7.08                       | 7.08            | 0.89       | XXX              | 53.10                     |             |                                |
| 75966      | TC            | C             | 0.00        | 6.53                       | 6.53            | 0.83       | XXX              | 53.10                     |             |                                |
| 75966      | 26            | C             | 1.31        | 0.55                       | 0.55            | 0.06       | XXX              | 53.10                     |             |                                |
| 75968      |               | C             | 0.36        | 3.87                       | 3.87            | 0.45       | ZZZ              | 53.10                     |             |                                |
| 75968      | TC            | C             | 0.00        | 3.72                       | 3.72            | 0.43       | ZZZ              | 53.10                     |             |                                |
| 75968      | 26            | C             | 0.36        | 0.15                       | 0.15            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 75970      |               | C             | 0.83        | 8.21                       | 8.21            | 2.27       | XXX              | 53.10                     |             |                                |
| 75970      | TC            | C             | 0.00        | 7.90                       | 7.90            | 2.23       | XXX              | 53.10                     |             |                                |
| 75970      | 26            | C             | 0.83        | 0.32                       | 0.32            | 0.04       | XXX              | 53.10                     |             |                                |
| 75978      |               | C             | 0.54        | 6.42                       | 6.42            | 0.85       | XXX              | 53.10                     |             |                                |
| 75978      | TC            | C             | 0.00        | 6.23                       | 6.23            | 0.83       | XXX              | 53.10                     |             |                                |
| 75978      | 26            | C             | 0.54        | 0.19                       | 0.19            | 0.02       | XXX              | 53.10                     |             |                                |
| 75980      |               | C             | 1.44        | 5.12                       | 5.12            | 1.36       | XXX              | 53.10                     |             |                                |
| 75980      | TC            | C             | 0.00        | 4.60                       | 4.60            | 1.30       | XXX              | 53.10                     |             |                                |
| 75980      | 26            | C             | 1.44        | 0.55                       | 0.55            | 0.06       | XXX              | 53.10                     |             |                                |
| 75982      |               | C             | 1.44        | 6.13                       | 6.13            | 0.35       | XXX              | 53.10                     |             |                                |
| 75982      | TC            | C             | 0.00        | 5.61                       | 5.61            | 0.29       | XXX              | 53.10                     |             |                                |
| 75982      | 26            | C             | 1.44        | 0.55                       | 0.55            | 0.06       | XXX              | 53.10                     |             |                                |



| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   |       |        |      | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS | IFIER | STATUS | RVU  | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 75984 |       | C      | 0.72 | 2.30     | 2.30     | 0.14 | XXX    | 53.10   |      |                                |
| 75984 | TC    | C      | 0.00 | 2.02     | 2.02     | 0.11 | XXX    | 53.10   |      |                                |
| 75984 | 26    | C      | 0.72 | 0.28     | 0.28     | 0.03 | XXX    | 53.10   |      |                                |
| 75989 |       | C      | 1.19 | 2.59     | 2.59     | 0.22 | XXX    | 53.10   |      |                                |
| 75989 | TC    | C      | 0.00 | 2.14     | 2.14     | 0.17 | XXX    | 53.10   |      |                                |
| 75989 | 26    | C      | 1.19 | 0.45     | 0.45     | 0.05 | XXX    | 53.10   |      |                                |
| 75992 |       | C      | 0.54 | 9.84     | 9.84     | 0.54 | XXX    | 53.10   |      |                                |
| 75992 | TC    | C      | 0.00 | 9.62     | 9.62     | 0.51 | XXX    | 53.10   |      |                                |
| 75992 | 26    | C      | 0.54 | 0.22     | 0.22     | 0.03 | XXX    | 53.10   |      |                                |
| 75993 |       | C      | 0.36 | 8.53     | 8.53     | 0.45 | ZZZ    | 53.10   |      |                                |
| 75993 | TC    | C      | 0.00 | 8.39     | 8.39     | 0.43 | ZZZ    | 53.10   |      |                                |
| 75993 | 26    | C      | 0.36 | 0.14     | 0.14     | 0.02 | ZZZ    | 53.10   |      |                                |
| 75994 |       | C      | 1.31 | 16.28    | 16.28    | 0.90 | XXX    | 53.10   |      |                                |
| 75994 | TC    | C      | 0.00 | 15.74    | 15.74    | 0.83 | XXX    | 53.10   |      |                                |
| 75994 | 26    | C      | 1.31 | 0.36     | 0.36     | 0.07 | XXX    | 53.10   |      |                                |
| 75995 |       | C      | 1.31 | 16.22    | 16.22    | 0.88 | XXX    | 53.10   |      |                                |
| 75995 | TC    | C      | 0.00 | 15.74    | 15.74    | 0.83 | XXX    | 53.10   |      |                                |
| 75995 | 26    | C      | 1.31 | 0.48     | 0.48     | 0.05 | XXX    | 53.10   |      |                                |
| 75996 |       | C      | 0.36 | 8.51     | 8.51     | 0.45 | ZZZ    | 53.10   |      |                                |
| 75996 | TC    | C      | 0.00 | 8.39     | 8.39     | 0.43 | ZZZ    | 53.10   |      |                                |
| 75996 | 26    | C      | 0.36 | 0.13     | 0.13     | 0.02 | ZZZ    | 53.10   |      |                                |
| 76000 |       | C      | 0.17 | 2.39     | 2.39     | 0.08 | XXX    | 53.10   |      |                                |
| 76000 | TC    | C      | 0.00 | 2.33     | 2.33     | 0.07 | XXX    | 53.10   |      |                                |
| 76000 | 26    | C      | 0.17 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 76001 |       | C      | 0.67 | 2.87     | 2.87     | 0.19 | XXX    | 53.10   |      |                                |
| 76001 | TC    | C      | 0.00 | 2.63     | 2.63     | 0.14 | XXX    | 53.10   |      |                                |
| 76001 | 26    | C      | 0.67 | 0.25     | 0.25     | 0.05 | XXX    | 53.10   |      |                                |
| 76010 |       | D      | 0.18 | 0.56     | 0.56     | 0.03 | XXX    | 53.10   |      |                                |
| 76010 | TC    | D      | 0.00 | 0.49     | 0.49     | 0.02 | XXX    | 53.10   |      |                                |
| 76010 | 26    | D      | 0.18 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 76080 |       | C      | 0.54 | 1.14     | 1.14     | 0.08 | XXX    | 53.10   |      |                                |
| 76080 | TC    | C      | 0.00 | 0.93     | 0.93     | 0.06 | XXX    | 53.10   |      |                                |
| 76080 | 26    | C      | 0.54 | 0.21     | 0.21     | 0.02 | XXX    | 53.10   |      |                                |
| 76098 |       | C      | 0.16 | 0.36     | 0.36     | 0.03 | XXX    | 53.10   |      |                                |
| 76098 | TC    | C      | 0.00 | 0.30     | 0.30     | 0.02 | XXX    | 53.10   |      |                                |
| 76098 | 26    | C      | 0.16 | 0.06     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 76100 |       | C      | 0.58 | 3.01     | 3.01     | 0.10 | XXX    | 53.10   |      |                                |
| 76100 | TC    | C      | 0.00 | 2.80     | 2.80     | 0.07 | XXX    | 53.10   |      |                                |
| 76100 | 26    | C      | 0.58 | 0.21     | 0.21     | 0.03 | XXX    | 53.10   |      |                                |
| 76101 |       | C      | 0.58 | 4.41     | 4.41     | 0.11 | XXX    | 53.10   |      |                                |
| 76101 | TC    | C      | 0.00 | 4.21     | 4.21     | 0.08 | XXX    | 53.10   |      |                                |
| 76101 | 26    | C      | 0.58 | 0.20     | 0.20     | 0.03 | XXX    | 53.10   |      |                                |
| 76102 |       | C      | 0.58 | 6.12     | 6.12     | 0.14 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 76102      | TC            | C             | 0.00        | 5.93                       | 5.93            | 0.11       | XXX              | 53.10                     |             |                                |
| 76102      | 26            | C             | 0.58        | 0.19                       | 0.19            | 0.03       | XXX              | 53.10                     |             |                                |
| 76120      |               | C             | 0.38        | 1.62                       | 1.62            | 0.08       | XXX              | 53.10                     |             |                                |
| 76120      | TC            | C             | 0.00        | 1.49                       | 1.49            | 0.06       | XXX              | 53.10                     |             |                                |
| 76120      | 26            | C             | 0.38        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 76125      |               | C             | 0.27        | 1.24                       | 1.24            | 0.04       | ZZZ              | 53.10                     |             |                                |
| 76125      | TC            | C             | 0.00        | 1.12                       | 1.12            | 0.03       | ZZZ              | 53.10                     |             |                                |
| 76125      | 26            | C             | 0.27        | 0.12                       | 0.12            | 0.01       | ZZZ              | 53.10                     |             |                                |
| 76140      |               | C             | 3.87        | 1.83                       | 1.83            | 0.13       | XXX              | 53.10                     |             |                                |
| 76150      |               | C             | 0.00        | 0.49                       | 0.49            | 0.02       | XXX              | 53.10                     |             |                                |
| 76350      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76376      |               | C             | 0.20        | 1.92                       | 1.92            | 0.10       | XXX              | 53.10                     |             |                                |
| 76376      | TC            | C             | 0.00        | 1.84                       | 1.84            | 0.08       | XXX              | 53.10                     |             |                                |
| 76376      | 26            | C             | 0.20        | 0.08                       | 0.08            | 0.02       | XXX              | 53.10                     |             |                                |
| 76377      |               | C             | 0.79        | 1.98                       | 1.98            | 0.39       | XXX              | 53.10                     |             |                                |
| 76377      | TC            | C             | 0.00        | 1.69                       | 1.69            | 0.31       | XXX              | 53.10                     |             |                                |
| 76377      | 26            | C             | 0.79        | 0.29                       | 0.29            | 0.08       | XXX              | 53.10                     |             |                                |
| 76380      |               | C             | 0.98        | 4.48                       | 4.48            | 0.22       | XXX              | 53.10                     |             |                                |
| 76380      | TC            | C             | 0.00        | 4.12                       | 4.12            | 0.18       | XXX              | 53.10                     |             |                                |
| 76380      | 26            | C             | 0.98        | 0.36                       | 0.36            | 0.04       | XXX              | 53.10                     |             |                                |
| 76390      |               | C             | 1.40        | 10.74                      | 10.74           | 0.66       | XXX              | 53.10                     |             |                                |
| 76390      | TC            | C             | 0.00        | 10.27                      | 10.27           | 0.59       | XXX              | 53.10                     |             |                                |
| 76390      | 26            | C             | 1.40        | 0.47                       | 0.47            | 0.07       | XXX              | 53.10                     |             |                                |
| 76496      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76496      | TC            | C             | 54.94       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 76496      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76497      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76497      | TC            | C             | 65.58       | 0.00                       | 0.00            | 0.07       | XXX              | 1.25                      |             |                                |
| 76497      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76498      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76498      | TC            | C             | 202.16      | 0.00                       | 0.00            | 0.22       | XXX              | 1.25                      |             |                                |
| 76498      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76499      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76499      | TC            | C             | 28.79       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 76499      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 76506      |               | C             | 0.63        | 2.43                       | 2.43            | 0.14       | XXX              | 53.10                     |             |                                |
| 76506      | TC            | C             | 0.00        | 2.20                       | 2.20            | 0.08       | XXX              | 53.10                     |             |                                |
| 76506      | 26            | C             | 0.63        | 0.23                       | 0.23            | 0.06       | XXX              | 53.10                     |             |                                |
| 76510      |               | C             | 1.55        | 2.43                       | 2.43            | 0.10       | XXX              | 53.10                     |             |                                |
| 76510      | TC            | C             | 0.00        | 1.80                       | 1.80            | 0.07       | XXX              | 53.10                     |             |                                |
| 76510      | 26            | C             | 1.55        | 0.63                       | 0.63            | 0.03       | XXX              | 53.10                     |             |                                |
| 76511      |               | C             | 0.94        | 1.63                       | 1.63            | 0.10       | XXX              | 53.10                     |             |                                |
| 76511      | TC            | C             | 0.00        | 1.26                       | 1.26            | 0.07       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 76511      | 26            | C             | 0.94        | 0.37                       | 0.37            | 0.03       | XXX              | 53.10                     |             |                                |
| 76512      |               | C             | 0.94        | 1.45                       | 1.45            | 0.12       | XXX              | 53.10                     |             |                                |
| 76512      | TC            | C             | 0.00        | 1.07                       | 1.07            | 0.10       | XXX              | 53.10                     |             |                                |
| 76512      | 26            | C             | 0.94        | 0.38                       | 0.38            | 0.02       | XXX              | 53.10                     |             |                                |
| 76513      |               | C             | 0.66        | 1.54                       | 1.54            | 0.12       | XXX              | 53.10                     |             |                                |
| 76513      | TC            | C             | 0.00        | 1.30                       | 1.30            | 0.10       | XXX              | 53.10                     |             |                                |
| 76513      | 26            | C             | 0.66        | 0.24                       | 0.24            | 0.02       | XXX              | 53.10                     |             |                                |
| 76514      |               | C             | 0.17        | 0.16                       | 0.16            | 0.02       | XXX              | 53.10                     |             |                                |
| 76514      | TC            | C             | 0.00        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 76514      | 26            | C             | 0.17        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 76516      |               | C             | 0.54        | 1.23                       | 1.23            | 0.08       | XXX              | 53.10                     |             |                                |
| 76516      | TC            | C             | 0.00        | 1.02                       | 1.02            | 0.07       | XXX              | 53.10                     |             |                                |
| 76516      | 26            | C             | 0.54        | 0.21                       | 0.21            | 0.01       | XXX              | 53.10                     |             |                                |
| 76519      |               | C             | 0.54        | 1.36                       | 1.36            | 0.08       | XXX              | 53.10                     |             |                                |
| 76519      | TC            | C             | 0.00        | 1.14                       | 1.14            | 0.07       | XXX              | 53.10                     |             |                                |
| 76519      | 26            | C             | 0.54        | 0.22                       | 0.22            | 0.01       | XXX              | 53.10                     |             |                                |
| 76529      |               | C             | 0.57        | 1.21                       | 1.21            | 0.10       | XXX              | 53.10                     |             |                                |
| 76529      | TC            | C             | 0.00        | 0.99                       | 0.99            | 0.08       | XXX              | 53.10                     |             |                                |
| 76529      | 26            | C             | 0.57        | 0.22                       | 0.22            | 0.02       | XXX              | 53.10                     |             |                                |
| 76536      |               | C             | 0.56        | 2.38                       | 2.38            | 0.10       | XXX              | 53.10                     |             |                                |
| 76536      | TC            | C             | 0.00        | 2.19                       | 2.19            | 0.08       | XXX              | 53.10                     |             |                                |
| 76536      | 26            | C             | 0.56        | 0.19                       | 0.19            | 0.02       | XXX              | 53.10                     |             |                                |
| 76604      |               | C             | 0.55        | 1.74                       | 1.74            | 0.09       | XXX              | 53.10                     |             |                                |
| 76604      | TC            | C             | 0.00        | 1.54                       | 1.54            | 0.07       | XXX              | 53.10                     |             |                                |
| 76604      | 26            | C             | 0.55        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 76645      |               | C             | 0.54        | 1.89                       | 1.89            | 0.08       | XXX              | 53.10                     |             |                                |
| 76645      | TC            | C             | 0.00        | 1.69                       | 1.69            | 0.06       | XXX              | 53.10                     |             |                                |
| 76645      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 76700      |               | C             | 0.81        | 2.81                       | 2.81            | 0.15       | XXX              | 53.10                     |             |                                |
| 76700      | TC            | C             | 0.00        | 2.52                       | 2.52            | 0.11       | XXX              | 53.10                     |             |                                |
| 76700      | 26            | C             | 0.81        | 0.29                       | 0.29            | 0.04       | XXX              | 53.10                     |             |                                |
| 76705      |               | C             | 0.59        | 2.16                       | 2.16            | 0.11       | XXX              | 53.10                     |             |                                |
| 76705      | TC            | C             | 0.00        | 1.94                       | 1.94            | 0.08       | XXX              | 53.10                     |             |                                |
| 76705      | 26            | C             | 0.59        | 0.22                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 76770      |               | C             | 0.74        | 2.73                       | 2.73            | 0.14       | XXX              | 53.10                     |             |                                |
| 76770      | TC            | C             | 0.00        | 2.46                       | 2.46            | 0.11       | XXX              | 53.10                     |             |                                |
| 76770      | 26            | C             | 0.74        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 76775      |               | C             | 0.58        | 2.39                       | 2.38            | 0.11       | XXX              | 53.10                     |             |                                |
| 76775      | TC            | C             | 0.00        | 2.16                       | 2.16            | 0.08       | XXX              | 53.10                     |             |                                |
| 76775      | 26            | C             | 0.58        | 0.23                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 76776      |               | C             | 0.76        | 3.11                       | 3.11            | 0.14       | XXX              | 53.10                     |             |                                |
| 76776      | TC            | C             | 0.00        | 2.83                       | 2.83            | 0.11       | XXX              | 53.10                     |             |                                |
| 76776      | 26            | C             | 0.76        | 0.28                       | 0.28            | 0.03       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 76800      |               | C             | 1.13        | 2.13                       | 2.13            | 0.13      | XXX        |                  | 53.10                     |             |                                |
| 76800      | TC            | C             | 0.00        | 1.81                       | 1.81            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 76800      | 26            | C             | 1.13        | 0.32                       | 0.32            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 76801      |               | C             | 0.99        | 2.47                       | 2.47            | 0.16      | XXX        |                  | 53.10                     |             |                                |
| 76801      | TC            | C             | 0.00        | 2.12                       | 2.12            | 0.12      | XXX        |                  | 53.10                     |             |                                |
| 76801      | 26            | C             | 0.99        | 0.35                       | 0.35            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 76802      |               | C             | 0.83        | 1.07                       | 1.07            | 0.16      | ZZZ        |                  | 53.10                     |             |                                |
| 76802      | TC            | C             | 0.00        | 0.79                       | 0.79            | 0.12      | ZZZ        |                  | 53.10                     |             |                                |
| 76802      | 26            | C             | 0.83        | 0.28                       | 0.28            | 0.04      | ZZZ        |                  | 53.10                     |             |                                |
| 76805      |               | C             | 0.99        | 2.88                       | 2.88            | 0.16      | XXX        |                  | 53.10                     |             |                                |
| 76805      | TC            | C             | 0.00        | 2.54                       | 2.54            | 0.12      | XXX        |                  | 53.10                     |             |                                |
| 76805      | 26            | C             | 0.99        | 0.34                       | 0.34            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 76810      |               | C             | 0.98        | 1.58                       | 1.58            | 0.26      | ZZZ        |                  | 53.10                     |             |                                |
| 76810      | TC            | C             | 0.00        | 1.25                       | 1.25            | 0.22      | ZZZ        |                  | 53.10                     |             |                                |
| 76810      | 26            | C             | 0.98        | 0.33                       | 0.33            | 0.04      | ZZZ        |                  | 53.10                     |             |                                |
| 76811      |               | C             | 1.90        | 3.33                       | 3.33            | 0.52      | XXX        |                  | 53.10                     |             |                                |
| 76811      | TC            | C             | 0.00        | 2.72                       | 2.72            | 0.43      | XXX        |                  | 53.10                     |             |                                |
| 76811      | 26            | C             | 1.90        | 0.61                       | 0.61            | 0.09      | XXX        |                  | 53.10                     |             |                                |
| 76812      |               | C             | 1.78        | 3.36                       | 3.36            | 0.49      | ZZZ        |                  | 53.10                     |             |                                |
| 76812      | TC            | C             | 0.00        | 2.79                       | 2.79            | 0.41      | ZZZ        |                  | 53.10                     |             |                                |
| 76812      | 26            | C             | 1.78        | 0.57                       | 0.57            | 0.08      | ZZZ        |                  | 53.10                     |             |                                |
| 76813      |               | C             | 1.18        | 2.17                       | 2.17            | 0.19      | XXX        |                  | 53.10                     |             |                                |
| 76813      | TC            | C             | 0.00        | 1.81                       | 1.81            | 0.14      | XXX        |                  | 53.10                     |             |                                |
| 76813      | 26            | C             | 1.18        | 0.36                       | 0.36            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 76814      |               | C             | 0.99        | 1.14                       | 1.14            | 0.19      | XXX        |                  | 53.10                     |             |                                |
| 76814      | TC            | C             | 0.00        | 0.84                       | 0.84            | 0.14      | XXX        |                  | 53.10                     |             |                                |
| 76814      | 26            | C             | 0.99        | 0.30                       | 0.30            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 76815      |               | C             | 0.65        | 1.75                       | 1.75            | 0.11      | XXX        |                  | 53.10                     |             |                                |
| 76815      | TC            | C             | 0.00        | 1.53                       | 1.53            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 76815      | 26            | C             | 0.65        | 0.22                       | 0.22            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 76816      |               | C             | 0.85        | 2.12                       | 2.12            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 76816      | TC            | C             | 0.00        | 1.84                       | 1.84            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 76816      | 26            | C             | 0.85        | 0.28                       | 0.28            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 76817      |               | C             | 0.75        | 1.95                       | 1.95            | 0.09      | XXX        |                  | 53.10                     |             |                                |
| 76817      | TC            | C             | 0.00        | 1.70                       | 1.70            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 76817      | 26            | C             | 0.75        | 0.25                       | 0.25            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 76818      |               | C             | 1.05        | 2.14                       | 2.14            | 0.15      | XXX        |                  | 53.10                     |             |                                |
| 76818      | TC            | C             | 0.00        | 1.80                       | 1.80            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 76818      | 26            | C             | 1.05        | 0.34                       | 0.34            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 76819      |               | C             | 0.77        | 1.69                       | 1.69            | 0.13      | XXX        |                  | 53.10                     |             |                                |
| 76819      | TC            | C             | 0.00        | 1.43                       | 1.43            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 76819      | 26            | C             | 0.77        | 0.26                       | 0.26            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 76820      |               | C             | 0.50        | 0.87                       | 0.87            | 0.15      | XXX        |                  | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 76820      | TC            | C             | 0.00        | 0.71                       | 0.71            | 0.12       | XXX              | 53.10                     |             |                                |
| 76820      | 26            | C             | 0.50        | 0.16                       | 0.16            | 0.03       | XXX              | 53.10                     |             |                                |
| 76821      |               | C             | 0.70        | 1.85                       | 1.85            | 0.15       | XXX              | 53.10                     |             |                                |
| 76821      | TC            | C             | 0.00        | 1.62                       | 1.62            | 0.12       | XXX              | 53.10                     |             |                                |
| 76821      | 26            | C             | 0.70        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             |                                |
| 76825      |               | C             | 1.67        | 3.89                       | 3.89            | 0.18       | XXX              | 53.10                     |             |                                |
| 76825      | TC            | C             | 0.00        | 3.34                       | 3.34            | 0.11       | XXX              | 53.10                     |             |                                |
| 76825      | 26            | C             | 1.67        | 0.55                       | 0.55            | 0.07       | XXX              | 53.10                     |             |                                |
| 76826      |               | C             | 0.83        | 2.25                       | 2.25            | 0.08       | XXX              | 53.10                     |             |                                |
| 76826      | TC            | C             | 0.00        | 1.99                       | 1.99            | 0.05       | XXX              | 53.10                     |             |                                |
| 76826      | 26            | C             | 0.83        | 0.26                       | 0.26            | 0.03       | XXX              | 53.10                     |             |                                |
| 76827      |               | C             | 0.58        | 1.28                       | 1.28            | 0.14       | XXX              | 53.10                     |             |                                |
| 76827      | TC            | C             | 0.00        | 1.09                       | 1.09            | 0.12       | XXX              | 53.10                     |             |                                |
| 76827      | 26            | C             | 0.58        | 0.19                       | 0.19            | 0.02       | XXX              | 53.10                     |             |                                |
| 76828      |               | C             | 0.56        | 0.81                       | 0.81            | 0.11       | XXX              | 53.10                     |             |                                |
| 76828      | TC            | C             | 0.00        | 0.63                       | 0.63            | 0.08       | XXX              | 53.10                     |             |                                |
| 76828      | 26            | C             | 0.56        | 0.18                       | 0.18            | 0.03       | XXX              | 53.10                     |             |                                |
| 76830      |               | C             | 0.69        | 2.49                       | 2.49            | 0.13       | XXX              | 53.10                     |             |                                |
| 76830      | TC            | C             | 0.00        | 2.25                       | 2.25            | 0.10       | XXX              | 53.10                     |             |                                |
| 76830      | 26            | C             | 0.69        | 0.24                       | 0.24            | 0.03       | XXX              | 53.10                     |             |                                |
| 76831      |               | C             | 0.72        | 2.46                       | 2.46            | 0.13       | XXX              | 53.10                     |             |                                |
| 76831      | TC            | C             | 0.00        | 2.23                       | 2.23            | 0.10       | XXX              | 53.10                     |             |                                |
| 76831      | 26            | C             | 0.72        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             |                                |
| 76856      |               | C             | 0.69        | 2.51                       | 2.51            | 0.13       | XXX              | 53.10                     |             |                                |
| 76856      | TC            | C             | 0.00        | 2.26                       | 2.26            | 0.10       | XXX              | 53.10                     |             |                                |
| 76856      | 26            | C             | 0.69        | 0.25                       | 0.25            | 0.03       | XXX              | 53.10                     |             |                                |
| 76857      |               | C             | 0.38        | 2.31                       | 2.31            | 0.08       | XXX              | 53.10                     |             |                                |
| 76857      | TC            | C             | 0.00        | 2.16                       | 2.16            | 0.06       | XXX              | 53.10                     |             |                                |
| 76857      | 26            | C             | 0.38        | 0.15                       | 0.15            | 0.02       | XXX              | 53.10                     |             |                                |
| 76870      |               | C             | 0.64        | 2.53                       | 2.53            | 0.13       | XXX              | 53.10                     |             |                                |
| 76870      | TC            | C             | 0.00        | 2.29                       | 2.29            | 0.10       | XXX              | 53.10                     |             |                                |
| 76870      | 26            | C             | 0.64        | 0.24                       | 0.24            | 0.03       | XXX              | 53.10                     |             |                                |
| 76872      |               | C             | 0.69        | 3.10                       | 3.10            | 0.14       | XXX              | 53.10                     |             |                                |
| 76872      | TC            | C             | 0.00        | 2.82                       | 2.82            | 0.10       | XXX              | 53.10                     |             |                                |
| 76872      | 26            | C             | 0.69        | 0.28                       | 0.28            | 0.04       | XXX              | 53.10                     |             |                                |
| 76873      |               | C             | 1.55        | 3.16                       | 3.16            | 0.25       | XXX              | 53.10                     |             |                                |
| 76873      | TC            | C             | 0.00        | 2.60                       | 2.60            | 0.16       | XXX              | 53.10                     |             |                                |
| 76873      | 26            | C             | 1.55        | 0.56                       | 0.56            | 0.09       | XXX              | 53.10                     |             |                                |
| 76880      |               | C             | 0.59        | 2.75                       | 2.75            | 0.11       | XXX              | 53.10                     |             |                                |
| 76880      | TC            | C             | 0.00        | 2.56                       | 2.56            | 0.08       | XXX              | 53.10                     |             |                                |
| 76880      | 26            | C             | 0.59        | 0.19                       | 0.19            | 0.03       | XXX              | 53.10                     |             |                                |
| 76885      |               | D             | 0.74        | 2.88                       | 2.88            | 0.13       | XXX              | 53.10                     |             |                                |
| 76885      | TC            | D             | 0.00        | 2.61                       | 2.61            | 0.10       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |  |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|--|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |  |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |  |
| 76885 | 26    | D      | 0.74 | 0.27     | 0.27     | 0.03 | XXX    | 53.10   |      |                                |  |
| 76886 |       | D      | 0.62 | 2.04     | 2.04     | 0.11 | XXX    | 53.10   |      |                                |  |
| 76886 | TC    | D      | 0.00 | 1.83     | 1.83     | 0.08 | XXX    | 53.10   |      |                                |  |
| 76886 | 26    | D      | 0.62 | 0.21     | 0.21     | 0.03 | XXX    | 53.10   |      |                                |  |
| 76930 |       | C      | 0.67 | 1.93     | 1.93     | 0.12 | XXX    | 53.10   |      |                                |  |
| 76930 | TC    | C      | 0.00 | 1.61     | 1.61     | 0.10 | XXX    | 53.10   |      |                                |  |
| 76930 | 26    | C      | 0.67 | 0.32     | 0.32     | 0.02 | XXX    | 53.10   |      |                                |  |
| 76932 |       | C      | 0.67 | 3.55     | 3.55     | 0.23 | XXX    | 53.10   |      |                                |  |
| 76932 | TC    | C      | 0.00 | 3.20     | 3.20     | 0.21 | XXX    | 53.10   |      |                                |  |
| 76932 | 26    | C      | 0.67 | 0.32     | 0.32     | 0.02 | XXX    | 53.10   |      |                                |  |
| 76936 |       | C      | 1.99 | 6.26     | 6.26     | 0.47 | XXX    | 53.10   |      |                                |  |
| 76936 | TC    | C      | 0.00 | 5.53     | 5.53     | 0.34 | XXX    | 53.10   |      |                                |  |
| 76936 | 26    | C      | 1.99 | 0.73     | 0.73     | 0.13 | XXX    | 53.10   |      |                                |  |
| 76937 |       | C      | 0.30 | 0.59     | 0.59     | 0.13 | ZZZ    | 53.10   |      |                                |  |
| 76937 | TC    | C      | 0.00 | 0.48     | 0.48     | 0.10 | ZZZ    | 53.10   |      |                                |  |
| 76937 | 26    | C      | 0.30 | 0.11     | 0.11     | 0.03 | ZZZ    | 53.10   |      |                                |  |
| 76940 |       | C      | 2.00 | 2.46     | 2.46     | 0.43 | XXX    | 53.10   |      |                                |  |
| 76940 | TC    | C      | 0.00 | 1.81     | 1.81     | 0.12 | XXX    | 53.10   |      |                                |  |
| 76940 | 26    | C      | 2.00 | 0.69     | 0.69     | 0.31 | XXX    | 53.10   |      |                                |  |
| 76941 |       | C      | 1.34 | 2.19     | 2.19     | 0.19 | XXX    | 53.10   |      |                                |  |
| 76941 | TC    | C      | 0.00 | 1.81     | 1.81     | 0.12 | XXX    | 53.10   |      |                                |  |
| 76941 | 26    | C      | 1.34 | 0.44     | 0.44     | 0.07 | XXX    | 53.10   |      |                                |  |
| 76942 |       | C      | 0.67 | 4.30     | 4.30     | 0.13 | XXX    | 53.10   |      |                                |  |
| 76942 | TC    | C      | 0.00 | 4.05     | 4.05     | 0.10 | XXX    | 53.10   |      |                                |  |
| 76942 | 26    | C      | 0.67 | 0.25     | 0.25     | 0.03 | XXX    | 53.10   |      |                                |  |
| 76945 |       | C      | 0.67 | 1.67     | 1.67     | 0.50 | XXX    | 53.10   |      |                                |  |
| 76945 | TC    | C      | 0.00 | 1.46     | 1.46     | 0.47 | XXX    | 53.10   |      |                                |  |
| 76945 | 26    | C      | 0.67 | 0.22     | 0.22     | 0.03 | XXX    | 53.10   |      |                                |  |
| 76946 |       | C      | 0.38 | 0.75     | 0.75     | 0.12 | XXX    | 53.10   |      |                                |  |
| 76946 | TC    | C      | 0.00 | 0.63     | 0.63     | 0.10 | XXX    | 53.10   |      |                                |  |
| 76946 | 26    | C      | 0.38 | 0.12     | 0.12     | 0.02 | XXX    | 53.10   |      |                                |  |
| 76948 |       | D      | 0.38 | 0.75     | 0.75     | 0.12 | XXX    | 53.10   |      |                                |  |
| 76948 | TC    | D      | 0.00 | 0.63     | 0.63     | 0.10 | XXX    | 53.10   |      |                                |  |
| 76948 | 26    | D      | 0.38 | 0.12     | 0.12     | 0.02 | XXX    | 53.10   |      |                                |  |
| 76950 |       | C      | 0.58 | 1.28     | 1.28     | 0.10 | XXX    | 53.10   |      |                                |  |
| 76950 | TC    | C      | 0.00 | 1.08     | 1.08     | 0.07 | XXX    | 53.10   |      |                                |  |
| 76950 | 26    | C      | 0.58 | 0.20     | 0.20     | 0.03 | XXX    | 53.10   |      |                                |  |
| 76965 |       | C      | 1.34 | 2.42     | 2.42     | 0.37 | XXX    | 53.10   |      |                                |  |
| 76965 | TC    | C      | 0.00 | 1.91     | 1.91     | 0.29 | XXX    | 53.10   |      |                                |  |
| 76965 | 26    | C      | 1.34 | 0.51     | 0.51     | 0.08 | XXX    | 53.10   |      |                                |  |
| 76970 |       | C      | 0.40 | 1.81     | 1.81     | 0.08 | XXX    | 53.10   |      |                                |  |
| 76970 | TC    | C      | 0.00 | 1.69     | 1.69     | 0.06 | XXX    | 53.10   |      |                                |  |
| 76970 | 26    | C      | 0.40 | 0.12     | 0.12     | 0.02 | XXX    | 53.10   |      |                                |  |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 76975 |       | C      | 0.81  | 2.76     | 2.76     | 0.11 | XXX    | 53.10   |      |                                |
| 76975 | TC    | C      | 0.00  | 2.46     | 2.46     | 0.07 | XXX    | 53.10   |      |                                |
| 76975 | 26    | C      | 0.81  | 0.31     | 0.31     | 0.04 | XXX    | 53.10   |      |                                |
| 76977 |       | C      | 0.05  | 0.29     | 0.29     | 0.06 | XXX    | 53.10   |      |                                |
| 76977 | TC    | C      | 0.00  | 0.27     | 0.27     | 0.05 | XXX    | 53.10   |      |                                |
| 76977 | 26    | C      | 0.05  | 0.02     | 0.02     | 0.01 | XXX    | 53.10   |      |                                |
| 76998 |       | C      | 1.20  | 2.32     | 2.32     | 0.69 | XXX    | 53.10   |      |                                |
| 76998 | TC    | C      | 0.00  | 1.97     | 1.97     | 0.56 | XXX    | 53.10   |      |                                |
| 76998 | 26    | C      | 1.20  | 0.39     | 0.39     | 0.13 | XXX    | 53.10   |      |                                |
| 76999 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 76999 | TC    | C      | 39.62 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 76999 | 26    | D      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 77001 |       | C      | 0.38  | 2.39     | 2.39     | 0.11 | ZZZ    | 53.10   |      |                                |
| 77001 | TC    | C      | 0.00  | 2.25     | 2.25     | 0.10 | ZZZ    | 53.10   |      |                                |
| 77001 | 26    | C      | 0.38  | 0.14     | 0.14     | 0.01 | ZZZ    | 53.10   |      |                                |
| 77002 |       | C      | 0.54  | 1.33     | 1.33     | 0.09 | XXX    | 53.10   |      |                                |
| 77002 | TC    | C      | 0.00  | 1.15     | 1.15     | 0.07 | XXX    | 53.10   |      |                                |
| 77002 | 26    | C      | 0.54  | 0.18     | 0.18     | 0.02 | XXX    | 53.10   |      |                                |
| 77003 |       | C      | 0.60  | 0.94     | 0.94     | 0.10 | XXX    | 53.10   |      |                                |
| 77003 | TC    | C      | 0.00  | 0.79     | 0.79     | 0.07 | XXX    | 53.10   |      |                                |
| 77003 | 26    | C      | 0.60  | 0.15     | 0.15     | 0.03 | XXX    | 53.10   |      |                                |
| 77011 |       | C      | 1.21  | 17.03    | 17.03    | 0.47 | XXX    | 53.10   |      |                                |
| 77011 | TC    | C      | 0.00  | 16.60    | 16.60    | 0.42 | XXX    | 53.10   |      |                                |
| 77011 | 26    | C      | 1.21  | 0.43     | 0.43     | 0.05 | XXX    | 53.10   |      |                                |
| 77012 |       | C      | 1.16  | 3.93     | 3.93     | 0.47 | XXX    | 53.10   |      |                                |
| 77012 | TC    | C      | 0.00  | 3.49     | 3.49     | 0.42 | XXX    | 53.10   |      |                                |
| 77012 | 26    | C      | 1.16  | 0.44     | 0.44     | 0.05 | XXX    | 53.10   |      |                                |
| 77013 |       | C      | 3.99  | 9.19     | 9.19     | 0.57 | XXX    | 53.10   |      |                                |
| 77013 | TC    | C      | 0.00  | 7.76     | 7.76     | 0.39 | XXX    | 53.10   |      |                                |
| 77013 | 26    | C      | 3.99  | 1.52     | 1.52     | 0.18 | XXX    | 53.10   |      |                                |
| 77014 |       | C      | 0.85  | 4.08     | 4.08     | 0.20 | XXX    | 53.10   |      |                                |
| 77014 | TC    | C      | 0.00  | 3.79     | 3.79     | 0.16 | XXX    | 53.10   |      |                                |
| 77014 | 26    | C      | 0.85  | 0.29     | 0.29     | 0.04 | XXX    | 53.10   |      |                                |
| 77021 |       | C      | 1.50  | 10.28    | 10.28    | 0.64 | XXX    | 53.10   |      |                                |
| 77021 | TC    | C      | 0.00  | 9.72     | 9.72     | 0.55 | XXX    | 53.10   |      |                                |
| 77021 | 26    | C      | 1.50  | 0.56     | 0.56     | 0.09 | XXX    | 53.10   |      |                                |
| 77022 |       | C      | 4.24  | 8.68     | 8.68     | 0.46 | XXX    | 53.10   |      |                                |
| 77022 | TC    | C      | 0.00  | 7.16     | 7.16     | 0.22 | XXX    | 53.10   |      |                                |
| 77022 | 26    | C      | 4.24  | 1.49     | 1.49     | 0.24 | XXX    | 53.10   |      |                                |
| 77031 |       | C      | 1.59  | 3.35     | 3.35     | 0.46 | XXX    | 53.10   |      |                                |
| 77031 | TC    | C      | 0.00  | 2.78     | 2.78     | 0.37 | XXX    | 53.10   |      |                                |
| 77031 | 26    | C      | 1.59  | 0.57     | 0.57     | 0.09 | XXX    | 53.10   |      |                                |
| 77032 |       | C      | 0.56  | 1.01     | 1.01     | 0.09 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 77032      | TC            | C             | 0.00        | 0.80                       | 0.80            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 77032      | 26            | C             | 0.56        | 0.21                       | 0.21            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77051      |               | C             | 0.06        | 0.26                       | 0.26            | 0.02      | ZZZ        |                  | 53.10                     |             |                                |
| 77051      | TC            | C             | 0.00        | 0.24                       | 0.24            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 77051      | 26            | C             | 0.06        | 0.02                       | 0.02            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 77052      |               | C             | 0.06        | 0.26                       | 0.26            | 0.02      | ZZZ        |                  | 53.10                     |             |                                |
| 77052      | TC            | C             | 0.00        | 0.24                       | 0.24            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 77052      | 26            | C             | 0.06        | 0.02                       | 0.02            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 77053      |               | C             | 0.36        | 1.61                       | 1.61            | 0.16      | XXX        |                  | 53.10                     |             |                                |
| 77053      | TC            | C             | 0.00        | 1.48                       | 1.48            | 0.14      | XXX        |                  | 53.10                     |             |                                |
| 77053      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77054      |               | C             | 0.45        | 2.21                       | 2.21            | 0.21      | XXX        |                  | 53.10                     |             |                                |
| 77054      | TC            | C             | 0.00        | 2.04                       | 2.04            | 0.19      | XXX        |                  | 53.10                     |             |                                |
| 77054      | 26            | C             | 0.45        | 0.17                       | 0.17            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77055      |               | C             | 0.70        | 1.56                       | 1.56            | 0.09      | XXX        |                  | 53.10                     |             |                                |
| 77055      | TC            | C             | 0.00        | 1.30                       | 1.30            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 77055      | 26            | C             | 0.70        | 0.26                       | 0.26            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 77056      |               | C             | 0.87        | 2.00                       | 2.00            | 0.11      | XXX        |                  | 53.10                     |             |                                |
| 77056      | TC            | C             | 0.00        | 1.68                       | 1.68            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 77056      | 26            | C             | 0.87        | 0.32                       | 0.32            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 77057      |               | C             | 0.70        | 1.46                       | 1.46            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 77057      | TC            | C             | 0.00        | 1.20                       | 1.20            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 77057      | 26            | C             | 0.70        | 0.26                       | 0.26            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 77058      |               | C             | 1.63        | 20.67                      | 20.67           | 0.99      | XXX        |                  | 53.10                     |             |                                |
| 77058      | TC            | C             | 0.00        | 20.07                      | 20.07           | 0.92      | XXX        |                  | 53.10                     |             |                                |
| 77058      | 26            | C             | 1.63        | 0.60                       | 0.60            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 77059      |               | C             | 1.63        | 22.15                      | 22.15           | 1.31      | XXX        |                  | 53.10                     |             |                                |
| 77059      | TC            | C             | 0.00        | 21.55                      | 21.55           | 1.24      | XXX        |                  | 53.10                     |             |                                |
| 77059      | 26            | C             | 1.63        | 0.60                       | 0.60            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 77071      |               | C             | 0.41        | 0.62                       | 0.62            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 77072      |               | C             | 0.19        | 0.43                       | 0.43            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 77072      | TC            | C             | 0.00        | 0.36                       | 0.36            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77072      | 26            | C             | 0.19        | 0.07                       | 0.07            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 77073      |               | C             | 0.27        | 0.71                       | 0.71            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 77073      | TC            | C             | 0.00        | 0.61                       | 0.61            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 77073      | 26            | C             | 0.27        | 0.10                       | 0.10            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 77074      |               | C             | 0.45        | 1.37                       | 1.37            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 77074      | TC            | C             | 0.00        | 1.20                       | 1.20            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 77074      | 26            | C             | 0.45        | 0.17                       | 0.17            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77075      |               | C             | 0.54        | 2.11                       | 2.11            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 77075      | TC            | C             | 0.00        | 1.91                       | 1.91            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 77075      | 26            | C             | 0.54        | 0.20                       | 0.20            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 77076      |               | D             | 0.70        | 1.78                       | 1.78            | 0.08      | XXX        |                  | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 77076      | TC            | D             | 0.00        | 1.56                       | 1.56            | 0.05       | XXX              | 53.10                     |             |                                |
| 77076      | 26            | D             | 0.70        | 0.22                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 77077      |               | C             | 0.31        | 0.79                       | 0.79            | 0.08       | XXX              | 53.10                     |             |                                |
| 77077      | TC            | C             | 0.00        | 0.68                       | 0.68            | 0.06       | XXX              | 53.10                     |             |                                |
| 77077      | 26            | C             | 0.31        | 0.11                       | 0.11            | 0.02       | XXX              | 53.10                     |             |                                |
| 77078      |               | C             | 0.25        | 4.30                       | 4.30            | 0.17       | XXX              | 53.10                     |             |                                |
| 77078      | TC            | C             | 0.00        | 4.21                       | 4.21            | 0.16       | XXX              | 53.10                     |             |                                |
| 77078      | 26            | C             | 0.25        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 77079      |               | C             | 0.22        | 1.31                       | 1.31            | 0.06       | XXX              | 53.10                     |             |                                |
| 77079      | TC            | C             | 0.00        | 1.25                       | 1.25            | 0.05       | XXX              | 53.10                     |             |                                |
| 77079      | 26            | C             | 0.22        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 77080      |               | C             | 0.20        | 1.61                       | 1.61            | 0.18       | XXX              | 53.10                     |             |                                |
| 77080      | TC            | C             | 0.00        | 1.54                       | 1.54            | 0.17       | XXX              | 53.10                     |             |                                |
| 77080      | 26            | C             | 0.20        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 77081      |               | C             | 0.22        | 0.56                       | 0.56            | 0.06       | XXX              | 53.10                     |             |                                |
| 77081      | TC            | C             | 0.00        | 0.49                       | 0.49            | 0.05       | XXX              | 53.10                     |             |                                |
| 77081      | 26            | C             | 0.22        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 77082      |               | C             | 0.17        | 0.58                       | 0.58            | 0.06       | XXX              | 53.10                     |             |                                |
| 77082      | TC            | C             | 0.00        | 0.53                       | 0.53            | 0.05       | XXX              | 53.10                     |             |                                |
| 77082      | 26            | C             | 0.17        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 77083      |               | C             | 0.20        | 0.48                       | 0.48            | 0.06       | XXX              | 53.10                     |             |                                |
| 77083      | TC            | C             | 0.00        | 0.42                       | 0.42            | 0.05       | XXX              | 53.10                     |             |                                |
| 77083      | 26            | C             | 0.20        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 77084      |               | C             | 1.60        | 13.79                      | 13.79           | 0.66       | XXX              | 53.10                     |             |                                |
| 77084      | TC            | C             | 0.00        | 13.19                      | 13.19           | 0.59       | XXX              | 53.10                     |             |                                |
| 77084      | 26            | C             | 1.60        | 0.60                       | 0.60            | 0.07       | XXX              | 53.10                     |             |                                |
| 77261      |               | C             | 1.39        | 0.51                       | 0.51            | 0.07       | XXX              | 53.10                     |             |                                |
| 77262      |               | C             | 2.11        | 0.74                       | 0.74            | 0.11       | XXX              | 53.10                     |             |                                |
| 77263      |               | C             | 3.14        | 1.09                       | 1.09            | 0.16       | XXX              | 53.10                     |             |                                |
| 77280      |               | C             | 0.70        | 4.19                       | 4.19            | 0.22       | XXX              | 53.10                     |             |                                |
| 77280      | TC            | C             | 0.00        | 3.95                       | 3.95            | 0.18       | XXX              | 53.10                     |             |                                |
| 77280      | 26            | C             | 0.70        | 0.24                       | 0.24            | 0.04       | XXX              | 53.10                     |             |                                |
| 77285      |               | C             | 1.05        | 7.40                       | 7.40            | 0.35       | XXX              | 53.10                     |             |                                |
| 77285      | TC            | C             | 0.00        | 7.04                       | 7.04            | 0.30       | XXX              | 53.10                     |             |                                |
| 77285      | 26            | C             | 1.05        | 0.36                       | 0.36            | 0.05       | XXX              | 53.10                     |             |                                |
| 77290      |               | C             | 1.56        | 11.64                      | 11.64           | 0.43       | XXX              | 53.10                     |             |                                |
| 77290      | TC            | C             | 0.00        | 11.11                      | 11.11           | 0.35       | XXX              | 53.10                     |             |                                |
| 77290      | 26            | C             | 1.56        | 0.53                       | 0.53            | 0.08       | XXX              | 53.10                     |             |                                |
| 77295      |               | C             | 4.56        | 12.90                      | 12.90           | 1.71       | XXX              | 53.10                     |             |                                |
| 77295      | TC            | C             | 0.00        | 11.35                      | 11.35           | 1.48       | XXX              | 53.10                     |             |                                |
| 77295      | 26            | C             | 4.56        | 1.55                       | 1.55            | 0.23       | XXX              | 53.10                     |             |                                |
| 77299      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77299      | TC            | C             | 64.49       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 77299 | 26    | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 77300 |       | C      | 0.62 | 1.26     | 1.26     | 0.10 | XXX    | 53.10   |      |                                |
| 77300 | TC    | C      | 0.00 | 1.05     | 1.05     | 0.07 | XXX    | 53.10   |      |                                |
| 77300 | 26    | C      | 0.62 | 0.21     | 0.21     | 0.03 | XXX    | 53.10   |      |                                |
| 77301 |       | C      | 7.99 | 49.93    | 49.93    | 1.88 | XXX    | 53.10   |      |                                |
| 77301 | TC    | C      | 0.00 | 47.21    | 47.21    | 1.48 | XXX    | 53.10   |      |                                |
| 77301 | 26    | C      | 7.99 | 2.72     | 2.72     | 0.40 | XXX    | 53.10   |      |                                |
| 77305 |       | C      | 0.70 | 1.20     | 1.20     | 0.15 | XXX    | 53.10   |      |                                |
| 77305 | TC    | C      | 0.00 | 0.96     | 0.96     | 0.11 | XXX    | 53.10   |      |                                |
| 77305 | 26    | C      | 0.70 | 0.24     | 0.24     | 0.04 | XXX    | 53.10   |      |                                |
| 77310 |       | C      | 1.05 | 1.61     | 1.61     | 0.18 | XXX    | 53.10   |      |                                |
| 77310 | TC    | C      | 0.00 | 1.25     | 1.25     | 0.13 | XXX    | 53.10   |      |                                |
| 77310 | 26    | C      | 1.05 | 0.36     | 0.36     | 0.05 | XXX    | 53.10   |      |                                |
| 77315 |       | C      | 1.56 | 2.35     | 2.35     | 0.22 | XXX    | 53.10   |      |                                |
| 77315 | TC    | C      | 0.00 | 1.82     | 1.82     | 0.14 | XXX    | 53.10   |      |                                |
| 77315 | 26    | C      | 1.56 | 0.53     | 0.53     | 0.08 | XXX    | 53.10   |      |                                |
| 77321 |       | C      | 0.95 | 2.21     | 2.21     | 0.26 | XXX    | 53.10   |      |                                |
| 77321 | TC    | C      | 0.00 | 1.89     | 1.89     | 0.21 | XXX    | 53.10   |      |                                |
| 77321 | 26    | C      | 0.95 | 0.32     | 0.32     | 0.05 | XXX    | 53.10   |      |                                |
| 77326 |       | C      | 0.93 | 2.85     | 2.85     | 0.18 | XXX    | 53.10   |      |                                |
| 77326 | TC    | C      | 0.00 | 2.54     | 2.54     | 0.13 | XXX    | 53.10   |      |                                |
| 77326 | 26    | C      | 0.93 | 0.31     | 0.31     | 0.05 | XXX    | 53.10   |      |                                |
| 77327 |       | C      | 1.39 | 4.00     | 4.00     | 0.25 | XXX    | 53.10   |      |                                |
| 77327 | TC    | C      | 0.00 | 3.53     | 3.53     | 0.18 | XXX    | 53.10   |      |                                |
| 77327 | 26    | C      | 1.39 | 0.47     | 0.47     | 0.07 | XXX    | 53.10   |      |                                |
| 77328 |       | C      | 2.09 | 5.28     | 5.28     | 0.36 | XXX    | 53.10   |      |                                |
| 77328 | TC    | C      | 0.00 | 4.57     | 4.57     | 0.25 | XXX    | 53.10   |      |                                |
| 77328 | 26    | C      | 2.09 | 0.71     | 0.71     | 0.11 | XXX    | 53.10   |      |                                |
| 77331 |       | C      | 0.87 | 0.80     | 0.80     | 0.06 | XXX    | 53.10   |      |                                |
| 77331 | TC    | C      | 0.00 | 0.50     | 0.50     | 0.02 | XXX    | 53.10   |      |                                |
| 77331 | 26    | C      | 0.87 | 0.30     | 0.30     | 0.04 | XXX    | 53.10   |      |                                |
| 77332 |       | C      | 0.54 | 1.52     | 1.52     | 0.10 | XXX    | 53.10   |      |                                |
| 77332 | TC    | C      | 0.00 | 1.34     | 1.34     | 0.07 | XXX    | 53.10   |      |                                |
| 77332 | 26    | C      | 0.54 | 0.18     | 0.18     | 0.03 | XXX    | 53.10   |      |                                |
| 77333 |       | C      | 0.84 | 0.94     | 0.94     | 0.15 | XXX    | 53.10   |      |                                |
| 77333 | TC    | C      | 0.00 | 0.65     | 0.65     | 0.11 | XXX    | 53.10   |      |                                |
| 77333 | 26    | C      | 0.84 | 0.29     | 0.29     | 0.04 | XXX    | 53.10   |      |                                |
| 77334 |       | C      | 1.24 | 2.93     | 2.93     | 0.23 | XXX    | 53.10   |      |                                |
| 77334 | TC    | C      | 0.00 | 2.51     | 2.51     | 0.17 | XXX    | 53.10   |      |                                |
| 77334 | 26    | C      | 1.24 | 0.42     | 0.42     | 0.06 | XXX    | 53.10   |      |                                |
| 77336 |       | C      | 0.00 | 1.58     | 1.58     | 0.16 | XXX    | 53.10   |      |                                |
| 77370 |       | C      | 0.00 | 3.09     | 3.09     | 0.18 | XXX    | 53.10   |      |                                |
| 77371 |       | C      | 0.00 | 30.11    | 30.11    | 0.13 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 77372      |               | C             | 0.00        | 22.30                      | 22.30           | 0.13       | XXX              | 53.10                     |             |                                |
| 77373      |               | C             | 0.00        | 41.38                      | 41.38           | 0.13       | XXX              | 53.10                     |             |                                |
| 77399      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77399      | TC            | C             | 64.49       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 77399      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77401      |               | C             | 0.00        | 0.79                       | 0.79            | 0.11       | XXX              | 53.10                     |             |                                |
| 77402      |               | C             | 0.00        | 3.65                       | 3.65            | 0.11       | XXX              | 53.10                     |             |                                |
| 77403      |               | C             | 0.00        | 3.20                       | 3.20            | 0.11       | XXX              | 53.10                     |             |                                |
| 77404      |               | C             | 0.00        | 3.53                       | 3.53            | 0.11       | XXX              | 53.10                     |             |                                |
| 77406      |               | C             | 0.00        | 3.56                       | 3.56            | 0.11       | XXX              | 53.10                     |             |                                |
| 77407      |               | C             | 0.00        | 5.76                       | 5.76            | 0.12       | XXX              | 53.10                     |             |                                |
| 77408      |               | C             | 0.00        | 4.31                       | 4.31            | 0.12       | XXX              | 53.10                     |             |                                |
| 77409      |               | C             | 0.00        | 4.76                       | 4.76            | 0.12       | XXX              | 53.10                     |             |                                |
| 77411      |               | C             | 0.00        | 4.73                       | 4.73            | 0.12       | XXX              | 53.10                     |             |                                |
| 77412      |               | C             | 0.00        | 5.57                       | 5.57            | 0.13       | XXX              | 53.10                     |             |                                |
| 77413      |               | C             | 0.00        | 5.61                       | 5.61            | 0.13       | XXX              | 53.10                     |             |                                |
| 77414      |               | C             | 0.00        | 6.24                       | 6.24            | 0.13       | XXX              | 53.10                     |             |                                |
| 77416      |               | C             | 0.00        | 6.27                       | 6.27            | 0.13       | XXX              | 53.10                     |             |                                |
| 77417      |               | C             | 0.00        | 0.41                       | 0.41            | 0.04       | XXX              | 53.10                     |             |                                |
| 77418      |               | C             | 0.00        | 14.20                      | 14.20           | 0.13       | XXX              | 53.10                     |             |                                |
| 77421      |               | C             | 0.39        | 2.63                       | 2.63            | 0.12       | XXX              | 53.10                     |             |                                |
| 77421      | TC            | C             | 0.00        | 2.50                       | 2.50            | 0.10       | XXX              | 53.10                     |             |                                |
| 77421      | 26            | C             | 0.39        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 77422      |               | C             | 0.00        | 5.24                       | 5.24            | 0.13       | XXX              | 53.10                     |             |                                |
| 77423      |               | C             | 0.00        | 6.03                       | 6.03            | 0.13       | XXX              | 53.10                     |             |                                |
| 77427      |               | C             | 3.70        | 1.35                       | 1.35            | 0.17       | XXX              | 53.10                     |             |                                |
| 77431      |               | C             | 1.81        | 0.77                       | 0.77            | 0.09       | XXX              | 53.10                     |             |                                |
| 77432      |               | C             | 7.92        | 2.78                       | 2.78            | 0.41       | XXX              | 53.10                     |             |                                |
| 77435      |               | C             | 13.00       | 4.76                       | 4.76            | 0.67       | XXX              | 53.10                     |             |                                |
| 77470      |               | C             | 2.09        | 4.41                       | 4.41            | 0.70       | XXX              | 53.10                     |             |                                |
| 77470      | TC            | C             | 0.00        | 3.70                       | 3.70            | 0.59       | XXX              | 53.10                     |             |                                |
| 77470      | 26            | C             | 2.09        | 0.71                       | 0.71            | 0.11       | XXX              | 53.10                     |             |                                |
| 77499      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77499      | TC            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77499      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 77520      |               | C             | 530.78      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 77522      |               | C             | 530.78      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 77523      |               | C             | 635.11      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 77525      |               | C             | 635.11      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 77600      |               | C             | 1.56        | 8.42                       | 8.42            | 0.24       | XXX              | 53.10                     |             |                                |
| 77600      | TC            | C             | 0.00        | 7.89                       | 7.89            | 0.16       | XXX              | 53.10                     |             |                                |
| 77600      | 26            | C             | 1.56        | 0.53                       | 0.53            | 0.08       | XXX              | 53.10                     |             |                                |
| 77605      |               | C             | 2.09        | 15.80                      | 15.80           | 0.38       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 77605      | TC            | C             | 0.00        | 15.20                      | 15.20           | 0.22       | XXX              | 53.10                     |             |                                |
| 77605      | 26            | C             | 2.09        | 0.60                       | 0.60            | 0.16       | XXX              | 53.10                     |             |                                |
| 77610      |               | C             | 1.56        | 15.24                      | 15.24           | 0.24       | XXX              | 53.10                     |             |                                |
| 77610      | TC            | C             | 0.00        | 14.77                      | 14.77           | 0.16       | XXX              | 53.10                     |             |                                |
| 77610      | 26            | C             | 1.56        | 0.47                       | 0.47            | 0.08       | XXX              | 53.10                     |             |                                |
| 77615      |               | C             | 2.09        | 21.68                      | 21.68           | 0.33       | XXX              | 53.10                     |             |                                |
| 77615      | TC            | C             | 0.00        | 20.98                      | 20.98           | 0.22       | XXX              | 53.10                     |             |                                |
| 77615      | 26            | C             | 2.09        | 0.70                       | 0.70            | 0.11       | XXX              | 53.10                     |             |                                |
| 77620      |               | C             | 1.56        | 8.82                       | 8.82            | 0.36       | XXX              | 53.10                     |             |                                |
| 77620      | TC            | C             | 0.00        | 8.36                       | 8.36            | 0.16       | XXX              | 53.10                     |             |                                |
| 77620      | 26            | C             | 1.56        | 0.46                       | 0.46            | 0.20       | XXX              | 53.10                     |             |                                |
| 77750      |               | C             | 4.94        | 4.14                       | 4.14            | 0.32       | 090              | 53.10                     |             |                                |
| 77750      | TC            | C             | 0.00        | 2.46                       | 2.46            | 0.07       | 090              | 53.10                     |             |                                |
| 77750      | 26            | C             | 4.94        | 1.68                       | 1.68            | 0.25       | 090              | 53.10                     |             |                                |
| 77761      |               | C             | 3.82        | 5.59                       | 5.59            | 0.33       | 090              | 53.10                     |             |                                |
| 77761      | TC            | C             | 0.00        | 4.33                       | 4.33            | 0.14       | 090              | 53.10                     |             |                                |
| 77761      | 26            | C             | 3.82        | 1.26                       | 1.26            | 0.19       | 090              | 53.10                     |             |                                |
| 77762      |               | C             | 5.73        | 7.08                       | 7.08            | 0.48       | 090              | 53.10                     |             |                                |
| 77762      | TC            | C             | 0.00        | 5.13                       | 5.13            | 0.19       | 090              | 53.10                     |             |                                |
| 77762      | 26            | C             | 5.73        | 1.95                       | 1.95            | 0.29       | 090              | 53.10                     |             |                                |
| 77763      |               | C             | 8.60        | 9.54                       | 9.54            | 0.66       | 090              | 53.10                     |             |                                |
| 77763      | TC            | C             | 0.00        | 6.61                       | 6.61            | 0.23       | 090              | 53.10                     |             |                                |
| 77763      | 26            | C             | 8.60        | 2.93                       | 2.93            | 0.43       | 090              | 53.10                     |             |                                |
| 77776      |               | C             | 4.67        | 6.25                       | 6.25            | 0.57       | 090              | 53.10                     |             |                                |
| 77776      | TC            | C             | 0.00        | 4.69                       | 4.69            | 0.13       | 090              | 53.10                     |             |                                |
| 77776      | 26            | C             | 4.67        | 1.56                       | 1.56            | 0.44       | 090              | 53.10                     |             |                                |
| 77777      |               | C             | 7.49        | 7.82                       | 7.82            | 0.61       | 090              | 53.10                     |             |                                |
| 77777      | TC            | C             | 0.00        | 5.15                       | 5.15            | 0.22       | 090              | 53.10                     |             |                                |
| 77777      | 26            | C             | 7.49        | 2.67                       | 2.67            | 0.39       | 090              | 53.10                     |             |                                |
| 77778      |               | C             | 11.23       | 10.70                      | 10.70           | 0.84       | 090              | 53.10                     |             |                                |
| 77778      | TC            | C             | 0.00        | 6.86                       | 6.86            | 0.27       | 090              | 53.10                     |             |                                |
| 77778      | 26            | C             | 11.23       | 3.84                       | 3.84            | 0.57       | 090              | 53.10                     |             |                                |
| 77781      |               | C             | 1.21        | 4.41                       | 4.41            | 1.14       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77781      | TC            | C             | 0.00        | 4.01                       | 4.01            | 1.06       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77781      | 26            | C             | 1.21        | 0.40                       | 0.40            | 0.08       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77782      |               | C             | 2.04        | 12.42                      | 12.42           | 1.19       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77782      | TC            | C             | 0.00        | 11.75                      | 11.75           | 1.06       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77782      | 26            | C             | 2.04        | 0.67                       | 0.67            | 0.13       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77783      |               | C             | 3.27        | 24.21                      | 24.21           | 1.25       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77783      | TC            | C             | 0.00        | 23.14                      | 23.14           | 1.06       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77783      | 26            | C             | 3.27        | 1.07                       | 1.07            | 0.19       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77784      |               | C             | 5.15        | 45.71                      | 45.71           | 1.35       | XXX              | 51.86                     | 12/31/2008  |                                |
| 77784      | TC            | C             | 0.00        | 44.03                      | 44.03           | 1.06       | XXX              | 51.86                     | 12/31/2008  |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- |        |         |            | END                            |  |
|-------|-------|--------|------|----------|----------|------|--------|---------|------------|--------------------------------|--|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE       | SHORT DESCRIPTION (HCPCS only) |  |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |            |                                |  |
| 77784 | 26    | C      | 5.15 | 1.68     | 1.68     | 0.29 | XXX    | 51.86   | 12/31/2008 |                                |  |
| 77785 |       | C      | 1.42 | 3.54     | 3.54     | 0.20 | XXX    | 53.10   |            |                                |  |
| 77785 | TC    | C      | 0.00 | 3.05     | 3.05     | 0.13 | XXX    | 53.10   |            |                                |  |
| 77785 | 26    | C      | 1.42 | 0.49     | 0.49     | 0.07 | XXX    | 53.10   |            |                                |  |
| 77786 |       | C      | 3.25 | 11.76    | 11.76    | 0.46 | XXX    | 53.10   |            |                                |  |
| 77786 | TC    | C      | 0.00 | 10.72    | 10.72    | 0.29 | XXX    | 53.10   |            |                                |  |
| 77786 | 26    | C      | 3.25 | 1.04     | 1.04     | 0.17 | XXX    | 53.10   |            |                                |  |
| 77787 |       | C      | 4.89 | 17.41    | 17.41    | 0.69 | XXX    | 53.10   |            |                                |  |
| 77787 | TC    | C      | 0.00 | 15.70    | 15.70    | 0.44 | XXX    | 53.10   |            |                                |  |
| 77787 | 26    | C      | 4.89 | 1.71     | 1.71     | 0.25 | XXX    | 53.10   |            |                                |  |
| 77789 |       | C      | 1.14 | 1.67     | 1.67     | 0.08 | 000    | 53.10   |            |                                |  |
| 77789 | TC    | C      | 0.00 | 1.28     | 1.28     | 0.02 | 000    | 53.10   |            |                                |  |
| 77789 | 26    | C      | 1.14 | 0.39     | 0.39     | 0.06 | 000    | 53.10   |            |                                |  |
| 77790 |       | C      | 1.05 | 1.30     | 1.30     | 0.07 | XXX    | 53.10   |            |                                |  |
| 77790 | TC    | C      | 0.00 | 0.94     | 0.94     | 0.02 | XXX    | 53.10   |            |                                |  |
| 77790 | 26    | C      | 1.05 | 0.36     | 0.36     | 0.05 | XXX    | 53.10   |            |                                |  |
| 77799 |       | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                |  |
| 77799 | TC    | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                |  |
| 77799 | 26    | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                |  |
| 78000 |       | C      | 0.19 | 1.64     | 1.64     | 0.07 | XXX    | 53.10   |            |                                |  |
| 78000 | TC    | C      | 0.00 | 1.57     | 1.57     | 0.06 | XXX    | 53.10   |            |                                |  |
| 78000 | 26    | C      | 0.19 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |            |                                |  |
| 78001 |       | C      | 0.26 | 2.07     | 2.07     | 0.08 | XXX    | 53.10   |            |                                |  |
| 78001 | TC    | C      | 0.00 | 1.97     | 1.97     | 0.07 | XXX    | 53.10   |            |                                |  |
| 78001 | 26    | C      | 0.26 | 0.10     | 0.10     | 0.01 | XXX    | 53.10   |            |                                |  |
| 78003 |       | C      | 0.33 | 1.70     | 1.70     | 0.07 | XXX    | 53.10   |            |                                |  |
| 78003 | TC    | C      | 0.00 | 1.58     | 1.58     | 0.06 | XXX    | 53.10   |            |                                |  |
| 78003 | 26    | C      | 0.33 | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |            |                                |  |
| 78006 |       | C      | 0.49 | 5.28     | 5.28     | 0.15 | XXX    | 53.10   |            |                                |  |
| 78006 | TC    | C      | 0.00 | 5.10     | 5.10     | 0.13 | XXX    | 53.10   |            |                                |  |
| 78006 | 26    | C      | 0.49 | 0.18     | 0.18     | 0.02 | XXX    | 53.10   |            |                                |  |
| 78007 |       | C      | 0.50 | 2.97     | 2.97     | 0.16 | XXX    | 53.10   |            |                                |  |
| 78007 | TC    | C      | 0.00 | 2.78     | 2.78     | 0.14 | XXX    | 53.10   |            |                                |  |
| 78007 | 26    | C      | 0.50 | 0.19     | 0.19     | 0.02 | XXX    | 53.10   |            |                                |  |
| 78010 |       | C      | 0.39 | 3.61     | 3.61     | 0.13 | XXX    | 53.10   |            |                                |  |
| 78010 | TC    | C      | 0.00 | 3.47     | 3.47     | 0.11 | XXX    | 53.10   |            |                                |  |
| 78010 | 26    | C      | 0.39 | 0.14     | 0.14     | 0.02 | XXX    | 53.10   |            |                                |  |
| 78011 |       | C      | 0.45 | 4.10     | 4.10     | 0.15 | XXX    | 53.10   |            |                                |  |
| 78011 | TC    | C      | 0.00 | 3.93     | 3.93     | 0.13 | XXX    | 53.10   |            |                                |  |
| 78011 | 26    | C      | 0.45 | 0.17     | 0.17     | 0.02 | XXX    | 53.10   |            |                                |  |
| 78015 |       | C      | 0.67 | 4.74     | 4.74     | 0.17 | XXX    | 53.10   |            |                                |  |
| 78015 | TC    | C      | 0.00 | 4.49     | 4.49     | 0.14 | XXX    | 53.10   |            |                                |  |
| 78015 | 26    | C      | 0.67 | 0.25     | 0.25     | 0.03 | XXX    | 53.10   |            |                                |  |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | PE   | MPE | GLOBAL | CON-    | END  |                                |
|-------|-------|--------|-------|----------|----------|------|-----|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | RVU  | RVU | PERIOD | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | RVU |        | FACTOR  |      |                                |
| 78016 |       | C      | 0.82  | 7.43     | 7.43     | 0.21 | XXX |        | 53.10   |      |                                |
| 78016 | TC    | C      | 0.00  | 7.12     | 7.12     | 0.18 | XXX |        | 53.10   |      |                                |
| 78016 | 26    | C      | 0.82  | 0.31     | 0.31     | 0.03 | XXX |        | 53.10   |      |                                |
| 78018 |       | C      | 0.86  | 7.38     | 7.38     | 0.33 | XXX |        | 53.10   |      |                                |
| 78018 | TC    | C      | 0.00  | 7.06     | 7.06     | 0.29 | XXX |        | 53.10   |      |                                |
| 78018 | 26    | C      | 0.86  | 0.32     | 0.32     | 0.04 | XXX |        | 53.10   |      |                                |
| 78020 |       | C      | 0.60  | 1.76     | 1.76     | 0.16 | ZZZ |        | 53.10   |      |                                |
| 78020 | TC    | C      | 0.00  | 1.53     | 1.53     | 0.14 | ZZZ |        | 53.10   |      |                                |
| 78020 | 26    | C      | 0.60  | 0.23     | 0.23     | 0.02 | ZZZ |        | 53.10   |      |                                |
| 78070 |       | C      | 0.82  | 3.76     | 3.76     | 0.15 | XXX |        | 53.10   |      |                                |
| 78070 | TC    | C      | 0.00  | 3.45     | 3.45     | 0.11 | XXX |        | 53.10   |      |                                |
| 78070 | 26    | C      | 0.82  | 0.31     | 0.31     | 0.04 | XXX |        | 53.10   |      |                                |
| 78075 |       | C      | 0.74  | 10.05    | 10.05    | 0.32 | XXX |        | 53.10   |      |                                |
| 78075 | TC    | C      | 0.00  | 9.77     | 9.77     | 0.29 | XXX |        | 53.10   |      |                                |
| 78075 | 26    | C      | 0.74  | 0.28     | 0.28     | 0.03 | XXX |        | 53.10   |      |                                |
| 78099 |       | D      | 0.00  | 0.00     | 0.00     | 0.00 | XXX |        | 0.00    |      |                                |
| 78099 | TC    | C      | 84.75 | 0.00     | 0.00     | 0.00 | XXX |        | 1.25    |      |                                |
| 78099 | 26    | D      | 0.00  | 0.00     | 0.00     | 0.00 | XXX |        | 0.00    |      |                                |
| 78102 |       | C      | 0.55  | 3.70     | 3.70     | 0.14 | XXX |        | 53.10   |      |                                |
| 78102 | TC    | C      | 0.00  | 3.49     | 3.49     | 0.12 | XXX |        | 53.10   |      |                                |
| 78102 | 26    | C      | 0.55  | 0.21     | 0.21     | 0.02 | XXX |        | 53.10   |      |                                |
| 78103 |       | C      | 0.75  | 4.95     | 4.95     | 0.20 | XXX |        | 53.10   |      |                                |
| 78103 | TC    | C      | 0.00  | 4.67     | 4.67     | 0.17 | XXX |        | 53.10   |      |                                |
| 78103 | 26    | C      | 0.75  | 0.28     | 0.28     | 0.03 | XXX |        | 53.10   |      |                                |
| 78104 |       | C      | 0.80  | 5.72     | 5.72     | 0.25 | XXX |        | 53.10   |      |                                |
| 78104 | TC    | C      | 0.00  | 5.41     | 5.41     | 0.22 | XXX |        | 53.10   |      |                                |
| 78104 | 26    | C      | 0.80  | 0.31     | 0.31     | 0.03 | XXX |        | 53.10   |      |                                |
| 78110 |       | C      | 0.19  | 1.84     | 1.84     | 0.07 | XXX |        | 53.10   |      |                                |
| 78110 | TC    | C      | 0.00  | 1.77     | 1.77     | 0.06 | XXX |        | 53.10   |      |                                |
| 78110 | 26    | C      | 0.19  | 0.07     | 0.07     | 0.01 | XXX |        | 53.10   |      |                                |
| 78111 |       | C      | 0.22  | 2.33     | 2.33     | 0.15 | XXX |        | 53.10   |      |                                |
| 78111 | TC    | C      | 0.00  | 2.24     | 2.24     | 0.14 | XXX |        | 53.10   |      |                                |
| 78111 | 26    | C      | 0.22  | 0.09     | 0.09     | 0.01 | XXX |        | 53.10   |      |                                |
| 78120 |       | C      | 0.23  | 2.05     | 2.05     | 0.12 | XXX |        | 53.10   |      |                                |
| 78120 | TC    | C      | 0.00  | 1.96     | 1.96     | 0.11 | XXX |        | 53.10   |      |                                |
| 78120 | 26    | C      | 0.23  | 0.09     | 0.09     | 0.01 | XXX |        | 53.10   |      |                                |
| 78121 |       | C      | 0.32  | 2.44     | 2.44     | 0.15 | XXX |        | 53.10   |      |                                |
| 78121 | TC    | C      | 0.00  | 2.32     | 2.32     | 0.14 | XXX |        | 53.10   |      |                                |
| 78121 | 26    | C      | 0.32  | 0.12     | 0.12     | 0.01 | XXX |        | 53.10   |      |                                |
| 78122 |       | C      | 0.45  | 2.92     | 2.92     | 0.26 | XXX |        | 53.10   |      |                                |
| 78122 | TC    | C      | 0.00  | 2.75     | 2.75     | 0.24 | XXX |        | 53.10   |      |                                |
| 78122 | 26    | C      | 0.45  | 0.17     | 0.17     | 0.02 | XXX |        | 53.10   |      |                                |
| 78130 |       | C      | 0.61  | 3.42     | 3.42     | 0.17 | XXX |        | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78130      | TC            | C             | 0.00        | 3.19                       | 3.19            | 0.14      | XXX        | 53.10            |                           |             |                                |
| 78130      | 26            | C             | 0.61        | 0.23                       | 0.23            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 78135      |               | C             | 0.64        | 7.82                       | 7.82            | 0.28      | XXX        | 53.10            |                           |             |                                |
| 78135      | TC            | C             | 0.00        | 7.58                       | 7.58            | 0.25      | XXX        | 53.10            |                           |             |                                |
| 78135      | 26            | C             | 0.64        | 0.24                       | 0.24            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 78140      |               | C             | 0.61        | 3.24                       | 3.24            | 0.24      | XXX        | 53.10            |                           |             |                                |
| 78140      | TC            | C             | 0.00        | 3.01                       | 3.01            | 0.21      | XXX        | 53.10            |                           |             |                                |
| 78140      | 26            | C             | 0.61        | 0.23                       | 0.23            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 78185      |               | C             | 0.40        | 4.54                       | 4.54            | 0.15      | XXX        | 53.10            |                           |             |                                |
| 78185      | TC            | C             | 0.00        | 4.39                       | 4.39            | 0.13      | XXX        | 53.10            |                           |             |                                |
| 78185      | 26            | C             | 0.40        | 0.15                       | 0.15            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 78190      |               | C             | 1.09        | 8.55                       | 8.55            | 0.38      | XXX        | 53.10            |                           |             |                                |
| 78190      | TC            | C             | 0.00        | 8.18                       | 8.18            | 0.30      | XXX        | 53.10            |                           |             |                                |
| 78190      | 26            | C             | 1.09        | 0.37                       | 0.37            | 0.08      | XXX        | 53.10            |                           |             |                                |
| 78191      |               | C             | 0.61        | 4.50                       | 4.50            | 0.40      | XXX        | 53.10            |                           |             |                                |
| 78191      | TC            | C             | 0.00        | 4.28                       | 4.28            | 0.37      | XXX        | 53.10            |                           |             |                                |
| 78191      | 26            | C             | 0.61        | 0.22                       | 0.22            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 78195      |               | C             | 1.20        | 7.62                       | 7.62            | 0.28      | XXX        | 53.10            |                           |             |                                |
| 78195      | TC            | C             | 0.00        | 7.17                       | 7.17            | 0.22      | XXX        | 53.10            |                           |             |                                |
| 78195      | 26            | C             | 1.20        | 0.45                       | 0.45            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 78199      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 78199      | TC            | C             | 162.68      | 0.00                       | 0.00            | 0.00      | XXX        | 1.25             |                           |             |                                |
| 78199      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 78201      |               | C             | 0.44        | 4.11                       | 4.11            | 0.15      | XXX        | 53.10            |                           |             |                                |
| 78201      | TC            | C             | 0.00        | 3.96                       | 3.96            | 0.13      | XXX        | 53.10            |                           |             |                                |
| 78201      | 26            | C             | 0.44        | 0.15                       | 0.15            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 78202      |               | C             | 0.51        | 4.75                       | 4.75            | 0.16      | XXX        | 53.10            |                           |             |                                |
| 78202      | TC            | C             | 0.00        | 4.57                       | 4.57            | 0.14      | XXX        | 53.10            |                           |             |                                |
| 78202      | 26            | C             | 0.51        | 0.18                       | 0.18            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 78205      |               | C             | 0.71        | 5.48                       | 5.48            | 0.34      | XXX        | 53.10            |                           |             |                                |
| 78205      | TC            | C             | 0.00        | 5.21                       | 5.21            | 0.31      | XXX        | 53.10            |                           |             |                                |
| 78205      | 26            | C             | 0.71        | 0.27                       | 0.27            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 78206      |               | C             | 0.96        | 7.97                       | 7.97            | 0.15      | XXX        | 53.10            |                           |             |                                |
| 78206      | TC            | C             | 0.00        | 7.61                       | 7.61            | 0.11      | XXX        | 53.10            |                           |             |                                |
| 78206      | 26            | C             | 0.96        | 0.36                       | 0.36            | 0.04      | XXX        | 53.10            |                           |             |                                |
| 78215      |               | C             | 0.49        | 4.37                       | 4.37            | 0.16      | XXX        | 53.10            |                           |             |                                |
| 78215      | TC            | C             | 0.00        | 4.19                       | 4.19            | 0.14      | XXX        | 53.10            |                           |             |                                |
| 78215      | 26            | C             | 0.49        | 0.18                       | 0.18            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 78216      |               | C             | 0.57        | 3.05                       | 3.05            | 0.20      | XXX        | 53.10            |                           |             |                                |
| 78216      | TC            | C             | 0.00        | 2.84                       | 2.84            | 0.18      | XXX        | 53.10            |                           |             |                                |
| 78216      | 26            | C             | 0.57        | 0.21                       | 0.21            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 78220      |               | C             | 0.49        | 3.28                       | 3.28            | 0.21      | XXX        | 53.10            |                           |             |                                |
| 78220      | TC            | C             | 0.00        | 3.10                       | 3.10            | 0.19      | XXX        | 53.10            |                           |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78220      | 26            | C             | 0.49        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78223      |               | C             | 0.84        | 7.32                       | 7.32                  | 0.23       | XXX              | 53.10                     |             |                                |
| 78223      | TC            | C             | 0.00        | 7.01                       | 7.01                  | 0.19       | XXX              | 53.10                     |             |                                |
| 78223      | 26            | C             | 0.84        | 0.31                       | 0.31                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78230      |               | C             | 0.45        | 3.68                       | 3.68                  | 0.15       | XXX              | 53.10                     |             |                                |
| 78230      | TC            | C             | 0.00        | 3.52                       | 3.52                  | 0.13       | XXX              | 53.10                     |             |                                |
| 78230      | 26            | C             | 0.45        | 0.16                       | 0.16                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78231      |               | C             | 0.52        | 2.96                       | 2.96                  | 0.19       | XXX              | 53.10                     |             |                                |
| 78231      | TC            | C             | 0.00        | 2.77                       | 2.77                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78231      | 26            | C             | 0.52        | 0.19                       | 0.19                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78232      |               | C             | 0.47        | 3.07                       | 3.07                  | 0.20       | XXX              | 53.10                     |             |                                |
| 78232      | TC            | C             | 0.00        | 2.89                       | 2.89                  | 0.18       | XXX              | 53.10                     |             |                                |
| 78232      | 26            | C             | 0.47        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78258      |               | C             | 0.74        | 5.04                       | 5.04                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78258      | TC            | C             | 0.00        | 4.75                       | 4.75                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78258      | 26            | C             | 0.74        | 0.29                       | 0.29                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78261      |               | C             | 0.69        | 5.65                       | 5.65                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78261      | TC            | C             | 0.00        | 5.39                       | 5.39                  | 0.22       | XXX              | 53.10                     |             |                                |
| 78261      | 26            | C             | 0.69        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78262      |               | C             | 0.68        | 5.57                       | 5.57                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78262      | TC            | C             | 0.00        | 5.33                       | 5.33                  | 0.22       | XXX              | 53.10                     |             |                                |
| 78262      | 26            | C             | 0.68        | 0.24                       | 0.24                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78264      |               | C             | 0.78        | 6.44                       | 6.44                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78264      | TC            | C             | 0.00        | 6.15                       | 6.15                  | 0.22       | XXX              | 53.10                     |             |                                |
| 78264      | 26            | C             | 0.78        | 0.29                       | 0.29                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78267      |               | C             | 20.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 78268      |               | C             | 171.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 78270      |               | C             | 0.20        | 1.87                       | 1.87                  | 0.11       | XXX              | 53.10                     |             |                                |
| 78270      | TC            | C             | 0.00        | 1.80                       | 1.80                  | 0.10       | XXX              | 53.10                     |             |                                |
| 78270      | 26            | C             | 0.20        | 0.07                       | 0.07                  | 0.01       | XXX              | 53.10                     |             |                                |
| 78271      |               | C             | 0.20        | 1.89                       | 1.89                  | 0.11       | XXX              | 53.10                     |             |                                |
| 78271      | TC            | C             | 0.00        | 1.83                       | 1.83                  | 0.10       | XXX              | 53.10                     |             |                                |
| 78271      | 26            | C             | 0.20        | 0.06                       | 0.06                  | 0.01       | XXX              | 53.10                     |             |                                |
| 78272      |               | C             | 0.27        | 2.09                       | 2.09                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78272      | TC            | C             | 0.00        | 2.01                       | 2.01                  | 0.13       | XXX              | 53.10                     |             |                                |
| 78272      | 26            | C             | 0.27        | 0.08                       | 0.08                  | 0.01       | XXX              | 53.10                     |             |                                |
| 78278      |               | C             | 0.99        | 7.72                       | 7.72                  | 0.29       | XXX              | 53.10                     |             |                                |
| 78278      | TC            | C             | 0.00        | 7.35                       | 7.35                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78278      | 26            | C             | 0.99        | 0.37                       | 0.37                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78282      |               | C             | 0.38        | 5.88                       | 5.88                  | 0.19       | XXX              | 53.10                     |             |                                |
| 78282      | TC            | C             | 0.00        | 5.75                       | 5.75                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78282      | 26            | C             | 0.38        | 0.14                       | 0.14                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78290      |               | C             | 0.68        | 7.16                       | 7.16                  | 0.19       | XXX              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78290      | TC            | C             | 0.00        | 6.90                       | 6.90            | 0.16       | XXX              | 53.10                     |             |                                |
| 78290      | 26            | C             | 0.68        | 0.26                       | 0.26            | 0.03       | XXX              | 53.10                     |             |                                |
| 78291      |               | C             | 0.88        | 5.47                       | 5.47            | 0.20       | XXX              | 53.10                     |             |                                |
| 78291      | TC            | C             | 0.00        | 5.14                       | 5.14            | 0.16       | XXX              | 53.10                     |             |                                |
| 78291      | 26            | C             | 0.88        | 0.33                       | 0.33            | 0.04       | XXX              | 53.10                     |             |                                |
| 78299      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78299      | TC            | C             | 156.96      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 78299      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78300      |               | C             | 0.62        | 3.82                       | 3.82            | 0.17       | XXX              | 53.10                     |             |                                |
| 78300      | TC            | C             | 0.00        | 3.59                       | 3.59            | 0.14       | XXX              | 53.10                     |             |                                |
| 78300      | 26            | C             | 0.62        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             |                                |
| 78305      |               | C             | 0.83        | 5.07                       | 5.07            | 0.23       | XXX              | 53.10                     |             |                                |
| 78305      | TC            | C             | 0.00        | 4.77                       | 4.77            | 0.19       | XXX              | 53.10                     |             |                                |
| 78305      | 26            | C             | 0.83        | 0.30                       | 0.30            | 0.04       | XXX              | 53.10                     |             |                                |
| 78306      |               | C             | 0.86        | 5.67                       | 5.67            | 0.26       | XXX              | 53.10                     |             |                                |
| 78306      | TC            | C             | 0.00        | 5.35                       | 5.35            | 0.22       | XXX              | 53.10                     |             |                                |
| 78306      | 26            | C             | 0.86        | 0.32                       | 0.32            | 0.04       | XXX              | 53.10                     |             |                                |
| 78315      |               | C             | 1.02        | 7.70                       | 7.70            | 0.29       | XXX              | 53.10                     |             |                                |
| 78315      | TC            | C             | 0.00        | 7.32                       | 7.32            | 0.25       | XXX              | 53.10                     |             |                                |
| 78315      | 26            | C             | 1.02        | 0.38                       | 0.38            | 0.04       | XXX              | 53.10                     |             |                                |
| 78320      |               | C             | 1.04        | 5.60                       | 5.60            | 0.35       | XXX              | 53.10                     |             |                                |
| 78320      | TC            | C             | 0.00        | 5.21                       | 5.21            | 0.31       | XXX              | 53.10                     |             |                                |
| 78320      | 26            | C             | 1.04        | 0.39                       | 0.39            | 0.04       | XXX              | 53.10                     |             |                                |
| 78350      |               | C             | 0.22        | 0.65                       | 0.65            | 0.06       | XXX              | 53.10                     |             |                                |
| 78350      | TC            | C             | 0.00        | 0.58                       | 0.58            | 0.05       | XXX              | 53.10                     |             |                                |
| 78350      | 26            | C             | 0.22        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 78351      |               | C             | 0.30        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 78399      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78399      | TC            | S             | 157.49      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 78399      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78414      |               | C             | 0.45        | 2.76                       | 2.76            | 0.10       | XXX              | 53.10                     |             |                                |
| 78414      | TC            | C             | 0.00        | 2.59                       | 2.59            | 0.08       | XXX              | 53.10                     |             |                                |
| 78414      | 26            | C             | 0.45        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 78428      |               | C             | 0.78        | 4.40                       | 4.40            | 0.16       | XXX              | 53.10                     |             |                                |
| 78428      | TC            | C             | 0.00        | 4.06                       | 4.06            | 0.13       | XXX              | 53.10                     |             |                                |
| 78428      | 26            | C             | 0.78        | 0.34                       | 0.34            | 0.03       | XXX              | 53.10                     |             |                                |
| 78445      |               | C             | 0.49        | 3.86                       | 3.86            | 0.13       | XXX              | 53.10                     |             |                                |
| 78445      | TC            | C             | 0.00        | 3.68                       | 3.68            | 0.11       | XXX              | 53.10                     |             |                                |
| 78445      | 26            | C             | 0.49        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 78456      |               | C             | 1.00        | 8.16                       | 8.16            | 0.33       | XXX              | 53.10                     |             |                                |
| 78456      | TC            | C             | 0.00        | 7.70                       | 7.70            | 0.29       | XXX              | 53.10                     |             |                                |
| 78456      | 26            | C             | 1.00        | 0.46                       | 0.46            | 0.04       | XXX              | 53.10                     |             |                                |
| 78457      |               | C             | 0.77        | 4.21                       | 4.21            | 0.17       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78457      | TC            | C             | 0.00        | 3.93                       | 3.93                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78457      | 26            | C             | 0.77        | 0.28                       | 0.28                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78458      |               | C             | 0.90        | 4.55                       | 4.55                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78458      | TC            | C             | 0.00        | 4.21                       | 4.21                  | 0.21       | XXX              | 53.10                     |             |                                |
| 78458      | 26            | C             | 0.90        | 0.34                       | 0.34                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78459      |               | C             | 1.50        | 18.54                      | 18.54                 | 1.41       | XXX              | 53.10                     |             |                                |
| 78459      | TC            | C             | 0.00        | 17.94                      | 17.94                 | 1.36       | XXX              | 53.10                     |             |                                |
| 78459      | 26            | C             | 1.50        | 0.65                       | 0.65                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78460      |               | C             | 0.86        | 4.13                       | 4.13                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78460      | TC            | C             | 0.00        | 3.80                       | 3.80                  | 0.13       | XXX              | 53.10                     |             |                                |
| 78460      | 26            | C             | 0.86        | 0.33                       | 0.33                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78461      |               | C             | 1.23        | 4.31                       | 4.31                  | 0.30       | XXX              | 53.10                     |             |                                |
| 78461      | TC            | C             | 0.00        | 3.83                       | 3.83                  | 0.25       | XXX              | 53.10                     |             |                                |
| 78461      | 26            | C             | 1.23        | 0.48                       | 0.48                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78464      |               | C             | 1.09        | 6.11                       | 6.11                  | 0.41       | XXX              | 53.10                     |             |                                |
| 78464      | TC            | C             | 0.00        | 5.62                       | 5.62                  | 0.37       | XXX              | 53.10                     |             |                                |
| 78464      | 26            | C             | 1.09        | 0.49                       | 0.49                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78465      |               | C             | 1.46        | 11.32                      | 11.32                 | 0.67       | XXX              | 53.10                     |             |                                |
| 78465      | TC            | C             | 0.00        | 10.64                      | 10.64                 | 0.62       | XXX              | 53.10                     |             |                                |
| 78465      | 26            | C             | 1.46        | 0.68                       | 0.68                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78466      |               | C             | 0.69        | 4.06                       | 4.06                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78466      | TC            | C             | 0.00        | 3.77                       | 3.77                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78466      | 26            | C             | 0.69        | 0.29                       | 0.29                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78468      |               | C             | 0.80        | 5.19                       | 5.19                  | 0.22       | XXX              | 53.10                     |             |                                |
| 78468      | TC            | C             | 0.00        | 4.82                       | 4.82                  | 0.19       | XXX              | 53.10                     |             |                                |
| 78468      | 26            | C             | 0.80        | 0.37                       | 0.37                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78469      |               | C             | 0.92        | 5.85                       | 5.85                  | 0.31       | XXX              | 53.10                     |             |                                |
| 78469      | TC            | C             | 0.00        | 5.45                       | 5.45                  | 0.28       | XXX              | 53.10                     |             |                                |
| 78469      | 26            | C             | 0.92        | 0.40                       | 0.40                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78472      |               | C             | 0.98        | 5.89                       | 5.89                  | 0.34       | XXX              | 53.10                     |             |                                |
| 78472      | TC            | C             | 0.00        | 5.48                       | 5.48                  | 0.30       | XXX              | 53.10                     |             |                                |
| 78472      | 26            | C             | 0.98        | 0.41                       | 0.41                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78473      |               | C             | 1.47        | 7.91                       | 7.91                  | 0.48       | XXX              | 53.10                     |             |                                |
| 78473      | TC            | C             | 0.00        | 7.26                       | 7.26                  | 0.42       | XXX              | 53.10                     |             |                                |
| 78473      | 26            | C             | 1.47        | 0.65                       | 0.65                  | 0.06       | XXX              | 53.10                     |             |                                |
| 78478      |               | C             | 0.50        | 1.03                       | 1.03                  | 0.12       | XXX              | 53.10                     |             |                                |
| 78478      | TC            | C             | 0.00        | 0.79                       | 0.79                  | 0.10       | XXX              | 53.10                     |             |                                |
| 78478      | 26            | C             | 0.50        | 0.24                       | 0.24                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78480      |               | C             | 0.30        | 0.96                       | 0.96                  | 0.12       | XXX              | 53.10                     |             |                                |
| 78480      | TC            | C             | 0.00        | 0.79                       | 0.79                  | 0.10       | XXX              | 53.10                     |             |                                |
| 78480      | 26            | C             | 0.30        | 0.17                       | 0.17                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78481      |               | C             | 0.98        | 5.04                       | 5.04                  | 0.31       | XXX              | 53.10                     |             |                                |
| 78481      | TC            | C             | 0.00        | 4.57                       | 4.57                  | 0.28       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78481      | 26            | C             | 0.98        | 0.47                       | 0.47                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78483      |               | C             | 1.47        | 7.02                       | 7.02                  | 0.46       | XXX              | 53.10                     |             |                                |
| 78483      | TC            | C             | 0.00        | 6.29                       | 6.29                  | 0.41       | XXX              | 53.10                     |             |                                |
| 78483      | 26            | C             | 1.47        | 0.73                       | 0.73                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78491      |               | C             | 1.50        | 18.57                      | 18.57                 | 1.42       | XXX              | 53.10                     |             |                                |
| 78491      | TC            | C             | 0.00        | 17.94                      | 17.94                 | 1.36       | XXX              | 53.10                     |             |                                |
| 78491      | 26            | C             | 1.50        | 0.67                       | 0.67                  | 0.06       | XXX              | 53.10                     |             |                                |
| 78492      |               | C             | 1.87        | 18.85                      | 18.85                 | 1.43       | XXX              | 53.10                     |             |                                |
| 78492      | TC            | C             | 0.00        | 17.94                      | 17.94                 | 1.36       | XXX              | 53.10                     |             |                                |
| 78492      | 26            | C             | 1.87        | 0.87                       | 0.87                  | 0.07       | XXX              | 53.10                     |             |                                |
| 78494      |               | C             | 1.19        | 6.32                       | 6.32                  | 0.35       | XXX              | 53.10                     |             |                                |
| 78494      | TC            | C             | 0.00        | 5.81                       | 5.81                  | 0.30       | XXX              | 53.10                     |             |                                |
| 78494      | 26            | C             | 1.19        | 0.51                       | 0.51                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78496      |               | C             | 0.50        | 2.47                       | 2.47                  | 0.32       | ZZZ              | 53.10                     |             |                                |
| 78496      | TC            | C             | 0.00        | 2.24                       | 2.24                  | 0.30       | ZZZ              | 53.10                     |             |                                |
| 78496      | 26            | C             | 0.50        | 0.23                       | 0.23                  | 0.02       | ZZZ              | 53.10                     |             |                                |
| 78499      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 78499      | TC            | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 78499      | 26            | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 78580      |               | C             | 0.74        | 4.74                       | 4.74                  | 0.21       | XXX              | 53.10                     |             |                                |
| 78580      | TC            | C             | 0.00        | 4.46                       | 4.46                  | 0.18       | XXX              | 53.10                     |             |                                |
| 78580      | 26            | C             | 0.74        | 0.28                       | 0.28                  | 0.03       | XXX              | 53.10                     |             |                                |
| 78584      |               | C             | 0.99        | 3.14                       | 3.14                  | 0.21       | XXX              | 53.10                     |             |                                |
| 78584      | TC            | C             | 0.00        | 2.77                       | 2.77                  | 0.17       | XXX              | 53.10                     |             |                                |
| 78584      | 26            | C             | 0.99        | 0.37                       | 0.37                  | 0.04       | XXX              | 53.10                     |             |                                |
| 78585      |               | C             | 1.09        | 7.95                       | 7.95                  | 0.35       | XXX              | 53.10                     |             |                                |
| 78585      | TC            | C             | 0.00        | 7.54                       | 7.54                  | 0.30       | XXX              | 53.10                     |             |                                |
| 78585      | 26            | C             | 1.09        | 0.41                       | 0.41                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78586      |               | C             | 0.40        | 3.78                       | 3.78                  | 0.16       | XXX              | 53.10                     |             |                                |
| 78586      | TC            | C             | 0.00        | 3.63                       | 3.63                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78586      | 26            | C             | 0.40        | 0.15                       | 0.15                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78587      |               | C             | 0.49        | 4.80                       | 4.80                  | 0.16       | XXX              | 53.10                     |             |                                |
| 78587      | TC            | C             | 0.00        | 4.61                       | 4.61                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78587      | 26            | C             | 0.49        | 0.19                       | 0.19                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78588      |               | C             | 1.09        | 7.36                       | 7.36                  | 0.23       | XXX              | 53.10                     |             |                                |
| 78588      | TC            | C             | 0.00        | 6.95                       | 6.95                  | 0.18       | XXX              | 53.10                     |             |                                |
| 78588      | 26            | C             | 1.09        | 0.41                       | 0.41                  | 0.05       | XXX              | 53.10                     |             |                                |
| 78591      |               | C             | 0.40        | 3.84                       | 3.84                  | 0.16       | XXX              | 53.10                     |             |                                |
| 78591      | TC            | C             | 0.00        | 3.69                       | 3.69                  | 0.14       | XXX              | 53.10                     |             |                                |
| 78591      | 26            | C             | 0.40        | 0.15                       | 0.15                  | 0.02       | XXX              | 53.10                     |             |                                |
| 78593      |               | C             | 0.49        | 4.50                       | 4.50                  | 0.20       | XXX              | 53.10                     |             |                                |
| 78593      | TC            | C             | 0.00        | 4.32                       | 4.32                  | 0.18       | XXX              | 53.10                     |             |                                |
| 78593      | 26            | C             | 0.49        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78594      |               | C             | 0.53        | 5.28                       | 5.28            | 0.27      | XXX        |                  | 53.10                     |             |                                |
| 78594      | TC            | C             | 0.00        | 5.08                       | 5.08            | 0.25      | XXX        |                  | 53.10                     |             |                                |
| 78594      | 26            | C             | 0.53        | 0.20                       | 0.20            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78596      |               | C             | 1.27        | 8.41                       | 8.41            | 0.42      | XXX        |                  | 53.10                     |             |                                |
| 78596      | TC            | C             | 0.00        | 7.97                       | 7.97            | 0.37      | XXX        |                  | 53.10                     |             |                                |
| 78596      | 26            | C             | 1.27        | 0.44                       | 0.44            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 78599      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 78599      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 78599      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 78600      |               | C             | 0.44        | 4.12                       | 4.12            | 0.16      | XXX        |                  | 53.10                     |             |                                |
| 78600      | TC            | C             | 0.00        | 3.95                       | 3.95            | 0.14      | XXX        |                  | 53.10                     |             |                                |
| 78600      | 26            | C             | 0.44        | 0.17                       | 0.17            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78601      |               | C             | 0.51        | 4.91                       | 4.91            | 0.20      | XXX        |                  | 53.10                     |             |                                |
| 78601      | TC            | C             | 0.00        | 4.72                       | 4.72            | 0.18      | XXX        |                  | 53.10                     |             |                                |
| 78601      | 26            | C             | 0.51        | 0.19                       | 0.19            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78605      |               | C             | 0.53        | 4.53                       | 4.53            | 0.20      | XXX        |                  | 53.10                     |             |                                |
| 78605      | TC            | C             | 0.00        | 4.32                       | 4.32            | 0.18      | XXX        |                  | 53.10                     |             |                                |
| 78605      | 26            | C             | 0.53        | 0.21                       | 0.21            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78606      |               | C             | 0.64        | 7.34                       | 7.34            | 0.24      | XXX        |                  | 53.10                     |             |                                |
| 78606      | TC            | C             | 0.00        | 7.10                       | 7.10            | 0.21      | XXX        |                  | 53.10                     |             |                                |
| 78606      | 26            | C             | 0.64        | 0.24                       | 0.24            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 78607      |               | C             | 1.23        | 8.26                       | 8.26            | 0.40      | XXX        |                  | 53.10                     |             |                                |
| 78607      | TC            | C             | 0.00        | 7.80                       | 7.80            | 0.35      | XXX        |                  | 53.10                     |             |                                |
| 78607      | 26            | C             | 1.23        | 0.46                       | 0.46            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 78608      |               | C             | 1.50        | 21.48                      | 21.48           | 1.64      | XXX        |                  | 53.10                     |             |                                |
| 78608      | TC            | C             | 0.00        | 20.99                      | 20.99           | 1.58      | XXX        |                  | 53.10                     |             |                                |
| 78608      | 26            | C             | 1.50        | 0.56                       | 0.56            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 78609      |               | C             | 1.50        | 0.49                       | 0.49            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 78609      | TC            | C             | 0.00        | 55.06                      | 55.06           | 1.44      | XXX        |                  | 53.10                     |             |                                |
| 78609      | 26            | C             | 1.50        | 0.49                       | 0.49            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 78610      |               | C             | 0.30        | 4.34                       | 4.34            | 0.11      | XXX        |                  | 53.10                     |             |                                |
| 78610      | TC            | C             | 0.00        | 4.21                       | 4.21            | 0.10      | XXX        |                  | 53.10                     |             |                                |
| 78610      | 26            | C             | 0.30        | 0.13                       | 0.13            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 78630      |               | C             | 0.68        | 7.76                       | 7.76            | 0.30      | XXX        |                  | 53.10                     |             |                                |
| 78630      | TC            | C             | 0.00        | 7.50                       | 7.50            | 0.27      | XXX        |                  | 53.10                     |             |                                |
| 78630      | 26            | C             | 0.68        | 0.26                       | 0.26            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 78635      |               | C             | 0.61        | 7.15                       | 7.15            | 0.16      | XXX        |                  | 53.10                     |             |                                |
| 78635      | TC            | C             | 0.00        | 6.91                       | 6.91            | 0.14      | XXX        |                  | 53.10                     |             |                                |
| 78635      | 26            | C             | 0.61        | 0.24                       | 0.24            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78645      |               | C             | 0.57        | 7.26                       | 7.26            | 0.20      | XXX        |                  | 53.10                     |             |                                |
| 78645      | TC            | C             | 0.00        | 7.04                       | 7.04            | 0.18      | XXX        |                  | 53.10                     |             |                                |
| 78645      | 26            | C             | 0.57        | 0.22                       | 0.22            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 78647      |               | C             | 0.90        | 7.98                       | 7.98            | 0.35      | XXX        |                  | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78647      | TC            | C             | 0.00        | 7.65                       | 7.65            | 0.31       | XXX              | 53.10                     |             |                                |
| 78647      | 26            | C             | 0.90        | 0.33                       | 0.33            | 0.04       | XXX              | 53.10                     |             |                                |
| 78650      |               | C             | 0.61        | 7.64                       | 7.64            | 0.27       | XXX              | 53.10                     |             |                                |
| 78650      | TC            | C             | 0.00        | 7.41                       | 7.41            | 0.24       | XXX              | 53.10                     |             |                                |
| 78650      | 26            | C             | 0.61        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             |                                |
| 78660      |               | C             | 0.53        | 3.77                       | 3.77            | 0.14       | XXX              | 53.10                     |             |                                |
| 78660      | TC            | C             | 0.00        | 3.57                       | 3.57            | 0.12       | XXX              | 53.10                     |             |                                |
| 78660      | 26            | C             | 0.53        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 78699      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78699      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78699      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78700      |               | C             | 0.45        | 4.06                       | 4.06            | 0.18       | XXX              | 53.10                     |             |                                |
| 78700      | TC            | C             | 0.00        | 3.89                       | 3.89            | 0.16       | XXX              | 53.10                     |             |                                |
| 78700      | 26            | C             | 0.45        | 0.17                       | 0.17            | 0.02       | XXX              | 53.10                     |             |                                |
| 78701      |               | C             | 0.49        | 4.92                       | 4.92            | 0.20       | XXX              | 53.10                     |             |                                |
| 78701      | TC            | C             | 0.00        | 4.74                       | 4.74            | 0.18       | XXX              | 53.10                     |             |                                |
| 78701      | 26            | C             | 0.49        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 78707      |               | C             | 0.96        | 5.31                       | 5.31            | 0.27       | XXX              | 53.10                     |             |                                |
| 78707      | TC            | C             | 0.00        | 4.95                       | 4.95            | 0.23       | XXX              | 53.10                     |             |                                |
| 78707      | 26            | C             | 0.96        | 0.36                       | 0.36            | 0.04       | XXX              | 53.10                     |             |                                |
| 78708      |               | C             | 1.21        | 3.85                       | 3.85            | 0.28       | XXX              | 53.10                     |             |                                |
| 78708      | TC            | C             | 0.00        | 3.39                       | 3.39            | 0.23       | XXX              | 53.10                     |             |                                |
| 78708      | 26            | C             | 1.21        | 0.46                       | 0.46            | 0.05       | XXX              | 53.10                     |             |                                |
| 78709      |               | C             | 1.41        | 7.90                       | 7.90            | 0.29       | XXX              | 53.10                     |             |                                |
| 78709      | TC            | C             | 0.00        | 7.37                       | 7.37            | 0.23       | XXX              | 53.10                     |             |                                |
| 78709      | 26            | C             | 1.41        | 0.53                       | 0.53            | 0.06       | XXX              | 53.10                     |             |                                |
| 78710      |               | C             | 0.66        | 5.48                       | 5.48            | 0.34       | XXX              | 53.10                     |             |                                |
| 78710      | TC            | C             | 0.00        | 5.23                       | 5.23            | 0.31       | XXX              | 53.10                     |             |                                |
| 78710      | 26            | C             | 0.66        | 0.25                       | 0.25            | 0.03       | XXX              | 53.10                     |             |                                |
| 78725      |               | C             | 0.38        | 2.22                       | 2.22            | 0.13       | XXX              | 53.10                     |             |                                |
| 78725      | TC            | C             | 0.00        | 2.09                       | 2.09            | 0.11       | XXX              | 53.10                     |             |                                |
| 78725      | 26            | C             | 0.38        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 78730      |               | C             | 0.15        | 1.85                       | 1.85            | 0.10       | ZZZ              | 53.10                     |             |                                |
| 78730      | TC            | C             | 0.00        | 1.77                       | 1.77            | 0.08       | ZZZ              | 53.10                     |             |                                |
| 78730      | 26            | C             | 0.15        | 0.08                       | 0.08            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 78740      |               | C             | 0.57        | 4.84                       | 4.84            | 0.15       | XXX              | 53.10                     |             |                                |
| 78740      | TC            | C             | 0.00        | 4.62                       | 4.62            | 0.12       | XXX              | 53.10                     |             |                                |
| 78740      | 26            | C             | 0.57        | 0.22                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 78761      |               | C             | 0.71        | 4.68                       | 4.68            | 0.20       | XXX              | 53.10                     |             |                                |
| 78761      | TC            | C             | 0.00        | 4.41                       | 4.41            | 0.17       | XXX              | 53.10                     |             |                                |
| 78761      | 26            | C             | 0.71        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 78799      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78799      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78799      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78800      |               | C             | 0.66        | 4.13                       | 4.13            | 0.22       | XXX              | 53.10                     |             |                                |
| 78800      | TC            | C             | 0.00        | 3.90                       | 3.90            | 0.18       | XXX              | 53.10                     |             |                                |
| 78800      | 26            | C             | 0.66        | 0.23                       | 0.23            | 0.04       | XXX              | 53.10                     |             |                                |
| 78801      |               | C             | 0.79        | 5.64                       | 5.64            | 0.27       | XXX              | 53.10                     |             |                                |
| 78801      | TC            | C             | 0.00        | 5.35                       | 5.35            | 0.22       | XXX              | 53.10                     |             |                                |
| 78801      | 26            | C             | 0.79        | 0.29                       | 0.29            | 0.05       | XXX              | 53.10                     |             |                                |
| 78802      |               | C             | 0.86        | 7.57                       | 7.57            | 0.34       | XXX              | 53.10                     |             |                                |
| 78802      | TC            | C             | 0.00        | 7.25                       | 7.25            | 0.30       | XXX              | 53.10                     |             |                                |
| 78802      | 26            | C             | 0.86        | 0.32                       | 0.32            | 0.04       | XXX              | 53.10                     |             |                                |
| 78803      |               | C             | 1.09        | 8.18                       | 8.18            | 0.40       | XXX              | 53.10                     |             |                                |
| 78803      | TC            | C             | 0.00        | 7.77                       | 7.77            | 0.35       | XXX              | 53.10                     |             |                                |
| 78803      | 26            | C             | 1.09        | 0.41                       | 0.41            | 0.05       | XXX              | 53.10                     |             |                                |
| 78804      |               | C             | 1.07        | 13.97                      | 13.97           | 0.34       | XXX              | 53.10                     |             |                                |
| 78804      | TC            | C             | 0.00        | 13.56                      | 13.56           | 0.30       | XXX              | 53.10                     |             |                                |
| 78804      | 26            | C             | 1.07        | 0.41                       | 0.41            | 0.04       | XXX              | 53.10                     |             |                                |
| 78805      |               | C             | 0.73        | 4.08                       | 4.08            | 0.21       | XXX              | 53.10                     |             |                                |
| 78805      | TC            | C             | 0.00        | 3.81                       | 3.81            | 0.18       | XXX              | 53.10                     |             |                                |
| 78805      | 26            | C             | 0.73        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 78806      |               | C             | 0.86        | 7.94                       | 7.94            | 0.39       | XXX              | 53.10                     |             |                                |
| 78806      | TC            | C             | 0.00        | 7.62                       | 7.62            | 0.35       | XXX              | 53.10                     |             |                                |
| 78806      | 26            | C             | 0.86        | 0.32                       | 0.32            | 0.04       | XXX              | 53.10                     |             |                                |
| 78807      |               | C             | 1.09        | 8.20                       | 8.20            | 0.39       | XXX              | 53.10                     |             |                                |
| 78807      | TC            | C             | 0.00        | 7.78                       | 7.78            | 0.35       | XXX              | 53.10                     |             |                                |
| 78807      | 26            | C             | 1.09        | 0.42                       | 0.42            | 0.04       | XXX              | 53.10                     |             |                                |
| 78808      |               | C             | 0.18        | 1.01                       | 1.01            | 0.04       | XXX              | 53.10                     |             |                                |
| 78811      |               | C             | 4.29        | 40.67                      | 40.67           | 1.30       | XXX              | 53.10                     |             |                                |
| 78811      | TC            | C             | 3.75        | 40.11                      | 40.11           | 1.19       | XXX              | 53.10                     |             |                                |
| 78811      | 26            | C             | 1.54        | 0.58                       | 0.58            | 0.11       | XXX              | 53.10                     |             |                                |
| 78812      |               | C             | 5.70        | 41.07                      | 41.07           | 1.35       | XXX              | 53.10                     |             |                                |
| 78812      | TC            | C             | 3.77        | 40.40                      | 40.40           | 1.20       | XXX              | 53.10                     |             |                                |
| 78812      | 26            | C             | 1.93        | 0.73                       | 0.73            | 0.11       | XXX              | 53.10                     |             |                                |
| 78813      |               | C             | 5.80        | 41.36                      | 41.36           | 1.32       | XXX              | 53.10                     |             |                                |
| 78813      | TC            | C             | 3.80        | 40.68                      | 40.68           | 1.21       | XXX              | 53.10                     |             |                                |
| 78813      | 26            | C             | 2.00        | 0.76                       | 0.76            | 0.11       | XXX              | 53.10                     |             |                                |
| 78814      |               | C             | 6.13        | 42.80                      | 42.80           | 1.36       | XXX              | 53.10                     |             |                                |
| 78814      | TC            | C             | 3.93        | 42.06                      | 42.06           | 1.25       | XXX              | 53.10                     |             |                                |
| 78814      | 26            | C             | 2.20        | 0.83                       | 0.83            | 0.11       | XXX              | 53.10                     |             |                                |
| 78815      |               | C             | 6.40        | 43.24                      | 43.24           | 1.37       | XXX              | 53.10                     |             |                                |
| 78815      | TC            | C             | 3.96        | 42.40                      | 42.40           | 1.26       | XXX              | 53.10                     |             |                                |
| 78815      | 26            | C             | 2.44        | 0.92                       | 0.92            | 0.11       | XXX              | 53.10                     |             |                                |
| 78816      |               | C             | 6.48        | 43.48                      | 43.48           | 1.37       | XXX              | 53.10                     |             |                                |
| 78816      | TC            | C             | 3.98        | 42.63                      | 42.63           | 1.26       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 78816      | 26            | C             | 2.50        | 0.95                       | 0.95            | 0.11       | XXX              | 53.10                     |             |                                |
| 78890      |               | C             | 0.05        | 0.39                       | 0.39            | 0.07       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78890      | TC            | C             | 0.00        | 0.38                       | 0.38            | 0.06       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78890      | 26            | C             | 0.05        | 0.01                       | 0.01            | 0.01       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78891      |               | C             | 0.10        | 0.88                       | 0.88            | 0.14       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78891      | TC            | C             | 0.00        | 0.86                       | 0.86            | 0.13       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78891      | 26            | C             | 0.10        | 0.02                       | 0.02            | 0.01       | XXX              | 51.86                     | 12/31/2008  |                                |
| 78999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78999      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 78999      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 79005      |               | C             | 1.80        | 2.24                       | 2.24            | 0.22       | XXX              | 53.10                     |             |                                |
| 79005      | TC            | C             | 0.00        | 1.60                       | 1.60            | 0.14       | XXX              | 53.10                     |             |                                |
| 79005      | 26            | C             | 1.80        | 0.64                       | 0.64            | 0.08       | XXX              | 53.10                     |             |                                |
| 79101      |               | C             | 1.96        | 2.61                       | 2.61            | 0.22       | XXX              | 53.10                     |             |                                |
| 79101      | TC            | C             | 0.00        | 1.75                       | 1.75            | 0.14       | XXX              | 53.10                     |             |                                |
| 79101      | 26            | C             | 1.96        | 0.86                       | 0.86            | 0.08       | XXX              | 53.10                     |             |                                |
| 79200      |               | C             | 1.99        | 2.64                       | 2.64            | 0.23       | XXX              | 53.10                     |             |                                |
| 79200      | TC            | C             | 0.00        | 1.89                       | 1.89            | 0.14       | XXX              | 53.10                     |             |                                |
| 79200      | 26            | C             | 1.99        | 0.75                       | 0.75            | 0.09       | XXX              | 53.10                     |             |                                |
| 79300      |               | C             | 1.60        | 4.53                       | 4.53            | 0.34       | XXX              | 53.10                     |             |                                |
| 79300      | TC            | C             | 0.00        | 3.99                       | 3.99            | 0.21       | XXX              | 53.10                     |             |                                |
| 79300      | 26            | C             | 1.60        | 0.58                       | 0.58            | 0.13       | XXX              | 53.10                     |             |                                |
| 79403      |               | C             | 2.25        | 3.58                       | 3.58            | 0.24       | XXX              | 53.10                     |             |                                |
| 79403      | TC            | C             | 0.00        | 2.71                       | 2.71            | 0.14       | XXX              | 53.10                     |             |                                |
| 79403      | 26            | C             | 2.25        | 0.87                       | 0.87            | 0.10       | XXX              | 53.10                     |             |                                |
| 79440      |               | C             | 1.99        | 2.28                       | 2.28            | 0.22       | XXX              | 53.10                     |             |                                |
| 79440      | TC            | C             | 0.00        | 1.53                       | 1.53            | 0.14       | XXX              | 53.10                     |             |                                |
| 79440      | 26            | C             | 1.99        | 0.75                       | 0.75            | 0.08       | XXX              | 53.10                     |             |                                |
| 79445      |               | C             | 2.40        | 3.47                       | 3.47            | 0.28       | XXX              | 53.10                     |             |                                |
| 79445      | TC            | C             | 0.00        | 2.62                       | 2.62            | 0.16       | XXX              | 53.10                     |             |                                |
| 79445      | 26            | C             | 2.40        | 0.91                       | 0.91            | 0.12       | XXX              | 53.10                     |             |                                |
| 79999      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 79999      | TC            | C             | 136.71      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 79999      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 80047      |               | C             | 41.23       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80048      |               | C             | 21.59       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80050      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 80051      |               | C             | 17.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80053      |               | C             | 26.97       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80055      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 80061      |               | C             | 25.30       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80061      | QW            | C             | 25.30       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80069      |               | C             | 22.15       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 80074      |               | C             | 89.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80076      |               | C             | 20.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80100      |               | C             | 37.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80101      |               | C             | 35.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80101      | QW            | C             | 35.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80102      |               | C             | 33.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80103      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 80150      |               | C             | 38.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80152      |               | C             | 45.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80154      |               | C             | 47.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80156      |               | C             | 37.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80157      |               | C             | 33.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80158      |               | C             | 46.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80160      |               | C             | 43.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80162      |               | C             | 33.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80164      |               | C             | 34.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80166      |               | C             | 39.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80168      |               | C             | 41.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80170      |               | C             | 41.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80172      |               | C             | 41.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80173      |               | C             | 37.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80174      |               | C             | 46.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80176      |               | C             | 37.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80178      |               | C             | 16.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80178      | QW            | C             | 16.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80182      |               | C             | 34.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80184      |               | C             | 29.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80185      |               | C             | 33.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80186      |               | C             | 35.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80188      |               | C             | 42.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80190      |               | C             | 42.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80192      |               | C             | 42.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80194      |               | C             | 37.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80195      |               | C             | 35.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80196      |               | C             | 18.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80197      |               | C             | 35.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80198      |               | C             | 36.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80200      |               | C             | 41.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80201      |               | C             | 30.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80202      |               | C             | 34.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80299      |               | C             | 34.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80400      |               | C             | 61.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 80402      |               | C             | 164.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 80406      |               | C             | 147.76      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80408      |               | C             | 236.95      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80410      |               | C             | 151.66      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80412      |               | C             | 622.30      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80414      |               | C             | 97.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80415      |               | C             | 105.51      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80416      |               | C             | 249.16      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80417      |               | C             | 83.05       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80418      |               | C             | 547.14      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 80420      |               | C             | 136.00      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80422      |               | C             | 87.00       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80424      |               | C             | 95.35       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80426      |               | C             | 280.27      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80428      |               | C             | 125.89      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80430      |               | C             | 148.11      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80432      |               | C             | 255.04      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80434      |               | C             | 190.95      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80435      |               | C             | 194.39      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80436      |               | C             | 172.11      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80438      |               | C             | 95.15       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80439      |               | C             | 126.86      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80440      |               | C             | 109.78      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 80500      |               | C             | 0.37        | 0.19                       | 0.12            | 0.01       | XXX              | 53.10                     |             |                                |
| 80502      |               | C             | 1.33        | 0.41                       | 0.37            | 0.04       | XXX              | 53.10                     |             |                                |
| 81000      |               | C             | 8.08        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81001      |               | C             | 8.08        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81002      |               | C             | 6.53        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81003      |               | C             | 5.73        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81003      | QW            | C             | 5.73        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81005      |               | C             | 5.53        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81007      |               | C             | 6.55        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81007      | QW            | C             | 6.55        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81015      |               | C             | 7.74        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81020      |               | C             | 9.41        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81025      |               | C             | 16.14       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81050      |               | C             | 7.65        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 81099      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 82000      |               | C             | 31.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 82003      |               | C             | 51.64       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 82009      |               | C             | 11.53       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 82010      |               | C             | 20.85       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 82010      | QW            | C             | 20.85       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 82013      |               | C             | 28.50       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 82016      |               | C             | 35.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82017      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82024      |               | C             | 98.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82030      |               | C             | 65.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82040      |               | C             | 12.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82042      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82043      |               | C             | 14.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82044      |               | C             | 11.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82044      | QW            | C             | 11.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82045      |               | C             | 86.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82055      |               | C             | 27.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82055      | QW            | C             | 27.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82075      |               | C             | 30.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82085      |               | C             | 24.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82088      |               | C             | 103.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82101      |               | C             | 76.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82103      |               | C             | 34.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82104      |               | C             | 36.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82105      |               | C             | 42.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82106      |               | C             | 42.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82107      |               | C             | 164.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82108      |               | C             | 65.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82120      |               | C             | 9.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82120      | QW            | C             | 9.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82127      |               | C             | 35.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82128      |               | C             | 35.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82131      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82135      |               | C             | 42.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82136      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82139      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82140      |               | C             | 37.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82143      |               | C             | 17.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82145      |               | C             | 39.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82150      |               | C             | 16.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82154      |               | C             | 73.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82157      |               | C             | 74.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82160      |               | C             | 63.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82163      |               | C             | 52.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82164      |               | C             | 37.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82172      |               | C             | 39.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82175      |               | C             | 48.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82180      |               | C             | 25.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82190      |               | C             | 38.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 82205      |               | C             | 29.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82232      |               | C             | 41.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82239      |               | C             | 43.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82240      |               | C             | 67.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82247      |               | C             | 12.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82248      |               | C             | 12.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82252      |               | C             | 11.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82261      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82270      |               | C             | 8.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82271      |               | C             | 8.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82271      | QW            | C             | 8.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82272      |               | C             | 8.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82272      | QW            | C             | 8.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82274      |               | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82274      | QW            | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82286      |               | C             | 17.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82300      |               | C             | 59.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82306      |               | C             | 75.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82307      |               | C             | 82.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82308      |               | C             | 68.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82310      |               | C             | 13.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82310      | QW            | C             | 13.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82330      |               | C             | 34.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82331      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82340      |               | C             | 15.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82355      |               | C             | 29.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82360      |               | C             | 32.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82365      |               | C             | 32.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82370      |               | C             | 31.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82373      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82374      |               | C             | 12.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82375      |               | C             | 31.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82376      |               | C             | 15.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82378      |               | C             | 48.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82379      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82380      |               | C             | 23.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82382      |               | C             | 43.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82383      |               | C             | 63.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82384      |               | C             | 64.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82387      |               | C             | 53.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82390      |               | C             | 27.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82397      |               | C             | 36.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82415      |               | C             | 32.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 82435      |               | C             | 11.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82436      |               | C             | 12.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82438      |               | C             | 12.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82441      |               | C             | 15.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82465      |               | C             | 11.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82465      | QW            | C             | 11.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82480      |               | C             | 20.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82482      |               | C             | 19.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82485      |               | C             | 52.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82486      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82487      |               | C             | 40.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82488      |               | C             | 54.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82489      |               | C             | 47.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82491      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82492      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82495      |               | C             | 51.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82507      |               | C             | 70.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82520      |               | C             | 38.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82523      |               | C             | 47.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82523      | QW            | C             | 47.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82525      |               | C             | 31.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82528      |               | C             | 57.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82530      |               | C             | 42.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82533      |               | C             | 41.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82540      |               | C             | 11.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82541      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82542      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82543      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82544      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82550      |               | C             | 16.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82552      |               | C             | 34.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82553      |               | C             | 29.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82554      |               | C             | 30.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82565      |               | C             | 13.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82565      | QW            | C             | 13.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82570      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82570      | QW            | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82575      |               | C             | 24.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82585      |               | C             | 21.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82595      |               | C             | 16.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82600      |               | C             | 49.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82607      |               | C             | 38.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 82608      |               | C             | 36.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 82610 |       | C      | 34.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82615 |       | C      | 20.84  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82626 |       | C      | 64.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82627 |       | C      | 56.73  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82633 |       | C      | 79.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82634 |       | C      | 74.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82638 |       | C      | 31.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82646 |       | C      | 52.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82649 |       | C      | 65.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82651 |       | C      | 65.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82652 |       | C      | 98.22  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82654 |       | C      | 35.32  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82656 |       | C      | 29.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82657 |       | C      | 46.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82658 |       | C      | 46.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82664 |       | C      | 87.66  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82666 |       | C      | 54.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82668 |       | C      | 47.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82670 |       | C      | 71.30  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82671 |       | C      | 82.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82672 |       | C      | 55.34  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82677 |       | C      | 61.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82679 |       | C      | 63.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82679 | QW    | C      | 63.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82690 |       | C      | 44.11  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82693 |       | C      | 38.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82696 |       | C      | 60.18  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82705 |       | C      | 12.99  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82710 |       | C      | 42.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82715 |       | C      | 43.92  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82725 |       | C      | 33.97  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82726 |       | C      | 46.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82728 |       | C      | 34.76  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82731 |       | C      | 164.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82735 |       | C      | 47.31  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82742 |       | C      | 50.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82746 |       | C      | 37.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82747 |       | C      | 44.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82757 |       | C      | 44.26  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82759 |       | C      | 54.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82760 |       | C      | 28.57  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82775 |       | C      | 53.74  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82776 |       | C      | 21.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 82784 |       | C      | 23.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82785 |       | C      | 42.03 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82787 |       | C      | 20.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82800 |       | C      | 21.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82803 |       | C      | 49.38 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82805 |       | C      | 72.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82810 |       | C      | 22.27 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82820 |       | C      | 25.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82926 |       | C      | 13.91 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82928 |       | C      | 16.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82938 |       | C      | 45.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82941 |       | C      | 45.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82943 |       | C      | 36.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82945 |       | C      | 10.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82946 |       | C      | 38.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82947 |       | C      | 10.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82947 | QW    | C      | 10.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82948 |       | C      | 8.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82950 |       | C      | 12.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82950 | QW    | C      | 12.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82951 |       | C      | 32.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82951 | QW    | C      | 32.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82952 |       | C      | 10.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82952 | QW    | C      | 10.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82953 |       | C      | 38.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82955 |       | C      | 24.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82960 |       | C      | 15.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82962 |       | C      | 5.97  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82963 |       | C      | 54.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82965 |       | C      | 19.72 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82975 |       | C      | 40.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82977 |       | C      | 18.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82978 |       | C      | 36.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82979 |       | C      | 17.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82980 |       | C      | 46.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82985 |       | C      | 38.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 82985 | QW    | C      | 38.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83001 |       | C      | 47.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83001 | QW    | C      | 47.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83002 |       | C      | 47.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83002 | QW    | C      | 47.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83003 |       | C      | 42.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 83008 |       | C      | 42.82 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 83009      |               | C             | 171.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83010      |               | C             | 32.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83012      |               | C             | 43.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83013      |               | C             | 171.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83014      |               | C             | 20.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83015      |               | C             | 48.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83018      |               | C             | 56.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83020      |               | C             | 32.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83020      | 26            | C             | 0.37        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             |                                |
| 83021      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83026      |               | C             | 6.03        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83030      |               | C             | 21.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83033      |               | C             | 15.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83036      |               | C             | 24.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83036      | QW            | C             | 24.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83037      |               | C             | 38.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83037      | QW            | C             | 38.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83045      |               | C             | 12.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83050      |               | C             | 18.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83051      |               | C             | 18.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83055      |               | C             | 12.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83060      |               | C             | 21.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83065      |               | C             | 17.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83068      |               | C             | 21.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83069      |               | C             | 10.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83070      |               | C             | 12.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83071      |               | C             | 17.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83080      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83088      |               | C             | 75.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83090      |               | C             | 43.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83150      |               | C             | 49.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83491      |               | C             | 44.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83497      |               | C             | 32.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83498      |               | C             | 69.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83499      |               | C             | 64.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83500      |               | C             | 57.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83505      |               | C             | 62.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83516      |               | C             | 29.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83518      |               | C             | 21.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83518      | QW            | C             | 21.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83519      |               | C             | 34.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83520      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83525      |               | C             | 29.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 83527      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83528      |               | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83540      |               | C             | 16.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83550      |               | C             | 22.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83570      |               | C             | 22.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83582      |               | C             | 36.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83586      |               | C             | 32.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83593      |               | C             | 67.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83605      |               | C             | 27.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83605      | QW            | C             | 27.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83615      |               | C             | 15.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83625      |               | C             | 32.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83630      |               | C             | 50.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83631      |               | C             | 50.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83632      |               | C             | 51.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83633      |               | C             | 14.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83634      |               | C             | 29.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83655      |               | C             | 30.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83655      | QW            | C             | 30.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83661      |               | C             | 56.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83662      |               | C             | 48.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83663      |               | C             | 48.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83664      |               | C             | 48.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83670      |               | C             | 23.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83690      |               | C             | 17.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83695      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83698      |               | C             | 86.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83700      |               | C             | 28.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83701      |               | C             | 63.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83704      |               | C             | 80.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83718      |               | C             | 20.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83718      | QW            | C             | 20.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83719      |               | C             | 29.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83721      |               | C             | 24.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83721      | QW            | C             | 24.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83727      |               | C             | 43.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83735      |               | C             | 17.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83775      |               | C             | 18.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83785      |               | C             | 62.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83788      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83789      |               | C             | 46.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83805      |               | C             | 44.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83825      |               | C             | 41.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 83835      |               | C             | 43.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83840      |               | C             | 41.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83857      |               | C             | 27.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83858      |               | C             | 37.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83864      |               | C             | 50.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83866      |               | C             | 25.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83872      |               | C             | 14.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83873      |               | C             | 43.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83874      |               | C             | 32.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83876      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 83880      |               | C             | 86.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83880      | QW            | C             | 86.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83883      |               | C             | 34.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83885      |               | C             | 62.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83887      |               | C             | 60.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83890      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83891      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83892      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83893      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83894      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83896      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83897      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83898      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83900      |               | C             | 85.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83901      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83902      |               | C             | 36.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83903      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83904      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83905      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83906      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83907      |               | C             | 34.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83908      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83909      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83912      |               | C             | 10.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83912      | 26            | C             | 0.37        | 0.11                       | 0.11                  | 0.01       | XXX              | 53.10                     |             |                                |
| 83913      |               | C             | 34.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83914      |               | C             | 42.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83915      |               | C             | 28.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83916      |               | C             | 51.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83918      |               | C             | 42.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83919      |               | C             | 42.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83921      |               | C             | 42.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 83925      |               | C             | 49.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 83930      |               | C             | 16.86       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83935      |               | C             | 17.39       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83937      |               | C             | 76.16       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83945      |               | C             | 32.85       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83950      |               | C             | 164.34      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83951      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 83970      |               | C             | 105.31      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83986      |               | C             | 9.14        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83986      | QW            | C             | 9.14        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83992      |               | C             | 37.50       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 83993      |               | C             | 50.08       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84022      |               | C             | 39.74       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84030      |               | C             | 14.04       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84035      |               | C             | 9.34        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84060      |               | C             | 18.84       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84061      |               | C             | 20.19       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84066      |               | C             | 24.65       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84075      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84078      |               | C             | 18.62       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84080      |               | C             | 37.73       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84081      |               | C             | 42.16       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84085      |               | C             | 17.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84087      |               | C             | 26.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84100      |               | C             | 12.11       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84105      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84106      |               | C             | 10.93       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84110      |               | C             | 21.55       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84119      |               | C             | 21.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84120      |               | C             | 37.53       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84126      |               | C             | 64.99       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84127      |               | C             | 29.73       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84132      |               | C             | 11.72       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84133      |               | C             | 10.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84134      |               | C             | 37.22       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84135      |               | C             | 48.81       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84138      |               | C             | 48.31       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84140      |               | C             | 52.76       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84143      |               | C             | 58.23       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84144      |               | C             | 53.23       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84146      |               | C             | 49.45       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84150      |               | C             | 63.69       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84152      |               | C             | 46.93       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 84153      |               | C             | 46.93       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 84154 |       | C      | 46.93  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84155 |       | C      | 9.35   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84156 |       | C      | 9.35   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84157 |       | C      | 9.35   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84160 |       | C      | 13.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84163 |       | C      | 38.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84165 |       | C      | 27.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84165 | 26    | C      | 0.37   | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 84166 |       | C      | 45.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84166 | 26    | C      | 0.37   | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 84181 |       | C      | 43.46  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84181 | 26    | C      | 0.37   | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 84182 |       | C      | 45.92  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84182 | 26    | C      | 0.37   | 0.13     | 0.13     | 0.02 | XXX    | 53.10   |      |                                |
| 84202 |       | C      | 36.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84203 |       | C      | 21.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84206 |       | C      | 45.46  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84207 |       | C      | 71.68  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84210 |       | C      | 27.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84220 |       | C      | 24.07  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84228 |       | C      | 29.69  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84233 |       | C      | 164.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84234 |       | C      | 165.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84235 |       | C      | 133.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84238 |       | C      | 93.30  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84244 |       | C      | 56.12  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84252 |       | C      | 51.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84255 |       | C      | 65.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84260 |       | C      | 79.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84270 |       | C      | 55.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84275 |       | C      | 34.27  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84285 |       | C      | 60.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84295 |       | C      | 12.27  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84300 |       | C      | 12.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84302 |       | C      | 12.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84305 |       | C      | 54.23  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84307 |       | C      | 46.65  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84311 |       | C      | 17.84  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84315 |       | C      | 6.39   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84375 |       | C      | 50.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84376 |       | C      | 14.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84377 |       | C      | 14.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84378 |       | C      | 29.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 84379      |               | C             | 29.41       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84392      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84402      |               | C             | 64.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84403      |               | C             | 65.88       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84425      |               | C             | 54.19       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84430      |               | C             | 29.69       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84432      |               | C             | 40.99       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84436      |               | C             | 17.54       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84437      |               | C             | 16.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84439      |               | C             | 23.01       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84442      |               | C             | 37.73       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84443      |               | C             | 42.86       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84443      | QW            | C             | 42.86       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84445      |               | C             | 129.74      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84446      |               | C             | 36.18       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84449      |               | C             | 45.92       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84450      |               | C             | 13.19       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84450      | QW            | C             | 13.19       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84460      |               | C             | 13.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84460      | QW            | C             | 13.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84466      |               | C             | 32.58       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84478      |               | C             | 14.68       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84478      | QW            | C             | 14.68       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84479      |               | C             | 16.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84480      |               | C             | 36.18       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84481      |               | C             | 43.23       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84482      |               | C             | 40.22       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84484      |               | C             | 25.11       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84485      |               | C             | 19.15       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84488      |               | C             | 18.62       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84490      |               | C             | 19.42       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84510      |               | C             | 26.54       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84512      |               | C             | 19.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84520      |               | C             | 10.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84525      |               | C             | 9.59        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84540      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84545      |               | C             | 16.85       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84550      |               | C             | 11.53       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84560      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84577      |               | C             | 31.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84578      |               | C             | 8.28        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84580      |               | C             | 18.11       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 84583      |               | C             | 12.82       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 84585 |       | C      | 39.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84586 |       | C      | 90.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84588 |       | C      | 86.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84590 |       | C      | 29.58 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84591 |       | C      | 29.58 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84597 |       | C      | 34.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84600 |       | C      | 41.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84620 |       | C      | 30.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84630 |       | C      | 29.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84681 |       | C      | 53.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84702 |       | C      | 38.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84703 |       | C      | 19.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84703 | QW    | C      | 19.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84704 |       | C      | 38.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84830 |       | C      | 25.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 84999 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 85002 |       | C      | 11.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85004 |       | C      | 16.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85007 |       | C      | 8.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85008 |       | C      | 8.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85009 |       | C      | 9.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85013 |       | C      | 6.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85014 |       | C      | 6.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85014 | QW    | C      | 6.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85018 |       | C      | 6.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85018 | QW    | C      | 6.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85025 |       | C      | 19.84 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85027 |       | C      | 16.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85032 |       | C      | 10.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85041 |       | C      | 7.68  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85044 |       | C      | 10.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85045 |       | C      | 10.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85046 |       | C      | 14.24 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85048 |       | C      | 6.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85049 |       | C      | 11.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85055 |       | C      | 68.31 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85060 |       | C      | 0.45  | 0.15     | 0.15     | 0.02 | XXX    | 53.10   |      |                                |
| 85097 |       | C      | 0.94  | 1.40     | 0.31     | 0.04 | XXX    | 53.10   |      |                                |
| 85130 |       | C      | 30.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85170 |       | C      | 9.23  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85175 |       | C      | 11.59 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85210 |       | C      | 33.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 85220 |       | C      | 45.03 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 85230      |               | C             | 45.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85240      |               | C             | 45.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85244      |               | C             | 52.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85245      |               | C             | 58.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85246      |               | C             | 58.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85247      |               | C             | 58.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85250      |               | C             | 48.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85260      |               | C             | 45.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85270      |               | C             | 45.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85280      |               | C             | 49.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85290      |               | C             | 41.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85291      |               | C             | 22.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85292      |               | C             | 48.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85293      |               | C             | 48.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85300      |               | C             | 30.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85301      |               | C             | 27.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85302      |               | C             | 30.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85303      |               | C             | 35.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85305      |               | C             | 29.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85306      |               | C             | 39.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85307      |               | C             | 39.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85335      |               | C             | 32.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85337      |               | C             | 26.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85345      |               | C             | 10.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85347      |               | C             | 10.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85348      |               | C             | 9.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85360      |               | C             | 21.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85362      |               | C             | 17.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85366      |               | C             | 21.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85370      |               | C             | 28.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85378      |               | C             | 18.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85379      |               | C             | 25.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85380      |               | C             | 25.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85384      |               | C             | 21.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85385      |               | C             | 21.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85390      |               | C             | 13.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85390      | 26            | C             | 0.37        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             |                                |
| 85396      |               | C             | 0.37        | 0.12                       | 0.12                  | 0.04       | XXX              | 53.10                     |             |                                |
| 85397      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 85400      |               | C             | 22.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85410      |               | C             | 19.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85415      |               | C             | 43.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85420      |               | C             | 16.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 85421      |               | C             | 25.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85441      |               | C             | 10.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85445      |               | C             | 17.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85460      |               | C             | 19.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85461      |               | C             | 16.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85475      |               | C             | 22.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85520      |               | C             | 33.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85525      |               | C             | 30.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85530      |               | C             | 36.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85536      |               | C             | 16.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85540      |               | C             | 21.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85547      |               | C             | 21.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85549      |               | C             | 47.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85555      |               | C             | 17.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85557      |               | C             | 34.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85576      |               | C             | 54.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85576      | 26            | C             | 0.37        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             |                                |
| 85576      | QW            | C             | 54.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85597      |               | C             | 45.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85610      |               | C             | 10.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85610      | QW            | C             | 10.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85611      |               | C             | 10.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85612      |               | C             | 24.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85613      |               | C             | 24.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85635      |               | C             | 25.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85651      |               | C             | 9.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85652      |               | C             | 6.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85660      |               | C             | 14.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85670      |               | C             | 14.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85675      |               | C             | 17.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85705      |               | C             | 24.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85730      |               | C             | 15.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85732      |               | C             | 16.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85810      |               | C             | 29.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 85999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86000      |               | C             | 17.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86001      |               | C             | 13.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86003      |               | C             | 13.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86005      |               | C             | 20.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86021      |               | C             | 38.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86022      |               | C             | 46.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86023      |               | C             | 31.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86038      |               | C             | 30.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 86039      |               | C             | 28.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86060      |               | C             | 18.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86063      |               | C             | 14.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86077      |               | C             | 0.94        | 0.38                       | 0.32                  | 0.03       | XXX              | 53.10                     |             |                                |
| 86078      |               | C             | 0.94        | 0.40                       | 0.32                  | 0.03       | XXX              | 53.10                     |             |                                |
| 86079      |               | C             | 0.94        | 0.41                       | 0.33                  | 0.03       | XXX              | 53.10                     |             |                                |
| 86140      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86141      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86146      |               | C             | 64.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86147      |               | C             | 64.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86148      |               | C             | 40.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86155      |               | C             | 40.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86156      |               | C             | 17.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86157      |               | C             | 20.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86160      |               | C             | 30.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86161      |               | C             | 30.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86162      |               | C             | 51.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86171      |               | C             | 25.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86185      |               | C             | 22.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86200      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86215      |               | C             | 33.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86225      |               | C             | 35.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86226      |               | C             | 30.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86235      |               | C             | 45.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86243      |               | C             | 52.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86255      |               | C             | 30.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86255      | 26            | C             | 0.37        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             |                                |
| 86256      |               | C             | 30.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86256      | 26            | C             | 0.37        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             |                                |
| 86277      |               | C             | 40.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86280      |               | C             | 20.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86294      |               | C             | 37.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86294      | QW            | C             | 37.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86300      |               | C             | 53.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86301      |               | C             | 53.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86304      |               | C             | 53.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86308      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86308      | QW            | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86309      |               | C             | 16.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86310      |               | C             | 18.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86316      |               | C             | 53.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86317      |               | C             | 38.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86318      |               | C             | 33.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 86318 | QW    | C      | 33.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86320 |       | C      | 57.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86320 | 26    | C      | 0.37   | 0.13     | 0.13     | 0.01 | XXX    | 53.10   |      |                                |
| 86325 |       | C      | 57.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86325 | 26    | C      | 0.37   | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 86327 |       | C      | 57.89  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86327 | 26    | C      | 0.42   | 0.15     | 0.15     | 0.02 | XXX    | 53.10   |      |                                |
| 86329 |       | C      | 35.82  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86331 |       | C      | 30.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86332 |       | C      | 62.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86334 |       | C      | 57.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86334 | 26    | C      | 0.37   | 0.13     | 0.13     | 0.01 | XXX    | 53.10   |      |                                |
| 86335 |       | C      | 74.88  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86335 | 26    | C      | 0.37   | 0.12     | 0.12     | 0.01 | XXX    | 53.10   |      |                                |
| 86336 |       | C      | 29.42  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86337 |       | C      | 54.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86340 |       | C      | 38.46  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86341 |       | C      | 50.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86343 |       | C      | 31.80  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86344 |       | C      | 20.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86353 |       | C      | 125.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86355 |       | C      | 96.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86356 |       | C      | 68.31  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86357 |       | C      | 96.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86359 |       | C      | 96.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86360 |       | C      | 119.88 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86361 |       | C      | 68.31  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86367 |       | C      | 96.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86376 |       | C      | 37.12  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86378 |       | C      | 50.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86382 |       | C      | 43.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86384 |       | C      | 29.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86403 |       | C      | 26.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86406 |       | C      | 27.15  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86430 |       | C      | 14.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86431 |       | C      | 14.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86480 |       | C      | 158.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86485 |       | C      | 13.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 86486 |       | C      | 0.00   | 0.12     | 0.12     | 0.02 | XXX    | 53.10   |      |                                |
| 86490 |       | C      | 0.00   | 0.17     | 0.17     | 0.02 | XXX    | 53.10   |      |                                |
| 86510 |       | C      | 0.00   | 0.17     | 0.17     | 0.02 | XXX    | 53.10   |      |                                |
| 86580 |       | C      | 0.00   | 0.18     | 0.18     | 0.02 | XXX    | 53.10   |      |                                |
| 86590 |       | C      | 28.15  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 86592      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86593      |               | C             | 11.24       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86602      |               | C             | 25.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86603      |               | C             | 32.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86606      |               | C             | 38.41       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86609      |               | C             | 32.88       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86611      |               | C             | 25.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86612      |               | C             | 32.92       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86615      |               | C             | 33.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86617      |               | C             | 39.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86618      |               | C             | 43.46       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86618      | QW            | C             | 43.46       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86619      |               | C             | 34.14       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86622      |               | C             | 22.80       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86625      |               | C             | 33.47       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86628      |               | C             | 30.64       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86631      |               | C             | 30.18       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86632      |               | C             | 32.39       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86635      |               | C             | 29.27       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86638      |               | C             | 30.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86641      |               | C             | 36.78       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86644      |               | C             | 36.73       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86645      |               | C             | 42.99       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86648      |               | C             | 38.81       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86651      |               | C             | 33.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86652      |               | C             | 33.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86653      |               | C             | 33.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86654      |               | C             | 33.65       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86658      |               | C             | 33.24       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86663      |               | C             | 33.47       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86664      |               | C             | 39.04       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86665      |               | C             | 46.28       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86666      |               | C             | 25.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86668      |               | C             | 26.54       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86671      |               | C             | 31.28       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86674      |               | C             | 37.55       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86677      |               | C             | 37.03       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86682      |               | C             | 33.19       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86684      |               | C             | 40.43       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86687      |               | C             | 21.41       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86688      |               | C             | 35.74       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86689      |               | C             | 49.39       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 86692      |               | C             | 43.78       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 86694      |               | C             | 36.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86695      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86696      |               | C             | 49.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86698      |               | C             | 31.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86701      |               | C             | 22.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86701      | QW            | C             | 22.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86702      |               | C             | 34.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86703      |               | C             | 35.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86703      | QW            | C             | 35.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86704      |               | C             | 30.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86705      |               | C             | 30.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86706      |               | C             | 27.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86707      |               | C             | 29.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86708      |               | C             | 31.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86709      |               | C             | 28.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86710      |               | C             | 34.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86713      |               | C             | 39.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86717      |               | C             | 31.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86720      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86723      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86727      |               | C             | 32.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86729      |               | C             | 30.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86732      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86735      |               | C             | 33.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86738      |               | C             | 33.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86741      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86744      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86747      |               | C             | 38.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86750      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86753      |               | C             | 31.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86756      |               | C             | 32.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86757      |               | C             | 49.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86759      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86762      |               | C             | 36.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86765      |               | C             | 32.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86768      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86771      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86774      |               | C             | 37.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86777      |               | C             | 36.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86778      |               | C             | 36.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86781      |               | C             | 33.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86784      |               | C             | 32.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86787      |               | C             | 32.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 86788      |               | C             | 42.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86789      |               | C             | 36.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86790      |               | C             | 32.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86793      |               | C             | 33.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86800      |               | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86803      |               | C             | 36.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86804      |               | C             | 39.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86805      |               | C             | 133.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86806      |               | C             | 121.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86807      |               | C             | 100.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86808      |               | C             | 75.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86812      |               | C             | 65.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86813      |               | C             | 147.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86816      |               | C             | 71.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86817      |               | C             | 164.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86821      |               | C             | 144.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86822      |               | C             | 93.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86849      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86850      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86870      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86880      |               | C             | 13.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86885      |               | C             | 14.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86886      |               | C             | 13.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86890      |               | C             | 0.00        | 4.28                       | 4.28                  | 0.00       | XXX              | 53.10                     |             |                                |
| 86891      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86900      |               | C             | 7.61        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86901      |               | C             | 7.61        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86903      |               | C             | 24.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86904      |               | C             | 24.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86905      |               | C             | 9.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86906      |               | C             | 19.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 86910      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86911      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86921      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86922      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86923      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86927      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86931      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86932      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 86940      |               | C             | 20.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 86941      |               | C             | 30.89       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 86945      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86950      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86960      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86965      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86970      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86971      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86972      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86975      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86976      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86977      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86978      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86985      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 86999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 87001      |               | C             | 33.73       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87003      |               | C             | 42.95       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87015      |               | C             | 17.04       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87040      |               | C             | 26.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87045      |               | C             | 24.07       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87046      |               | C             | 24.07       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87070      |               | C             | 21.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87071      |               | C             | 24.07       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87073      |               | C             | 24.07       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87075      |               | C             | 24.14       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87076      |               | C             | 20.61       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87077      |               | C             | 20.61       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87077      | QW            | C             | 20.61       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87081      |               | C             | 16.92       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87084      |               | C             | 21.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87086      |               | C             | 20.59       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87088      |               | C             | 20.65       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87101      |               | C             | 19.68       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87102      |               | C             | 21.43       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87103      |               | C             | 23.01       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87106      |               | C             | 26.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87107      |               | C             | 26.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87109      |               | C             | 39.26       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87110      |               | C             | 49.99       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87116      |               | C             | 27.57       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87118      |               | C             | 27.92       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87140      |               | C             | 14.23       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87143      |               | C             | 31.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 87147      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 87149      |               | C             | 51.16       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87152      |               | C             | 13.35       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87158      |               | C             | 13.35       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87164      |               | C             | 27.41       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87164      | 26            | C             | 0.37        | 0.12                       | 0.12            | 0.01       | XXX              | 53.10                     |             |                                |
| 87166      |               | C             | 28.81       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87168      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87169      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87172      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87176      |               | C             | 15.01       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87177      |               | C             | 22.70       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87181      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87184      |               | C             | 17.59       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87185      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87186      |               | C             | 22.05       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87187      |               | C             | 26.45       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87188      |               | C             | 16.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87190      |               | C             | 14.42       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87197      |               | C             | 38.32       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87205      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87206      |               | C             | 13.70       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87207      |               | C             | 15.28       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87207      | 26            | C             | 0.37        | 0.13                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 87209      |               | C             | 45.85       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87210      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87210      | QW            | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87220      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87230      |               | C             | 50.38       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87250      |               | C             | 49.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87252      |               | C             | 66.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87253      |               | C             | 51.53       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87254      |               | C             | 49.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87255      |               | C             | 86.39       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87260      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87265      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87267      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87269      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87270      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87271      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87272      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87273      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87274      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 87275      |               | C             | 30.61       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 87276      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87277      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87278      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87279      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87280      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87281      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87283      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87285      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87290      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87299      |               | S             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87300      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87301      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87305      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87320      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87324      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87327      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87328      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87329      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87332      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87335      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87336      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87337      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87338      |               | C             | 27.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87339      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87340      |               | C             | 26.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87341      |               | C             | 26.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87350      |               | C             | 29.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87380      |               | C             | 41.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87385      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87390      |               | C             | 45.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87391      |               | C             | 45.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87400      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87420      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87425      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87427      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87430      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87449      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87449      | QW            | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87450      |               | C             | 24.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87451      |               | C             | 24.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87470      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87471      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87472      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 87475      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87476      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87477      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87480      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87481      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87482      |               | C             | 106.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87485      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87486      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87487      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87490      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87491      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87492      |               | C             | 89.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87495      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87496      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87497      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87498      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87500      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87510      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87511      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87512      |               | C             | 106.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87515      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87516      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87517      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87520      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87521      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87522      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87525      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87526      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87527      |               | C             | 106.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87528      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87529      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87530      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87531      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87532      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87533      |               | C             | 106.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87534      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87535      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87536      |               | C             | 217.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87537      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87538      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87539      |               | C             | 109.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87540      |               | C             | 51.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87541      |               | C             | 89.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 87542 |       | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87550 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87551 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87552 |       | C      | 109.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87555 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87556 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87557 |       | C      | 109.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87560 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87561 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87562 |       | C      | 109.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87580 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87581 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87582 |       | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87590 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87591 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87592 |       | C      | 109.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87620 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87621 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87622 |       | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87640 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87641 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87650 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87651 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87652 |       | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87653 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87660 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87797 |       | C      | 51.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87798 |       | C      | 89.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87799 |       | C      | 109.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87800 |       | C      | 102.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87801 |       | C      | 179.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87802 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87803 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87804 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87804 | QW    | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87807 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87807 | QW    | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87808 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87809 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87810 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87850 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87880 |       | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |
| 87880 | QW    | C      | 30.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 87899      |               | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87899      | QW            | C             | 30.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87900      |               | C             | 332.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87901      |               | C             | 656.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87902      |               | C             | 656.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87903      |               | C             | 623.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             |                                |
| 87904      |               | C             | 66.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 87905      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 87999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88000      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88005      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88007      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88020      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88025      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88027      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88028      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88029      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88036      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88037      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88040      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88045      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88099      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 88104      |               | C             | 0.56        | 1.08                       | 1.08                  | 0.04       | XXX              | 53.10                     |             |                                |
| 88104      | TC            | C             | 0.00        | 0.90                       | 0.90                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88104      | 26            | C             | 0.56        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88106      |               | C             | 0.56        | 1.49                       | 1.49                  | 0.04       | XXX              | 53.10                     |             |                                |
| 88106      | TC            | C             | 0.00        | 1.31                       | 1.31                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88106      | 26            | C             | 0.56        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88107      |               | C             | 0.76        | 1.82                       | 1.82                  | 0.05       | XXX              | 53.10                     |             |                                |
| 88107      | TC            | C             | 0.00        | 1.56                       | 1.56                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88107      | 26            | C             | 0.76        | 0.26                       | 0.26                  | 0.03       | XXX              | 53.10                     |             |                                |
| 88108      |               | C             | 0.56        | 1.38                       | 1.38                  | 0.04       | XXX              | 53.10                     |             |                                |
| 88108      | TC            | C             | 0.00        | 1.20                       | 1.20                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88108      | 26            | C             | 0.56        | 0.18                       | 0.18                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88112      |               | C             | 1.18        | 1.57                       | 1.57                  | 0.04       | XXX              | 53.10                     |             |                                |
| 88112      | TC            | C             | 0.00        | 1.22                       | 1.22                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88112      | 26            | C             | 1.18        | 0.35                       | 0.35                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88125      |               | C             | 0.26        | 0.31                       | 0.31                  | 0.02       | XXX              | 53.10                     |             |                                |
| 88125      | TC            | C             | 0.00        | 0.22                       | 0.22                  | 0.01       | XXX              | 53.10                     |             |                                |
| 88125      | 26            | C             | 0.26        | 0.09                       | 0.09                  | 0.01       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 88130      |               | C             | 38.39       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 88140      |               | C             | 20.39       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 88141      |               | C             | 0.42        | 0.31                       | 0.31            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88142      |               | C             | 38.26       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88143      |               | C             | 38.26       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88147      |               | C             | 21.49       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88148      |               | C             | 28.69       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88150      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88152      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88153      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88154      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88155      |               | C             | 15.28       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88160      |               | C             | 0.50        | 0.88                       | 0.88            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 88160      | TC            | C             | 0.00        | 0.72                       | 0.72            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88160      | 26            | C             | 0.50        | 0.16                       | 0.16            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88161      |               | C             | 0.50        | 0.94                       | 0.94            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 88161      | TC            | C             | 0.00        | 0.79                       | 0.79            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88161      | 26            | C             | 0.50        | 0.15                       | 0.15            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88162      |               | C             | 0.76        | 1.33                       | 1.33            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 88162      | TC            | C             | 0.00        | 1.08                       | 1.08            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88162      | 26            | C             | 0.76        | 0.25                       | 0.25            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 88164      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88165      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88166      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88167      |               | C             | 13.20       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88172      |               | C             | 0.60        | 0.80                       | 0.80            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 88172      | TC            | C             | 0.00        | 0.60                       | 0.60            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88172      | 26            | C             | 0.60        | 0.20                       | 0.20            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88173      |               | C             | 1.39        | 2.19                       | 2.19            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 88173      | TC            | C             | 0.00        | 1.74                       | 1.74            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88173      | 26            | C             | 1.39        | 0.45                       | 0.45            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 88174      |               | C             | 40.34       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88175      |               | C             | 50.01       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 88182      |               | C             | 0.77        | 1.96                       | 1.96            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 88182      | TC            | C             | 0.00        | 1.78                       | 1.78            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 88182      | 26            | C             | 0.77        | 0.18                       | 0.18            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 88184      |               | C             | 0.00        | 2.15                       | 2.15            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 88185      |               | C             | 0.00        | 1.27                       | 1.27            | 0.02      | ZZZ        |                  | 53.10                     |             |                                |
| 88187      |               | C             | 1.36        | 0.41                       | 0.41            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 88188      |               | C             | 1.69        | 0.49                       | 0.49            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 88189      |               | C             | 2.23        | 0.55                       | 0.55            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 88199      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 88199      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |

| CPT<br>ADA | MOD-  | PAY    | WORK   | NON-<br>FACILITY | FACILITY<br>PE | MPE  | GLOBAL | CON-<br>VERSION | END  |                                |
|------------|-------|--------|--------|------------------|----------------|------|--------|-----------------|------|--------------------------------|
| HCPCS      | IFIER | STATUS | RVU    | PE RVU           | RVU            | RVU  | PERIOD | FACTOR          | DATE | SHORT DESCRIPTION (HCPCS only) |
| 88199      | 26    | S      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      |                                |
| 88230      |       | C      | 297.24 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88233      |       | C      | 359.07 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88235      |       | C      | 375.72 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88237      |       | C      | 322.26 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88239      |       | C      | 376.41 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88240      |       | C      | 25.77  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88241      |       | C      | 25.77  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88245      |       | C      | 379.81 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88248      |       | C      | 441.85 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88249      |       | C      | 441.85 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88261      |       | C      | 450.93 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88262      |       | C      | 318.01 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88263      |       | C      | 383.43 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88264      |       | C      | 318.01 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88267      |       | C      | 458.68 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88269      |       | C      | 424.36 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88271      |       | C      | 54.65  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88272      |       | C      | 68.31  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88273      |       | C      | 81.97  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88274      |       | C      | 88.81  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88275      |       | C      | 102.47 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88280      |       | C      | 64.04  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88283      |       | C      | 175.01 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88285      |       | C      | 48.47  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88289      |       | C      | 87.85  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      |                                |
| 88291      |       | C      | 0.52   | 0.25             | 0.25           | 0.02 | XXX    | 53.10           |      |                                |
| 88299      |       | S      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      |                                |
| 88300      |       | C      | 0.08   | 0.54             | 0.54           | 0.02 | XXX    | 53.10           |      |                                |
| 88300      | TC    | C      | 0.00   | 0.51             | 0.51           | 0.01 | XXX    | 53.10           |      |                                |
| 88300      | 26    | C      | 0.08   | 0.03             | 0.03           | 0.01 | XXX    | 53.10           |      |                                |
| 88302      |       | C      | 0.13   | 1.18             | 1.18           | 0.03 | XXX    | 53.10           |      |                                |
| 88302      | TC    | C      | 0.00   | 1.14             | 1.14           | 0.02 | XXX    | 53.10           |      |                                |
| 88302      | 26    | C      | 0.13   | 0.04             | 0.04           | 0.01 | XXX    | 53.10           |      |                                |
| 88304      |       | C      | 0.22   | 1.45             | 1.45           | 0.03 | XXX    | 53.10           |      |                                |
| 88304      | TC    | C      | 0.00   | 1.38             | 1.38           | 0.02 | XXX    | 53.10           |      |                                |
| 88304      | 26    | C      | 0.22   | 0.07             | 0.07           | 0.01 | XXX    | 53.10           |      |                                |
| 88305      |       | C      | 0.75   | 2.06             | 2.06           | 0.07 | XXX    | 53.10           |      |                                |
| 88305      | TC    | C      | 0.00   | 1.81             | 1.81           | 0.04 | XXX    | 53.10           |      |                                |
| 88305      | 26    | C      | 0.75   | 0.25             | 0.25           | 0.03 | XXX    | 53.10           |      |                                |
| 88307      |       | C      | 1.59   | 4.05             | 4.05           | 0.12 | XXX    | 53.10           |      |                                |
| 88307      | TC    | C      | 0.00   | 3.51             | 3.51           | 0.06 | XXX    | 53.10           |      |                                |
| 88307      | 26    | C      | 1.59   | 0.54             | 0.54           | 0.06 | XXX    | 53.10           |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 88309      |               | C             | 2.80        | 5.72                       | 5.72            | 0.14       | XXX              | 53.10                     |             |                                |
| 88309      | TC            | C             | 0.00        | 4.83                       | 4.83            | 0.06       | XXX              | 53.10                     |             |                                |
| 88309      | 26            | C             | 2.80        | 0.89                       | 0.89            | 0.08       | XXX              | 53.10                     |             |                                |
| 88311      |               | C             | 0.24        | 0.24                       | 0.24            | 0.02       | XXX              | 53.10                     |             |                                |
| 88311      | TC            | C             | 0.00        | 0.16                       | 0.16            | 0.01       | XXX              | 53.10                     |             |                                |
| 88311      | 26            | C             | 0.24        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 88312      |               | C             | 0.54        | 2.14                       | 2.14            | 0.03       | XXX              | 53.10                     |             |                                |
| 88312      | TC            | C             | 0.00        | 1.97                       | 1.97            | 0.01       | XXX              | 53.10                     |             |                                |
| 88312      | 26            | C             | 0.54        | 0.17                       | 0.17            | 0.02       | XXX              | 53.10                     |             |                                |
| 88313      |               | C             | 0.24        | 1.72                       | 1.72            | 0.02       | XXX              | 53.10                     |             |                                |
| 88313      | TC            | C             | 0.00        | 1.65                       | 1.65            | 0.01       | XXX              | 53.10                     |             |                                |
| 88313      | 26            | C             | 0.24        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 88314      |               | C             | 0.45        | 1.93                       | 1.93            | 0.04       | XXX              | 53.10                     |             |                                |
| 88314      | TC            | C             | 0.00        | 1.78                       | 1.78            | 0.02       | XXX              | 53.10                     |             |                                |
| 88314      | 26            | C             | 0.45        | 0.15                       | 0.15            | 0.02       | XXX              | 53.10                     |             |                                |
| 88318      |               | C             | 0.42        | 2.27                       | 2.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 88318      | TC            | C             | 0.00        | 2.14                       | 2.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 88318      | 26            | C             | 0.42        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 88319      |               | C             | 0.53        | 3.21                       | 3.21            | 0.04       | XXX              | 53.10                     |             |                                |
| 88319      | TC            | C             | 0.00        | 3.04                       | 3.04            | 0.02       | XXX              | 53.10                     |             |                                |
| 88319      | 26            | C             | 0.53        | 0.17                       | 0.17            | 0.02       | XXX              | 53.10                     |             |                                |
| 88321      |               | C             | 1.63        | 0.74                       | 0.50            | 0.05       | XXX              | 53.10                     |             |                                |
| 88323      |               | C             | 1.83        | 2.02                       | 2.02            | 0.07       | XXX              | 53.10                     |             |                                |
| 88323      | TC            | C             | 0.00        | 1.54                       | 1.54            | 0.02       | XXX              | 53.10                     |             |                                |
| 88323      | 26            | C             | 1.83        | 0.48                       | 0.48            | 0.05       | XXX              | 53.10                     |             |                                |
| 88325      |               | C             | 2.50        | 2.64                       | 0.82            | 0.07       | XXX              | 53.10                     |             |                                |
| 88329      |               | C             | 0.67        | 0.66                       | 0.23            | 0.02       | XXX              | 53.10                     |             |                                |
| 88331      |               | C             | 1.19        | 1.19                       | 1.19            | 0.08       | XXX              | 53.10                     |             |                                |
| 88331      | TC            | C             | 0.00        | 0.77                       | 0.77            | 0.04       | XXX              | 53.10                     |             |                                |
| 88331      | 26            | C             | 1.19        | 0.42                       | 0.42            | 0.04       | XXX              | 53.10                     |             |                                |
| 88332      |               | C             | 0.59        | 0.47                       | 0.47            | 0.04       | XXX              | 53.10                     |             |                                |
| 88332      | TC            | C             | 0.00        | 0.27                       | 0.27            | 0.02       | XXX              | 53.10                     |             |                                |
| 88332      | 26            | C             | 0.59        | 0.20                       | 0.20            | 0.02       | XXX              | 53.10                     |             |                                |
| 88333      |               | C             | 1.20        | 1.24                       | 1.24            | 0.08       | XXX              | 53.10                     |             |                                |
| 88333      | TC            | C             | 0.00        | 0.83                       | 0.83            | 0.04       | XXX              | 53.10                     |             |                                |
| 88333      | 26            | C             | 1.20        | 0.41                       | 0.41            | 0.04       | XXX              | 53.10                     |             |                                |
| 88334      |               | C             | 0.73        | 0.75                       | 0.75            | 0.04       | XXX              | 53.10                     |             |                                |
| 88334      | TC            | C             | 0.00        | 0.51                       | 0.51            | 0.02       | XXX              | 53.10                     |             |                                |
| 88334      | 26            | C             | 0.73        | 0.24                       | 0.24            | 0.02       | XXX              | 53.10                     |             |                                |
| 88342      |               | C             | 0.85        | 1.82                       | 1.82            | 0.05       | XXX              | 53.10                     |             |                                |
| 88342      | TC            | C             | 0.00        | 1.56                       | 1.56            | 0.02       | XXX              | 53.10                     |             |                                |
| 88342      | 26            | C             | 0.85        | 0.26                       | 0.26            | 0.03       | XXX              | 53.10                     |             |                                |
| 88346      |               | C             | 0.86        | 1.82                       | 1.82            | 0.05       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 88346      | TC            | C             | 0.00        | 1.55                       | 1.55            | 0.02       | XXX              | 53.10                     |             |                                |
| 88346      | 26            | C             | 0.86        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 88347      |               | C             | 0.86        | 1.25                       | 1.25            | 0.05       | XXX              | 53.10                     |             |                                |
| 88347      | TC            | C             | 0.00        | 1.03                       | 1.03            | 0.02       | XXX              | 53.10                     |             |                                |
| 88347      | 26            | C             | 0.86        | 0.22                       | 0.22            | 0.03       | XXX              | 53.10                     |             |                                |
| 88348      |               | C             | 1.51        | 15.48                      | 15.48           | 0.13       | XXX              | 53.10                     |             |                                |
| 88348      | TC            | C             | 0.00        | 15.00                      | 15.00           | 0.07       | XXX              | 53.10                     |             |                                |
| 88348      | 26            | C             | 1.51        | 0.48                       | 0.48            | 0.06       | XXX              | 53.10                     |             |                                |
| 88349      |               | C             | 0.76        | 7.30                       | 7.30            | 0.09       | XXX              | 53.10                     |             |                                |
| 88349      | TC            | C             | 0.00        | 7.04                       | 7.04            | 0.06       | XXX              | 53.10                     |             |                                |
| 88349      | 26            | C             | 0.76        | 0.26                       | 0.26            | 0.03       | XXX              | 53.10                     |             |                                |
| 88355      |               | C             | 1.85        | 4.57                       | 4.57            | 0.13       | XXX              | 53.10                     |             |                                |
| 88355      | TC            | C             | 0.00        | 4.09                       | 4.09            | 0.06       | XXX              | 53.10                     |             |                                |
| 88355      | 26            | C             | 1.85        | 0.48                       | 0.48            | 0.07       | XXX              | 53.10                     |             |                                |
| 88356      |               | C             | 3.02        | 4.73                       | 4.73            | 0.19       | XXX              | 53.10                     |             |                                |
| 88356      | TC            | C             | 0.00        | 4.04                       | 4.04            | 0.07       | XXX              | 53.10                     |             |                                |
| 88356      | 26            | C             | 3.02        | 0.69                       | 0.69            | 0.12       | XXX              | 53.10                     |             |                                |
| 88358      |               | C             | 0.95        | 1.03                       | 1.03            | 0.17       | XXX              | 53.10                     |             |                                |
| 88358      | TC            | C             | 0.00        | 0.81                       | 0.81            | 0.07       | XXX              | 53.10                     |             |                                |
| 88358      | 26            | C             | 0.95        | 0.22                       | 0.22            | 0.10       | XXX              | 53.10                     |             |                                |
| 88360      |               | C             | 1.10        | 2.11                       | 2.11            | 0.08       | XXX              | 53.10                     |             |                                |
| 88360      | TC            | C             | 0.00        | 1.78                       | 1.78            | 0.02       | XXX              | 53.10                     |             |                                |
| 88360      | 26            | C             | 1.10        | 0.33                       | 0.33            | 0.06       | XXX              | 53.10                     |             |                                |
| 88361      |               | C             | 1.18        | 2.82                       | 2.82            | 0.17       | XXX              | 53.10                     |             |                                |
| 88361      | TC            | C             | 0.00        | 2.49                       | 2.49            | 0.07       | XXX              | 53.10                     |             |                                |
| 88361      | 26            | C             | 1.18        | 0.33                       | 0.33            | 0.10       | XXX              | 53.10                     |             |                                |
| 88362      |               | C             | 2.17        | 4.87                       | 4.87            | 0.15       | XXX              | 53.10                     |             |                                |
| 88362      | TC            | C             | 0.00        | 4.19                       | 4.19            | 0.06       | XXX              | 53.10                     |             |                                |
| 88362      | 26            | C             | 2.17        | 0.68                       | 0.68            | 0.09       | XXX              | 53.10                     |             |                                |
| 88365      |               | C             | 1.20        | 3.03                       | 3.03            | 0.05       | XXX              | 53.10                     |             |                                |
| 88365      | TC            | C             | 0.00        | 2.67                       | 2.67            | 0.02       | XXX              | 53.10                     |             |                                |
| 88365      | 26            | C             | 1.20        | 0.36                       | 0.36            | 0.03       | XXX              | 53.10                     |             |                                |
| 88367      |               | C             | 1.30        | 5.16                       | 5.16            | 0.12       | XXX              | 53.10                     |             |                                |
| 88367      | TC            | C             | 0.00        | 4.81                       | 4.81            | 0.06       | XXX              | 53.10                     |             |                                |
| 88367      | 26            | C             | 1.30        | 0.35                       | 0.35            | 0.06       | XXX              | 53.10                     |             |                                |
| 88368      |               | C             | 1.40        | 4.27                       | 4.27            | 0.12       | XXX              | 53.10                     |             |                                |
| 88368      | TC            | C             | 0.00        | 3.93                       | 3.93            | 0.06       | XXX              | 53.10                     |             |                                |
| 88368      | 26            | C             | 1.40        | 0.34                       | 0.34            | 0.06       | XXX              | 53.10                     |             |                                |
| 88371      |               | C             | 56.70       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 88371      | 26            | C             | 0.37        | 0.12                       | 0.12            | 0.01       | XXX              | 53.10                     |             |                                |
| 88372      |               | C             | 58.05       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 88372      | 26            | C             | 0.37        | 0.12                       | 0.12            | 0.01       | XXX              | 53.10                     |             |                                |
| 88380      |               | C             | 1.56        | 3.69                       | 3.69            | 0.14       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 88380      | TC            | C             | 0.00        | 3.19                       | 3.19            | 0.07       | XXX              | 53.10                     |             |                                |
| 88380      | 26            | C             | 1.56        | 0.50                       | 0.50            | 0.07       | XXX              | 53.10                     |             |                                |
| 88381      |               | C             | 1.18        | 4.61                       | 4.61            | 0.08       | XXX              | 53.10                     |             |                                |
| 88381      | TC            | C             | 0.00        | 4.23                       | 4.23            | 0.02       | XXX              | 53.10                     |             |                                |
| 88381      | 26            | C             | 1.18        | 0.38                       | 0.38            | 0.06       | XXX              | 53.10                     |             |                                |
| 88384      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88384      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88384      | 26            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88385      |               | C             | 1.50        | 12.74                      | 12.74           | 0.12       | XXX              | 53.10                     |             |                                |
| 88385      | TC            | C             | 0.00        | 12.40                      | 12.40           | 0.06       | XXX              | 53.10                     |             |                                |
| 88385      | 26            | C             | 1.50        | 0.34                       | 0.34            | 0.06       | XXX              | 53.10                     |             |                                |
| 88386      |               | C             | 1.88        | 16.35                      | 16.35           | 0.16       | XXX              | 53.10                     |             |                                |
| 88386      | TC            | C             | 0.00        | 15.63                      | 15.63           | 0.08       | XXX              | 53.10                     |             |                                |
| 88386      | 26            | C             | 1.88        | 0.72                       | 0.72            | 0.08       | XXX              | 53.10                     |             |                                |
| 88399      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88399      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88399      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88400      |               | C             | 12.81       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 88720      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88740      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 88741      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89049      |               | C             | 1.40        | 5.07                       | 0.42            | 0.06       | XXX              | 53.10                     |             |                                |
| 89050      |               | C             | 12.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89051      |               | C             | 14.05       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89055      |               | C             | 10.89       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89060      |               | C             | 18.24       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89060      | 26            | C             | 0.37        | 0.13                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 89100      |               | C             | 0.60        | 5.99                       | 0.44            | 0.03       | XXX              | 53.10                     |             |                                |
| 89105      |               | C             | 0.50        | 6.28                       | 0.39            | 0.02       | XXX              | 53.10                     |             |                                |
| 89125      |               | C             | 11.01       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89130      |               | C             | 0.45        | 5.29                       | 0.32            | 0.02       | XXX              | 53.10                     |             |                                |
| 89132      |               | C             | 0.19        | 6.36                       | 0.30            | 0.01       | XXX              | 53.10                     |             |                                |
| 89135      |               | C             | 0.79        | 7.01                       | 0.58            | 0.04       | XXX              | 53.10                     |             |                                |
| 89136      |               | C             | 0.21        | 5.34                       | 0.25            | 0.01       | XXX              | 53.10                     |             |                                |
| 89140      |               | C             | 0.94        | 5.53                       | 0.45            | 0.04       | XXX              | 53.10                     |             |                                |
| 89141      |               | C             | 0.85        | 5.85                       | 0.47            | 0.03       | XXX              | 53.10                     |             |                                |
| 89160      |               | C             | 9.41        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89190      |               | C             | 12.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89220      |               | C             | 0.00        | 0.39                       | 0.39            | 0.02       | XXX              | 53.10                     |             |                                |
| 89225      |               | C             | 8.53        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89230      |               | C             | 0.00        | 0.09                       | 0.09            | 0.02       | XXX              | 53.10                     |             |                                |
| 89235      |               | C             | 14.04       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89240      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA<br>HCPCS | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|---------------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 89250               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89251               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89253               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89254               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89255               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89257               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89258               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89259               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89260               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89261               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89264               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89268               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89272               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89280               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89281               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89290               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89291               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89300               |               | C             | 22.74       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89300               | QW            | C             | 22.74       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89310               |               | C             | 21.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89320               |               | C             | 30.76       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89321               |               | C             | 30.76       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89322               |               | C             | 39.54       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89325               |               | C             | 27.23       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89329               |               | D             | 53.50       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89330               |               | C             | 25.26       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89331               |               | C             | 49.99       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 89335               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89342               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89343               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89344               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89346               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89352               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89353               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89354               |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 89356               |               | D             | 0.00        | 7.89                       | 7.89            | 0.00       | XXX              | 53.10                     |             |                                |
| 90281               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90283               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90284               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90287               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90288               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90291               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 90296               |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 90371      |               | C             | 120.46      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90375      |               | C             | 140.33      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90376      |               | C             | 123.28      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90378      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90379      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90384      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90385      |               | C             | 15.07       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90386      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90389      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90393      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90396      |               | C             | 122.74      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90399      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90465      |               | D             | 0.17        | 0.40                       | 0.40            | 0.01      | 0.01       | XXX              | 53.10                     |             |                                |
| 90466      |               | D             | 0.15        | 0.13                       | 0.06            | 0.01      | 0.01       | ZZZ              | 53.10                     |             |                                |
| 90467      |               | D             | 0.17        | 0.20                       | 0.08            | 0.01      | 0.01       | XXX              | 53.10                     |             |                                |
| 90468      |               | D             | 0.15        | 0.12                       | 0.05            | 0.01      | 0.01       | ZZZ              | 53.10                     |             |                                |
| 90471      |               | C             | 0.17        | 0.40                       | 0.40            | 0.01      | 0.01       | XXX              | 53.10                     |             |                                |
| 90472      |               | C             | 0.15        | 0.13                       | 0.06            | 0.01      | 0.01       | ZZZ              | 53.10                     |             |                                |
| 90473      |               | C             | 0.17        | 0.20                       | 0.05            | 0.01      | 0.01       | XXX              | 53.10                     |             |                                |
| 90474      |               | C             | 0.15        | 0.09                       | 0.05            | 0.01      | 0.01       | ZZZ              | 53.10                     |             |                                |
| 90476      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90477      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90581      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90585      |               | C             | 137.74      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90586      |               | C             | 125.35      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90632      |               | C             | 48.23       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90633      |               | D             | 24.42       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90634      |               | D             | 24.28       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90636      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90645      |               | C             | 23.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90646      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90647      |               | C             | 23.34       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90648      |               | C             | 21.78       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90649      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90650      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90655      |               | D             | 16.88       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90656      |               | C             | 18.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90657      |               | D             | 6.61        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90658      |               | C             | 13.22       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90660      |               | C             | 22.32       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 90661      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90662      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 90663      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 90665      |               | C             | 72.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90669      |               | D             | 95.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90675      |               | C             | 148.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90676      |               | C             | 112.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90680      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90681      |               | C             | 106.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90690      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90691      |               | C             | 54.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90692      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90693      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90696      |               | D             | 49.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90698      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90700      |               | C             | 17.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90701      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90702      |               | D             | 24.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90703      |               | C             | 22.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90704      |               | C             | 22.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90705      |               | C             | 17.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90706      |               | C             | 18.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90707      |               | C             | 44.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90708      |               | C             | 45.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90712      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90713      |               | C             | 26.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90714      |               | C             | 19.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90715      |               | C             | 35.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90716      |               | C             | 77.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90717      |               | C             | 57.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90718      |               | C             | 13.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90719      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90720      |               | C             | 28.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90721      |               | C             | 42.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90723      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90725      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90727      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90732      |               | C             | 32.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90733      |               | C             | 93.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90734      |               | C             | 80.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90735      |               | C             | 102.08      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90736      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90738      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 90740      |               | C             | 119.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 90743      |               | D             | 24.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |            |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE       | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |            |                                |
| 90744 |       | D      | 24.22  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                |
| 90746 |       | C      | 59.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                |
| 90747 |       | C      | 119.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                |
| 90748 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                |
| 90749 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                |
| 90760 |       | C      | 0.17   | 1.32     | 1.32     | 0.07 | XXX    | 51.86   | 12/31/2008 |                                |
| 90761 |       | C      | 0.09   | 0.32     | 0.32     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90765 |       | C      | 0.21   | 1.62     | 1.62     | 0.07 | XXX    | 51.86   | 12/31/2008 |                                |
| 90766 |       | C      | 0.18   | 0.37     | 0.37     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90767 |       | C      | 0.19   | 0.69     | 0.69     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90768 |       | C      | 0.17   | 0.33     | 0.33     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90769 |       | C      | 0.21   | 3.93     | 3.93     | 0.06 | XXX    | 51.86   | 12/31/2008 |                                |
| 90770 |       | C      | 0.18   | 0.22     | 0.22     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90771 |       | C      | 0.00   | 1.86     | 1.86     | 0.01 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90772 |       | C      | 0.17   | 0.44     | 0.44     | 0.01 | XXX    | 51.86   | 12/31/2008 |                                |
| 90773 |       | C      | 0.17   | 0.30     | 0.30     | 0.02 | XXX    | 51.86   | 12/31/2008 |                                |
| 90774 |       | C      | 0.18   | 1.33     | 1.33     | 0.04 | XXX    | 51.86   | 12/31/2008 |                                |
| 90775 |       | C      | 0.10   | 0.51     | 0.51     | 0.04 | ZZZ    | 51.86   | 12/31/2008 |                                |
| 90776 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | ZZZ    | 0.00    | 12/31/2008 |                                |
| 90779 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                |
| 90801 |       | C      | 2.80   | 1.38     | 0.69     | 0.06 | XXX    | 53.10   |            |                                |
| 90802 |       | C      | 3.01   | 1.44     | 0.74     | 0.07 | XXX    | 53.10   |            |                                |
| 90804 |       | C      | 1.21   | 0.53     | 0.26     | 0.03 | XXX    | 53.10   |            |                                |
| 90805 |       | C      | 1.37   | 0.57     | 0.29     | 0.03 | XXX    | 53.10   |            |                                |
| 90806 |       | C      | 1.86   | 0.57     | 0.40     | 0.04 | XXX    | 53.10   |            |                                |
| 90807 |       | C      | 2.02   | 0.70     | 0.43     | 0.05 | XXX    | 53.10   |            |                                |
| 90808 |       | C      | 2.79   | 0.78     | 0.61     | 0.06 | XXX    | 53.10   |            |                                |
| 90809 |       | C      | 2.95   | 0.90     | 0.64     | 0.07 | XXX    | 53.10   |            |                                |
| 90810 |       | C      | 1.32   | 0.52     | 0.28     | 0.04 | XXX    | 53.10   |            |                                |
| 90811 |       | C      | 1.48   | 0.67     | 0.32     | 0.04 | XXX    | 53.10   |            |                                |
| 90812 |       | C      | 1.97   | 0.68     | 0.43     | 0.04 | XXX    | 53.10   |            |                                |
| 90813 |       | C      | 2.13   | 0.81     | 0.46     | 0.05 | XXX    | 53.10   |            |                                |
| 90814 |       | C      | 2.90   | 0.94     | 0.70     | 0.06 | XXX    | 53.10   |            |                                |
| 90815 |       | C      | 3.06   | 1.01     | 0.66     | 0.07 | XXX    | 53.10   |            |                                |
| 90816 |       | C      | 1.25   | 0.36     | 0.36     | 0.03 | XXX    | 53.10   |            |                                |
| 90817 |       | C      | 1.41   | 0.38     | 0.38     | 0.03 | XXX    | 53.10   |            |                                |
| 90818 |       | C      | 1.89   | 0.51     | 0.51     | 0.04 | XXX    | 53.10   |            |                                |
| 90819 |       | C      | 2.05   | 0.52     | 0.52     | 0.05 | XXX    | 53.10   |            |                                |
| 90821 |       | C      | 2.83   | 0.71     | 0.71     | 0.06 | XXX    | 53.10   |            |                                |
| 90822 |       | C      | 2.99   | 0.72     | 0.72     | 0.08 | XXX    | 53.10   |            |                                |
| 90823 |       | C      | 1.36   | 0.38     | 0.38     | 0.03 | XXX    | 53.10   |            |                                |
| 90824 |       | C      | 1.52   | 0.41     | 0.41     | 0.04 | XXX    | 53.10   |            |                                |
| 90826 |       | C      | 2.01   | 0.53     | 0.53     | 0.05 | XXX    | 53.10   |            |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 90827      |               | C             | 2.16        | 0.54                       | 0.54            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 90828      |               | C             | 2.94        | 0.74                       | 0.74            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 90829      |               | C             | 3.10        | 0.74                       | 0.74            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 90845      |               | C             | 1.79        | 0.44                       | 0.39            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 90846      |               | C             | 1.83        | 0.55                       | 0.49            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 90847      |               | C             | 2.21        | 0.75                       | 0.57            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 90849      |               | C             | 0.59        | 0.30                       | 0.22            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 90853      |               | C             | 0.59        | 0.26                       | 0.21            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 90857      |               | C             | 0.63        | 0.33                       | 0.22            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 90862      |               | C             | 0.95        | 0.56                       | 0.28            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 90865      |               | C             | 2.84        | 1.33                       | 0.73            | 0.12      | XXX        |                  | 53.10                     |             |                                |
| 90870      |               | C             | 1.88        | 1.87                       | 0.44            | 0.04      | 000        |                  | 53.10                     |             |                                |
| 90875      |               | C             | 1.20        | 0.73                       | 0.42            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 90876      |               | C             | 1.90        | 0.96                       | 0.66            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 90880      |               | C             | 2.19        | 0.70                       | 0.48            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 90882      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 90885      |               | C             | 0.97        | 0.34                       | 0.34            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 90887      |               | C             | 1.48        | 0.80                       | 0.51            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 90889      |               | C             | 5.04        | 2.38                       | 2.38            | 0.17      | XXX        |                  | 53.10                     |             |                                |
| 90899      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 90901      |               | C             | 0.41        | 0.50                       | 0.12            | 0.02      | 000        |                  | 53.10                     |             |                                |
| 90911      |               | C             | 0.89        | 1.43                       | 0.32            | 0.06      | 000        |                  | 53.10                     |             |                                |
| 90918      |               | D             | 11.16       | 4.70                       | 3.74            | 0.36      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90919      |               | D             | 8.53        | 3.03                       | 2.55            | 0.29      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90920      |               | D             | 7.26        | 2.74                       | 2.27            | 0.23      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90921      |               | C             | 4.46        | 1.71                       | 1.61            | 0.14      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90922      |               | D             | 0.37        | 0.16                       | 0.13            | 0.01      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90923      |               | D             | 0.28        | 0.10                       | 0.08            | 0.01      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90924      |               | D             | 0.24        | 0.09                       | 0.07            | 0.01      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90925      |               | C             | 0.15        | 0.05                       | 0.05            | 0.01      | XXX        |                  | 51.86                     | 12/31/2008  |                                |
| 90935      |               | C             | 1.22        | 0.58                       | 0.58            | 0.04      | 000        |                  | 53.10                     |             |                                |
| 90937      |               | C             | 2.11        | 0.84                       | 0.84            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 90940      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 90945      |               | C             | 1.28        | 0.59                       | 0.59            | 0.04      | 000        |                  | 53.10                     |             |                                |
| 90947      |               | C             | 2.16        | 0.86                       | 0.86            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 90951      |               | D             | 18.46       | 7.60                       | 7.60            | 0.61      | XXX        |                  | 53.10                     |             |                                |
| 90952      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 90953      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 90954      |               | D             | 15.98       | 5.31                       | 5.31            | 0.56      | XXX        |                  | 53.10                     |             |                                |
| 90955      |               | D             | 8.79        | 3.29                       | 3.29            | 0.31      | XXX        |                  | 53.10                     |             |                                |
| 90956      |               | D             | 5.95        | 2.24                       | 2.24            | 0.20      | XXX        |                  | 53.10                     |             |                                |
| 90957      |               | D             | 12.52       | 4.62                       | 4.62            | 0.41      | XXX        |                  | 53.10                     |             |                                |
| 90958      |               | D             | 8.34        | 3.23                       | 3.23            | 0.28      | XXX        |                  | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 90959 |       | D      | 5.50  | 2.10     | 2.10     | 0.17 | XXX    | 53.10   |      |                                |
| 90960 |       | C      | 5.18  | 2.46     | 2.46     | 0.17 | XXX    | 53.10   |      |                                |
| 90961 |       | C      | 4.26  | 1.90     | 1.90     | 0.14 | XXX    | 53.10   |      |                                |
| 90962 |       | C      | 3.15  | 1.30     | 1.30     | 0.10 | XXX    | 53.10   |      |                                |
| 90963 |       | D      | 10.56 | 4.14     | 4.14     | 0.36 | XXX    | 53.10   |      |                                |
| 90964 |       | D      | 9.14  | 3.08     | 3.08     | 0.33 | XXX    | 53.10   |      |                                |
| 90965 |       | D      | 8.69  | 2.95     | 2.95     | 0.29 | XXX    | 53.10   |      |                                |
| 90966 |       | C      | 4.26  | 1.83     | 1.83     | 0.14 | XXX    | 53.10   |      |                                |
| 90967 |       | D      | 0.35  | 0.18     | 0.18     | 0.01 | XXX    | 53.10   |      |                                |
| 90968 |       | D      | 0.30  | 0.11     | 0.11     | 0.01 | XXX    | 53.10   |      |                                |
| 90969 |       | D      | 0.29  | 0.11     | 0.11     | 0.01 | XXX    | 53.10   |      |                                |
| 90970 |       | C      | 0.14  | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 90989 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 90993 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 90997 |       | C      | 1.84  | 0.56     | 0.56     | 0.06 | 000    | 53.10   |      |                                |
| 90999 |       | S      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 91000 |       | C      | 0.73  | 1.65     | 1.65     | 0.04 | 000    | 53.10   |      |                                |
| 91000 | TC    | C      | 0.00  | 1.41     | 1.41     | 0.01 | 000    | 53.10   |      |                                |
| 91000 | 26    | C      | 0.73  | 0.24     | 0.24     | 0.03 | 000    | 53.10   |      |                                |
| 91010 |       | C      | 1.25  | 3.76     | 3.76     | 0.12 | 000    | 53.10   |      |                                |
| 91010 | TC    | C      | 0.00  | 3.22     | 3.22     | 0.06 | 000    | 53.10   |      |                                |
| 91010 | 26    | C      | 1.25  | 0.54     | 0.54     | 0.06 | 000    | 53.10   |      |                                |
| 91011 |       | C      | 1.50  | 5.23     | 5.23     | 0.13 | 000    | 53.10   |      |                                |
| 91011 | TC    | C      | 0.00  | 4.53     | 4.53     | 0.06 | 000    | 53.10   |      |                                |
| 91011 | 26    | C      | 1.50  | 0.70     | 0.70     | 0.07 | 000    | 53.10   |      |                                |
| 91012 |       | C      | 1.46  | 5.38     | 5.38     | 0.13 | 000    | 53.10   |      |                                |
| 91012 | TC    | C      | 0.00  | 4.72     | 4.72     | 0.07 | 000    | 53.10   |      |                                |
| 91012 | 26    | C      | 1.46  | 0.66     | 0.66     | 0.06 | 000    | 53.10   |      |                                |
| 91020 |       | C      | 1.44  | 4.66     | 4.66     | 0.13 | 000    | 53.10   |      |                                |
| 91020 | TC    | C      | 0.00  | 4.05     | 4.05     | 0.06 | 000    | 53.10   |      |                                |
| 91020 | 26    | C      | 1.44  | 0.61     | 0.61     | 0.07 | 000    | 53.10   |      |                                |
| 91022 |       | C      | 1.44  | 3.56     | 3.56     | 0.13 | 000    | 53.10   |      |                                |
| 91022 | TC    | C      | 0.00  | 2.89     | 2.89     | 0.06 | 000    | 53.10   |      |                                |
| 91022 | 26    | C      | 1.44  | 0.67     | 0.67     | 0.07 | 000    | 53.10   |      |                                |
| 91030 |       | C      | 0.91  | 2.76     | 2.76     | 0.06 | 000    | 53.10   |      |                                |
| 91030 | TC    | C      | 0.00  | 2.34     | 2.34     | 0.02 | 000    | 53.10   |      |                                |
| 91030 | 26    | C      | 0.91  | 0.42     | 0.42     | 0.04 | 000    | 53.10   |      |                                |
| 91034 |       | C      | 0.97  | 4.29     | 4.29     | 0.12 | 000    | 53.10   |      |                                |
| 91034 | TC    | C      | 0.00  | 3.88     | 3.88     | 0.06 | 000    | 53.10   |      |                                |
| 91034 | 26    | C      | 0.97  | 0.41     | 0.41     | 0.06 | 000    | 53.10   |      |                                |
| 91035 |       | C      | 1.59  | 10.92    | 10.92    | 0.12 | 000    | 53.10   |      |                                |
| 91035 | TC    | C      | 0.00  | 10.23    | 10.23    | 0.06 | 000    | 53.10   |      |                                |
| 91035 | 26    | C      | 1.59  | 0.69     | 0.69     | 0.06 | 000    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 91037      |               | C             | 0.97        | 3.23                       | 3.23            | 0.12       | 000              | 53.10                     |             |                                |
| 91037      | TC            | C             | 0.00        | 2.80                       | 2.80            | 0.06       | 000              | 53.10                     |             |                                |
| 91037      | 26            | C             | 0.97        | 0.43                       | 0.43            | 0.06       | 000              | 53.10                     |             |                                |
| 91038      |               | C             | 1.10        | 2.59                       | 2.59            | 0.12       | 000              | 53.10                     |             |                                |
| 91038      | TC            | C             | 0.00        | 2.10                       | 2.10            | 0.06       | 000              | 53.10                     |             |                                |
| 91038      | 26            | C             | 1.10        | 0.49                       | 0.49            | 0.06       | 000              | 53.10                     |             |                                |
| 91040      |               | C             | 0.97        | 9.14                       | 9.14            | 0.12       | 000              | 53.10                     |             |                                |
| 91040      | TC            | C             | 0.00        | 8.67                       | 8.67            | 0.06       | 000              | 53.10                     |             |                                |
| 91040      | 26            | C             | 0.97        | 0.47                       | 0.47            | 0.06       | 000              | 53.10                     |             |                                |
| 91052      |               | C             | 0.79        | 2.48                       | 2.48            | 0.05       | 000              | 53.10                     |             |                                |
| 91052      | TC            | C             | 0.00        | 2.18                       | 2.18            | 0.02       | 000              | 53.10                     |             |                                |
| 91052      | 26            | C             | 0.79        | 0.30                       | 0.30            | 0.03       | 000              | 53.10                     |             |                                |
| 91055      |               | C             | 0.94        | 2.58                       | 2.58            | 0.07       | 000              | 53.10                     |             |                                |
| 91055      | TC            | C             | 0.00        | 2.29                       | 2.29            | 0.02       | 000              | 53.10                     |             |                                |
| 91055      | 26            | C             | 0.94        | 0.29                       | 0.29            | 0.05       | 000              | 53.10                     |             |                                |
| 91065      |               | C             | 0.20        | 1.54                       | 1.54            | 0.03       | 000              | 53.10                     |             |                                |
| 91065      | TC            | C             | 0.00        | 1.46                       | 1.46            | 0.02       | 000              | 53.10                     |             |                                |
| 91065      | 26            | C             | 0.20        | 0.08                       | 0.08            | 0.01       | 000              | 53.10                     |             |                                |
| 91100      |               | C             | 1.08        | 2.14                       | 0.32            | 0.07       | 000              | 51.86                     | 12/31/2008  |                                |
| 91105      |               | C             | 0.37        | 1.74                       | 0.07            | 0.03       | 000              | 53.10                     |             |                                |
| 91110      |               | C             | 3.64        | 20.50                      | 20.50           | 0.16       | XXX              | 53.10                     |             |                                |
| 91110      | TC            | C             | 0.00        | 18.87                      | 18.87           | 0.07       | XXX              | 53.10                     |             |                                |
| 91110      | 26            | C             | 3.64        | 1.63                       | 1.63            | 0.09       | XXX              | 53.10                     |             |                                |
| 91111      |               | C             | 1.00        | 17.92                      | 17.92           | 0.05       | XXX              | 53.10                     |             |                                |
| 91111      | TC            | C             | 0.00        | 17.45                      | 17.45           | 0.02       | XXX              | 53.10                     |             |                                |
| 91111      | 26            | C             | 1.00        | 0.47                       | 0.47            | 0.03       | XXX              | 53.10                     |             |                                |
| 91120      |               | C             | 0.97        | 9.40                       | 9.40            | 0.11       | XXX              | 53.10                     |             |                                |
| 91120      | TC            | C             | 0.00        | 9.08                       | 9.08            | 0.04       | XXX              | 53.10                     |             |                                |
| 91120      | 26            | C             | 0.97        | 0.32                       | 0.32            | 0.07       | XXX              | 53.10                     |             |                                |
| 91122      |               | C             | 1.77        | 4.31                       | 4.31            | 0.21       | 000              | 53.10                     |             |                                |
| 91122      | TC            | C             | 0.00        | 3.69                       | 3.69            | 0.08       | 000              | 53.10                     |             |                                |
| 91122      | 26            | C             | 1.77        | 0.62                       | 0.62            | 0.13       | 000              | 53.10                     |             |                                |
| 91123      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91132      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91132      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91132      | 26            | C             | 0.52        | 0.24                       | 0.24            | 0.02       | XXX              | 53.10                     |             |                                |
| 91133      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91133      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91133      | 26            | C             | 0.66        | 0.31                       | 0.31            | 0.03       | XXX              | 53.10                     |             |                                |
| 91299      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91299      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 91299      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92002      |               | C             | 0.88        | 0.96                       | 0.30            | 0.02       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 92004      |               | C             | 1.82        | 1.64                       | 0.63            | 0.04       | XXX              | 53.10                     |             |                                |
| 92012      |               | C             | 0.92        | 1.02                       | 0.33            | 0.02       | XXX              | 53.10                     |             |                                |
| 92014      |               | C             | 1.42        | 1.41                       | 0.50            | 0.03       | XXX              | 53.10                     |             |                                |
| 92015      |               | C             | 0.38        | 0.48                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92018      |               | C             | 2.50        | 0.97                       | 0.97            | 0.07       | XXX              | 53.10                     |             |                                |
| 92019      |               | C             | 1.31        | 0.42                       | 0.42            | 0.03       | XXX              | 53.10                     |             |                                |
| 92020      |               | C             | 0.37        | 0.28                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 92025      |               | C             | 0.35        | 0.49                       | 0.49            | 0.02       | XXX              | 53.10                     |             |                                |
| 92025      | TC            | C             | 0.00        | 0.36                       | 0.36            | 0.01       | XXX              | 53.10                     |             |                                |
| 92025      | 26            | C             | 0.35        | 0.13                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92060      |               | C             | 0.69        | 0.77                       | 0.77            | 0.03       | XXX              | 53.10                     |             |                                |
| 92060      | TC            | C             | 0.00        | 0.51                       | 0.51            | 0.01       | XXX              | 53.10                     |             |                                |
| 92060      | 26            | C             | 0.69        | 0.26                       | 0.26            | 0.02       | XXX              | 53.10                     |             |                                |
| 92065      |               | C             | 0.37        | 0.78                       | 0.78            | 0.02       | XXX              | 53.10                     |             |                                |
| 92065      | TC            | C             | 0.00        | 0.67                       | 0.67            | 0.01       | XXX              | 53.10                     |             |                                |
| 92065      | 26            | C             | 0.37        | 0.11                       | 0.11            | 0.01       | XXX              | 53.10                     |             |                                |
| 92070      |               | C             | 0.70        | 0.95                       | 0.26            | 0.02       | XXX              | 53.10                     |             |                                |
| 92081      |               | C             | 0.36        | 0.95                       | 0.95            | 0.02       | XXX              | 53.10                     |             |                                |
| 92081      | TC            | C             | 0.00        | 0.82                       | 0.82            | 0.01       | XXX              | 53.10                     |             |                                |
| 92081      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92082      |               | C             | 0.44        | 1.30                       | 1.30            | 0.02       | XXX              | 53.10                     |             |                                |
| 92082      | TC            | C             | 0.00        | 1.14                       | 1.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 92082      | 26            | C             | 0.44        | 0.16                       | 0.16            | 0.01       | XXX              | 53.10                     |             |                                |
| 92083      |               | C             | 0.50        | 1.49                       | 1.49            | 0.02       | XXX              | 53.10                     |             |                                |
| 92083      | TC            | C             | 0.00        | 1.30                       | 1.30            | 0.01       | XXX              | 53.10                     |             |                                |
| 92083      | 26            | C             | 0.50        | 0.19                       | 0.19            | 0.01       | XXX              | 53.10                     |             |                                |
| 92100      |               | C             | 0.92        | 1.29                       | 0.32            | 0.02       | XXX              | 53.10                     |             |                                |
| 92120      |               | C             | 0.81        | 1.01                       | 0.29            | 0.02       | XXX              | 53.10                     |             |                                |
| 92130      |               | C             | 0.81        | 1.20                       | 0.31            | 0.02       | XXX              | 53.10                     |             |                                |
| 92135      |               | C             | 0.35        | 0.80                       | 0.80            | 0.02       | XXX              | 53.10                     |             |                                |
| 92135      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.01       | XXX              | 53.10                     |             |                                |
| 92135      | 26            | C             | 0.35        | 0.14                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 92136      |               | C             | 0.54        | 1.48                       | 1.48            | 0.08       | XXX              | 53.10                     |             |                                |
| 92136      | TC            | C             | 0.00        | 1.26                       | 1.26            | 0.07       | XXX              | 53.10                     |             |                                |
| 92136      | 26            | C             | 0.54        | 0.22                       | 0.22            | 0.01       | XXX              | 53.10                     |             |                                |
| 92140      |               | C             | 0.50        | 0.93                       | 0.17            | 0.01       | XXX              | 53.10                     |             |                                |
| 92225      |               | C             | 0.38        | 0.24                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 92226      |               | C             | 0.33        | 0.23                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92230      |               | C             | 0.60        | 0.90                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 92235      |               | C             | 0.81        | 2.35                       | 2.35            | 0.08       | XXX              | 53.10                     |             |                                |
| 92235      | TC            | C             | 0.00        | 2.02                       | 2.02            | 0.06       | XXX              | 53.10                     |             |                                |
| 92235      | 26            | C             | 0.81        | 0.33                       | 0.33            | 0.02       | XXX              | 53.10                     |             |                                |
| 92240      |               | C             | 1.10        | 4.81                       | 4.81            | 0.09       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 92240      | TC            | C             | 0.00        | 4.36                       | 4.36            | 0.06       | XXX              | 53.10                     |             |                                |
| 92240      | 26            | C             | 1.10        | 0.45                       | 0.45            | 0.03       | XXX              | 53.10                     |             |                                |
| 92250      |               | C             | 0.44        | 1.35                       | 1.35            | 0.02       | XXX              | 53.10                     |             |                                |
| 92250      | TC            | C             | 0.00        | 1.19                       | 1.19            | 0.01       | XXX              | 53.10                     |             |                                |
| 92250      | 26            | C             | 0.44        | 0.16                       | 0.16            | 0.01       | XXX              | 53.10                     |             |                                |
| 92260      |               | C             | 0.20        | 0.24                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 92265      |               | C             | 0.81        | 1.10                       | 1.10            | 0.06       | XXX              | 53.10                     |             |                                |
| 92265      | TC            | C             | 0.00        | 0.85                       | 0.85            | 0.02       | XXX              | 53.10                     |             |                                |
| 92265      | 26            | C             | 0.81        | 0.25                       | 0.25            | 0.04       | XXX              | 53.10                     |             |                                |
| 92270      |               | C             | 0.81        | 1.40                       | 1.40            | 0.05       | XXX              | 53.10                     |             |                                |
| 92270      | TC            | C             | 0.00        | 1.13                       | 1.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 92270      | 26            | C             | 0.81        | 0.27                       | 0.27            | 0.03       | XXX              | 53.10                     |             |                                |
| 92275      |               | C             | 1.01        | 2.31                       | 2.31            | 0.05       | XXX              | 53.10                     |             |                                |
| 92275      | TC            | C             | 0.00        | 1.91                       | 1.91            | 0.02       | XXX              | 53.10                     |             |                                |
| 92275      | 26            | C             | 1.01        | 0.40                       | 0.40            | 0.03       | XXX              | 53.10                     |             |                                |
| 92283      |               | C             | 0.17        | 0.96                       | 0.96            | 0.02       | XXX              | 53.10                     |             |                                |
| 92283      | TC            | C             | 0.00        | 0.90                       | 0.90            | 0.01       | XXX              | 53.10                     |             |                                |
| 92283      | 26            | C             | 0.17        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 92284      |               | C             | 0.24        | 1.28                       | 1.28            | 0.02       | XXX              | 53.10                     |             |                                |
| 92284      | TC            | C             | 0.00        | 1.21                       | 1.21            | 0.01       | XXX              | 53.10                     |             |                                |
| 92284      | 26            | C             | 0.24        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 92285      |               | C             | 0.20        | 0.84                       | 0.84            | 0.02       | XXX              | 53.10                     |             |                                |
| 92285      | TC            | C             | 0.00        | 0.76                       | 0.76            | 0.01       | XXX              | 53.10                     |             |                                |
| 92285      | 26            | C             | 0.20        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 92286      |               | C             | 0.66        | 2.32                       | 2.32            | 0.04       | XXX              | 53.10                     |             |                                |
| 92286      | TC            | C             | 0.00        | 2.07                       | 2.07            | 0.02       | XXX              | 53.10                     |             |                                |
| 92286      | 26            | C             | 0.66        | 0.25                       | 0.25            | 0.02       | XXX              | 53.10                     |             |                                |
| 92287      |               | C             | 0.81        | 2.03                       | 0.31            | 0.02       | XXX              | 53.10                     |             |                                |
| 92310      |               | C             | 1.17        | 1.23                       | 0.41            | 0.04       | XXX              | 53.10                     |             |                                |
| 92311      |               | C             | 1.08        | 1.25                       | 0.34            | 0.03       | XXX              | 53.10                     |             |                                |
| 92312      |               | C             | 1.26        | 1.39                       | 0.41            | 0.03       | XXX              | 53.10                     |             |                                |
| 92313      |               | C             | 0.92        | 1.33                       | 0.32            | 0.02       | XXX              | 53.10                     |             |                                |
| 92314      |               | C             | 0.69        | 1.21                       | 0.24            | 0.01       | XXX              | 53.10                     |             |                                |
| 92315      |               | C             | 0.45        | 1.18                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 92316      |               | C             | 0.68        | 1.44                       | 0.25            | 0.02       | XXX              | 53.10                     |             |                                |
| 92317      |               | C             | 0.45        | 1.23                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92325      |               | C             | 0.00        | 0.72                       | 0.72            | 0.01       | XXX              | 53.10                     |             |                                |
| 92326      |               | C             | 0.00        | 0.95                       | 0.95            | 0.06       | XXX              | 53.10                     |             |                                |
| 92340      |               | C             | 0.37        | 0.56                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92341      |               | C             | 0.47        | 0.60                       | 0.16            | 0.01       | XXX              | 53.10                     |             |                                |
| 92342      |               | C             | 0.53        | 0.62                       | 0.19            | 0.01       | XXX              | 53.10                     |             |                                |
| 92352      |               | C             | 0.37        | 0.66                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92353      |               | C             | 0.50        | 0.70                       | 0.17            | 0.02       | XXX              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 92354      |               | C             | 0.00        | 2.46                       | 2.46            | 0.10       | XXX              | 53.10                     |             |                                |
| 92355      |               | C             | 0.00        | 1.46                       | 1.46            | 0.01       | XXX              | 53.10                     |             |                                |
| 92358      |               | C             | 0.00        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 92370      |               | C             | 0.32        | 0.48                       | 0.11            | 0.02       | XXX              | 53.10                     |             |                                |
| 92371      |               | C             | 0.00        | 0.36                       | 0.36            | 0.02       | XXX              | 53.10                     |             |                                |
| 92499      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92499      | TC            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92499      | 26            | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92502      |               | C             | 1.51        | 0.97                       | 0.97            | 0.05       | 000              | 53.10                     |             |                                |
| 92504      |               | C             | 0.18        | 0.57                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 92506      |               | C             | 0.86        | 3.19                       | 0.32            | 0.03       | XXX              | 53.10                     |             |                                |
| 92507      |               | C             | 0.52        | 1.16                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 92508      |               | C             | 0.26        | 0.54                       | 0.10            | 0.01       | XXX              | 53.10                     |             |                                |
| 92511      |               | C             | 0.84        | 3.14                       | 0.70            | 0.03       | 000              | 53.10                     |             |                                |
| 92512      |               | C             | 0.55        | 1.02                       | 0.19            | 0.02       | XXX              | 53.10                     |             |                                |
| 92516      |               | C             | 0.43        | 1.20                       | 0.17            | 0.01       | XXX              | 53.10                     |             |                                |
| 92520      |               | C             | 0.75        | 0.84                       | 0.29            | 0.03       | XXX              | 53.10                     |             |                                |
| 92526      |               | C             | 0.55        | 1.60                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 92531      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92532      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92533      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92534      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92541      |               | C             | 0.40        | 1.14                       | 1.14            | 0.04       | XXX              | 53.10                     |             |                                |
| 92541      | TC            | C             | 0.00        | 1.00                       | 1.00            | 0.02       | XXX              | 53.10                     |             |                                |
| 92541      | 26            | C             | 0.40        | 0.14                       | 0.14            | 0.02       | XXX              | 53.10                     |             |                                |
| 92542      |               | C             | 0.33        | 1.28                       | 1.28            | 0.03       | XXX              | 53.10                     |             |                                |
| 92542      | TC            | C             | 0.00        | 1.16                       | 1.16            | 0.02       | XXX              | 53.10                     |             |                                |
| 92542      | 26            | C             | 0.33        | 0.12                       | 0.12            | 0.01       | XXX              | 53.10                     |             |                                |
| 92543      |               | C             | 0.10        | 0.64                       | 0.64            | 0.02       | XXX              | 53.10                     |             |                                |
| 92543      | TC            | C             | 0.00        | 0.60                       | 0.60            | 0.01       | XXX              | 53.10                     |             |                                |
| 92543      | 26            | C             | 0.10        | 0.04                       | 0.04            | 0.01       | XXX              | 53.10                     |             |                                |
| 92544      |               | C             | 0.26        | 1.03                       | 1.03            | 0.03       | XXX              | 53.10                     |             |                                |
| 92544      | TC            | C             | 0.00        | 0.94                       | 0.94            | 0.02       | XXX              | 53.10                     |             |                                |
| 92544      | 26            | C             | 0.26        | 0.09                       | 0.09            | 0.01       | XXX              | 53.10                     |             |                                |
| 92545      |               | C             | 0.23        | 0.98                       | 0.98            | 0.03       | XXX              | 53.10                     |             |                                |
| 92545      | TC            | C             | 0.00        | 0.90                       | 0.90            | 0.02       | XXX              | 53.10                     |             |                                |
| 92545      | 26            | C             | 0.23        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 92546      |               | C             | 0.29        | 1.90                       | 1.90            | 0.03       | XXX              | 53.10                     |             |                                |
| 92546      | TC            | C             | 0.00        | 1.80                       | 1.80            | 0.02       | XXX              | 53.10                     |             |                                |
| 92546      | 26            | C             | 0.29        | 0.10                       | 0.10            | 0.01       | XXX              | 53.10                     |             |                                |
| 92547      |               | C             | 0.00        | 0.10                       | 0.10            | 0.06       | ZZZ              | 53.10                     |             |                                |
| 92548      |               | C             | 0.50        | 1.90                       | 1.90            | 0.15       | XXX              | 53.10                     |             |                                |
| 92548      | TC            | C             | 0.00        | 1.72                       | 1.72            | 0.13       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 92548      | 26            | C             | 0.50        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 92551      |               | C             | 0.00        | 0.28                       | 0.28            | 0.01       | XXX              | 53.10                     |             |                                |
| 92552      |               | C             | 0.00        | 0.55                       | 0.55            | 0.04       | XXX              | 53.10                     |             |                                |
| 92553      |               | C             | 0.00        | 0.73                       | 0.73            | 0.06       | XXX              | 53.10                     |             |                                |
| 92555      |               | C             | 0.00        | 0.40                       | 0.40            | 0.04       | XXX              | 53.10                     |             |                                |
| 92556      |               | C             | 0.00        | 0.62                       | 0.62            | 0.06       | XXX              | 53.10                     |             |                                |
| 92557      |               | C             | 0.60        | 0.53                       | 0.46            | 0.12       | XXX              | 53.10                     |             |                                |
| 92559      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92560      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92561      |               | C             | 0.00        | 0.71                       | 0.71            | 0.06       | XXX              | 53.10                     |             |                                |
| 92562      |               | C             | 0.00        | 0.58                       | 0.58            | 0.04       | XXX              | 53.10                     |             |                                |
| 92563      |               | C             | 0.00        | 0.52                       | 0.52            | 0.04       | XXX              | 53.10                     |             |                                |
| 92564      |               | C             | 0.00        | 0.49                       | 0.49            | 0.05       | XXX              | 53.10                     |             |                                |
| 92565      |               | C             | 0.00        | 0.31                       | 0.31            | 0.04       | XXX              | 53.10                     |             |                                |
| 92567      |               | C             | 0.20        | 0.23                       | 0.18            | 0.06       | XXX              | 53.10                     |             |                                |
| 92568      |               | C             | 0.29        | 0.17                       | 0.17            | 0.04       | XXX              | 53.10                     |             |                                |
| 92569      |               | C             | 0.20        | 0.16                       | 0.16            | 0.04       | XXX              | 53.10                     |             |                                |
| 92571      |               | C             | 0.00        | 0.41                       | 0.41            | 0.04       | XXX              | 53.10                     |             |                                |
| 92572      |               | C             | 0.00        | 0.46                       | 0.46            | 0.01       | XXX              | 53.10                     |             |                                |
| 92575      |               | C             | 0.00        | 0.93                       | 0.93            | 0.02       | XXX              | 53.10                     |             |                                |
| 92576      |               | C             | 0.00        | 0.53                       | 0.53            | 0.05       | XXX              | 53.10                     |             |                                |
| 92577      |               | C             | 0.00        | 0.41                       | 0.41            | 0.07       | XXX              | 53.10                     |             |                                |
| 92579      |               | C             | 0.70        | 0.45                       | 0.37            | 0.06       | XXX              | 53.10                     |             |                                |
| 92582      |               | C             | 0.00        | 1.06                       | 1.06            | 0.06       | XXX              | 53.10                     |             |                                |
| 92583      |               | C             | 0.00        | 0.83                       | 0.83            | 0.08       | XXX              | 53.10                     |             |                                |
| 92584      |               | C             | 0.00        | 1.65                       | 1.65            | 0.21       | XXX              | 53.10                     |             |                                |
| 92585      |               | C             | 0.50        | 2.09                       | 2.09            | 0.17       | XXX              | 53.10                     |             |                                |
| 92585      | TC            | C             | 0.00        | 1.91                       | 1.91            | 0.14       | XXX              | 53.10                     |             |                                |
| 92585      | 26            | C             | 0.50        | 0.18                       | 0.18            | 0.03       | XXX              | 53.10                     |             |                                |
| 92586      |               | C             | 0.00        | 1.57                       | 1.57            | 0.14       | XXX              | 53.10                     |             |                                |
| 92587      |               | C             | 0.13        | 0.82                       | 0.82            | 0.12       | XXX              | 53.10                     |             |                                |
| 92587      | TC            | C             | 0.00        | 0.77                       | 0.77            | 0.11       | XXX              | 53.10                     |             |                                |
| 92587      | 26            | C             | 0.13        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 92588      |               | C             | 0.36        | 1.24                       | 1.24            | 0.14       | XXX              | 53.10                     |             |                                |
| 92588      | TC            | C             | 0.00        | 1.11                       | 1.11            | 0.13       | XXX              | 53.10                     |             |                                |
| 92588      | 26            | C             | 0.36        | 0.13                       | 0.13            | 0.01       | XXX              | 53.10                     |             |                                |
| 92590      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92591      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92592      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92593      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92594      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92595      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 92596      |               | C             | 0.00        | 0.89                       | 0.89            | 0.06       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 92597      |               | C             | 0.86        | 1.89                       | 0.34            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 92601      |               | D             | 2.30        | 1.84                       | 1.48            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 92602      |               | D             | 1.30        | 1.27                       | 0.94            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 92603      |               | C             | 2.25        | 1.47                       | 1.14            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 92604      |               | C             | 1.25        | 0.94                       | 0.67            | 0.07      | XXX        |                  | 53.10                     |             |                                |
| 92605      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 92606      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 92607      |               | C             | 0.00        | 4.12                       | 4.12            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92608      |               | C             | 0.00        | 0.76                       | 0.76            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92609      |               | C             | 0.00        | 2.18                       | 2.18            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 92610      |               | C             | 0.00        | 2.08                       | 2.08            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 92611      |               | C             | 0.00        | 2.27                       | 2.27            | 0.08      | XXX        |                  | 53.10                     |             |                                |
| 92612      |               | C             | 1.27        | 2.89                       | 0.50            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 92613      |               | C             | 0.71        | 0.29                       | 0.29            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92614      |               | C             | 1.27        | 2.43                       | 0.50            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 92615      |               | C             | 0.63        | 0.26                       | 0.26            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92616      |               | C             | 1.88        | 3.20                       | 0.73            | 0.06      | XXX        |                  | 53.10                     |             |                                |
| 92617      |               | C             | 0.79        | 0.31                       | 0.31            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92620      |               | C             | 1.50        | 0.44                       | 0.44            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 92621      |               | C             | 0.35        | 0.10                       | 0.10            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 92625      |               | C             | 1.15        | 0.39                       | 0.39            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 92626      |               | C             | 1.40        | 0.73                       | 0.73            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 92627      |               | C             | 0.33        | 0.19                       | 0.19            | 0.01      | ZZZ        |                  | 53.10                     |             |                                |
| 92630      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 92633      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 92640      |               | C             | 1.76        | 0.26                       | 0.26            | 0.05      | XXX        |                  | 53.10                     |             |                                |
| 92700      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 92950      |               | C             | 3.79        | 3.42                       | 0.84            | 0.28      | 000        |                  | 53.10                     |             |                                |
| 92953      |               | C             | 0.23        | 0.08                       | 0.08            | 0.02      | 000        |                  | 53.10                     |             |                                |
| 92960      |               | C             | 2.25        | 4.75                       | 1.38            | 0.07      | 000        |                  | 53.10                     |             |                                |
| 92961      |               | C             | 4.59        | 2.39                       | 2.39            | 0.29      | 000        |                  | 53.10                     |             |                                |
| 92970      |               | C             | 3.51        | 1.37                       | 1.37            | 0.16      | 000        |                  | 53.10                     |             |                                |
| 92971      |               | C             | 1.77        | 1.04                       | 1.04            | 0.06      | 000        |                  | 53.10                     |             |                                |
| 92973      |               | C             | 3.28        | 1.65                       | 1.65            | 0.23      | ZZZ        |                  | 53.10                     |             |                                |
| 92974      |               | C             | 3.00        | 1.52                       | 1.52            | 0.21      | ZZZ        |                  | 53.10                     |             |                                |
| 92975      |               | C             | 7.24        | 3.59                       | 3.59            | 0.50      | 000        |                  | 53.10                     |             |                                |
| 92977      |               | C             | 0.00        | 3.26                       | 3.26            | 0.46      | XXX        |                  | 53.10                     |             |                                |
| 92978      |               | C             | 1.80        | 5.53                       | 5.53            | 0.30      | ZZZ        |                  | 53.10                     |             |                                |
| 92978      | TC            | C             | 0.00        | 4.57                       | 4.57            | 0.24      | ZZZ        |                  | 53.10                     |             |                                |
| 92978      | 26            | C             | 1.80        | 0.90                       | 0.90            | 0.06      | ZZZ        |                  | 53.10                     |             |                                |
| 92979      |               | C             | 1.44        | 3.07                       | 3.07            | 0.19      | ZZZ        |                  | 53.10                     |             |                                |
| 92979      | TC            | C             | 0.00        | 2.30                       | 2.30            | 0.13      | ZZZ        |                  | 53.10                     |             |                                |
| 92979      | 26            | C             | 1.44        | 0.73                       | 0.73            | 0.06      | ZZZ        |                  | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 92980 |       | C      | 14.82 | 7.66     | 7.66     | 1.03 | 000    | 53.10   |      |                                |
| 92981 |       | C      | 4.16  | 2.09     | 2.09     | 0.29 | ZZZ    | 53.10   |      |                                |
| 92982 |       | C      | 10.96 | 5.71     | 5.71     | 0.76 | 000    | 53.10   |      |                                |
| 92984 |       | C      | 2.97  | 1.49     | 1.49     | 0.21 | ZZZ    | 53.10   |      |                                |
| 92986 |       | C      | 22.70 | 14.36    | 14.36    | 1.51 | 090    | 53.10   |      |                                |
| 92987 |       | C      | 23.48 | 14.86    | 14.86    | 1.59 | 090    | 53.10   |      |                                |
| 92990 |       | C      | 18.12 | 11.40    | 11.40    | 1.20 | 090    | 53.10   |      |                                |
| 92992 |       | C      | 21.13 | 11.51    | 11.51    | 0.70 | 090    | 53.10   |      |                                |
| 92993 |       | C      | 21.13 | 11.51    | 11.51    | 0.70 | 090    | 53.10   |      |                                |
| 92995 |       | C      | 12.07 | 6.30     | 6.30     | 0.84 | 000    | 53.10   |      |                                |
| 92996 |       | C      | 3.26  | 1.64     | 1.64     | 0.10 | ZZZ    | 53.10   |      |                                |
| 92997 |       | C      | 11.98 | 5.25     | 5.25     | 0.40 | 000    | 53.10   |      |                                |
| 92998 |       | C      | 5.99  | 2.79     | 2.79     | 0.28 | ZZZ    | 53.10   |      |                                |
| 93000 |       | C      | 0.17  | 0.38     | 0.38     | 0.03 | XXX    | 53.10   |      |                                |
| 93005 |       | C      | 0.00  | 0.31     | 0.31     | 0.02 | XXX    | 53.10   |      |                                |
| 93010 |       | C      | 0.17  | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 93012 |       | C      | 0.00  | 4.87     | 4.87     | 0.18 | XXX    | 53.10   |      |                                |
| 93014 |       | C      | 0.52  | 0.23     | 0.23     | 0.02 | XXX    | 53.10   |      |                                |
| 93015 |       | C      | 0.75  | 1.89     | 1.89     | 0.14 | XXX    | 53.10   |      |                                |
| 93016 |       | C      | 0.45  | 0.21     | 0.21     | 0.02 | XXX    | 53.10   |      |                                |
| 93017 |       | C      | 0.00  | 1.54     | 1.54     | 0.11 | XXX    | 53.10   |      |                                |
| 93018 |       | C      | 0.30  | 0.14     | 0.14     | 0.01 | XXX    | 53.10   |      |                                |
| 93024 |       | C      | 1.17  | 2.09     | 2.09     | 0.12 | XXX    | 53.10   |      |                                |
| 93024 | TC    | C      | 0.00  | 1.55     | 1.55     | 0.08 | XXX    | 53.10   |      |                                |
| 93024 | 26    | C      | 1.17  | 0.54     | 0.54     | 0.04 | XXX    | 53.10   |      |                                |
| 93025 |       | C      | 0.75  | 5.02     | 5.02     | 0.14 | XXX    | 53.10   |      |                                |
| 93025 | TC    | C      | 0.00  | 4.66     | 4.66     | 0.11 | XXX    | 53.10   |      |                                |
| 93025 | 26    | C      | 0.75  | 0.36     | 0.36     | 0.03 | XXX    | 53.10   |      |                                |
| 93040 |       | C      | 0.16  | 0.19     | 0.19     | 0.02 | XXX    | 53.10   |      |                                |
| 93041 |       | C      | 0.00  | 0.14     | 0.14     | 0.01 | XXX    | 53.10   |      |                                |
| 93042 |       | C      | 0.16  | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 93224 |       | C      | 0.52  | 2.55     | 2.55     | 0.24 | XXX    | 53.10   |      |                                |
| 93225 |       | C      | 0.00  | 0.91     | 0.91     | 0.08 | XXX    | 53.10   |      |                                |
| 93226 |       | C      | 0.00  | 1.39     | 1.39     | 0.14 | XXX    | 53.10   |      |                                |
| 93227 |       | C      | 0.52  | 0.25     | 0.25     | 0.02 | XXX    | 53.10   |      |                                |
| 93228 |       | C      | 0.52  | 0.17     | 0.17     | 0.02 | XXX    | 53.10   |      |                                |
| 93229 |       | C      | 0.00  | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 93230 |       | C      | 0.52  | 2.61     | 2.61     | 0.26 | XXX    | 53.10   |      |                                |
| 93231 |       | C      | 0.00  | 0.89     | 0.89     | 0.11 | XXX    | 53.10   |      |                                |
| 93232 |       | C      | 0.00  | 1.50     | 1.50     | 0.13 | XXX    | 53.10   |      |                                |
| 93233 |       | C      | 0.52  | 0.22     | 0.22     | 0.02 | XXX    | 53.10   |      |                                |
| 93235 |       | C      | 0.45  | 2.79     | 2.79     | 0.16 | XXX    | 53.10   |      |                                |
| 93236 |       | C      | 0.00  | 2.63     | 2.63     | 0.14 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 93237      |               | C             | 0.45        | 0.21                       | 0.21            | 0.02       | XXX              | 53.10                     |             |                                |
| 93268      |               | C             | 0.52        | 6.56                       | 6.56            | 0.28       | XXX              | 53.10                     |             |                                |
| 93270      |               | C             | 0.00        | 0.52                       | 0.52            | 0.08       | XXX              | 53.10                     |             |                                |
| 93271      |               | C             | 0.00        | 5.82                       | 5.82            | 0.18       | XXX              | 53.10                     |             |                                |
| 93272      |               | C             | 0.52        | 0.22                       | 0.22            | 0.02       | XXX              | 53.10                     |             |                                |
| 93278      |               | C             | 0.25        | 0.76                       | 0.76            | 0.12       | XXX              | 53.10                     |             |                                |
| 93278      | TC            | C             | 0.00        | 0.66                       | 0.66            | 0.11       | XXX              | 53.10                     |             |                                |
| 93278      | 26            | C             | 0.25        | 0.10                       | 0.10            | 0.01       | XXX              | 53.10                     |             |                                |
| 93279      |               | C             | 0.65        | 0.84                       | 0.84            | 0.06       | XXX              | 53.10                     |             |                                |
| 93279      | TC            | C             | 0.00        | 0.51                       | 0.51            | 0.04       | XXX              | 53.10                     |             |                                |
| 93279      | 26            | C             | 0.65        | 0.33                       | 0.33            | 0.02       | XXX              | 53.10                     |             |                                |
| 93280      |               | C             | 0.77        | 1.01                       | 1.01            | 0.05       | XXX              | 53.10                     |             |                                |
| 93280      | TC            | C             | 0.00        | 0.60                       | 0.60            | 0.03       | XXX              | 53.10                     |             |                                |
| 93280      | 26            | C             | 0.77        | 0.41                       | 0.41            | 0.02       | XXX              | 53.10                     |             |                                |
| 93281      |               | C             | 0.90        | 1.18                       | 1.18            | 0.06       | XXX              | 53.10                     |             |                                |
| 93281      | TC            | C             | 0.00        | 0.70                       | 0.70            | 0.04       | XXX              | 53.10                     |             |                                |
| 93281      | 26            | C             | 0.90        | 0.48                       | 0.48            | 0.02       | XXX              | 53.10                     |             |                                |
| 93282      |               | C             | 0.85        | 1.06                       | 1.06            | 0.07       | XXX              | 53.10                     |             |                                |
| 93282      | TC            | C             | 0.00        | 0.63                       | 0.63            | 0.04       | XXX              | 53.10                     |             |                                |
| 93282      | 26            | C             | 0.85        | 0.43                       | 0.43            | 0.03       | XXX              | 53.10                     |             |                                |
| 93283      |               | C             | 1.05        | 1.28                       | 1.28            | 0.08       | XXX              | 53.10                     |             |                                |
| 93283      | TC            | C             | 0.00        | 0.72                       | 0.72            | 0.04       | XXX              | 53.10                     |             |                                |
| 93283      | 26            | C             | 1.05        | 0.56                       | 0.56            | 0.04       | XXX              | 53.10                     |             |                                |
| 93284      |               | C             | 1.25        | 1.49                       | 1.49            | 0.08       | XXX              | 53.10                     |             |                                |
| 93284      | TC            | C             | 0.00        | 0.82                       | 0.82            | 0.04       | XXX              | 53.10                     |             |                                |
| 93284      | 26            | C             | 1.25        | 0.67                       | 0.67            | 0.04       | XXX              | 53.10                     |             |                                |
| 93285      |               | C             | 0.52        | 0.76                       | 0.76            | 0.06       | XXX              | 53.10                     |             |                                |
| 93285      | TC            | C             | 0.00        | 0.48                       | 0.48            | 0.04       | XXX              | 53.10                     |             |                                |
| 93285      | 26            | C             | 0.52        | 0.28                       | 0.28            | 0.02       | XXX              | 53.10                     |             |                                |
| 93286      |               | C             | 0.30        | 0.42                       | 0.42            | 0.04       | XXX              | 53.10                     |             |                                |
| 93286      | TC            | C             | 0.00        | 0.32                       | 0.32            | 0.02       | XXX              | 53.10                     |             |                                |
| 93286      | 26            | C             | 0.30        | 0.10                       | 0.10            | 0.02       | XXX              | 53.10                     |             |                                |
| 93287      |               | C             | 0.45        | 0.50                       | 0.50            | 0.05       | XXX              | 53.10                     |             |                                |
| 93287      | TC            | C             | 0.00        | 0.35                       | 0.35            | 0.04       | XXX              | 53.10                     |             |                                |
| 93287      | 26            | C             | 0.45        | 0.15                       | 0.15            | 0.01       | XXX              | 53.10                     |             |                                |
| 93288      |               | C             | 0.43        | 0.72                       | 0.72            | 0.05       | XXX              | 53.10                     |             |                                |
| 93288      | TC            | C             | 0.00        | 0.49                       | 0.49            | 0.04       | XXX              | 53.10                     |             |                                |
| 93288      | 26            | C             | 0.43        | 0.23                       | 0.23            | 0.01       | XXX              | 53.10                     |             |                                |
| 93289      |               | C             | 0.78        | 1.01                       | 1.01            | 0.05       | XXX              | 53.10                     |             |                                |
| 93289      | TC            | C             | 0.00        | 0.60                       | 0.60            | 0.03       | XXX              | 53.10                     |             |                                |
| 93289      | 26            | C             | 0.78        | 0.41                       | 0.41            | 0.02       | XXX              | 53.10                     |             |                                |
| 93290      |               | C             | 0.43        | 0.40                       | 0.40            | 0.06       | XXX              | 53.10                     |             |                                |
| 93290      | TC            | C             | 0.00        | 0.26                       | 0.26            | 0.04       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 93290 | 26    | C      | 0.43 | 0.14     | 0.14     | 0.02 | XXX    | 53.10   |      |                                |
| 93291 |       | C      | 0.43 | 0.67     | 0.67     | 0.05 | XXX    | 53.10   |      |                                |
| 93291 | TC    | C      | 0.00 | 0.44     | 0.44     | 0.03 | XXX    | 53.10   |      |                                |
| 93291 | 26    | C      | 0.43 | 0.23     | 0.23     | 0.02 | XXX    | 53.10   |      |                                |
| 93292 |       | C      | 0.43 | 0.56     | 0.56     | 0.05 | XXX    | 53.10   |      |                                |
| 93292 | TC    | C      | 0.00 | 0.33     | 0.33     | 0.04 | XXX    | 53.10   |      |                                |
| 93292 | 26    | C      | 0.43 | 0.23     | 0.23     | 0.01 | XXX    | 53.10   |      |                                |
| 93293 |       | C      | 0.32 | 1.21     | 1.21     | 0.13 | XXX    | 53.10   |      |                                |
| 93293 | TC    | C      | 0.00 | 1.08     | 1.08     | 0.11 | XXX    | 53.10   |      |                                |
| 93293 | 26    | C      | 0.32 | 0.13     | 0.13     | 0.02 | XXX    | 53.10   |      |                                |
| 93294 |       | C      | 0.65 | 0.34     | 0.34     | 0.03 | XXX    | 53.10   |      |                                |
| 93295 |       | C      | 1.17 | 0.63     | 0.63     | 0.04 | XXX    | 53.10   |      |                                |
| 93296 |       | C      | 0.00 | 1.00     | 1.00     | 0.01 | XXX    | 53.10   |      |                                |
| 93297 |       | C      | 0.52 | 0.17     | 0.17     | 0.02 | XXX    | 53.10   |      |                                |
| 93298 |       | C      | 0.52 | 0.28     | 0.28     | 0.02 | XXX    | 53.10   |      |                                |
| 93299 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 53.10   |      |                                |
| 93303 |       | C      | 1.30 | 4.48     | 4.48     | 0.27 | XXX    | 53.10   |      |                                |
| 93303 | TC    | C      | 0.00 | 3.91     | 3.91     | 0.23 | XXX    | 53.10   |      |                                |
| 93303 | 26    | C      | 1.30 | 0.57     | 0.57     | 0.04 | XXX    | 53.10   |      |                                |
| 93304 |       | C      | 0.75 | 2.84     | 2.84     | 0.15 | XXX    | 53.10   |      |                                |
| 93304 | TC    | C      | 0.00 | 2.53     | 2.53     | 0.13 | XXX    | 53.10   |      |                                |
| 93304 | 26    | C      | 0.75 | 0.31     | 0.31     | 0.02 | XXX    | 53.10   |      |                                |
| 93306 |       | C      | 1.30 | 5.75     | 5.75     | 0.37 | XXX    | 53.10   |      |                                |
| 93306 | TC    | C      | 0.00 | 5.10     | 5.10     | 0.33 | XXX    | 53.10   |      |                                |
| 93306 | 26    | C      | 1.30 | 0.65     | 0.65     | 0.04 | XXX    | 53.10   |      |                                |
| 93307 |       | C      | 0.92 | 3.73     | 3.73     | 0.26 | XXX    | 53.10   |      |                                |
| 93307 | TC    | C      | 0.00 | 3.30     | 3.30     | 0.23 | XXX    | 53.10   |      |                                |
| 93307 | 26    | C      | 0.92 | 0.43     | 0.43     | 0.03 | XXX    | 53.10   |      |                                |
| 93308 |       | C      | 0.53 | 2.42     | 2.42     | 0.15 | XXX    | 53.10   |      |                                |
| 93308 | TC    | C      | 0.00 | 2.16     | 2.16     | 0.13 | XXX    | 53.10   |      |                                |
| 93308 | 26    | C      | 0.53 | 0.26     | 0.26     | 0.02 | XXX    | 53.10   |      |                                |
| 93312 |       | C      | 2.20 | 6.46     | 6.46     | 0.37 | XXX    | 53.10   |      |                                |
| 93312 | TC    | C      | 0.00 | 5.52     | 5.52     | 0.29 | XXX    | 53.10   |      |                                |
| 93312 | 26    | C      | 2.20 | 0.94     | 0.94     | 0.08 | XXX    | 53.10   |      |                                |
| 93313 |       | C      | 0.95 | 0.14     | 0.14     | 0.06 | XXX    | 53.10   |      |                                |
| 93314 |       | C      | 1.25 | 6.19     | 6.19     | 0.33 | XXX    | 53.10   |      |                                |
| 93314 | TC    | C      | 0.00 | 5.66     | 5.66     | 0.29 | XXX    | 53.10   |      |                                |
| 93314 | 26    | C      | 1.25 | 0.53     | 0.53     | 0.04 | XXX    | 53.10   |      |                                |
| 93315 |       | C      | 2.78 | 10.93    | 10.93    | 0.60 | XXX    | 53.10   |      |                                |
| 93315 | TC    | C      | 0.00 | 9.63     | 9.63     | 0.51 | XXX    | 53.10   |      |                                |
| 93315 | 26    | C      | 2.78 | 1.25     | 1.25     | 0.09 | XXX    | 53.10   |      |                                |
| 93316 |       | C      | 0.95 | 0.26     | 0.26     | 0.05 | XXX    | 53.10   |      |                                |
| 93317 |       | C      | 1.83 | 4.35     | 4.35     | 0.20 | XXX    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 93317 | TC    | C      | 0.00 | 3.80     | 3.80     | 0.12 | XXX    | 53.10   |      |                                |
| 93317 | 26    | C      | 1.83 | 0.65     | 0.65     | 0.08 | XXX    | 53.10   |      |                                |
| 93318 |       | C      | 8.39 | 3.42     | 3.42     | 0.53 | XXX    | 53.10   |      |                                |
| 93318 | TC    | C      | 6.19 | 2.57     | 2.57     | 0.39 | XXX    | 53.10   |      |                                |
| 93318 | 26    | C      | 2.20 | 0.79     | 0.79     | 0.14 | XXX    | 53.10   |      |                                |
| 93320 |       | C      | 0.38 | 1.66     | 1.66     | 0.13 | ZZZ    | 53.10   |      |                                |
| 93320 | TC    | C      | 0.00 | 1.48     | 1.48     | 0.12 | ZZZ    | 53.10   |      |                                |
| 93320 | 26    | C      | 0.38 | 0.18     | 0.18     | 0.01 | ZZZ    | 53.10   |      |                                |
| 93321 |       | C      | 0.15 | 0.73     | 0.73     | 0.09 | ZZZ    | 53.10   |      |                                |
| 93321 | TC    | C      | 0.00 | 0.66     | 0.66     | 0.08 | ZZZ    | 53.10   |      |                                |
| 93321 | 26    | C      | 0.15 | 0.07     | 0.07     | 0.01 | ZZZ    | 53.10   |      |                                |
| 93325 |       | C      | 0.07 | 1.21     | 1.21     | 0.22 | ZZZ    | 53.10   |      |                                |
| 93325 | TC    | C      | 0.00 | 1.18     | 1.18     | 0.21 | ZZZ    | 53.10   |      |                                |
| 93325 | 26    | C      | 0.07 | 0.03     | 0.03     | 0.01 | ZZZ    | 53.10   |      |                                |
| 93350 |       | C      | 1.46 | 4.23     | 4.23     | 0.18 | XXX    | 53.10   |      |                                |
| 93350 | TC    | C      | 0.00 | 3.51     | 3.51     | 0.13 | XXX    | 53.10   |      |                                |
| 93350 | 26    | C      | 1.46 | 0.72     | 0.72     | 0.05 | XXX    | 53.10   |      |                                |
| 93351 |       | C      | 1.75 | 5.60     | 5.60     | 0.33 | XXX    | 53.10   |      |                                |
| 93352 |       | C      | 0.19 | 0.84     | 0.84     | 0.04 | XXX    | 53.10   |      |                                |
| 93501 |       | C      | 3.02 | 18.00    | 18.00    | 1.27 | 000    | 53.10   |      |                                |
| 93501 | TC    | C      | 0.00 | 16.52    | 16.52    | 1.06 | 000    | 53.10   |      |                                |
| 93501 | 26    | C      | 3.02 | 1.48     | 1.48     | 0.21 | 000    | 53.10   |      |                                |
| 93503 |       | C      | 2.91 | 0.00     | 0.00     | 0.20 | 000    | 53.10   |      |                                |
| 93505 |       | C      | 4.37 | 15.87    | 15.87    | 0.46 | 000    | 53.10   |      |                                |
| 93505 | TC    | C      | 0.00 | 13.73    | 13.73    | 0.16 | 000    | 53.10   |      |                                |
| 93505 | 26    | C      | 4.37 | 2.14     | 2.14     | 0.30 | 000    | 53.10   |      |                                |
| 93508 |       | C      | 4.09 | 24.39    | 24.39    | 0.93 | 000    | 53.10   |      |                                |
| 93508 | TC    | C      | 0.00 | 22.22    | 22.22    | 0.65 | 000    | 53.10   |      |                                |
| 93508 | 26    | C      | 4.09 | 2.17     | 2.17     | 0.28 | 000    | 53.10   |      |                                |
| 93510 |       | C      | 4.32 | 30.05    | 30.05    | 2.61 | 000    | 53.10   |      |                                |
| 93510 | TC    | C      | 0.00 | 27.77    | 27.77    | 2.31 | 000    | 53.10   |      |                                |
| 93510 | 26    | C      | 4.32 | 2.28     | 2.28     | 0.30 | 000    | 53.10   |      |                                |
| 93511 |       | C      | 5.02 | 38.72    | 38.72    | 2.59 | 000    | 53.10   |      |                                |
| 93511 | TC    | C      | 0.00 | 36.07    | 36.07    | 2.24 | 000    | 53.10   |      |                                |
| 93511 | 26    | C      | 5.02 | 2.63     | 2.63     | 0.35 | 000    | 53.10   |      |                                |
| 93514 |       | C      | 7.04 | 38.91    | 38.91    | 2.72 | 000    | 53.10   |      |                                |
| 93514 | TC    | C      | 0.00 | 35.96    | 35.96    | 2.23 | 000    | 53.10   |      |                                |
| 93514 | 26    | C      | 7.04 | 3.48     | 3.48     | 0.49 | 000    | 53.10   |      |                                |
| 93524 |       | C      | 6.94 | 50.91    | 50.91    | 3.43 | 000    | 53.10   |      |                                |
| 93524 | TC    | C      | 0.00 | 47.14    | 47.14    | 2.95 | 000    | 53.10   |      |                                |
| 93524 | 26    | C      | 6.94 | 3.61     | 3.61     | 0.48 | 000    | 53.10   |      |                                |
| 93526 |       | C      | 5.98 | 38.02    | 38.02    | 3.46 | 000    | 53.10   |      |                                |
| 93526 | TC    | C      | 0.00 | 34.91    | 34.91    | 3.04 | 000    | 53.10   |      |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 93526 | 26    | C      | 5.98 | 3.11     | 3.11     | 0.42 | 000    | 53.10   |      |                                |
| 93527 |       | C      | 7.27 | 50.99    | 50.99    | 3.46 | 000    | 53.10   |      |                                |
| 93527 | TC    | C      | 0.00 | 47.14    | 47.14    | 2.95 | 000    | 53.10   |      |                                |
| 93527 | 26    | C      | 7.27 | 3.74     | 3.74     | 0.51 | 000    | 53.10   |      |                                |
| 93528 |       | C      | 8.99 | 51.57    | 51.57    | 3.57 | 000    | 53.10   |      |                                |
| 93528 | TC    | C      | 0.00 | 47.14    | 47.14    | 2.95 | 000    | 53.10   |      |                                |
| 93528 | 26    | C      | 8.99 | 4.07     | 4.07     | 0.62 | 000    | 53.10   |      |                                |
| 93529 |       | C      | 4.79 | 49.72    | 49.72    | 3.28 | 000    | 53.10   |      |                                |
| 93529 | TC    | C      | 0.00 | 47.14    | 47.14    | 2.95 | 000    | 53.10   |      |                                |
| 93529 | 26    | C      | 4.79 | 2.51     | 2.51     | 0.33 | 000    | 53.10   |      |                                |
| 93530 |       | C      | 4.22 | 18.86    | 18.86    | 1.34 | 000    | 53.10   |      |                                |
| 93530 | TC    | C      | 0.00 | 17.02    | 17.02    | 1.05 | 000    | 53.10   |      |                                |
| 93530 | 26    | C      | 4.22 | 1.99     | 1.99     | 0.29 | 000    | 53.10   |      |                                |
| 93531 |       | C      | 8.34 | 52.00    | 52.00    | 3.62 | 000    | 53.10   |      |                                |
| 93531 | TC    | C      | 0.00 | 48.43    | 48.43    | 3.04 | 000    | 53.10   |      |                                |
| 93531 | 26    | C      | 8.34 | 3.81     | 3.81     | 0.58 | 000    | 53.10   |      |                                |
| 93532 |       | C      | 9.99 | 50.82    | 50.82    | 3.62 | 000    | 53.10   |      |                                |
| 93532 | TC    | C      | 0.00 | 47.17    | 47.17    | 2.93 | 000    | 53.10   |      |                                |
| 93532 | 26    | C      | 9.99 | 4.41     | 4.41     | 0.69 | 000    | 53.10   |      |                                |
| 93533 |       | C      | 6.69 | 50.15    | 50.15    | 3.40 | 000    | 53.10   |      |                                |
| 93533 | TC    | C      | 0.00 | 47.00    | 47.00    | 2.93 | 000    | 53.10   |      |                                |
| 93533 | 26    | C      | 6.69 | 3.00     | 3.00     | 0.47 | 000    | 53.10   |      |                                |
| 93539 |       | C      | 0.40 | 1.81     | 0.20     | 0.01 | 000    | 53.10   |      |                                |
| 93540 |       | C      | 0.43 | 6.18     | 0.22     | 0.01 | 000    | 53.10   |      |                                |
| 93541 |       | C      | 0.29 | 0.14     | 0.14     | 0.01 | 000    | 53.10   |      |                                |
| 93542 |       | C      | 0.29 | 3.72     | 0.14     | 0.01 | 000    | 53.10   |      |                                |
| 93543 |       | C      | 0.29 | 1.90     | 0.14     | 0.01 | 000    | 53.10   |      |                                |
| 93544 |       | C      | 0.25 | 1.34     | 0.13     | 0.01 | 000    | 53.10   |      |                                |
| 93545 |       | C      | 0.40 | 4.22     | 0.20     | 0.01 | 000    | 53.10   |      |                                |
| 93555 |       | C      | 0.81 | 2.09     | 2.09     | 0.37 | XXX    | 53.10   |      |                                |
| 93555 | TC    | C      | 0.00 | 1.69     | 1.69     | 0.34 | XXX    | 53.10   |      |                                |
| 93555 | 26    | C      | 0.81 | 0.40     | 0.40     | 0.03 | XXX    | 53.10   |      |                                |
| 93556 |       | C      | 0.83 | 3.20     | 3.20     | 0.54 | XXX    | 53.10   |      |                                |
| 93556 | TC    | C      | 0.00 | 2.79     | 2.79     | 0.51 | XXX    | 53.10   |      |                                |
| 93556 | 26    | C      | 0.83 | 0.41     | 0.41     | 0.03 | XXX    | 53.10   |      |                                |
| 93561 |       | C      | 0.50 | 0.68     | 0.68     | 0.08 | 000    | 53.10   |      |                                |
| 93561 | TC    | C      | 0.00 | 0.54     | 0.54     | 0.06 | 000    | 53.10   |      |                                |
| 93561 | 26    | C      | 0.50 | 0.14     | 0.14     | 0.02 | 000    | 53.10   |      |                                |
| 93562 |       | C      | 0.16 | 0.37     | 0.37     | 0.05 | 000    | 53.10   |      |                                |
| 93562 | TC    | C      | 0.00 | 0.34     | 0.34     | 0.04 | 000    | 53.10   |      |                                |
| 93562 | 26    | C      | 0.16 | 0.04     | 0.04     | 0.01 | 000    | 53.10   |      |                                |
| 93571 |       | C      | 1.80 | 5.52     | 5.52     | 0.30 | ZZZ    | 53.10   |      |                                |
| 93571 | TC    | C      | 0.00 | 4.57     | 4.57     | 0.24 | ZZZ    | 53.10   |      |                                |



| CPT   | MOD-  | PAY    | WORK  | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|-------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU   | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |       | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 93571 | 26    | C      | 1.80  | 0.89     | 0.89     | 0.06 | ZZZ    | 53.10   |      |                                |
| 93572 |       | C      | 1.44  | 3.03     | 3.03     | 0.17 | ZZZ    | 53.10   |      |                                |
| 93572 | TC    | C      | 0.00  | 2.29     | 2.29     | 0.13 | ZZZ    | 53.10   |      |                                |
| 93572 | 26    | C      | 1.44  | 0.68     | 0.68     | 0.04 | ZZZ    | 53.10   |      |                                |
| 93580 |       | C      | 17.97 | 9.03     | 9.03     | 1.25 | 000    | 53.10   |      |                                |
| 93581 |       | C      | 24.39 | 10.89    | 10.89    | 1.72 | 000    | 53.10   |      |                                |
| 93600 |       | C      | 2.12  | 3.05     | 3.05     | 0.29 | 000    | 53.10   |      |                                |
| 93600 | TC    | C      | 0.00  | 1.96     | 1.96     | 0.13 | 000    | 53.10   |      |                                |
| 93600 | 26    | C      | 2.12  | 1.03     | 1.03     | 0.16 | 000    | 53.10   |      |                                |
| 93602 |       | C      | 2.12  | 2.15     | 2.15     | 0.24 | 000    | 53.10   |      |                                |
| 93602 | TC    | C      | 0.00  | 1.11     | 1.11     | 0.07 | 000    | 53.10   |      |                                |
| 93602 | 26    | C      | 2.12  | 1.01     | 1.01     | 0.17 | 000    | 53.10   |      |                                |
| 93603 |       | C      | 2.12  | 2.72     | 2.72     | 0.29 | 000    | 53.10   |      |                                |
| 93603 | TC    | C      | 0.00  | 1.68     | 1.68     | 0.11 | 000    | 53.10   |      |                                |
| 93603 | 26    | C      | 2.12  | 1.01     | 1.01     | 0.18 | 000    | 53.10   |      |                                |
| 93609 |       | C      | 4.99  | 5.34     | 5.34     | 0.52 | ZZZ    | 53.10   |      |                                |
| 93609 | TC    | C      | 0.00  | 2.73     | 2.73     | 0.17 | ZZZ    | 53.10   |      |                                |
| 93609 | 26    | C      | 4.99  | 2.46     | 2.46     | 0.35 | ZZZ    | 53.10   |      |                                |
| 93610 |       | C      | 3.02  | 2.82     | 2.82     | 0.34 | 000    | 53.10   |      |                                |
| 93610 | TC    | C      | 0.00  | 1.35     | 1.35     | 0.10 | 000    | 53.10   |      |                                |
| 93610 | 26    | C      | 3.02  | 1.43     | 1.43     | 0.24 | 000    | 53.10   |      |                                |
| 93612 |       | C      | 3.02  | 3.03     | 3.03     | 0.36 | 000    | 53.10   |      |                                |
| 93612 | TC    | C      | 0.00  | 1.61     | 1.61     | 0.11 | 000    | 53.10   |      |                                |
| 93612 | 26    | C      | 3.02  | 1.40     | 1.40     | 0.25 | 000    | 53.10   |      |                                |
| 93613 |       | C      | 6.99  | 3.48     | 3.48     | 0.49 | ZZZ    | 53.10   |      |                                |
| 93615 |       | C      | 0.99  | 0.86     | 0.86     | 0.05 | 000    | 53.10   |      |                                |
| 93615 | TC    | C      | 0.00  | 0.32     | 0.32     | 0.02 | 000    | 53.10   |      |                                |
| 93615 | 26    | C      | 0.99  | 0.47     | 0.47     | 0.03 | 000    | 53.10   |      |                                |
| 93616 |       | C      | 1.49  | 0.58     | 0.58     | 0.11 | 000    | 53.10   |      |                                |
| 93616 | TC    | C      | 0.00  | 0.32     | 0.32     | 0.02 | 000    | 53.10   |      |                                |
| 93616 | 26    | C      | 1.49  | 0.35     | 0.35     | 0.09 | 000    | 53.10   |      |                                |
| 93618 |       | C      | 4.25  | 6.25     | 6.25     | 0.54 | 000    | 53.10   |      |                                |
| 93618 | TC    | C      | 0.00  | 3.97     | 3.97     | 0.24 | 000    | 53.10   |      |                                |
| 93618 | 26    | C      | 4.25  | 2.15     | 2.15     | 0.30 | 000    | 53.10   |      |                                |
| 93619 |       | C      | 7.31  | 11.59    | 11.59    | 0.98 | 000    | 53.10   |      |                                |
| 93619 | TC    | C      | 0.00  | 7.72     | 7.72     | 0.47 | 000    | 53.10   |      |                                |
| 93619 | 26    | C      | 7.31  | 3.75     | 3.75     | 0.51 | 000    | 53.10   |      |                                |
| 93620 |       | C      | 11.57 | 17.86    | 17.86    | 1.54 | ZZZ    | 53.10   |      |                                |
| 93620 | TC    | C      | 0.00  | 11.78    | 11.78    | 0.74 | ZZZ    | 53.10   |      |                                |
| 93620 | 26    | C      | 11.57 | 5.81     | 5.81     | 0.80 | 000    | 53.10   |      |                                |
| 93621 |       | C      | 2.10  | 3.08     | 3.08     | 0.29 | ZZZ    | 53.10   |      |                                |
| 93621 | TC    | C      | 0.00  | 1.98     | 1.98     | 0.14 | ZZZ    | 53.10   |      |                                |
| 93621 | 26    | C      | 2.10  | 1.04     | 1.04     | 0.15 | ZZZ    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 93622      |               | C             | 3.10        | 4.48                       | 4.48            | 0.43       | ZZZ              | 53.10                     |             |                                |
| 93622      | TC            | C             | 0.00        | 2.92                       | 2.92            | 0.21       | ZZZ              | 53.10                     |             |                                |
| 93622      | 26            | C             | 3.10        | 1.49                       | 1.49            | 0.22       | ZZZ              | 53.10                     |             |                                |
| 93623      |               | C             | 2.85        | 4.17                       | 4.17            | 0.39       | ZZZ              | 53.10                     |             |                                |
| 93623      | TC            | C             | 0.00        | 2.68                       | 2.68            | 0.19       | ZZZ              | 53.10                     |             |                                |
| 93623      | 26            | C             | 2.85        | 1.41                       | 1.41            | 0.20       | ZZZ              | 53.10                     |             |                                |
| 93624      |               | C             | 4.80        | 4.59                       | 4.59            | 0.46       | 000              | 53.10                     |             |                                |
| 93624      | TC            | C             | 0.00        | 1.99                       | 1.99            | 0.13       | 000              | 53.10                     |             |                                |
| 93624      | 26            | C             | 4.80        | 2.47                       | 2.47            | 0.33       | 000              | 53.10                     |             |                                |
| 93631      |               | C             | 7.59        | 8.92                       | 8.92            | 1.59       | 000              | 53.10                     |             |                                |
| 93631      | TC            | C             | 0.00        | 6.17                       | 6.17            | 0.62       | 000              | 53.10                     |             |                                |
| 93631      | 26            | C             | 7.59        | 2.76                       | 2.76            | 0.97       | 000              | 53.10                     |             |                                |
| 93640      |               | C             | 3.51        | 9.00                       | 9.00            | 0.66       | 000              | 53.10                     |             |                                |
| 93640      | TC            | C             | 0.00        | 7.19                       | 7.19            | 0.42       | 000              | 53.10                     |             |                                |
| 93640      | 26            | C             | 3.51        | 1.72                       | 1.72            | 0.24       | 000              | 53.10                     |             |                                |
| 93641      |               | C             | 5.92        | 10.29                      | 10.29           | 0.83       | 000              | 53.10                     |             |                                |
| 93641      | TC            | C             | 0.00        | 7.19                       | 7.19            | 0.42       | 000              | 53.10                     |             |                                |
| 93641      | 26            | C             | 5.92        | 2.93                       | 2.93            | 0.41       | 000              | 53.10                     |             |                                |
| 93642      |               | C             | 4.88        | 7.66                       | 7.66            | 0.57       | 000              | 53.10                     |             |                                |
| 93642      | TC            | C             | 0.00        | 5.15                       | 5.15            | 0.42       | 000              | 53.10                     |             |                                |
| 93642      | 26            | C             | 4.88        | 2.51                       | 2.51            | 0.15       | 000              | 53.10                     |             |                                |
| 93650      |               | C             | 10.49       | 5.47                       | 5.47            | 0.73       | 000              | 53.10                     |             |                                |
| 93651      |               | C             | 16.23       | 8.03                       | 8.03            | 1.13       | 000              | 53.10                     |             |                                |
| 93652      |               | C             | 17.65       | 8.75                       | 8.75            | 1.23       | 000              | 53.10                     |             |                                |
| 93660      |               | C             | 1.89        | 2.78                       | 2.78            | 0.08       | 000              | 53.10                     |             |                                |
| 93660      | TC            | C             | 0.00        | 1.85                       | 1.85            | 0.02       | 000              | 53.10                     |             |                                |
| 93660      | 26            | C             | 1.89        | 0.93                       | 0.93            | 0.06       | 000              | 53.10                     |             |                                |
| 93662      |               | C             | 2.80        | 5.07                       | 5.07            | 0.34       | ZZZ              | 53.10                     |             |                                |
| 93662      | TC            | C             | 0.00        | 3.60                       | 3.60            | 0.25       | ZZZ              | 53.10                     |             |                                |
| 93662      | 26            | C             | 2.80        | 1.38                       | 1.38            | 0.09       | ZZZ              | 53.10                     |             |                                |
| 93668      |               | C             | 0.00        | 0.46                       | 0.46            | 0.01       | XXX              | 53.10                     |             |                                |
| 93701      |               | C             | 0.17        | 0.75                       | 0.75            | 0.02       | XXX              | 53.10                     |             |                                |
| 93701      | TC            | C             | 0.00        | 0.68                       | 0.68            | 0.01       | XXX              | 53.10                     |             |                                |
| 93701      | 26            | C             | 0.17        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 93720      |               | C             | 0.17        | 1.04                       | 1.04            | 0.07       | XXX              | 53.10                     |             |                                |
| 93721      |               | C             | 0.00        | 0.99                       | 0.99            | 0.06       | XXX              | 53.10                     |             |                                |
| 93722      |               | C             | 0.17        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 93724      |               | C             | 4.88        | 4.01                       | 4.01            | 0.39       | 000              | 53.10                     |             |                                |
| 93724      | TC            | C             | 0.00        | 1.63                       | 1.63            | 0.24       | 000              | 53.10                     |             |                                |
| 93724      | 26            | C             | 4.88        | 2.38                       | 2.38            | 0.15       | 000              | 53.10                     |             |                                |
| 93727      |               | C             | 0.52        | 0.64                       | 0.64            | 0.02       | XXX              | 51.86                     | 12/31/2008  |                                |
| 93731      |               | C             | 0.45        | 0.79                       | 0.79            | 0.05       | XXX              | 51.86                     | 12/31/2008  |                                |
| 93731      | TC            | C             | 0.00        | 0.55                       | 0.55            | 0.04       | XXX              | 51.86                     | 12/31/2008  |                                |

| CPT<br>ADA | MOD-  | PAY    | WORK | NON-<br>FACILITY | FACILITY<br>PE | MPE  | GLOBAL | CON-<br>VERSION | END        |                                |
|------------|-------|--------|------|------------------|----------------|------|--------|-----------------|------------|--------------------------------|
| HCPCS      | IFIER | STATUS | RVU  | PE RVU           | RVU            | RVU  | PERIOD | FACTOR          | DATE       | SHORT DESCRIPTION (HCPCS only) |
| 93731      | 26    | C      | 0.45 | 0.24             | 0.24           | 0.01 | XXX    | 51.86           | 12/31/2008 |                                |
| 93732      |       | C      | 0.92 | 1.15             | 1.15           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93732      | TC    | C      | 0.00 | 0.67             | 0.67           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93732      | 26    | C      | 0.92 | 0.48             | 0.48           | 0.03 | XXX    | 51.86           | 12/31/2008 |                                |
| 93733      |       | C      | 0.17 | 0.93             | 0.93           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93733      | TC    | C      | 0.00 | 0.85             | 0.85           | 0.06 | XXX    | 51.86           | 12/31/2008 |                                |
| 93733      | 26    | C      | 0.17 | 0.08             | 0.08           | 0.01 | XXX    | 51.86           | 12/31/2008 |                                |
| 93734      |       | C      | 0.38 | 0.69             | 0.69           | 0.03 | XXX    | 51.86           | 12/31/2008 |                                |
| 93734      | TC    | C      | 0.00 | 0.50             | 0.50           | 0.02 | XXX    | 51.86           | 12/31/2008 |                                |
| 93734      | 26    | C      | 0.38 | 0.19             | 0.19           | 0.01 | XXX    | 51.86           | 12/31/2008 |                                |
| 93735      |       | C      | 0.74 | 0.96             | 0.96           | 0.06 | XXX    | 51.86           | 12/31/2008 |                                |
| 93735      | TC    | C      | 0.00 | 0.57             | 0.57           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93735      | 26    | C      | 0.74 | 0.39             | 0.39           | 0.02 | XXX    | 51.86           | 12/31/2008 |                                |
| 93736      |       | C      | 0.15 | 0.91             | 0.91           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93736      | TC    | C      | 0.00 | 0.84             | 0.84           | 0.06 | XXX    | 51.86           | 12/31/2008 |                                |
| 93736      | 26    | C      | 0.15 | 0.07             | 0.07           | 0.01 | XXX    | 51.86           | 12/31/2008 |                                |
| 93740      |       | C      | 0.16 | 0.09             | 0.09           | 0.02 | XXX    | 53.10           |            |                                |
| 93740      | TC    | C      | 0.00 | 0.04             | 0.04           | 0.01 | XXX    | 53.10           |            |                                |
| 93740      | 26    | C      | 0.16 | 0.05             | 0.05           | 0.01 | XXX    | 53.10           |            |                                |
| 93741      |       | C      | 0.80 | 1.02             | 1.02           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93741      | TC    | C      | 0.00 | 0.60             | 0.60           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93741      | 26    | C      | 0.80 | 0.42             | 0.42           | 0.03 | XXX    | 51.86           | 12/31/2008 |                                |
| 93742      |       | C      | 0.91 | 1.15             | 1.15           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93742      | TC    | C      | 0.00 | 0.67             | 0.67           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93742      | 26    | C      | 0.91 | 0.48             | 0.48           | 0.03 | XXX    | 51.86           | 12/31/2008 |                                |
| 93743      |       | C      | 1.03 | 1.19             | 1.19           | 0.07 | XXX    | 51.86           | 12/31/2008 |                                |
| 93743      | TC    | C      | 0.00 | 0.64             | 0.64           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93743      | 26    | C      | 1.03 | 0.55             | 0.55           | 0.03 | XXX    | 51.86           | 12/31/2008 |                                |
| 93744      |       | C      | 1.18 | 1.35             | 1.35           | 0.08 | XXX    | 51.86           | 12/31/2008 |                                |
| 93744      | TC    | C      | 0.00 | 0.72             | 0.72           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93744      | 26    | C      | 1.18 | 0.63             | 0.63           | 0.04 | XXX    | 51.86           | 12/31/2008 |                                |
| 93745      |       | C      | 0.00 | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |            |                                |
| 93745      | TC    | C      | 0.00 | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |            |                                |
| 93745      | 26    | C      | 0.00 | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |            |                                |
| 93760      |       | C      | 0.00 | 0.00             | 0.00           | 0.00 | XXX    | 0.00            | 12/31/2008 |                                |
| 93762      |       | C      | 0.00 | 0.00             | 0.00           | 0.00 | XXX    | 0.00            | 12/31/2008 |                                |
| 93770      |       | C      | 0.16 | 0.06             | 0.06           | 0.02 | XXX    | 53.10           |            |                                |
| 93770      | TC    | C      | 0.00 | 0.01             | 0.01           | 0.01 | XXX    | 53.10           |            |                                |
| 93770      | 26    | C      | 0.16 | 0.05             | 0.05           | 0.01 | XXX    | 53.10           |            |                                |
| 93784      |       | C      | 0.38 | 1.40             | 1.40           | 0.03 | XXX    | 53.10           |            |                                |
| 93786      |       | C      | 0.00 | 0.81             | 0.81           | 0.01 | XXX    | 53.10           |            |                                |
| 93788      |       | C      | 0.00 | 0.45             | 0.45           | 0.01 | XXX    | 53.10           |            |                                |
| 93790      |       | C      | 0.38 | 0.14             | 0.14           | 0.01 | XXX    | 53.10           |            |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 93797 |       | C      | 0.18 | 0.31     | 0.08     | 0.01 | 000    | 53.10   |      |                                |
| 93798 |       | C      | 0.28 | 0.43     | 0.13     | 0.01 | 000    | 53.10   |      |                                |
| 93799 |       | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 93799 | TC    | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 93799 | 26    | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 93875 |       | C      | 0.22 | 2.47     | 2.47     | 0.12 | XXX    | 53.10   |      |                                |
| 93875 | TC    | C      | 0.00 | 2.39     | 2.39     | 0.11 | XXX    | 53.10   |      |                                |
| 93875 | 26    | C      | 0.22 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 93880 |       | C      | 0.60 | 5.90     | 5.90     | 0.39 | XXX    | 53.10   |      |                                |
| 93880 | TC    | C      | 0.00 | 5.68     | 5.68     | 0.35 | XXX    | 53.10   |      |                                |
| 93880 | 26    | C      | 0.60 | 0.22     | 0.22     | 0.04 | XXX    | 53.10   |      |                                |
| 93882 |       | C      | 0.40 | 3.88     | 3.88     | 0.26 | XXX    | 53.10   |      |                                |
| 93882 | TC    | C      | 0.00 | 3.75     | 3.75     | 0.22 | XXX    | 53.10   |      |                                |
| 93882 | 26    | C      | 0.40 | 0.13     | 0.13     | 0.04 | XXX    | 53.10   |      |                                |
| 93886 |       | C      | 0.94 | 6.87     | 6.87     | 0.45 | XXX    | 53.10   |      |                                |
| 93886 | TC    | C      | 0.00 | 6.56     | 6.56     | 0.39 | XXX    | 53.10   |      |                                |
| 93886 | 26    | C      | 0.94 | 0.31     | 0.31     | 0.06 | XXX    | 53.10   |      |                                |
| 93888 |       | C      | 0.62 | 4.69     | 4.69     | 0.32 | XXX    | 53.10   |      |                                |
| 93888 | TC    | C      | 0.00 | 4.47     | 4.47     | 0.27 | XXX    | 53.10   |      |                                |
| 93888 | 26    | C      | 0.62 | 0.22     | 0.22     | 0.05 | XXX    | 53.10   |      |                                |
| 93890 |       | C      | 1.00 | 5.81     | 5.81     | 0.45 | XXX    | 53.10   |      |                                |
| 93890 | TC    | C      | 0.00 | 5.48     | 5.48     | 0.39 | XXX    | 53.10   |      |                                |
| 93890 | 26    | C      | 1.00 | 0.33     | 0.33     | 0.06 | XXX    | 53.10   |      |                                |
| 93892 |       | C      | 1.15 | 6.35     | 6.35     | 0.45 | XXX    | 53.10   |      |                                |
| 93892 | TC    | C      | 0.00 | 5.98     | 5.98     | 0.39 | XXX    | 53.10   |      |                                |
| 93892 | 26    | C      | 1.15 | 0.37     | 0.37     | 0.06 | XXX    | 53.10   |      |                                |
| 93893 |       | C      | 1.15 | 6.33     | 6.33     | 0.45 | XXX    | 53.10   |      |                                |
| 93893 | TC    | C      | 0.00 | 5.95     | 5.95     | 0.39 | XXX    | 53.10   |      |                                |
| 93893 | 26    | C      | 1.15 | 0.38     | 0.38     | 0.06 | XXX    | 53.10   |      |                                |
| 93922 |       | C      | 0.25 | 2.94     | 2.94     | 0.15 | XXX    | 53.10   |      |                                |
| 93922 | TC    | C      | 0.00 | 2.86     | 2.86     | 0.13 | XXX    | 53.10   |      |                                |
| 93922 | 26    | C      | 0.25 | 0.08     | 0.08     | 0.02 | XXX    | 53.10   |      |                                |
| 93923 |       | C      | 0.45 | 4.45     | 4.45     | 0.26 | XXX    | 53.10   |      |                                |
| 93923 | TC    | C      | 0.00 | 4.30     | 4.30     | 0.22 | XXX    | 53.10   |      |                                |
| 93923 | 26    | C      | 0.45 | 0.15     | 0.15     | 0.04 | XXX    | 53.10   |      |                                |
| 93924 |       | C      | 0.50 | 5.55     | 5.55     | 0.30 | XXX    | 53.10   |      |                                |
| 93924 | TC    | C      | 0.00 | 5.37     | 5.37     | 0.25 | XXX    | 53.10   |      |                                |
| 93924 | 26    | C      | 0.50 | 0.18     | 0.18     | 0.05 | XXX    | 53.10   |      |                                |
| 93925 |       | C      | 0.58 | 7.58     | 7.58     | 0.39 | XXX    | 53.10   |      |                                |
| 93925 | TC    | C      | 0.00 | 7.38     | 7.38     | 0.35 | XXX    | 53.10   |      |                                |
| 93925 | 26    | C      | 0.58 | 0.20     | 0.20     | 0.04 | XXX    | 53.10   |      |                                |
| 93926 |       | C      | 0.39 | 4.80     | 4.80     | 0.27 | XXX    | 53.10   |      |                                |
| 93926 | TC    | C      | 0.00 | 4.67     | 4.67     | 0.23 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 93926      | 26            | C             | 0.39        | 0.13                       | 0.13            | 0.04       | XXX              | 53.10                     |             |                                |
| 93930      |               | C             | 0.46        | 5.90                       | 5.90            | 0.41       | XXX              | 53.10                     |             |                                |
| 93930      | TC            | C             | 0.00        | 5.74                       | 5.74            | 0.37       | XXX              | 53.10                     |             |                                |
| 93930      | 26            | C             | 0.46        | 0.16                       | 0.16            | 0.04       | XXX              | 53.10                     |             |                                |
| 93931      |               | C             | 0.31        | 3.95                       | 3.95            | 0.27       | XXX              | 53.10                     |             |                                |
| 93931      | TC            | C             | 0.00        | 3.85                       | 3.85            | 0.24       | XXX              | 53.10                     |             |                                |
| 93931      | 26            | C             | 0.31        | 0.10                       | 0.10            | 0.03       | XXX              | 53.10                     |             |                                |
| 93965      |               | C             | 0.35        | 2.92                       | 2.92            | 0.14       | XXX              | 53.10                     |             |                                |
| 93965      | TC            | C             | 0.00        | 2.80                       | 2.80            | 0.12       | XXX              | 53.10                     |             |                                |
| 93965      | 26            | C             | 0.35        | 0.12                       | 0.12            | 0.02       | XXX              | 53.10                     |             |                                |
| 93970      |               | C             | 0.68        | 5.90                       | 5.90            | 0.46       | XXX              | 53.10                     |             |                                |
| 93970      | TC            | C             | 0.00        | 5.67                       | 5.67            | 0.40       | XXX              | 53.10                     |             |                                |
| 93970      | 26            | C             | 0.68        | 0.23                       | 0.23            | 0.06       | XXX              | 53.10                     |             |                                |
| 93971      |               | C             | 0.45        | 3.91                       | 3.91            | 0.30       | XXX              | 53.10                     |             |                                |
| 93971      | TC            | C             | 0.00        | 3.75                       | 3.75            | 0.27       | XXX              | 53.10                     |             |                                |
| 93971      | 26            | C             | 0.45        | 0.16                       | 0.16            | 0.03       | XXX              | 53.10                     |             |                                |
| 93975      |               | C             | 1.80        | 8.13                       | 8.13            | 0.56       | XXX              | 53.10                     |             |                                |
| 93975      | TC            | C             | 0.00        | 7.48                       | 7.48            | 0.43       | XXX              | 53.10                     |             |                                |
| 93975      | 26            | C             | 1.80        | 0.65                       | 0.65            | 0.13       | XXX              | 53.10                     |             |                                |
| 93976      |               | C             | 1.21        | 4.49                       | 4.49            | 0.35       | XXX              | 53.10                     |             |                                |
| 93976      | TC            | C             | 0.00        | 4.05                       | 4.05            | 0.30       | XXX              | 53.10                     |             |                                |
| 93976      | 26            | C             | 1.21        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 93978      |               | C             | 0.65        | 5.54                       | 5.54            | 0.43       | XXX              | 53.10                     |             |                                |
| 93978      | TC            | C             | 0.00        | 5.32                       | 5.32            | 0.37       | XXX              | 53.10                     |             |                                |
| 93978      | 26            | C             | 0.65        | 0.22                       | 0.22            | 0.06       | XXX              | 53.10                     |             |                                |
| 93979      |               | C             | 0.44        | 3.86                       | 3.86            | 0.27       | XXX              | 53.10                     |             |                                |
| 93979      | TC            | C             | 0.00        | 3.71                       | 3.71            | 0.24       | XXX              | 53.10                     |             |                                |
| 93979      | 26            | C             | 0.44        | 0.15                       | 0.15            | 0.03       | XXX              | 53.10                     |             |                                |
| 93980      |               | C             | 1.25        | 3.46                       | 3.46            | 0.42       | XXX              | 53.10                     |             |                                |
| 93980      | TC            | C             | 0.00        | 2.97                       | 2.97            | 0.34       | XXX              | 53.10                     |             |                                |
| 93980      | 26            | C             | 1.25        | 0.49                       | 0.49            | 0.08       | XXX              | 53.10                     |             |                                |
| 93981      |               | C             | 0.44        | 2.84                       | 2.84            | 0.33       | XXX              | 53.10                     |             |                                |
| 93981      | TC            | C             | 0.00        | 2.68                       | 2.68            | 0.31       | XXX              | 53.10                     |             |                                |
| 93981      | 26            | C             | 0.44        | 0.16                       | 0.16            | 0.02       | XXX              | 53.10                     |             |                                |
| 93982      |               | C             | 0.30        | 0.79                       | 0.79            | 0.01       | XXX              | 53.10                     |             |                                |
| 93990      |               | C             | 0.25        | 4.84                       | 4.84            | 0.26       | XXX              | 53.10                     |             |                                |
| 93990      | TC            | C             | 0.00        | 4.77                       | 4.77            | 0.23       | XXX              | 53.10                     |             |                                |
| 93990      | 26            | C             | 0.25        | 0.07                       | 0.07            | 0.03       | XXX              | 53.10                     |             |                                |
| 94002      |               | C             | 1.99        | 0.35                       | 0.35            | 0.09       | XXX              | 53.10                     |             |                                |
| 94003      |               | C             | 1.37        | 0.33                       | 0.33            | 0.06       | XXX              | 53.10                     |             |                                |
| 94004      |               | C             | 1.00        | 0.24                       | 0.24            | 0.04       | XXX              | 53.10                     |             |                                |
| 94005      |               | C             | 1.50        | 0.89                       | 0.89            | 0.06       | XXX              | 53.10                     |             |                                |
| 94010      |               | C             | 0.17        | 0.71                       | 0.71            | 0.03       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 94010 | TC    | C      | 0.00 | 0.66     | 0.66     | 0.02 | XXX    | 53.10   |      |                                |
| 94010 | 26    | C      | 0.17 | 0.05     | 0.05     | 0.01 | XXX    | 53.10   |      |                                |
| 94014 |       | C      | 0.52 | 0.79     | 0.79     | 0.03 | XXX    | 53.10   |      |                                |
| 94015 |       | C      | 0.00 | 0.64     | 0.64     | 0.01 | XXX    | 53.10   |      |                                |
| 94016 |       | C      | 0.52 | 0.15     | 0.15     | 0.02 | XXX    | 53.10   |      |                                |
| 94060 |       | C      | 0.31 | 1.22     | 1.22     | 0.07 | XXX    | 53.10   |      |                                |
| 94060 | TC    | C      | 0.00 | 1.14     | 1.14     | 0.06 | XXX    | 53.10   |      |                                |
| 94060 | 26    | C      | 0.31 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 94070 |       | C      | 0.60 | 0.94     | 0.94     | 0.13 | XXX    | 53.10   |      |                                |
| 94070 | TC    | C      | 0.00 | 0.78     | 0.78     | 0.10 | XXX    | 53.10   |      |                                |
| 94070 | 26    | C      | 0.60 | 0.16     | 0.16     | 0.03 | XXX    | 53.10   |      |                                |
| 94150 |       | C      | 0.07 | 0.53     | 0.53     | 0.02 | XXX    | 53.10   |      |                                |
| 94150 | TC    | C      | 0.00 | 0.50     | 0.50     | 0.01 | XXX    | 53.10   |      |                                |
| 94150 | 26    | C      | 0.07 | 0.03     | 0.03     | 0.01 | XXX    | 53.10   |      |                                |
| 94200 |       | C      | 0.11 | 0.48     | 0.48     | 0.03 | XXX    | 53.10   |      |                                |
| 94200 | TC    | C      | 0.00 | 0.45     | 0.45     | 0.02 | XXX    | 53.10   |      |                                |
| 94200 | 26    | C      | 0.11 | 0.03     | 0.03     | 0.01 | XXX    | 53.10   |      |                                |
| 94240 |       | C      | 0.26 | 0.76     | 0.76     | 0.06 | XXX    | 53.10   |      |                                |
| 94240 | TC    | C      | 0.00 | 0.69     | 0.69     | 0.05 | XXX    | 53.10   |      |                                |
| 94240 | 26    | C      | 0.26 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 94250 |       | C      | 0.11 | 0.54     | 0.54     | 0.02 | XXX    | 53.10   |      |                                |
| 94250 | TC    | C      | 0.00 | 0.51     | 0.51     | 0.01 | XXX    | 53.10   |      |                                |
| 94250 | 26    | C      | 0.11 | 0.03     | 0.03     | 0.01 | XXX    | 53.10   |      |                                |
| 94260 |       | C      | 0.13 | 0.69     | 0.69     | 0.05 | XXX    | 53.10   |      |                                |
| 94260 | TC    | C      | 0.00 | 0.66     | 0.66     | 0.04 | XXX    | 53.10   |      |                                |
| 94260 | 26    | C      | 0.13 | 0.03     | 0.03     | 0.01 | XXX    | 53.10   |      |                                |
| 94350 |       | C      | 0.26 | 0.65     | 0.65     | 0.05 | XXX    | 53.10   |      |                                |
| 94350 | TC    | C      | 0.00 | 0.58     | 0.58     | 0.04 | XXX    | 53.10   |      |                                |
| 94350 | 26    | C      | 0.26 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 94360 |       | C      | 0.26 | 0.87     | 0.87     | 0.07 | XXX    | 53.10   |      |                                |
| 94360 | TC    | C      | 0.00 | 0.80     | 0.80     | 0.06 | XXX    | 53.10   |      |                                |
| 94360 | 26    | C      | 0.26 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 94370 |       | C      | 0.26 | 0.63     | 0.63     | 0.03 | XXX    | 53.10   |      |                                |
| 94370 | TC    | C      | 0.00 | 0.56     | 0.56     | 0.02 | XXX    | 53.10   |      |                                |
| 94370 | 26    | C      | 0.26 | 0.07     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |
| 94375 |       | C      | 0.31 | 0.68     | 0.68     | 0.03 | XXX    | 53.10   |      |                                |
| 94375 | TC    | C      | 0.00 | 0.60     | 0.60     | 0.02 | XXX    | 53.10   |      |                                |
| 94375 | 26    | C      | 0.31 | 0.08     | 0.08     | 0.01 | XXX    | 53.10   |      |                                |
| 94400 |       | C      | 0.40 | 0.97     | 0.97     | 0.09 | XXX    | 53.10   |      |                                |
| 94400 | TC    | C      | 0.00 | 0.86     | 0.86     | 0.06 | XXX    | 53.10   |      |                                |
| 94400 | 26    | C      | 0.40 | 0.11     | 0.11     | 0.03 | XXX    | 53.10   |      |                                |
| 94450 |       | C      | 0.40 | 0.95     | 0.95     | 0.04 | XXX    | 53.10   |      |                                |
| 94450 | TC    | C      | 0.00 | 0.85     | 0.85     | 0.02 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 94450      | 26            | C             | 0.40        | 0.10                       | 0.10            | 0.02       | XXX              | 53.10                     |             |                                |
| 94452      |               | C             | 0.31        | 1.18                       | 1.18            | 0.04       | XXX              | 53.10                     |             |                                |
| 94452      | TC            | C             | 0.00        | 1.10                       | 1.10            | 0.02       | XXX              | 53.10                     |             |                                |
| 94452      | 26            | C             | 0.31        | 0.08                       | 0.08            | 0.02       | XXX              | 53.10                     |             |                                |
| 94453      |               | C             | 0.40        | 1.60                       | 1.60            | 0.04       | XXX              | 53.10                     |             |                                |
| 94453      | TC            | C             | 0.00        | 1.49                       | 1.49            | 0.02       | XXX              | 53.10                     |             |                                |
| 94453      | 26            | C             | 0.40        | 0.11                       | 0.11            | 0.02       | XXX              | 53.10                     |             |                                |
| 94610      |               | C             | 1.16        | 0.37                       | 0.37            | 0.26       | XXX              | 53.10                     |             |                                |
| 94620      |               | C             | 0.64        | 1.22                       | 1.22            | 0.13       | XXX              | 53.10                     |             |                                |
| 94620      | TC            | C             | 0.00        | 1.04                       | 1.04            | 0.10       | XXX              | 53.10                     |             |                                |
| 94620      | 26            | C             | 0.64        | 0.18                       | 0.18            | 0.03       | XXX              | 53.10                     |             |                                |
| 94621      |               | C             | 1.42        | 2.88                       | 2.88            | 0.16       | XXX              | 53.10                     |             |                                |
| 94621      | TC            | C             | 0.00        | 2.41                       | 2.41            | 0.10       | XXX              | 53.10                     |             |                                |
| 94621      | 26            | C             | 1.42        | 0.47                       | 0.47            | 0.06       | XXX              | 53.10                     |             |                                |
| 94640      |               | C             | 0.00        | 0.35                       | 0.35            | 0.02       | XXX              | 53.10                     |             |                                |
| 94642      |               | C             | 0.00        | 0.00                       | 0.00            | 0.05       | XXX              | 53.10                     |             |                                |
| 94644      |               | C             | 0.00        | 0.92                       | 0.92            | 0.02       | XXX              | 53.10                     |             |                                |
| 94645      |               | C             | 0.00        | 0.35                       | 0.35            | 0.02       | XXX              | 53.10                     |             |                                |
| 94660      |               | C             | 0.76        | 0.75                       | 0.20            | 0.04       | XXX              | 53.10                     |             |                                |
| 94662      |               | C             | 0.76        | 0.20                       | 0.20            | 0.03       | XXX              | 53.10                     |             |                                |
| 94664      |               | C             | 0.00        | 0.37                       | 0.37            | 0.04       | XXX              | 53.10                     |             |                                |
| 94667      |               | C             | 0.00        | 0.52                       | 0.52            | 0.05       | XXX              | 53.10                     |             |                                |
| 94668      |               | C             | 0.00        | 0.51                       | 0.51            | 0.02       | XXX              | 53.10                     |             |                                |
| 94680      |               | C             | 0.26        | 1.26                       | 1.26            | 0.07       | XXX              | 53.10                     |             |                                |
| 94680      | TC            | C             | 0.00        | 1.19                       | 1.19            | 0.06       | XXX              | 53.10                     |             |                                |
| 94680      | 26            | C             | 0.26        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 94681      |               | C             | 0.20        | 1.41                       | 1.41            | 0.13       | XXX              | 53.10                     |             |                                |
| 94681      | TC            | C             | 0.00        | 1.36                       | 1.36            | 0.12       | XXX              | 53.10                     |             |                                |
| 94681      | 26            | C             | 0.20        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             |                                |
| 94690      |               | C             | 0.07        | 1.27                       | 1.27            | 0.05       | XXX              | 53.10                     |             |                                |
| 94690      | TC            | C             | 0.00        | 1.25                       | 1.25            | 0.04       | XXX              | 53.10                     |             |                                |
| 94690      | 26            | C             | 0.07        | 0.02                       | 0.02            | 0.01       | XXX              | 53.10                     |             |                                |
| 94720      |               | C             | 0.26        | 1.09                       | 1.09            | 0.07       | XXX              | 53.10                     |             |                                |
| 94720      | TC            | C             | 0.00        | 1.02                       | 1.02            | 0.06       | XXX              | 53.10                     |             |                                |
| 94720      | 26            | C             | 0.26        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 94725      |               | C             | 0.26        | 1.46                       | 1.46            | 0.13       | XXX              | 53.10                     |             |                                |
| 94725      | TC            | C             | 0.00        | 1.39                       | 1.39            | 0.12       | XXX              | 53.10                     |             |                                |
| 94725      | 26            | C             | 0.26        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 94750      |               | C             | 0.23        | 1.67                       | 1.67            | 0.05       | XXX              | 53.10                     |             |                                |
| 94750      | TC            | C             | 0.00        | 1.61                       | 1.61            | 0.04       | XXX              | 53.10                     |             |                                |
| 94750      | 26            | C             | 0.23        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 94760      |               | C             | 0.00        | 0.06                       | 0.06            | 0.02       | XXX              | 53.10                     |             |                                |
| 94761      |               | C             | 0.00        | 0.10                       | 0.10            | 0.06       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 94762      |               | C             | 0.00        | 0.72                       | 0.72                  | 0.10       | XXX              | 53.10                     |             |                                |
| 94770      |               | C             | 0.15        | 0.78                       | 0.78                  | 0.08       | XXX              | 53.10                     |             |                                |
| 94770      | TC            | C             | 0.00        | 0.74                       | 0.74                  | 0.07       | XXX              | 53.10                     |             |                                |
| 94770      | 26            | C             | 0.15        | 0.04                       | 0.04                  | 0.01       | XXX              | 53.10                     |             |                                |
| 94772      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 94772      | TC            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 94772      | 26            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 94774      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 94775      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 94776      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 94777      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             |                                |
| 94799      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 94799      | TC            | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 94799      | 26            | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95004      |               | C             | 0.01        | 0.14                       | 0.14                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95010      |               | C             | 0.15        | 0.31                       | 0.31                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95012      |               | C             | 0.00        | 0.53                       | 0.53                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95015      |               | C             | 0.15        | 0.19                       | 0.19                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95024      |               | C             | 0.01        | 0.17                       | 0.17                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95027      |               | C             | 0.01        | 0.11                       | 0.11                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95028      |               | C             | 0.00        | 0.29                       | 0.29                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95044      |               | C             | 0.00        | 0.16                       | 0.16                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95052      |               | C             | 0.00        | 0.18                       | 0.18                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95056      |               | C             | 0.00        | 0.94                       | 0.94                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95060      |               | C             | 0.00        | 0.62                       | 0.62                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95065      |               | C             | 0.00        | 0.57                       | 0.57                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95070      |               | C             | 0.00        | 1.16                       | 1.16                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95071      |               | C             | 0.00        | 1.44                       | 1.44                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95075      |               | C             | 0.95        | 0.74                       | 0.32                  | 0.03       | XXX              | 53.10                     |             |                                |
| 95115      |               | C             | 0.00        | 0.27                       | 0.27                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95117      |               | C             | 0.00        | 0.33                       | 0.33                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95120      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95125      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95130      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95131      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95132      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95133      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95134      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95144      |               | C             | 0.06        | 0.25                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95145      |               | C             | 0.06        | 0.35                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95146      |               | C             | 0.06        | 0.62                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95147      |               | C             | 0.06        | 0.60                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95148      |               | C             | 0.06        | 0.87                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 95149      |               | C             | 0.06        | 1.16                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95165      |               | C             | 0.06        | 0.25                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95170      |               | C             | 0.06        | 0.18                       | 0.02                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95180      |               | C             | 2.01        | 1.80                       | 0.86                  | 0.04       | XXX              | 53.10                     |             |                                |
| 95199      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95250      |               | C             | 0.00        | 3.55                       | 3.55                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95251      |               | C             | 0.85        | 0.23                       | 0.23                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95803      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95803      | TC            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95803      | 26            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 95805      |               | C             | 1.88        | 9.38                       | 9.38                  | 0.43       | XXX              | 53.10                     |             |                                |
| 95805      | TC            | C             | 0.00        | 8.82                       | 8.82                  | 0.34       | XXX              | 53.10                     |             |                                |
| 95805      | 26            | C             | 1.88        | 0.56                       | 0.56                  | 0.09       | XXX              | 53.10                     |             |                                |
| 95806      |               | C             | 1.66        | 3.75                       | 3.75                  | 0.39       | XXX              | 53.10                     |             |                                |
| 95806      | TC            | C             | 0.00        | 3.25                       | 3.25                  | 0.31       | XXX              | 53.10                     |             |                                |
| 95806      | 26            | C             | 1.66        | 0.50                       | 0.50                  | 0.08       | XXX              | 53.10                     |             |                                |
| 95807      |               | C             | 1.66        | 11.52                      | 11.52                 | 0.50       | XXX              | 53.10                     |             |                                |
| 95807      | TC            | C             | 0.00        | 11.04                      | 11.04                 | 0.42       | XXX              | 53.10                     |             |                                |
| 95807      | 26            | C             | 1.66        | 0.48                       | 0.48                  | 0.08       | XXX              | 53.10                     |             |                                |
| 95808      |               | C             | 2.65        | 14.69                      | 14.69                 | 0.55       | XXX              | 53.10                     |             |                                |
| 95808      | TC            | C             | 0.00        | 13.91                      | 13.91                 | 0.42       | XXX              | 53.10                     |             |                                |
| 95808      | 26            | C             | 2.65        | 0.78                       | 0.78                  | 0.13       | XXX              | 53.10                     |             |                                |
| 95810      |               | C             | 3.52        | 17.17                      | 17.17                 | 0.59       | XXX              | 53.10                     |             |                                |
| 95810      | TC            | C             | 0.00        | 16.17                      | 16.17                 | 0.42       | XXX              | 53.10                     |             |                                |
| 95810      | 26            | C             | 3.52        | 1.00                       | 1.00                  | 0.17       | XXX              | 53.10                     |             |                                |
| 95811      |               | C             | 3.79        | 19.04                      | 19.04                 | 0.61       | XXX              | 53.10                     |             |                                |
| 95811      | TC            | C             | 0.00        | 17.97                      | 17.97                 | 0.43       | XXX              | 53.10                     |             |                                |
| 95811      | 26            | C             | 3.79        | 1.07                       | 1.07                  | 0.18       | XXX              | 53.10                     |             |                                |
| 95812      |               | C             | 1.08        | 5.27                       | 5.27                  | 0.17       | XXX              | 53.10                     |             |                                |
| 95812      | TC            | C             | 0.00        | 4.92                       | 4.92                  | 0.11       | XXX              | 53.10                     |             |                                |
| 95812      | 26            | C             | 1.08        | 0.35                       | 0.35                  | 0.06       | XXX              | 53.10                     |             |                                |
| 95813      |               | C             | 1.73        | 6.06                       | 6.06                  | 0.20       | XXX              | 53.10                     |             |                                |
| 95813      | TC            | C             | 0.00        | 5.51                       | 5.51                  | 0.11       | XXX              | 53.10                     |             |                                |
| 95813      | 26            | C             | 1.73        | 0.55                       | 0.55                  | 0.09       | XXX              | 53.10                     |             |                                |
| 95816      |               | C             | 1.08        | 4.74                       | 4.74                  | 0.16       | XXX              | 53.10                     |             |                                |
| 95816      | TC            | C             | 0.00        | 4.39                       | 4.39                  | 0.10       | XXX              | 53.10                     |             |                                |
| 95816      | 26            | C             | 1.08        | 0.35                       | 0.35                  | 0.06       | XXX              | 53.10                     |             |                                |
| 95819      |               | C             | 1.08        | 5.18                       | 5.18                  | 0.16       | XXX              | 53.10                     |             |                                |
| 95819      | TC            | C             | 0.00        | 4.83                       | 4.83                  | 0.10       | XXX              | 53.10                     |             |                                |
| 95819      | 26            | C             | 1.08        | 0.35                       | 0.35                  | 0.06       | XXX              | 53.10                     |             |                                |
| 95822      |               | C             | 1.08        | 5.13                       | 5.13                  | 0.19       | XXX              | 53.10                     |             |                                |
| 95822      | TC            | C             | 0.00        | 4.78                       | 4.78                  | 0.13       | XXX              | 53.10                     |             |                                |
| 95822      | 26            | C             | 1.08        | 0.35                       | 0.35                  | 0.06       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 95824      |               | C             | 0.74        | 2.41                       | 2.41                  | 0.11       | XXX              | 53.10                     |             |                                |
| 95824      | TC            | C             | 0.00        | 2.20                       | 2.20                  | 0.07       | XXX              | 53.10                     |             |                                |
| 95824      | 26            | C             | 0.74        | 0.24                       | 0.24                  | 0.04       | XXX              | 53.10                     |             |                                |
| 95827      |               | C             | 1.08        | 9.06                       | 9.06                  | 0.19       | XXX              | 53.10                     |             |                                |
| 95827      | TC            | C             | 0.00        | 8.72                       | 8.72                  | 0.14       | XXX              | 53.10                     |             |                                |
| 95827      | 26            | C             | 1.08        | 0.34                       | 0.34                  | 0.05       | XXX              | 53.10                     |             |                                |
| 95829      |               | C             | 6.20        | 26.50                      | 26.50                 | 0.50       | XXX              | 53.10                     |             |                                |
| 95829      | TC            | C             | 0.00        | 24.49                      | 24.49                 | 0.02       | XXX              | 53.10                     |             |                                |
| 95829      | 26            | C             | 6.20        | 2.01                       | 2.01                  | 0.48       | XXX              | 53.10                     |             |                                |
| 95830      |               | C             | 1.70        | 3.02                       | 0.54                  | 0.11       | XXX              | 53.10                     |             |                                |
| 95831      |               | C             | 0.28        | 0.41                       | 0.10                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95832      |               | C             | 0.29        | 0.35                       | 0.10                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95833      |               | C             | 0.47        | 0.48                       | 0.16                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95834      |               | C             | 0.60        | 0.52                       | 0.19                  | 0.03       | XXX              | 53.10                     |             |                                |
| 95851      |               | C             | 0.16        | 0.28                       | 0.05                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95852      |               | C             | 0.11        | 0.23                       | 0.04                  | 0.01       | XXX              | 53.10                     |             |                                |
| 95857      |               | C             | 0.53        | 0.58                       | 0.19                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95860      |               | C             | 0.96        | 1.20                       | 1.20                  | 0.07       | XXX              | 53.10                     |             |                                |
| 95860      | TC            | C             | 0.00        | 0.85                       | 0.85                  | 0.02       | XXX              | 53.10                     |             |                                |
| 95860      | 26            | C             | 0.96        | 0.35                       | 0.35                  | 0.05       | XXX              | 53.10                     |             |                                |
| 95861      |               | C             | 1.54        | 1.57                       | 1.57                  | 0.13       | XXX              | 53.10                     |             |                                |
| 95861      | TC            | C             | 0.00        | 1.01                       | 1.01                  | 0.06       | XXX              | 53.10                     |             |                                |
| 95861      | 26            | C             | 1.54        | 0.56                       | 0.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 95863      |               | C             | 1.87        | 1.84                       | 1.84                  | 0.15       | XXX              | 53.10                     |             |                                |
| 95863      | TC            | C             | 0.00        | 1.20                       | 1.20                  | 0.06       | XXX              | 53.10                     |             |                                |
| 95863      | 26            | C             | 1.87        | 0.64                       | 0.64                  | 0.09       | XXX              | 53.10                     |             |                                |
| 95864      |               | C             | 1.99        | 2.24                       | 2.24                  | 0.21       | XXX              | 53.10                     |             |                                |
| 95864      | TC            | C             | 0.00        | 1.54                       | 1.54                  | 0.12       | XXX              | 53.10                     |             |                                |
| 95864      | 26            | C             | 1.99        | 0.70                       | 0.70                  | 0.09       | XXX              | 53.10                     |             |                                |
| 95865      |               | C             | 1.57        | 1.42                       | 1.42                  | 0.11       | XXX              | 53.10                     |             |                                |
| 95865      | TC            | C             | 0.00        | 0.83                       | 0.83                  | 0.03       | XXX              | 53.10                     |             |                                |
| 95865      | 26            | C             | 1.57        | 0.59                       | 0.59                  | 0.08       | XXX              | 53.10                     |             |                                |
| 95866      |               | C             | 1.25        | 1.19                       | 1.19                  | 0.10       | XXX              | 53.10                     |             |                                |
| 95866      | TC            | C             | 0.00        | 0.73                       | 0.73                  | 0.03       | XXX              | 53.10                     |             |                                |
| 95866      | 26            | C             | 1.25        | 0.46                       | 0.46                  | 0.07       | XXX              | 53.10                     |             |                                |
| 95867      |               | C             | 0.79        | 1.08                       | 1.08                  | 0.07       | XXX              | 53.10                     |             |                                |
| 95867      | TC            | C             | 0.00        | 0.80                       | 0.80                  | 0.04       | XXX              | 53.10                     |             |                                |
| 95867      | 26            | C             | 0.79        | 0.28                       | 0.28                  | 0.03       | XXX              | 53.10                     |             |                                |
| 95868      |               | C             | 1.18        | 1.38                       | 1.38                  | 0.10       | XXX              | 53.10                     |             |                                |
| 95868      | TC            | C             | 0.00        | 0.97                       | 0.97                  | 0.05       | XXX              | 53.10                     |             |                                |
| 95868      | 26            | C             | 1.18        | 0.41                       | 0.41                  | 0.05       | XXX              | 53.10                     |             |                                |
| 95869      |               | C             | 0.37        | 0.83                       | 0.83                  | 0.04       | XXX              | 53.10                     |             |                                |
| 95869      | TC            | C             | 0.00        | 0.70                       | 0.70                  | 0.02       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 95869      | 26            | C             | 0.37        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 95870      |               | C             | 0.37        | 0.80                       | 0.80            | 0.04       | XXX              | 53.10                     |             |                                |
| 95870      | TC            | C             | 0.00        | 0.67                       | 0.67            | 0.02       | XXX              | 53.10                     |             |                                |
| 95870      | 26            | C             | 0.37        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 95872      |               | C             | 2.88        | 1.54                       | 1.54            | 0.13       | XXX              | 53.10                     |             |                                |
| 95872      | TC            | C             | 0.00        | 0.69                       | 0.69            | 0.05       | XXX              | 53.10                     |             |                                |
| 95872      | 26            | C             | 2.88        | 0.85                       | 0.85            | 0.08       | XXX              | 53.10                     |             |                                |
| 95873      |               | C             | 0.37        | 0.85                       | 0.85            | 0.04       | ZZZ              | 53.10                     |             |                                |
| 95873      | TC            | C             | 0.00        | 0.69                       | 0.69            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 95873      | 26            | C             | 0.37        | 0.16                       | 0.16            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 95874      |               | C             | 0.37        | 0.78                       | 0.78            | 0.04       | ZZZ              | 53.10                     |             |                                |
| 95874      | TC            | C             | 0.00        | 0.64                       | 0.64            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 95874      | 26            | C             | 0.37        | 0.14                       | 0.14            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 95875      |               | C             | 1.10        | 1.34                       | 1.34            | 0.11       | XXX              | 53.10                     |             |                                |
| 95875      | TC            | C             | 0.00        | 0.97                       | 0.97            | 0.06       | XXX              | 53.10                     |             |                                |
| 95875      | 26            | C             | 1.10        | 0.37                       | 0.37            | 0.05       | XXX              | 53.10                     |             |                                |
| 95900      |               | C             | 0.42        | 0.99                       | 0.99            | 0.04       | XXX              | 53.10                     |             |                                |
| 95900      | TC            | C             | 0.00        | 0.84                       | 0.84            | 0.02       | XXX              | 53.10                     |             |                                |
| 95900      | 26            | C             | 0.42        | 0.15                       | 0.15            | 0.02       | XXX              | 53.10                     |             |                                |
| 95903      |               | C             | 0.60        | 1.05                       | 1.05            | 0.05       | XXX              | 53.10                     |             |                                |
| 95903      | TC            | C             | 0.00        | 0.85                       | 0.85            | 0.02       | XXX              | 53.10                     |             |                                |
| 95903      | 26            | C             | 0.60        | 0.20                       | 0.20            | 0.03       | XXX              | 53.10                     |             |                                |
| 95904      |               | C             | 0.34        | 0.90                       | 0.90            | 0.04       | XXX              | 53.10                     |             |                                |
| 95904      | TC            | C             | 0.00        | 0.78                       | 0.78            | 0.02       | XXX              | 53.10                     |             |                                |
| 95904      | 26            | C             | 0.34        | 0.12                       | 0.12            | 0.02       | XXX              | 53.10                     |             |                                |
| 95920      |               | C             | 2.11        | 1.82                       | 1.82            | 0.23       | ZZZ              | 53.10                     |             |                                |
| 95920      | TC            | C             | 0.00        | 1.11                       | 1.11            | 0.07       | ZZZ              | 53.10                     |             |                                |
| 95920      | 26            | C             | 2.11        | 0.71                       | 0.71            | 0.16       | ZZZ              | 53.10                     |             |                                |
| 95921      |               | C             | 0.90        | 1.05                       | 1.05            | 0.06       | XXX              | 53.10                     |             |                                |
| 95921      | TC            | C             | 0.00        | 0.76                       | 0.76            | 0.02       | XXX              | 53.10                     |             |                                |
| 95921      | 26            | C             | 0.90        | 0.29                       | 0.29            | 0.04       | XXX              | 53.10                     |             |                                |
| 95922      |               | C             | 0.96        | 1.38                       | 1.38            | 0.07       | XXX              | 53.10                     |             |                                |
| 95922      | TC            | C             | 0.00        | 1.07                       | 1.07            | 0.02       | XXX              | 53.10                     |             |                                |
| 95922      | 26            | C             | 0.96        | 0.31                       | 0.31            | 0.05       | XXX              | 53.10                     |             |                                |
| 95923      |               | C             | 0.90        | 2.19                       | 2.19            | 0.07       | XXX              | 53.10                     |             |                                |
| 95923      | TC            | C             | 0.00        | 1.89                       | 1.89            | 0.02       | XXX              | 53.10                     |             |                                |
| 95923      | 26            | C             | 0.90        | 0.30                       | 0.30            | 0.05       | XXX              | 53.10                     |             |                                |
| 95925      |               | C             | 0.54        | 2.58                       | 2.58            | 0.10       | XXX              | 53.10                     |             |                                |
| 95925      | TC            | C             | 0.00        | 2.40                       | 2.40            | 0.06       | XXX              | 53.10                     |             |                                |
| 95925      | 26            | C             | 0.54        | 0.18                       | 0.18            | 0.04       | XXX              | 53.10                     |             |                                |
| 95926      |               | C             | 0.54        | 2.53                       | 2.53            | 0.09       | XXX              | 53.10                     |             |                                |
| 95926      | TC            | C             | 0.00        | 2.35                       | 2.35            | 0.06       | XXX              | 53.10                     |             |                                |
| 95926      | 26            | C             | 0.54        | 0.18                       | 0.18            | 0.03       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 95927      |               | C             | 0.54        | 2.60                       | 2.60            | 0.10       | XXX              | 53.10                     |             |                                |
| 95927      | TC            | C             | 0.00        | 2.41                       | 2.41            | 0.06       | XXX              | 53.10                     |             |                                |
| 95927      | 26            | C             | 0.54        | 0.19                       | 0.19            | 0.04       | XXX              | 53.10                     |             |                                |
| 95928      |               | C             | 1.50        | 3.54                       | 3.54            | 0.09       | XXX              | 53.10                     |             |                                |
| 95928      | TC            | C             | 0.00        | 3.05                       | 3.05            | 0.03       | XXX              | 53.10                     |             |                                |
| 95928      | 26            | C             | 1.50        | 0.49                       | 0.49            | 0.06       | XXX              | 53.10                     |             |                                |
| 95929      |               | C             | 1.50        | 3.82                       | 3.82            | 0.09       | XXX              | 53.10                     |             |                                |
| 95929      | TC            | C             | 0.00        | 3.32                       | 3.32            | 0.03       | XXX              | 53.10                     |             |                                |
| 95929      | 26            | C             | 1.50        | 0.50                       | 0.50            | 0.06       | XXX              | 53.10                     |             |                                |
| 95930      |               | C             | 0.35        | 2.46                       | 2.46            | 0.03       | XXX              | 53.10                     |             |                                |
| 95930      | TC            | C             | 0.00        | 2.34                       | 2.34            | 0.01       | XXX              | 53.10                     |             |                                |
| 95930      | 26            | C             | 0.35        | 0.12                       | 0.12            | 0.02       | XXX              | 53.10                     |             |                                |
| 95933      |               | C             | 0.59        | 1.07                       | 1.07            | 0.10       | XXX              | 53.10                     |             |                                |
| 95933      | TC            | C             | 0.00        | 0.87                       | 0.87            | 0.06       | XXX              | 53.10                     |             |                                |
| 95933      | 26            | C             | 0.59        | 0.20                       | 0.20            | 0.04       | XXX              | 53.10                     |             |                                |
| 95934      |               | C             | 0.51        | 0.76                       | 0.76            | 0.04       | XXX              | 53.10                     |             |                                |
| 95934      | TC            | C             | 0.00        | 0.58                       | 0.58            | 0.02       | XXX              | 53.10                     |             |                                |
| 95934      | 26            | C             | 0.51        | 0.18                       | 0.18            | 0.02       | XXX              | 53.10                     |             |                                |
| 95936      |               | C             | 0.55        | 0.56                       | 0.56            | 0.05       | XXX              | 53.10                     |             |                                |
| 95936      | TC            | C             | 0.00        | 0.37                       | 0.37            | 0.02       | XXX              | 53.10                     |             |                                |
| 95936      | 26            | C             | 0.55        | 0.19                       | 0.19            | 0.03       | XXX              | 53.10                     |             |                                |
| 95937      |               | C             | 0.65        | 0.82                       | 0.82            | 0.10       | XXX              | 53.10                     |             |                                |
| 95937      | TC            | C             | 0.00        | 0.60                       | 0.60            | 0.02       | XXX              | 53.10                     |             |                                |
| 95937      | 26            | C             | 0.65        | 0.22                       | 0.22            | 0.08       | XXX              | 53.10                     |             |                                |
| 95950      |               | C             | 1.51        | 4.56                       | 4.56            | 0.51       | XXX              | 53.10                     |             |                                |
| 95950      | TC            | C             | 0.00        | 4.07                       | 4.07            | 0.43       | XXX              | 53.10                     |             |                                |
| 95950      | 26            | C             | 1.51        | 0.49                       | 0.49            | 0.08       | XXX              | 53.10                     |             |                                |
| 95951      |               | C             | 5.99        | 14.24                      | 14.24           | 1.13       | XXX              | 53.10                     |             |                                |
| 95951      | TC            | C             | 0.00        | 12.56                      | 12.56           | 0.81       | XXX              | 53.10                     |             |                                |
| 95951      | 26            | C             | 5.99        | 1.96                       | 1.96            | 0.32       | XXX              | 53.10                     |             |                                |
| 95953      |               | C             | 3.30        | 7.16                       | 7.16            | 0.60       | XXX              | 53.10                     |             |                                |
| 95953      | TC            | C             | 0.00        | 6.11                       | 6.11            | 0.43       | XXX              | 53.10                     |             |                                |
| 95953      | 26            | C             | 3.30        | 1.05                       | 1.05            | 0.17       | XXX              | 53.10                     |             |                                |
| 95954      |               | C             | 2.45        | 4.11                       | 4.11            | 0.19       | XXX              | 53.10                     |             |                                |
| 95954      | TC            | C             | 0.00        | 3.55                       | 3.55            | 0.06       | XXX              | 53.10                     |             |                                |
| 95954      | 26            | C             | 2.45        | 0.56                       | 0.56            | 0.13       | XXX              | 53.10                     |             |                                |
| 95955      |               | C             | 1.01        | 2.56                       | 2.56            | 0.22       | XXX              | 53.10                     |             |                                |
| 95955      | TC            | C             | 0.00        | 2.25                       | 2.25            | 0.17       | XXX              | 53.10                     |             |                                |
| 95955      | 26            | C             | 1.01        | 0.31                       | 0.31            | 0.05       | XXX              | 53.10                     |             |                                |
| 95956      |               | C             | 3.08        | 15.75                      | 15.75           | 0.59       | XXX              | 53.10                     |             |                                |
| 95956      | TC            | C             | 0.00        | 14.74                      | 14.74           | 0.43       | XXX              | 53.10                     |             |                                |
| 95956      | 26            | C             | 3.08        | 1.01                       | 1.01            | 0.16       | XXX              | 53.10                     |             |                                |
| 95957      |               | C             | 1.98        | 4.90                       | 4.90            | 0.23       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 95957      | TC            | C             | 0.00        | 4.25                       | 4.25            | 0.12       | XXX              | 53.10                     |             |                                |
| 95957      | 26            | C             | 1.98        | 0.65                       | 0.65            | 0.11       | XXX              | 53.10                     |             |                                |
| 95958      |               | C             | 4.24        | 5.89                       | 5.89            | 0.34       | XXX              | 53.10                     |             |                                |
| 95958      | TC            | C             | 0.00        | 4.49                       | 4.49            | 0.13       | XXX              | 53.10                     |             |                                |
| 95958      | 26            | C             | 4.24        | 1.40                       | 1.40            | 0.21       | XXX              | 53.10                     |             |                                |
| 95961      |               | C             | 2.97        | 2.90                       | 2.90            | 0.55       | XXX              | 53.10                     |             |                                |
| 95961      | TC            | C             | 0.00        | 1.88                       | 1.88            | 0.07       | XXX              | 53.10                     |             |                                |
| 95961      | 26            | C             | 2.97        | 1.02                       | 1.02            | 0.48       | XXX              | 53.10                     |             |                                |
| 95962      |               | C             | 3.21        | 2.29                       | 2.29            | 0.39       | ZZZ              | 53.10                     |             |                                |
| 95962      | TC            | C             | 0.00        | 1.24                       | 1.24            | 0.07       | ZZZ              | 53.10                     |             |                                |
| 95962      | 26            | C             | 3.21        | 1.05                       | 1.05            | 0.32       | ZZZ              | 53.10                     |             |                                |
| 95965      |               | C             | 7.99        | 5.82                       | 5.82            | 0.74       | XXX              | 53.10                     |             |                                |
| 95965      | TC            | C             | 0.00        | 3.43                       | 3.43            | 0.28       | XXX              | 53.10                     |             |                                |
| 95965      | 26            | C             | 7.99        | 2.86                       | 2.86            | 0.46       | XXX              | 53.10                     |             |                                |
| 95966      |               | C             | 3.99        | 2.90                       | 2.90            | 0.31       | XXX              | 53.10                     |             |                                |
| 95966      | TC            | C             | 0.00        | 1.71                       | 1.71            | 0.12       | XXX              | 53.10                     |             |                                |
| 95966      | 26            | C             | 3.99        | 1.44                       | 1.44            | 0.19       | XXX              | 53.10                     |             |                                |
| 95967      |               | C             | 3.49        | 2.19                       | 2.19            | 0.24       | ZZZ              | 53.10                     |             |                                |
| 95967      | TC            | C             | 0.00        | 1.18                       | 1.18            | 0.08       | ZZZ              | 53.10                     |             |                                |
| 95967      | 26            | C             | 3.49        | 1.16                       | 1.16            | 0.16       | ZZZ              | 53.10                     |             |                                |
| 95970      |               | C             | 0.45        | 0.88                       | 0.13            | 0.03       | XXX              | 53.10                     |             |                                |
| 95971      |               | C             | 0.78        | 0.72                       | 0.26            | 0.07       | XXX              | 53.10                     |             |                                |
| 95972      |               | C             | 1.50        | 1.16                       | 0.47            | 0.14       | XXX              | 53.10                     |             |                                |
| 95973      |               | C             | 0.92        | 0.54                       | 0.26            | 0.07       | ZZZ              | 53.10                     |             |                                |
| 95974      |               | C             | 3.00        | 1.52                       | 0.94            | 0.16       | XXX              | 53.10                     |             |                                |
| 95975      |               | C             | 1.70        | 0.78                       | 0.55            | 0.12       | ZZZ              | 53.10                     |             |                                |
| 95978      |               | C             | 3.50        | 1.88                       | 1.13            | 0.18       | XXX              | 53.10                     |             |                                |
| 95979      |               | C             | 1.64        | 0.77                       | 0.54            | 0.08       | ZZZ              | 53.10                     |             |                                |
| 95980      |               | C             | 0.80        | 0.25                       | 0.25            | 0.07       | XXX              | 53.10                     |             |                                |
| 95981      |               | C             | 0.30        | 0.44                       | 0.12            | 0.02       | XXX              | 53.10                     |             |                                |
| 95982      |               | C             | 0.65        | 0.49                       | 0.20            | 0.05       | XXX              | 53.10                     |             |                                |
| 95990      |               | C             | 0.00        | 1.56                       | 1.56            | 0.06       | XXX              | 53.10                     |             |                                |
| 95991      |               | C             | 0.77        | 1.57                       | 0.18            | 0.06       | XXX              | 53.10                     |             |                                |
| 95992      |               | C             | 0.75        | 0.36                       | 0.25            | 0.02       | XXX              | 53.10                     |             |                                |
| 95999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 96000      |               | C             | 1.80        | 0.49                       | 0.49            | 0.11       | XXX              | 53.10                     |             |                                |
| 96001      |               | C             | 2.15        | 0.58                       | 0.58            | 0.10       | XXX              | 53.10                     |             |                                |
| 96002      |               | C             | 0.41        | 0.13                       | 0.13            | 0.02       | XXX              | 53.10                     |             |                                |
| 96003      |               | C             | 0.37        | 0.10                       | 0.10            | 0.02       | XXX              | 53.10                     |             |                                |
| 96004      |               | C             | 2.14        | 0.79                       | 0.79            | 0.11       | XXX              | 53.10                     |             |                                |
| 96020      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 96020      | TC            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 96020      | 26            | C             | 3.43        | 1.33                       | 1.33            | 0.17       | XXX              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-------------|------------------|---------------------------|-------------|--------------------------------|
| 96040      |               | C             | 0.00        | 1.10                       | 1.10            | 0.01        | XXX              | 53.10                     |             |                                |
| 96101      |               | C             | 1.86        | 0.43                       | 0.42            | 0.05        | XXX              | 53.10                     |             |                                |
| 96102      |               | C             | 0.50        | 0.91                       | 0.12            | 0.01        | XXX              | 53.10                     |             |                                |
| 96103      |               | C             | 0.51        | 0.75                       | 0.13            | 0.02        | XXX              | 53.10                     |             |                                |
| 96105      |               | C             | 0.00        | 1.86                       | 1.86            | 0.18        | XXX              | 53.10                     |             |                                |
| 96110      |               | C             | 0.00        | 0.18                       | 0.18            | 0.18        | XXX              | 53.10                     |             |                                |
| 96111      |               | C             | 2.60        | 0.83                       | 0.75            | 0.18        | XXX              | 53.10                     |             |                                |
| 96116      |               | C             | 1.86        | 0.61                       | 0.47            | 0.18        | XXX              | 53.10                     |             |                                |
| 96118      |               | C             | 1.86        | 0.96                       | 0.41            | 0.18        | XXX              | 53.10                     |             |                                |
| 96119      |               | C             | 0.55        | 1.33                       | 0.13            | 0.18        | XXX              | 53.10                     |             |                                |
| 96120      |               | C             | 0.51        | 1.37                       | 0.13            | 0.02        | XXX              | 53.10                     |             |                                |
| 96125      |               | C             | 1.70        | 0.77                       | 0.38            | 0.16        | XXX              | 53.10                     |             |                                |
| 96150      |               | C             | 0.50        | 0.12                       | 0.11            | 0.01        | XXX              | 53.10                     |             |                                |
| 96151      |               | C             | 0.48        | 0.12                       | 0.11            | 0.01        | XXX              | 53.10                     |             |                                |
| 96152      |               | C             | 0.46        | 0.11                       | 0.10            | 0.01        | XXX              | 53.10                     |             |                                |
| 96153      |               | C             | 0.10        | 0.03                       | 0.02            | 0.01        | XXX              | 53.10                     |             |                                |
| 96154      |               | C             | 0.45        | 0.11                       | 0.10            | 0.01        | XXX              | 53.10                     |             |                                |
| 96155      |               | C             | 0.44        | 0.16                       | 0.15            | 0.02        | XXX              | 53.10                     |             |                                |
| 96360      |               | C             | 0.17        | 1.33                       | 1.33            | 0.07        | XXX              | 53.10                     |             |                                |
| 96361      |               | C             | 0.09        | 0.33                       | 0.33            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96365      |               | C             | 0.21        | 1.63                       | 1.63            | 0.07        | XXX              | 53.10                     |             |                                |
| 96366      |               | C             | 0.18        | 0.39                       | 0.39            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96367      |               | C             | 0.19        | 0.73                       | 0.73            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96368      |               | C             | 0.17        | 0.36                       | 0.36            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96369      |               | C             | 0.21        | 3.88                       | 3.88            | 0.06        | XXX              | 53.10                     |             |                                |
| 96370      |               | C             | 0.18        | 0.22                       | 0.22            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96371      |               | C             | 0.00        | 2.00                       | 2.00            | 0.01        | ZZZ              | 53.10                     |             |                                |
| 96372      |               | C             | 0.17        | 0.40                       | 0.40            | 0.01        | XXX              | 53.10                     |             |                                |
| 96373      |               | C             | 0.17        | 0.31                       | 0.31            | 0.02        | XXX              | 53.10                     |             |                                |
| 96374      |               | C             | 0.18        | 1.29                       | 1.29            | 0.04        | XXX              | 53.10                     |             |                                |
| 96375      |               | C             | 0.10        | 0.52                       | 0.52            | 0.04        | ZZZ              | 53.10                     |             |                                |
| 96376      |               | C             | <b>0.10</b> | <b>0.52</b>                | <b>0.52</b>     | <b>0.04</b> | ZZZ              | 53.10                     |             |                                |
| 96379      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00        | XXX              | 0.00                      |             |                                |
| 96401      |               | C             | 0.21        | 1.65                       | 1.65            | 0.01        | XXX              | 53.10                     |             |                                |
| 96402      |               | C             | 0.19        | 0.82                       | 0.82            | 0.01        | XXX              | 53.10                     |             |                                |
| 96405      |               | C             | 0.52        | 1.79                       | 0.25            | 0.03        | 000              | 53.10                     |             |                                |
| 96406      |               | C             | 0.80        | 2.40                       | 0.33            | 0.03        | 000              | 53.10                     |             |                                |
| 96409      |               | C             | 0.24        | 2.80                       | 2.80            | 0.06        | XXX              | 53.10                     |             |                                |
| 96411      |               | C             | 0.20        | 1.51                       | 1.51            | 0.06        | ZZZ              | 53.10                     |             |                                |
| 96413      |               | C             | 0.28        | 3.73                       | 3.73            | 0.08        | XXX              | 53.10                     |             |                                |
| 96415      |               | C             | 0.19        | 0.67                       | 0.67            | 0.07        | ZZZ              | 53.10                     |             |                                |
| 96416      |               | C             | 0.21        | 4.17                       | 4.17            | 0.08        | XXX              | 53.10                     |             |                                |
| 96417      |               | C             | 0.21        | 1.76                       | 1.76            | 0.07        | ZZZ              | 53.10                     |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 96420      |               | C             | 0.17        | 2.74                       | 2.74            | 0.08       | XXX              | 53.10                     |             |                                |
| 96422      |               | C             | 0.17        | 4.57                       | 4.57            | 0.08       | XXX              | 53.10                     |             |                                |
| 96423      |               | C             | 0.17        | 1.96                       | 1.96            | 0.02       | ZZZ              | 53.10                     |             |                                |
| 96425      |               | C             | 0.17        | 4.50                       | 4.50            | 0.08       | XXX              | 53.10                     |             |                                |
| 96440      |               | C             | 2.37        | 14.04                      | 1.13            | 0.17       | 000              | 53.10                     |             |                                |
| 96445      |               | C             | 2.20        | 5.57                       | 0.90            | 0.14       | 000              | 53.10                     |             |                                |
| 96450      |               | C             | 1.53        | 4.15                       | 0.82            | 0.09       | 000              | 53.10                     |             |                                |
| 96521      |               | C             | 0.21        | 3.25                       | 3.25            | 0.06       | XXX              | 53.10                     |             |                                |
| 96522      |               | C             | 0.21        | 2.72                       | 2.72            | 0.06       | XXX              | 53.10                     |             |                                |
| 96523      |               | C             | 0.04        | 0.65                       | 0.65            | 0.01       | XXX              | 53.10                     |             |                                |
| 96542      |               | C             | 0.75        | 2.90                       | 0.44            | 0.07       | XXX              | 53.10                     |             |                                |
| 96549      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 96567      |               | C             | 0.00        | 3.20                       | 3.20            | 0.04       | XXX              | 53.10                     |             |                                |
| 96570      |               | C             | 1.10        | 0.40                       | 0.40            | 0.11       | ZZZ              | 53.10                     |             |                                |
| 96571      |               | C             | 0.55        | 0.19                       | 0.19            | 0.03       | ZZZ              | 53.10                     |             |                                |
| 96900      |               | C             | 0.00        | 0.52                       | 0.52            | 0.02       | XXX              | 53.10                     |             |                                |
| 96902      |               | C             | 0.41        | 0.16                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 96904      |               | C             | 0.00        | 1.77                       | 1.77            | 0.01       | XXX              | 53.10                     |             |                                |
| 96910      |               | C             | 0.00        | 1.70                       | 1.70            | 0.04       | XXX              | 53.10                     |             |                                |
| 96912      |               | C             | 0.00        | 2.18                       | 2.18            | 0.05       | XXX              | 53.10                     |             |                                |
| 96913      |               | C             | 0.00        | 3.00                       | 3.00            | 0.10       | XXX              | 53.10                     |             |                                |
| 96920      |               | C             | 1.15        | 3.27                       | 0.59            | 0.02       | 000              | 53.10                     |             |                                |
| 96921      |               | C             | 1.17        | 3.15                       | 0.55            | 0.03       | 000              | 53.10                     |             |                                |
| 96922      |               | C             | 2.10        | 4.30                       | 0.98            | 0.04       | 000              | 53.10                     |             |                                |
| 96999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 97001      |               | C             | 1.20        | 0.69                       | 0.69            | 0.05       | XXX              | 53.10                     |             |                                |
| 97002      |               | C             | 0.60        | 0.42                       | 0.42            | 0.02       | XXX              | 53.10                     |             |                                |
| 97003      |               | C             | 1.20        | 0.80                       | 0.80            | 0.06       | XXX              | 53.10                     |             |                                |
| 97004      |               | C             | 0.60        | 0.57                       | 0.57            | 0.02       | XXX              | 53.10                     |             |                                |
| 97005      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 97006      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 97010      |               | D             | 0.06        | 0.06                       | 0.06            | 0.01       | XXX              | 53.10                     |             |                                |
| 97012      |               | C             | 0.25        | 0.14                       | 0.14            | 0.01       | XXX              | 53.10                     |             |                                |
| 97014      |               | C             | 0.18        | 0.18                       | 0.18            | 0.01       | XXX              | 53.10                     |             |                                |
| 97016      |               | C             | 0.18        | 0.23                       | 0.23            | 0.01       | XXX              | 53.10                     |             |                                |
| 97018      |               | C             | 0.06        | 0.15                       | 0.15            | 0.01       | XXX              | 53.10                     |             |                                |
| 97022      |               | C             | 0.17        | 0.30                       | 0.30            | 0.01       | XXX              | 53.10                     |             |                                |
| 97024      |               | C             | 0.06        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 97026      |               | C             | 0.06        | 0.07                       | 0.07            | 0.01       | XXX              | 53.10                     |             |                                |
| 97028      |               | C             | 0.08        | 0.08                       | 0.08            | 0.01       | XXX              | 53.10                     |             |                                |
| 97032      |               | C             | 0.25        | 0.19                       | 0.19            | 0.01       | XXX              | 53.10                     |             |                                |
| 97033      |               | C             | 0.26        | 0.40                       | 0.40            | 0.01       | XXX              | 53.10                     |             |                                |
| 97034      |               | C             | 0.21        | 0.19                       | 0.19            | 0.01       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |  |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|--|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |  |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |  |
| 97035 |       | C      | 0.21 | 0.10     | 0.10     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97036 |       | C      | 0.28 | 0.41     | 0.41     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97039 |       | C      | 0.20 | 0.00     | 0.00     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97110 |       | C      | 0.45 | 0.31     | 0.31     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97112 |       | C      | 0.45 | 0.34     | 0.34     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97113 |       | C      | 0.44 | 0.50     | 0.50     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97116 |       | C      | 0.40 | 0.27     | 0.27     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97124 |       | C      | 0.35 | 0.26     | 0.26     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97139 |       | C      | 0.21 | 0.20     | 0.20     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97140 |       | C      | 0.43 | 0.28     | 0.28     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97150 |       | C      | 0.27 | 0.21     | 0.21     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97530 |       | C      | 0.44 | 0.37     | 0.37     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97532 |       | C      | 0.44 | 0.22     | 0.22     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97533 |       | C      | 0.44 | 0.27     | 0.27     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97535 |       | C      | 0.45 | 0.36     | 0.36     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97537 |       | C      | 0.45 | 0.28     | 0.28     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97542 |       | C      | 0.45 | 0.29     | 0.29     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97545 |       | C      | 1.00 | 0.93     | 0.93     | 0.05 | XXX    | 53.10   |      |                                |  |
| 97546 |       | C      | 0.50 | 0.46     | 0.46     | 0.03 | ZZZ    | 53.10   |      |                                |  |
| 97597 |       | C      | 0.58 | 0.99     | 0.26     | 0.05 | XXX    | 53.10   |      |                                |  |
| 97598 |       | C      | 0.80 | 1.15     | 0.33     | 0.05 | XXX    | 53.10   |      |                                |  |
| 97602 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 53.10   |      |                                |  |
| 97605 |       | C      | 0.55 | 0.39     | 0.15     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97606 |       | C      | 0.60 | 0.40     | 0.16     | 0.03 | XXX    | 53.10   |      |                                |  |
| 97750 |       | C      | 0.45 | 0.33     | 0.33     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97755 |       | C      | 0.62 | 0.28     | 0.28     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97760 |       | C      | 0.45 | 0.41     | 0.41     | 0.03 | XXX    | 53.10   |      |                                |  |
| 97761 |       | C      | 0.45 | 0.32     | 0.32     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97762 |       | C      | 0.25 | 0.65     | 0.65     | 0.02 | XXX    | 53.10   |      |                                |  |
| 97799 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |  |
| 97802 |       | C      | 0.53 | 0.27     | 0.22     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97803 |       | C      | 0.45 | 0.25     | 0.20     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97804 |       | C      | 0.25 | 0.10     | 0.10     | 0.01 | XXX    | 53.10   |      |                                |  |
| 97810 |       | C      | 0.60 | 0.34     | 0.21     | 0.03 | XXX    | 53.10   |      |                                |  |
| 97811 |       | C      | 0.50 | 0.22     | 0.17     | 0.03 | ZZZ    | 53.10   |      |                                |  |
| 97813 |       | C      | 0.65 | 0.36     | 0.23     | 0.03 | XXX    | 53.10   |      |                                |  |
| 97814 |       | C      | 0.55 | 0.26     | 0.19     | 0.03 | ZZZ    | 53.10   |      |                                |  |
| 98925 |       | C      | 0.45 | 0.30     | 0.13     | 0.02 | 000    | 53.10   |      |                                |  |
| 98926 |       | C      | 0.65 | 0.38     | 0.20     | 0.03 | 000    | 53.10   |      |                                |  |
| 98927 |       | C      | 0.87 | 0.47     | 0.25     | 0.03 | 000    | 53.10   |      |                                |  |
| 98928 |       | C      | 1.03 | 0.54     | 0.29     | 0.04 | 000    | 53.10   |      |                                |  |
| 98929 |       | C      | 1.19 | 0.61     | 0.34     | 0.05 | 000    | 53.10   |      |                                |  |
| 98940 |       | C      | 0.45 | 0.22     | 0.12     | 0.01 | 000    | 53.10   |      |                                |  |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU                             | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|---|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 98941      |               | C             | 0.65                                    | 0.28                       | 0.18            | 0.01      | 000        |                  | 53.10                     |             |                                |
| 98942      |               | C             | 0.87                                    | 0.34                       | 0.24            | 0.02      | 000        |                  | 53.10                     |             |                                |
| 98943      |               | D             | 0.40                                    | 0.23                       | 0.14            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 98960      |               | C             | 0.00                                    | 0.65                       | 0.65            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 98961      |               | C             | 0.00                                    | 0.31                       | 0.31            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 98962      |               | C             | 0.00                                    | 0.23                       | 0.23            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 98966      |               | C             | 0.25                                    | 0.12                       | 0.08            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 98967      |               | C             | 0.50                                    | 0.20                       | 0.17            | 0.02      | XXX        |                  | 53.10                     |             |                                |
| 98968      |               | C             | 0.75                                    | 0.28                       | 0.25            | 0.03      | XXX        |                  | 53.10                     |             |                                |
| 98969      |               | C             | 0.25                                    | 0.09                       | 0.06            | 0.01      | XXX        |                  | 53.10                     |             |                                |
| 99000      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99001      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99002      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99024      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99026      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99027      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99050      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99051      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99053      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99056      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99058      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99060      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99070      |               | C             | <b>\$125.00 maximum, 1 unit/day max</b> |                            |                 |           |            | XXX              |                           |             |                                |
| 99071      |               | C             | 0.45                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 53.10                     |             |                                |
| 99075      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99078      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99080      |               | C             | <b>\$75.00 maximum, 1 unit/day max</b>  |                            |                 |           |            | XXX              |                           |             |                                |
| 99082      |               | C             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99090      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99091      |               | C             | 1.10                                    | 0.37                       | 0.37            | 0.04      | XXX        |                  | 53.10                     |             |                                |
| 99100      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99116      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99135      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99140      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99143      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99144      |               | C             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99145      |               | C             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99148      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99149      |               | C             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99150      |               | C             | 0.00                                    | 0.00                       | 0.00            | 0.00      | ZZZ        |                  | 0.00                      |             |                                |
| 99170      |               | D             | 1.75                                    | 2.11                       | 0.78            | 0.08      | 000        |                  | 53.10                     |             |                                |
| 99172      |               | D             | 0.00                                    | 0.00                       | 0.00            | 0.00      | XXX        |                  | 0.00                      |             |                                |
| 99173      |               | D             | 0.00                                    | 0.06                       | 0.06            | 0.01      | XXX        |                  | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 99174 |       | D      | 0.00 | 0.69     | 0.69     | 0.01 | XXX    | 53.10   |      |                                |
| 99175 |       | C      | 0.00 | 0.62     | 0.62     | 0.10 | XXX    | 53.10   |      |                                |
| 99183 |       | C      | 2.34 | 2.75     | 0.64     | 0.16 | XXX    | 53.10   |      |                                |
| 99185 |       | C      | 0.00 | 1.52     | 1.52     | 0.04 | XXX    | 53.10   |      |                                |
| 99186 |       | C      | 0.00 | 1.67     | 1.67     | 0.45 | XXX    | 53.10   |      |                                |
| 99190 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 99191 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 99192 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 99195 |       | C      | 0.00 | 1.93     | 1.93     | 0.02 | XXX    | 53.10   |      |                                |
| 99199 |       | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 99201 |       | C      | 0.45 | 0.54     | 0.17     | 0.03 | XXX    | 53.10   |      |                                |
| 99202 |       | C      | 0.88 | 0.83     | 0.32     | 0.05 | XXX    | 53.10   |      |                                |
| 99203 |       | C      | 1.34 | 1.12     | 0.46     | 0.09 | XXX    | 53.10   |      |                                |
| 99204 |       | C      | 2.30 | 1.51     | 0.74     | 0.12 | XXX    | 53.10   |      |                                |
| 99205 |       | C      | 3.00 | 1.81     | 0.96     | 0.15 | XXX    | 53.10   |      |                                |
| 99211 |       | C      | 0.17 | 0.34     | 0.06     | 0.01 | XXX    | 53.10   |      |                                |
| 99212 |       | C      | 0.45 | 0.55     | 0.16     | 0.03 | XXX    | 53.10   |      |                                |
| 99213 |       | C      | 0.92 | 0.75     | 0.29     | 0.03 | XXX    | 53.10   |      |                                |
| 99214 |       | C      | 1.42 | 1.09     | 0.45     | 0.05 | XXX    | 53.10   |      |                                |
| 99215 |       | C      | 2.00 | 1.38     | 0.65     | 0.08 | XXX    | 53.10   |      |                                |
| 99217 |       | C      | 1.28 | 0.51     | 0.51     | 0.06 | XXX    | 53.10   |      |                                |
| 99218 |       | C      | 1.28 | 0.40     | 0.40     | 0.06 | XXX    | 53.10   |      |                                |
| 99219 |       | C      | 2.14 | 0.64     | 0.64     | 0.10 | XXX    | 53.10   |      |                                |
| 99220 |       | C      | 2.99 | 0.91     | 0.91     | 0.14 | XXX    | 53.10   |      |                                |
| 99221 |       | C      | 1.88 | 0.54     | 0.54     | 0.07 | XXX    | 53.10   |      |                                |
| 99222 |       | C      | 2.56 | 0.74     | 0.74     | 0.10 | XXX    | 53.10   |      |                                |
| 99223 |       | C      | 3.78 | 1.09     | 1.09     | 0.13 | XXX    | 53.10   |      |                                |
| 99231 |       | C      | 0.76 | 0.24     | 0.24     | 0.03 | XXX    | 53.10   |      |                                |
| 99232 |       | C      | 1.39 | 0.42     | 0.42     | 0.04 | XXX    | 53.10   |      |                                |
| 99233 |       | C      | 2.00 | 0.59     | 0.59     | 0.06 | XXX    | 53.10   |      |                                |
| 99234 |       | C      | 2.56 | 0.84     | 0.84     | 0.13 | XXX    | 53.10   |      |                                |
| 99235 |       | C      | 3.41 | 1.06     | 1.06     | 0.16 | XXX    | 53.10   |      |                                |
| 99236 |       | C      | 4.26 | 1.30     | 1.30     | 0.19 | XXX    | 53.10   |      |                                |
| 99238 |       | C      | 1.28 | 0.51     | 0.51     | 0.05 | XXX    | 53.10   |      |                                |
| 99239 |       | C      | 1.90 | 0.70     | 0.70     | 0.07 | XXX    | 53.10   |      |                                |
| 99241 |       | C      | 0.64 | 0.66     | 0.23     | 0.05 | XXX    | 53.10   |      |                                |
| 99242 |       | C      | 1.34 | 1.08     | 0.50     | 0.10 | XXX    | 53.10   |      |                                |
| 99243 |       | C      | 1.88 | 1.45     | 0.69     | 0.13 | XXX    | 53.10   |      |                                |
| 99244 |       | C      | 3.02 | 1.93     | 1.09     | 0.16 | XXX    | 53.10   |      |                                |
| 99245 |       | C      | 3.77 | 2.30     | 1.35     | 0.21 | XXX    | 53.10   |      |                                |
| 99251 |       | C      | 1.00 | 0.30     | 0.30     | 0.05 | XXX    | 53.10   |      |                                |
| 99252 |       | C      | 1.50 | 0.51     | 0.51     | 0.09 | XXX    | 53.10   |      |                                |
| 99253 |       | C      | 2.27 | 0.80     | 0.80     | 0.11 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 99254      |               | C             | 3.29        | 1.17                       | 1.17            | 0.13       | XXX              | 53.10                     |             |                                |
| 99255      |               | C             | 4.00        | 1.42                       | 1.42            | 0.18       | XXX              | 53.10                     |             |                                |
| 99281      |               | C             | 0.45        | 0.09                       | 0.09            | 0.02       | XXX              | 53.10                     |             |                                |
| 99282      |               | C             | 0.88        | 0.17                       | 0.17            | 0.04       | XXX              | 53.10                     |             |                                |
| 99283      |               | C             | 1.34        | 0.27                       | 0.27            | 0.09       | XXX              | 53.10                     |             |                                |
| 99284      |               | C             | 2.56        | 0.47                       | 0.47            | 0.14       | XXX              | 53.10                     |             |                                |
| 99285      |               | C             | 3.80        | 0.69                       | 0.69            | 0.23       | XXX              | 53.10                     |             |                                |
| 99288      |               | C             | 0.66        | 0.13                       | 0.13            | 0.03       | XXX              | 53.10                     |             |                                |
| 99289      |               | D             | 4.79        | 1.08                       | 1.08            | 0.24       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99290      |               | D             | 2.40        | 0.89                       | 0.89            | 0.12       | ZZZ              | 51.86                     | 12/31/2008  |                                |
| 99291      |               | C             | 4.50        | 2.33                       | 1.17            | 0.21       | XXX              | 53.10                     |             |                                |
| 99292      |               | C             | 2.25        | 0.82                       | 0.58            | 0.11       | ZZZ              | 53.10                     |             |                                |
| 99293      |               | D             | 15.98       | 3.78                       | 3.78            | 1.12       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99294      |               | D             | 7.99        | 1.65                       | 1.65            | 0.45       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99295      |               | D             | 18.46       | 4.57                       | 4.57            | 1.16       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99296      |               | D             | 7.99        | 2.06                       | 2.06            | 0.32       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99298      |               | D             | 2.75        | 0.68                       | 0.68            | 0.17       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99299      |               | D             | 2.50        | 0.58                       | 0.58            | 0.16       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99300      |               | D             | 2.40        | 0.71                       | 0.71            | 0.15       | XXX              | 51.86                     | 12/31/2008  |                                |
| 99304      |               | C             | 1.61        | 0.56                       | 0.56            | 0.05       | XXX              | 53.10                     |             |                                |
| 99305      |               | C             | 2.30        | 0.73                       | 0.73            | 0.07       | XXX              | 53.10                     |             |                                |
| 99306      |               | C             | 3.00        | 0.89                       | 0.89            | 0.09       | XXX              | 53.10                     |             |                                |
| 99307      |               | C             | 0.76        | 0.31                       | 0.31            | 0.03       | XXX              | 53.10                     |             |                                |
| 99308      |               | C             | 1.16        | 0.48                       | 0.48            | 0.04       | XXX              | 53.10                     |             |                                |
| 99309      |               | C             | 1.55        | 0.62                       | 0.62            | 0.06       | XXX              | 53.10                     |             |                                |
| 99310      |               | C             | 2.35        | 0.86                       | 0.86            | 0.08       | XXX              | 53.10                     |             |                                |
| 99315      |               | C             | 1.13        | 0.43                       | 0.43            | 0.05       | XXX              | 53.10                     |             |                                |
| 99316      |               | C             | 1.50        | 0.54                       | 0.54            | 0.06       | XXX              | 53.10                     |             |                                |
| 99318      |               | C             | 1.71        | 0.56                       | 0.56            | 0.05       | XXX              | 53.10                     |             |                                |
| 99324      |               | C             | 1.01        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 99325      |               | C             | 1.52        | 0.59                       | 0.59            | 0.07       | XXX              | 53.10                     |             |                                |
| 99326      |               | C             | 2.63        | 0.86                       | 0.86            | 0.10       | XXX              | 53.10                     |             |                                |
| 99327      |               | C             | 3.46        | 1.09                       | 1.09            | 0.13       | XXX              | 53.10                     |             |                                |
| 99328      |               | C             | 4.09        | 1.26                       | 1.26            | 0.16       | XXX              | 53.10                     |             |                                |
| 99334      |               | C             | 1.07        | 0.43                       | 0.43            | 0.04       | XXX              | 53.10                     |             |                                |
| 99335      |               | C             | 1.72        | 0.60                       | 0.60            | 0.06       | XXX              | 53.10                     |             |                                |
| 99336      |               | C             | 2.46        | 0.80                       | 0.80            | 0.09       | XXX              | 53.10                     |             |                                |
| 99337      |               | C             | 3.58        | 1.10                       | 1.10            | 0.13       | XXX              | 53.10                     |             |                                |
| 99339      |               | C             | 1.25        | 0.74                       | 0.74            | 0.06       | XXX              | 53.10                     |             |                                |
| 99340      |               | C             | 1.80        | 0.99                       | 0.99            | 0.07       | XXX              | 53.10                     |             |                                |
| 99341      |               | C             | 1.01        | 0.44                       | 0.44            | 0.05       | XXX              | 53.10                     |             |                                |
| 99342      |               | C             | 1.52        | 0.59                       | 0.59            | 0.07       | XXX              | 53.10                     |             |                                |
| 99343      |               | C             | 2.53        | 0.87                       | 0.87            | 0.10       | XXX              | 53.10                     |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 99344 |       | C      | 3.38 | 1.08     | 1.08     | 0.13 | XXX    | 53.10   |      |                                |
| 99345 |       | C      | 4.09 | 1.27     | 1.27     | 0.16 | XXX    | 53.10   |      |                                |
| 99347 |       | C      | 1.00 | 0.42     | 0.42     | 0.04 | XXX    | 53.10   |      |                                |
| 99348 |       | C      | 1.56 | 0.58     | 0.58     | 0.06 | XXX    | 53.10   |      |                                |
| 99349 |       | C      | 2.33 | 0.78     | 0.78     | 0.09 | XXX    | 53.10   |      |                                |
| 99350 |       | C      | 3.28 | 1.05     | 1.05     | 0.13 | XXX    | 53.10   |      |                                |
| 99354 |       | C      | 1.77 | 0.70     | 0.56     | 0.08 | ZZZ    | 53.10   |      |                                |
| 99355 |       | C      | 1.77 | 0.68     | 0.54     | 0.07 | ZZZ    | 53.10   |      |                                |
| 99356 |       | C      | 1.71 | 0.54     | 0.54     | 0.07 | ZZZ    | 53.10   |      |                                |
| 99357 |       | C      | 1.71 | 0.55     | 0.55     | 0.08 | ZZZ    | 53.10   |      |                                |
| 99358 |       | C      | 2.10 | 0.74     | 0.74     | 0.09 | ZZZ    | 53.10   |      |                                |
| 99359 |       | C      | 1.00 | 0.37     | 0.37     | 0.04 | ZZZ    | 53.10   |      |                                |
| 99360 |       | C      | 1.20 | 0.40     | 0.40     | 0.05 | XXX    | 53.10   |      |                                |
| 99363 |       | C      | 1.65 | 1.56     | 0.55     | 0.07 | XXX    | 53.10   |      |                                |
| 99364 |       | C      | 0.63 | 0.47     | 0.21     | 0.04 | XXX    | 53.10   |      |                                |
| 99366 |       | C      | 0.82 | 0.29     | 0.27     | 0.06 | XXX    | 53.10   |      |                                |
| 99367 |       | C      | 1.10 | 0.37     | 0.37     | 0.05 | XXX    | 53.10   |      |                                |
| 99368 |       | C      | 0.72 | 0.24     | 0.24     | 0.03 | XXX    | 53.10   |      |                                |
| 99374 |       | C      | 1.10 | 0.69     | 0.38     | 0.05 | XXX    | 53.10   |      |                                |
| 99375 |       | C      | 1.73 | 1.11     | 0.82     | 0.07 | XXX    | 53.10   |      |                                |
| 99377 |       | C      | 1.10 | 0.69     | 0.38     | 0.05 | XXX    | 53.10   |      |                                |
| 99378 |       | C      | 1.73 | 1.21     | 0.92     | 0.07 | XXX    | 53.10   |      |                                |
| 99379 |       | C      | 1.10 | 0.69     | 0.38     | 0.04 | XXX    | 53.10   |      |                                |
| 99380 |       | C      | 1.73 | 0.97     | 0.60     | 0.06 | XXX    | 53.10   |      |                                |
| 99381 |       | D      | 1.19 | 1.27     | 0.41     | 0.05 | XXX    | 53.10   |      |                                |
| 99382 |       | D      | 1.36 | 1.32     | 0.47     | 0.05 | XXX    | 53.10   |      |                                |
| 99383 |       | D      | 1.36 | 1.30     | 0.47     | 0.05 | XXX    | 53.10   |      |                                |
| 99384 |       | D      | 1.53 | 1.36     | 0.53     | 0.06 | XXX    | 53.10   |      |                                |
| 99385 |       | D      | 1.53 | 1.36     | 0.53     | 0.06 | XXX    | 53.10   |      |                                |
| 99386 |       | D      | 1.88 | 1.50     | 0.65     | 0.07 | XXX    | 53.10   |      |                                |
| 99387 |       | D      | 2.06 | 1.65     | 0.72     | 0.07 | XXX    | 53.10   |      |                                |
| 99391 |       | D      | 1.02 | 1.03     | 0.35     | 0.04 | XXX    | 53.10   |      |                                |
| 99392 |       | D      | 1.19 | 1.09     | 0.41     | 0.05 | XXX    | 53.10   |      |                                |
| 99393 |       | D      | 1.19 | 1.08     | 0.41     | 0.05 | XXX    | 53.10   |      |                                |
| 99394 |       | D      | 1.36 | 1.14     | 0.47     | 0.05 | XXX    | 53.10   |      |                                |
| 99395 |       | D      | 1.36 | 1.15     | 0.47     | 0.05 | XXX    | 53.10   |      |                                |
| 99396 |       | D      | 1.53 | 1.21     | 0.53     | 0.06 | XXX    | 53.10   |      |                                |
| 99397 |       | D      | 1.71 | 1.37     | 0.60     | 0.06 | XXX    | 53.10   |      |                                |
| 99401 |       | D      | 0.48 | 0.48     | 0.17     | 0.01 | XXX    | 53.10   |      |                                |
| 99402 |       | D      | 0.98 | 0.67     | 0.34     | 0.02 | XXX    | 53.10   |      |                                |
| 99403 |       | D      | 1.46 | 0.85     | 0.51     | 0.04 | XXX    | 53.10   |      |                                |
| 99404 |       | D      | 1.95 | 1.03     | 0.68     | 0.05 | XXX    | 53.10   |      |                                |
| 99406 |       | C      | 0.24 | 0.11     | 0.07     | 0.01 | XXX    | 53.10   |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 99407      |               | C             | 0.50        | 0.18                       | 0.15            | 0.01      | XXX        | 53.10            |                           |             |                                |
| 99408      |               | C             | 0.65        | 0.26                       | 0.22            | 0.01      | XXX        | 53.10            |                           |             |                                |
| 99409      |               | C             | 1.30        | 0.48                       | 0.44            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 99411      |               | D             | 0.15        | 0.24                       | 0.05            | 0.01      | XXX        | 53.10            |                           |             |                                |
| 99412      |               | D             | 0.25        | 0.28                       | 0.09            | 0.01      | XXX        | 53.10            |                           |             |                                |
| 99420      |               | D             | 0.00        | 0.25                       | 0.25            | 0.01      | XXX        | 53.10            |                           |             |                                |
| 99429      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99431      |               | D             | 1.17        | 0.27                       | 0.27            | 0.05      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99432      |               | D             | 1.26        | 1.01                       | 0.29            | 0.07      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99433      |               | D             | 0.62        | 0.17                       | 0.17            | 0.02      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99435      |               | D             | 1.50        | 0.50                       | 0.50            | 0.06      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99436      |               | D             | 1.50        | 0.33                       | 0.33            | 0.06      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99440      |               | D             | 2.93        | 0.67                       | 0.67            | 0.12      | XXX        | 51.86            |                           | 12/31/2008  |                                |
| 99441      |               | C             | 0.25        | 0.12                       | 0.08            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 99442      |               | C             | 0.50        | 0.20                       | 0.17            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 99443      |               | C             | 0.75        | 0.28                       | 0.25            | 0.03      | XXX        | 53.10            |                           |             |                                |
| 99444      |               | C             | 0.25        | 0.09                       | 0.06            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 99450      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99455      |               | C             | 5.16        | 1.67                       | 1.67            | 0.13      | XXX        | 53.10            |                           |             |                                |
| 99456      |               | C             | 6.86        | 2.14                       | 2.14            | 0.16      | XXX        | 53.10            |                           |             |                                |
| 99460      |               | D             | 1.17        | 0.34                       | 0.34            | 0.05      | XXX        | 53.10            |                           |             |                                |
| 99461      |               | D             | 1.26        | 1.01                       | 0.42            | 0.07      | XXX        | 53.10            |                           |             |                                |
| 99462      |               | D             | 0.62        | 0.19                       | 0.19            | 0.02      | XXX        | 53.10            |                           |             |                                |
| 99463      |               | D             | 1.50        | 0.53                       | 0.53            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 99464      |               | D             | 1.50        | 0.40                       | 0.40            | 0.06      | XXX        | 53.10            |                           |             |                                |
| 99465      |               | D             | 2.93        | 0.97                       | 0.97            | 0.12      | XXX        | 53.10            |                           |             |                                |
| 99466      |               | D             | 4.79        | 1.40                       | 1.40            | 0.24      | XXX        | 53.10            |                           |             |                                |
| 99467      |               | D             | 2.40        | 0.69                       | 0.69            | 0.12      | ZZZ        | 53.10            |                           |             |                                |
| 99468      |               | D             | 18.46       | 4.52                       | 4.52            | 1.16      | XXX        | 53.10            |                           |             |                                |
| 99469      |               | D             | 7.99        | 2.21                       | 2.21            | 0.32      | XXX        | 53.10            |                           |             |                                |
| 99471      |               | D             | 15.98       | 4.47                       | 4.47            | 1.12      | XXX        | 53.10            |                           |             |                                |
| 99472      |               | D             | 7.99        | 2.21                       | 2.21            | 0.45      | XXX        | 53.10            |                           |             |                                |
| 99475      |               | D             | 11.25       | 2.83                       | 2.83            | 0.79      | XXX        | 53.10            |                           |             |                                |
| 99476      |               | D             | 6.75        | 1.70                       | 1.70            | 0.38      | XXX        | 53.10            |                           |             |                                |
| 99477      |               | D             | 7.00        | 2.05                       | 2.05            | 0.32      | XXX        | 53.10            |                           |             |                                |
| 99478      |               | D             | 2.75        | 0.91                       | 0.91            | 0.17      | XXX        | 53.10            |                           |             |                                |
| 99479      |               | D             | 2.50        | 0.71                       | 0.71            | 0.16      | XXX        | 53.10            |                           |             |                                |
| 99480      |               | D             | 2.40        | 0.69                       | 0.69            | 0.15      | XXX        | 53.10            |                           |             |                                |
| 99499      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99500      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99501      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99502      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | XXX        | 0.00             |                           |             |                                |
| 99503      |               | C             | 1.72        | 1.56                       | 1.56            | 0.07      | XXX        | 53.10            |                           |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 99504      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99505      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99506      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99507      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99509      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99510      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99511      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99512      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             |                                |
| 99600      |               | C             | 1.09        | 0.70                       | 0.43                  | 0.05       | XXX              | 53.10                     |             |                                |
| 99601      |               | C             | 0.00        | 2.75                       | 2.75                  | 0.18       | XXX              | 53.10                     |             |                                |
| 99602      |               | C             | 0.00        | 0.70                       | 0.70                  | 0.05       | XXX              | 53.10                     |             |                                |
| 99605      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 99606      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 99607      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0001F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0005F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0012F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0014F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0015F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0016T      |               | C             | 323.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 0017T      |               | C             | 626.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 0019T      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0026T      |               | C             | 17.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0027T      |               | C             | 434.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0028T      |               | C             | 154.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0029T      |               | C             | 58.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0030T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0031T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0032T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0041T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0042T      |               | C             | 374.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             |                                |
| 0043T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0046T      |               | C             | 145.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0047T      |               | C             | 72.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0048T      |               | C             | 616.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             |                                |
| 0049T      |               | C             | 631.36      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0050T      |               | C             | 667.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             |                                |
| 0051T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0052T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0053T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0054T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0055T      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 0058T      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 0059T      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0060T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0061T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0062T      |               | C             | 534.55      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0063T      |               | C             | 534.55      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0064T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0066T      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0066T      | TC            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0066T      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0067T      |               | C             | 831.61      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0067T      | TC            | C             | 296.27      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0067T      | 26            | C             | 143.34      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0068T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0069T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0070T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0071T      |               | C             | 638.58      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             |                                |
| 0072T      |               | C             | 638.58      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             |                                |
| 0073T      |               | C             | 0.00        | 14.20                      | 14.20           | 0.13       | XXX              | 53.10                     |             |                                |
| 0075T      |               | C             | 583.74      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             |                                |
| 0075T      | TC            | C             | 611.07      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0075T      | 26            | C             | 556.41      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0076T      |               | C             | 653.78      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0076T      | TC            | C             | 342.19      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0076T      | 26            | C             | 311.58      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0077T      |               | C             | 340.59      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0078T      |               | C             | 549.15      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             |                                |
| 0079T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0080T      |               | C             | 256.15      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0081T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0084T      |               | C             | 91.01       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0085T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0086T      |               | C             | 24.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0087T      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0088T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0089T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0090T      |               | C             | 28.04       | 16.98                      | 16.98           | 6.48       | XXX              | 51.86                     | 12/31/2008  |                                |
| 0092T      |               | C             | 12.73       | 6.45                       | 6.45            | 2.69       | XXX              | 53.10                     |             |                                |
| 0093T      |               | C             | 19.68       | 12.08                      | 12.08           | 4.49       | XXX              | 51.86                     | 12/31/2008  |                                |
| 0095T      |               | C             | 4.04        | 2.05                       | 2.05            | 0.93       | XXX              | 53.10                     |             |                                |
| 0096T      |               | C             | 28.04       | 16.98                      | 16.98           | 6.48       | XXX              | 51.86                     | 12/31/2008  |                                |
| 0098T      |               | C             | 12.73       | 6.45                       | 6.45            | 2.69       | XXX              | 53.10                     |             |                                |
| 0099T      |               | C             | 647.76      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0100T      |               | C             | 797.67      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 0101T      |               | C             | 534.55      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 2.50                      |             |                                |
| 0102T      |               | C             | 534.55      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 2.50                      |             |                                |
| 0103T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0104T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0105T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0106T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0107T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0108T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0109T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0110T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0111T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0123T      |               | C             | 978.36      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0124T      |               | C             | 258.12      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0126T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0130T      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0137T      |               | C             | 401.05      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      | 12/31/2008  |                                |
| 0140T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0141T      |               | C             | 6.98        | 2.08                       | 2.08            | 0.48      | 000        |                  | 53.10                     |             |                                |
| 0142T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 0143T      |               | C             | 11.92       | 5.09                       | 5.09            | 1.46      | 090        |                  | 53.10                     |             |                                |
| 0144T      |               | C             | 300.76      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0144T      | TC            | C             | 0.00        | 6.49                       | 6.49            | 0.20      | XXX        |                  | 53.10                     |             |                                |
| 0144T      | 26            | C             | 51.12       | 0.00                       | 0.00            | 0.00      | XXX        |                  | 1.25                      |             |                                |
| 0145T      |               | C             | 584.97      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0145T      | TC            | C             | 304.92      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0145T      | 26            | C             | 88.99       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0146T      |               | C             | 590.67      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0146T      | TC            | C             | 304.92      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0146T      | 26            | C             | 89.84       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0147T      |               | C             | 595.25      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0147T      | TC            | C             | 304.92      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0147T      | 26            | C             | 90.48       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0148T      |               | C             | 599.83      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0148T      | TC            | C             | 397.79      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0148T      | 26            | C             | 91.23       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0149T      |               | C             | 604.41      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0149T      | TC            | C             | 397.79      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0149T      | 26            | C             | 91.91       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0150T      |               | C             | 596.99      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0150T      | TC            | C             | 252.46      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0150T      | 26            | C             | 90.79       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0151T      |               | C             | 187.47      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |
| 0151T      | TC            | C             | 94.01       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 0151T      | 26            | C             | 28.52       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0155T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0156T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0157T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0158T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0159T      |               | C             | 8.04        | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |
| 0159T      | TC            | C             | 5.03        | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |
| 0159T      | 26            | C             | 3.02        | 0.00                       | 0.00            | 0.00       | ZZZ              | 1.25                      |             |                                |
| 0160T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0161T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0162T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 0163T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0164T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0165T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0166T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0167T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0168T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0169T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0170T      |               | C             | 76.64       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0171T      |               | C             | 785.35      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0172T      |               | C             | 773.85      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0173T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0174T      |               | C             | 2.76        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0175T      |               | C             | 2.76        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0176T      |               | C             | 806.12      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0177T      |               | C             | 806.12      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0178T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0179T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0180T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0181T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0182T      |               | C             | 568.75      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0183T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0184T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0185T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0186T      |               | C             | 901.17      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0187T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0188T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0189T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0190T      |               | C             | 901.17      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0191T      |               | C             | 964.51      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             |                                |
| 0192T      |               | C             | 826.49      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             |                                |
| 0193T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 0194T      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 0195T |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0196T |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0197T |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0198T |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0500F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0501F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0502F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0503F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0505F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0507F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0509F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0513F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0514F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0516F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0517F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0518F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0519F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0520F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0521F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0525F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0526F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0528F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0529F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0535F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0540F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 0575F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1000F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1002F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1003F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1004F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1005F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1006F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1007F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1008F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1015F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1018F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1019F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1022F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1026F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1030F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1034F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1035F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 1036F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| 1038F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1039F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1040F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1050F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1055F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1060F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1061F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1065F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1066F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1070F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1071F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1080F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 1090F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1091F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1100F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1101F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1110F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1111F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1116F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1118F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1119F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1121F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1123F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1124F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1125F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1126F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1127F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1128F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1130F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1134F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1135F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1136F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1137F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1150F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1151F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1152F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1153F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1157F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1158F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1159F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1160F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1170F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |
| 1180F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 1220F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2000F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2001F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2002F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2004F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2010F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2014F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2018F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2019F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2020F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2021F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2022F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2024F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2026F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2027F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2028F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2029F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2030F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2031F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2035F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2040F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2044F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 2050F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3006F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3011F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3014F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3016F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3017F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3020F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3020F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3021F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3022F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3023F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3025F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3027F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3028F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3035F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3037F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3040F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3042F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3044F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3045F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3046F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 3048F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3049F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3050F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3060F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3061F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3062F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3066F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3072F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3073F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3074F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3075F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3077F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3078F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3079F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3080F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3082F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3083F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3084F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3085F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3088F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3089F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3090F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3091F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3092F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3093F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3095F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3096F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3100F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3110F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3111F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3112F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3120F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3130F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3132F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3140F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3141F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3142F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3150F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3155F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3160F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3170F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3200F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3210F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 3215F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3216F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3218F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3220F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3230F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3250F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3260F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3265F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3266F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3268F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3269F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3270F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3271F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3272F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3273F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3274F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3278F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3279F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3280F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3281F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3284F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3285F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3288F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3290F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3291F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3292F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3300F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3301F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3302F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3303F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3304F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3305F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3306F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3307F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3308F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3309F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3310F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3311F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3312F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3313F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3314F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 3315F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 3316F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| 3317F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3318F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3319F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3320F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3321F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3322F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3325F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3330F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3331F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3340F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3341F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3342F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3343F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3344F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3345F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3350F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3351F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3352F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3353F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3354F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3370F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3372F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3374F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3376F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3378F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3380F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3382F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3384F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3386F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3388F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3390F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3450F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3451F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3452F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3455F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3470F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3471F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3472F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3475F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3476F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3490F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3491F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |
| 3492F |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 3493F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3494F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3495F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3496F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3497F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3498F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3500F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3502F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3503F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3510F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3511F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3512F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3513F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3514F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3515F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3550F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3551F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3552F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3555F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3570F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3572F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 3573F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4000F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4001F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4002F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4003F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4005F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4006F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4009F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4011F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4012F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4014F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4015F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4016F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4017F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4018F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4019F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4025F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4030F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4033F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4035F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4037F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4040F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 4041F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4042F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4043F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4044F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4045F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4046F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4047F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4048F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4049F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4050F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4051F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4052F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4053F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4054F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4055F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4056F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4058F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4060F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4062F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4064F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4065F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4066F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4067F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4070F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4073F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4075F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4077F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4079F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4084F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4090F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4095F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4100F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4110F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4115F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4120F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4124F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4130F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4131F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4132F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4133F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4134F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4135F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4136F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 4148F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4149F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4150F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4151F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4152F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 4153F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4154F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 4155F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4156F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      | 12/31/2008  |                                |
| 4157F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4158F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4159F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4163F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4164F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4165F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4167F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4168F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4169F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4171F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4172F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4174F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4175F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4176F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4177F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4178F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4179F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4180F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4181F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4182F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4185F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4186F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4187F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4188F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4189F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4190F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4191F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4192F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4193F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4194F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4195F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4196F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4200F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |
| 4201F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| 4210F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4220F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4221F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4230F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4240F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4242F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4245F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4248F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4250F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4260F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4261F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4265F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4266F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4267F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4268F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4269F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4270F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4271F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4274F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4275F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4279F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4280F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4290F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4293F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4300F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4301F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4305F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4306F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 4320F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5005F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5010F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5015F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5020F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5050F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5060F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5062F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 5100F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6005F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6010F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6015F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6020F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6030F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |
| 6040F      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             |                                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)              |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|---|
| 6045F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |   |
| 7010F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |   |
| 7020F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |   |
| 7025F      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             |   |
| A0021      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Outside state ambulance serv, Medicaid only |
| A0080      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noninterest escort in non er, per mi        |
| A0090      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Interest escort in non er, per mi           |
| A0100      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Nonemergency transport taxi                 |
| A0110      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Nonemergency transport bus, etc.            |
| A0120      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport mini-bus                    |
| A0130      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport wheelch van                 |
| A0140      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Nonemergency transport air                  |
| A0160      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport case worker                 |
| A0170      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport parking fees                |
| A0180      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport lodgng recip                |
| A0190      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport meals recip                 |
| A0200      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport lodgng escrt                |
| A0210      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noner transport meals escort                |
| A0225      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Neonatal emergency transport                |
| A0380      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | BLS mileage, per mile                       |
| A0382      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Basic support routine suppl                 |
| A0384      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Bls defibrillation supplies                 |
| A0390      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | ALS mileage, per mile                       |
| A0392      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Als defibrillation supplies                 |
| A0394      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Als IV drug therapy supplies                |
| A0396      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Als esophageal intub suppl                  |
| A0398      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Als routine dispoible suppl                 |
| A0420      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ambulance waiting 1/2 hr                    |
| A0422      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ambulance 02 life sustaining                |
| A0424      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Extra ambulance attendant                   |
| A0425      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ground mileage                              |
| A0426      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | ALS 1                                       |
| A0427      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | ALS1-emergency                              |
| A0428      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | BLS   |
| A0429      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | BLS-emergency                               |
| A0430      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Fixed wing air transport                    |
| A0431      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Rotary wing air transport                   |
| A0432      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | PI volunteer ambulance co                   |
| A0433      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | ALS 2                                       |
| A0434      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Specialty care transport                    |
| A0435      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Fixed wing air mileage                      |
| A0436      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Rotary wing air mileage                     |
| A0888      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Noncovered ambulance mileage                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                         |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| A0998      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ambulance response/tx, no transport                    |
| A0999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unlisted ambulance service                             |
| A4206      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 1 CC sterile syringe&needle                            |
| A4207      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 2 CC sterile syringe&needle                            |
| A4208      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 3 CC sterile syringe&needle                            |
| A4209      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 5+ CC sterile syringe&needle                           |
| A4210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nonneedle injection device                             |
| A4211      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supp for self-adm injections                           |
| A4212      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non coring needle or stylet                            |
| A4213      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 20+ CC syringe only                                    |
| A4215      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sterile needle   |
| A4216      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile water/saline, 10 ml                            |
| A4217      |               | C             | 4.11        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile water/saline, 500 ml                           |
| A4217      | AU            | C             | 4.11        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile water/saline, 500 ml                           |
| A4218      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sterile saline or water, metered dose dispenser, 10 ml |
| A4220      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion pump refill kit                               |
| A4221      |               | C             | 29.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Maint drug infus cath per wk                           |
| A4222      |               | C             | 61.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Infusion supplies, ext pump, per unit                  |
| A4223      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion supplies w/o pump                             |
| A4230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infus insulin pump non needl                           |
| A4231      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion insulin pump needle                           |
| A4232      |               | C             | 2.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Syringe w/needle insulin 3cc                           |
| A4233      |               | C             | 1.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alkalin batt for glucose mon                           |
| A4233      | NU            | C             | 1.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alkalin batt for glucose mon                           |
| A4234      |               | C             | 4.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | J-cell batt for glucose mon                            |
| A4234      | NU            | C             | 4.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | J-cell batt for glucose mon                            |
| A4235      |               | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lithium batt for glucose mon                           |
| A4235      | NU            | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lithium batt for glucose mon                           |
| A4236      |               | C             | 2.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Silvr oxide batt glucose mon                           |
| A4236      | NU            | C             | 2.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Silvr oxide batt glucose mon                           |
| A4244      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol or peroxide per pint                           |
| A4245      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol wipes per box                                  |
| A4246      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Betadine/phisohex solution                             |
| A4247      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Betadine/iodine swabs/wipes                            |
| A4248      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chlorhexidine antisept                                 |
| A4250      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Urine reagent strips/tablets                           |
| A4252      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Blood ketone test or strip                             |
| A4253      |               | C             | 38.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose/reagent strips                           |
| A4253      | NU            | C             | 38.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose/reagent strips                           |
| A4255      |               | C             | 5.40        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Glucose monitor platforms                              |
| A4256      |               | C             | 15.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Calibrator solution/chips                              |
| A4257      |               | C             | 16.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace Lensshield Cartridge                           |
| A4258      |               | C             | 23.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lancet device each                                     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                     |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| A4259      |               | C             | 12.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lancets per box                                    |
| A4261      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cervical cap contraceptive                         |
| A4262      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Temporary tear duct plug (bundled w/ procedure)    |
| A4263      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Permanent tear duct plug (bundled w/ procedure)    |
| A4265      |               | C             | 4.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Paraffin   |
| A4266      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diaphragm  |
| A4267      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Male condom  |
| A4268      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Female condom                                      |
| A4269      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spermicide   |
| A4270      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disposable endoscope sheath (bundled w/ procedure) |
| A4280      |               | C             | 8.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brst prsths adhsv atchmnt                          |
| A4281      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement breastpump tube                        |
| A4282      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement breastpump adpt                        |
| A4283      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement breastpump cap                         |
| A4284      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replcmnt breast pump shield                        |
| A4285      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replcmnt breast pump bottle                        |
| A4286      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replcmnt breastpump lok ring                       |
| A4290      |               | C             | 147.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sacral nerve stim test lead                        |
| A4300      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath impl vasc access portal                       |
| A4301      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implantable access syst perc                       |
| A4305      |               | C             | 8.80        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drug delivery system >=50 ML                       |
| A4306      |               | C             | 8.80        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drug delivery system <=5 ML                        |
| A4310      |               | C             | 10.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Insert tray w/o bag/cath                           |
| A4311      |               | C             | 20.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Catheter w/o bag 2-way latex                       |
| A4312      |               | C             | 26.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath w/o bag 2-way silicone                        |
| A4313      |               | C             | 29.83       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Catheter w/bag 3-way                               |
| A4314      |               | C             | 33.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath w/drainage 2-way latex                        |
| A4315      |               | C             | 35.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath w/drainage 2-way silcne                       |
| A4316      |               | C             | 37.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath w/drainage 3-way                              |
| A4320      |               | C             | 7.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Irrigation tray                                    |
| A4321      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cath therapeutic irrig agent                       |
| A4322      |               | C             | 4.11        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Irrigation syringe                                 |
| A4326      |               | C             | 14.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Male external catheter                             |
| A4327      |               | C             | 58.56       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fem urinary collect dev cup                        |
| A4328      |               | C             | 13.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fem urinary collect pouch                          |
| A4330      |               | C             | 9.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stool collection pouch                             |
| A4331      |               | C             | 4.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Extension drainage tubing                          |
| A4332      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lubricant, ind sterile pkt, each                   |
| A4333      |               | C             | 3.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary cath anchor device                         |
| A4334      |               | C             | 6.47        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary cath leg strap                             |
| A4335      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incontinence supply                                |
| A4338      |               | C             | 16.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Indwelling catheter latex                          |
| A4340      |               | C             | 41.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Indwelling catheter special                        |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A4344      |               | C             | 21.02       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath indw foley 2 way silicn   |
| A4346      |               | C             | 25.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath indw foley 3 way          |
| A4349      |               | C             | 2.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Male external cat, disposable  |
| A4351      |               | C             | 2.37        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Straight tip urine catheter    |
| A4352      |               | C             | 11.25       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coude tip urinary catheter     |
| A4353      |               | C             | 9.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Intermittent urinary cath      |
| A4354      |               | C             | 20.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cath insertion tray w/bag      |
| A4355      |               | C             | 11.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bladder irrigation tubing      |
| A4356      |               | C             | 59.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext ureth clmp or compr dvc    |
| A4357      |               | C             | 12.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bedside drainage bag           |
| A4358      |               | C             | 8.70        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary leg or abdomen bag     |
| A4361      |               | C             | 30.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy face plate              |
| A4362      |               | C             | 4.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid skin barrier             |
| A4363      |               | C             | 3.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy clamp, replacement      |
| A4364      |               | C             | 3.85        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adhesive                       |
| A4365      |               | C             | 14.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adhesive remover wipes         |
| A4366      |               | C             | 1.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy vent                    |
| A4367      |               | C             | 9.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy belt                    |
| A4368      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy filter                  |
| A4369      |               | C             | 3.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier liquid per oz     |
| A4371      |               | C             | 4.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier powder per oz     |
| A4372      |               | C             | 5.49        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier solid 4x4 equiv   |
| A4373      |               | C             | 8.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier with flange       |
| A4375      |               | C             | 22.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable plastic pch w fcpl   |
| A4376      |               | C             | 62.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable rubber pch w fcpl    |
| A4377      |               | C             | 5.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable plstic pch w/o fp    |
| A4378      |               | C             | 40.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable rubber pch w/o fp    |
| A4379      |               | C             | 19.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary plastic pouch w fcpl   |
| A4380      |               | C             | 49.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary rubber pouch w fcpl    |
| A4381      |               | C             | 6.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary plastic pouch w/o fp   |
| A4382      |               | C             | 32.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary hvy plstc pch w/o fp   |
| A4383      |               | C             | 37.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary rubber pouch w/o fp    |
| A4384      |               | C             | 12.63       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy faceplt/silicone ring   |
| A4385      |               | C             | 6.70        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost skn barrier sld ext wear   |
| A4387      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ost clsd pouch w att st barr   |
| A4388      |               | C             | 5.72        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable pch w ex wear barr   |
| A4389      |               | C             | 8.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable pch w st wear barr   |
| A4390      |               | C             | 12.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainable pch ex wear convex   |
| A4391      |               | C             | 9.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary pouch w ex wear barr   |
| A4392      |               | C             | 10.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary pouch w st wear barr   |
| A4393      |               | C             | 11.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urine pch w ex wear bar conv   |
| A4394      |               | C             | 2.90        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy pouch liq deodorant     |
| A4395      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy pouch solid deodorant   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A4396      |               | C             | 53.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Peristomal hernia supprt blt   |
| A4397      |               | C             | 6.29        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Irrigation supply sleeve       |
| A4398      |               | C             | 18.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy irrigation bag          |
| A4399      |               | C             | 16.09       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy irrig cone/cath w brs   |
| A4400      |               | C             | 67.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy irrigation set          |
| A4402      |               | C             | 4.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lubricant per ounce            |
| A4404      |               | C             | 2.21        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy ring each               |
| A4405      |               | C             | 4.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nonpectin based ostomy paste   |
| A4406      |               | C             | 7.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pectin based ostomy paste      |
| A4407      |               | C             | 11.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext wear ost skn barr <=4sq"   |
| A4408      |               | C             | 12.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext wear ost skn barr >4sq"    |
| A4409      |               | C             | 8.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost skn barr w flng <=4 sq"    |
| A4410      |               | C             | 11.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost skn barr w flng >4sq"      |
| A4411      |               | C             | 6.70        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost skn barr extnd =4sq        |
| A4412      |               | C             | 3.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pouch drain high output    |
| A4413      |               | C             | 7.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | 2 pc drainable ost pouch       |
| A4414      |               | C             | 6.47        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy sknbarr w flng <=4sq"   |
| A4415      |               | C             | 7.88        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy skn barr w flng >4sq"   |
| A4416      |               | C             | 3.61        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch clsd w barrier/fltr    |
| A4417      |               | C             | 4.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch w bar/bltinconv/fltr   |
| A4418      |               | C             | 2.37        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch clsd w/o bar w fltr    |
| A4419      |               | C             | 2.29        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch for bar w flange/flt   |
| A4420      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ost pch clsd for bar w lk fl   |
| A4421      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ostomy supply misc             |
| A4422      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pouch absorbent material   |
| A4423      |               | C             | 2.44        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch for bar w lk fl/fltr   |
| A4424      |               | C             | 6.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch drain w bar & filter   |
| A4425      |               | C             | 4.70        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch drain for barrier fl   |
| A4426      |               | C             | 3.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch drain 2 piece system   |
| A4427      |               | C             | 3.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch drain/barr lk flng/f   |
| A4428      |               | C             | 8.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urine ost pouch w faucet/tap   |
| A4429      |               | C             | 1.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urine ost pouch w bltinconv    |
| A4430      |               | C             | 11.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost urine pch w b/bltin conv   |
| A4431      |               | C             | 8.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch urine w barrier/tapv   |
| A4432      |               | C             | 4.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Os pch urine w bar/fange/tap   |
| A4433      |               | C             | 4.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urine ost pch bar w lock fln   |
| A4434      |               | C             | 4.94        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ost pch urine w lock flng/ft   |
| A4450      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-waterproof tape            |
| A4450      | AU            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-waterproof tape            |
| A4450      | AV            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-waterproof tape            |
| A4450      | AW            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-waterproof tape            |
| A4452      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Waterproof tape                |
| A4452      | AU            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Waterproof tape                |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                 |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| A4452      | AV            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Waterproof tape                                |
| A4452      | AW            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Waterproof tape                                |
| A4455      |               | C             | 1.88        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adhesive remover per ounce                     |
| A4458      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable enema bag                             |
| A4461      |               | C             | 4.31        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Surgical dressing holder, non-reusable         |
| A4463      |               | C             | 17.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Surgical dressing holder, reusable             |
| A4465      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-elastic extremity binder                   |
| A4470      |               | C             | 24.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gravlee jet washer                             |
| A4480      |               | C             | 112.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vabra aspirator                                |
| A4481      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheostoma filter                            |
| A4483      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Moisture exchanger                             |
| A4490      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Above knee surgical stocking                   |
| A4495      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Thigh length surg stocking                     |
| A4500      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Below knee surgical stocking                   |
| A4510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Full length surg stocking                      |
| A4520      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incontinence garment anytype                   |
| A4550      |               | C             | 21.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Surgical trays                                 |
| A4554      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disposable underpads                           |
| A4556      |               | C             | 15.94       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electrodes                                     |
| A4557      |               | C             | 27.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lead wires                                     |
| A4558      |               | C             | 7.44        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conductive paste or gel                        |
| A4559      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coupling gel or paste, per oz                  |
| A4561      |               | C             | 31.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pessary rubber                                 |
| A4562      |               | C             | 79.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pessary  |
| A4565      |               | C             | 8.99        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Slings   |
| A4570      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Splint   |
| A4575      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hyperbaric O2 chamber disps                    |
| A4580      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cast supplies (plaster)                        |
| A4590      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Special casting material                       |
| A4595      |               | C             | 37.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | TENS suppl 2 lead per month                    |
| A4600      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sleeve, inter limb comp device, repl only, ea. |
| A4601      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lith ion batt, non-pros use, replacement, ea.  |
| A4604      |               | C             | 75.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tubing with heating element                    |
| A4604      | NU            | C             | 75.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tubing with heating element                    |
| A4605      |               | C             | 21.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trach suction cath close sys                   |
| A4605      | NU            | C             | 21.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trach suction cath close sys                   |
| A4606      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oxygen probe used w oximeter                   |
| A4608      |               | C             | 65.79       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transtracheal oxygen cath                      |
| A4611      |               | C             | 25.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heavy duty battery                             |
| A4611      | NU            | C             | 257.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heavy duty battery                             |
| A4611      | RR            | C             | 25.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heavy duty battery                             |
| A4611      | UE            | C             | 193.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heavy duty battery                             |
| A4612      |               | C             | 10.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery cables                                 |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A4612      | NU            | C             | 104.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery cables                 |
| A4612      | RR            | C             | 10.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery cables                 |
| A4612      | UE            | C             | 78.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery cables                 |
| A4613      |               | C             | 18.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery charger                |
| A4613      | NU            | C             | 189.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery charger                |
| A4613      | RR            | C             | 18.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery charger                |
| A4613      | UE            | C             | 136.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Battery charger                |
| A4614      |               | C             | 31.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hand-held PEFr meter           |
| A4615      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cannula nasal                  |
| A4616      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tubing (oxygen) per foot       |
| A4617      |               | C             | 4.06        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mouth piece                    |
| A4618      |               | C             | 2.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Breathing circuits             |
| A4618      | NU            | C             | 22.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Breathing circuits             |
| A4618      | RR            | C             | 2.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Breathing circuits             |
| A4618      | UE            | C             | 17.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Breathing circuits             |
| A4619      |               | C             | 1.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Face tent                      |
| A4620      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Variable concentration mask    |
| A4623      |               | C             | 8.60        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheostomy inner cannula     |
| A4624      |               | C             | 3.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheal suction tube          |
| A4624      | NU            | C             | 3.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheal suction tube          |
| A4625      |               | C             | 9.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trach care kit for new trach   |
| A4626      |               | C             | 4.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheostomy cleaning brush    |
| A4627      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spacer bag/reservoir           |
| A4628      |               | C             | 4.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oropharyngeal suction cath     |
| A4628      | NU            | C             | 4.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oropharyngeal suction cath     |
| A4629      |               | C             | 6.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tracheostomy care kit          |
| A4630      |               | C             | 8.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl bat t.e.n.s. own by pt    |
| A4630      | NU            | C             | 8.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl bat t.e.n.s. own by pt    |
| A4633      |               | C             | 53.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl replacement bulb           |
| A4633      | NU            | C             | 53.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl replacement bulb           |
| A4634      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement bulb th lightbox   |
| A4635      |               | C             | 1.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Underarm crutch pad            |
| A4635      | NU            | C             | 11.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Underarm crutch pad            |
| A4635      | RR            | C             | 1.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Underarm crutch pad            |
| A4635      | UE            | C             | 8.49        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Underarm crutch pad            |
| A4636      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Handgrip for cane etc          |
| A4636      | NU            | C             | 5.53        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Handgrip for cane etc          |
| A4636      | RR            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Handgrip for cane etc          |
| A4636      | UE            | C             | 4.03        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Handgrip for cane etc          |
| A4637      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl tip cane/crutch/walker    |
| A4637      | NU            | C             | 3.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl tip cane/crutch/walker    |
| A4637      | RR            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl tip cane/crutch/walker    |
| A4637      | UE            | C             | 2.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl tip cane/crutch/walker    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A4638      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repl batt pulse gen sys        |
| A4638      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repl batt pulse gen sys        |
| A4638      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repl batt pulse gen sys        |
| A4638      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repl batt pulse gen sys        |
| A4639      |               | C             | 376.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Infrared ht sys replcmnt pad   |
| A4639      | NU            | C             | 376.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Infrared ht sys replcmnt pad   |
| A4640      |               | C             | 8.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alternating pressure pad       |
| A4640      | NU            | C             | 83.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alternating pressure pad       |
| A4640      | RR            | C             | 8.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alternating pressure pad       |
| A4640      | UE            | C             | 58.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alternating pressure pad       |
| A4641      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diagnostic imaging agent       |
| A4642      |               | C             | 795.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Satumomab pendetide per dose   |
| A4648      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implantable tissue marker      |
| A4649      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical supplies              |
| A4650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant radiation dosimeter    |
| A4651      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Calibrated microcap tube       |
| A4652      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Microcapillary tube sealant    |
| A4653      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PD catheter anchor belt        |
| A4657      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysis syringe w/wo needle   |
| A4660      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Esrd blood pressure device     |
| A4663      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Esrd blood pressure cuff       |
| A4670      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Auto blood pressure monitor    |
| A4671      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disposable cycler set          |
| A4672      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Drainage ext line, dialysis    |
| A4673      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ext line w easy lock connect   |
| A4674      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chem/antisept solution, 8oz    |
| A4680      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Activated carbon filter, ea    |
| A4690      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialyzers, ea                  |
| A4706      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bicarbonate conc sol per gal   |
| A4707      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bicarbonate conc pow per pac   |
| A4708      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Acetate conc sol per gallon    |
| A4709      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Acid conc sol per gallon       |
| A4714      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Treated water for dialysis     |
| A4719      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | "Y set" tubing                 |
| A4720      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysat sol fld vol > 249cc   |
| A4721      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysat sol fld vol > 999cc   |
| A4722      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialys sol fld vol > 1999cc    |
| A4723      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialys sol fld vol > 2999cc    |
| A4724      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialys sol fld vol > 3999cc    |
| A4725      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialys sol fld vol > 4999cc    |
| A4726      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialys sol fld vol > 5999cc    |
| A4728      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysate solution, non-dex    |
| A4730      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fistula cannulation set dial   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A4736      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topical anesthetic, per gram   |
| A4737      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inj anesthetic per 10 ml       |
| A4740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Esrd shunt accessory           |
| A4750      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Arterial or venous tubing      |
| A4755      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Arterial and venous tubing     |
| A4760      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Standard testing solution      |
| A4765      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysate concentrate          |
| A4766      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysate conc sol add 10 ml   |
| A4770      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Blood testing supplies         |
| A4771      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Blood clotting time tube       |
| A4772      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dextrostick/glucose strips     |
| A4773      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hemostix                       |
| A4774      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ammonia test paper             |
| A4802      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Protamine sulfate per 50 mg    |
| A4860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disposable catheter caps       |
| A4870      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Plumbing/electrical work       |
| A4890      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Contracts/repair/maintenance   |
| A4911      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Drain bag/bottle               |
| A4913      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Esrd supply                    |
| A4918      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Venous pressure clamp          |
| A4927      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gloves                         |
| A4928      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical mask                  |
| A4929      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tourniquet for dialysis, ea    |
| A4930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sterile, gloves per pair       |
| A4931      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable oral thermometer      |
| A4932      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable rectal thermometer    |
| A5051      |               | C             | 2.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pouch clsd w barr attached     |
| A5052      |               | C             | 1.95        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Clsd ostomy pouch w/o barr     |
| A5053      |               | C             | 2.29        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Clsd ostomy pouch faceplate    |
| A5054      |               | C             | 2.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Clsd ostomy pouch w/flange     |
| A5055      |               | C             | 1.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stoma cap                      |
| A5061      |               | C             | 4.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pouch drainable w barrier at   |
| A5062      |               | C             | 2.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drnble ostomy pouch w/o barr   |
| A5063      |               | C             | 3.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drain ostomy pouch w/flange    |
| A5071      |               | C             | 7.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary pouch w/barrier        |
| A5072      |               | C             | 4.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary pouch w/o barrier      |
| A5073      |               | C             | 4.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary pouch on barr w/flng   |
| A5081      |               | C             | 4.34        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Continent stoma plug           |
| A5082      |               | C             | 15.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Continent stoma catheter       |
| A5083      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stoma absorptive cover         |
| A5093      |               | C             | 2.56        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ostomy accessory convex inse   |
| A5102      |               | C             | 29.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bedside drain btl w/wo tube    |
| A5105      |               | C             | 67.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary suspensory             |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A5112      |               | C             | 45.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urinary leg bag                |
| A5113      |               | C             | 6.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Latex leg strap                |
| A5114      |               | C             | 19.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam/fabric leg strap          |
| A5120      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier, wipe or swab     |
| A5120      | AU            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier, wipe or swab     |
| A5120      | AV            | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Skin barrier, wipe or swab     |
| A5121      |               | C             | 9.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid skin barrier 6x6         |
| A5122      |               | C             | 16.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid skin barrier 8x8         |
| A5126      |               | C             | 1.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disk/foam pad +/- adhesive     |
| A5131      |               | C             | 20.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Appliance cleaner              |
| A5200      |               | C             | 14.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Percutaneous catheter anchor   |
| A5500      |               | C             | 100.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diab shoe for density insert   |
| A5501      |               | C             | 300.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diabetic custom molded shoe    |
| A5503      |               | C             | 44.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diabetic shoe w/roller/rockr   |
| A5504      |               | C             | 44.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diabetic shoe with wedge       |
| A5505      |               | C             | 44.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diab shoe w/metatarsal bar     |
| A5506      |               | C             | 44.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diabetic shoe w/off set heel   |
| A5507      |               | C             | 44.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Modification diabetic shoe     |
| A5508      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic deluxe shoe           |
| A5510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compression form shoe insert   |
| A5512      |               | C             | 40.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Multi den insert direct form   |
| A5513      |               | C             | 60.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Multi den insert custom mold   |
| A6000      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Wound warming wound cover      |
| A6010      |               | C             | 32.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen based wound filler    |
| A6011      |               | C             | 2.99        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen gel/paste wound fil   |
| A6021      |               | C             | 27.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen dressing <=16 sq in   |
| A6022      |               | C             | 27.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen drsg>6<=48 sq in      |
| A6023      |               | C             | 249.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen dressing >48 sq in    |
| A6024      |               | C             | 8.13        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Collagen dsg wound filler      |
| A6025      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Silicone gel sheet, each       |
| A6154      |               | C             | 18.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wound pouch each               |
| A6196      |               | C             | 9.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alginate dressing <=16 sq in   |
| A6197      |               | C             | 21.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alginate drsg >16 <=48 sq in   |
| A6198      |               | C             | 112.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alginate dressing > 48 sq in   |
| A6199      |               | C             | 6.94        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alginate drsg wound filler     |
| A6200      |               | C             | 11.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Compos drsg <=16 no border     |
| A6201      |               | C             | 26.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Compos drsg >16<=48 no bdr     |
| A6202      |               | C             | 43.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Compos drsg >48 no border      |
| A6203      |               | C             | 4.40        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Composite drsg <= 16 sq in     |
| A6204      |               | C             | 8.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Composite drsg >16<=48 sq in   |
| A6205      |               | C             | 9.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Composite drsg > 48 sq in      |
| A6206      |               | C             | 1.94        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact layer <= 16 sq in      |
| A6207      |               | C             | 9.64        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact layer >16<= 48 sq in   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A6208      |               | C             | 9.18        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact layer > 48 sq in       |
| A6209      |               | C             | 9.81        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drsg <=16 sq in w/o bdr   |
| A6210      |               | C             | 26.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drg >16<=48 sq in w/o b   |
| A6211      |               | C             | 38.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drg > 48 sq in w/o brdr   |
| A6212      |               | C             | 12.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drg <=16 sq in w/border   |
| A6213      |               | C             | 14.63       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drg >16<=48 sq in w/bdr   |
| A6214      |               | C             | 13.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam drg > 48 sq in w/border   |
| A6215      |               | C             | 4.66        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foam dressing wound filler     |
| A6216      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-sterile gauze<=16 sq in    |
| A6217      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-sterile gauze>16<=48 sq    |
| A6218      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-sterile gauze > 48 sq in   |
| A6219      |               | C             | 1.25        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze <= 16 sq in w/border     |
| A6220      |               | C             | 3.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze >16 <=48 sq in w/bordr   |
| A6221      |               | C             | 7.68        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze > 48 sq in w/border      |
| A6222      |               | C             | 2.80        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze <=16 in no w/sal w/o b   |
| A6223      |               | C             | 3.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze >16<=48 no w/sal w/o b   |
| A6224      |               | C             | 4.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze > 48 in no w/sal w/o b   |
| A6228      |               | C             | 2.72        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze <= 16 sq in water/sal    |
| A6229      |               | C             | 4.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze >16<=48 sq in watr/sal   |
| A6230      |               | C             | 10.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gauze > 48 sq in water/salne   |
| A6231      |               | C             | 6.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel dsg<=16 sq in         |
| A6232      |               | C             | 9.02        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel dsg>16<=48 sq in      |
| A6233      |               | C             | 25.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel dressing >48 sq in    |
| A6234      |               | C             | 8.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg <=16 w/o bdr    |
| A6235      |               | C             | 22.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg >16<=48 w/o b   |
| A6236      |               | C             | 35.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg > 48 in w/o b   |
| A6237      |               | C             | 10.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg <=16 in w/bdr   |
| A6238      |               | C             | 29.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg >16<=48 w/bdr   |
| A6239      |               | C             | 68.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg > 48 in w/bdr   |
| A6240      |               | C             | 16.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolld drg filler paste    |
| A6241      |               | C             | 3.38        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocolloid drg filler dry    |
| A6242      |               | C             | 7.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg <=16 in w/o bdr   |
| A6243      |               | C             | 16.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg >16<=48 w/o bdr   |
| A6244      |               | C             | 51.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg >48 in w/o bdr    |
| A6245      |               | C             | 9.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg <= 16 in w/bdr    |
| A6246      |               | C             | 13.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg >16<=48 in w/b    |
| A6247      |               | C             | 31.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drg > 48 sq in w/b    |
| A6248      |               | C             | 21.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrogel drsg gel filler       |
| A6250      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Skin seal protect moisturizr   |
| A6251      |               | C             | 2.61        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg <=16 sq in w/o b   |
| A6252      |               | C             | 4.27        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg >16 <=48 w/o bdr   |
| A6253      |               | C             | 8.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg > 48 sq in w/o b   |
| A6254      |               | C             | 1.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg <=16 sq in w/bdr   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| A6255      |               | C             | 3.98        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg >16<=48 in w/bdr         |
| A6256      |               | C             | 9.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Absorpt drg > 48 sq in w/bdr         |
| A6257      |               | C             | 2.01        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transparent film <= 16 sq in         |
| A6258      |               | C             | 5.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transparent film >16<=48 in          |
| A6259      |               | C             | 14.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transparent film > 48 sq in          |
| A6260      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Wound cleanser any type/size         |
| A6261      |               | C             | 5.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wound filler gel/paste /oz           |
| A6262      |               | C             | 1.98        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wound filler dry form / gram         |
| A6266      |               | C             | 2.52        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Impreg gauze no h20/sal/yard         |
| A6402      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile gauze <= 16 sq in            |
| A6403      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile gauze>16 <= 48 sq in         |
| A6404      |               | C             | 1.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile gauze > 48 sq in             |
| A6407      |               | C             | 2.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Packing strips                       |
| A6410      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile eye pad                      |
| A6411      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-sterile eye pad                  |
| A6412      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Occlusive eye patch                  |
| A6413      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adhesive bandage, first-aid          |
| A6441      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pad band 3" <= w <=5", /yd           |
| A6442      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band n/s w<3"/yd             |
| A6443      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band n/s 3" <= w <= 5", /yd  |
| A6444      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band n/s w>=5", /yd          |
| A6445      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band s w <3", /yd            |
| A6446      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band s 3" <= w <=5", /yd     |
| A6447      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Conform band s w >=5", /yd           |
| A6448      |               | C             | 1.53        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lt compres band <3", /yd             |
| A6449      |               | C             | 2.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lt compres band 3" <= w <= 5", /yd   |
| A6450      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lt compres band >=5", /yd            |
| A6451      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mod compres band 3" <= w <= 5", /yd  |
| A6452      |               | C             | 7.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | High compres band 3" <= w <= 5", /yd |
| A6453      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Self-adher band w <3"/yd             |
| A6454      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Self-adher band 3" <= w <= 5", /yd   |
| A6455      |               | C             | 1.83        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Self-adher band >=5", /yd            |
| A6456      |               | C             | 1.68        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Zinc paste band 3" <= w <= 5", /yd   |
| A6457      |               | C             | 1.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tubular dressing                     |
| A6501      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compres burngarment bodysuit         |
| A6502      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compres burngarment chinstrp         |
| A6503      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compres burngarment facehood         |
| A6504      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cmprsburngarment glove-wrist         |
| A6505      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cmprsburngarment glove-elbow         |
| A6506      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cmprsburngrmnt glove-axilla          |
| A6507      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cmprs burngarment foot-knee          |
| A6508      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cmprs burngarment foot-thigh         |
| A6509      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compres burn garment jacket          |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|---------------------------------|
| A6510        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Compres burn garment leotard    |
| A6511        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Compres burn garment panty      |
| A6512        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Compres burn garment, noc       |
| A6513        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Compress burn mask face/neck    |
| A6530        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Compression stocking BK18-30    |
| A6531        |               | C             | 56.79       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Compression stocking BK30-40    |
| A6531        | AW            | C             | 56.79       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Compression stocking BK30-40    |
| A6532        |               | C             | 80.01       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Compression stocking BK40-50    |
| A6532        | AW            | C             | 80.01       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Compression stocking BK40-50    |
| A6533        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking thighLength 18-30   |
| A6534        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking thighLength 30-40   |
| A6535        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking thighLength 40-50   |
| A6536        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking full length 18-30   |
| A6537        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking full length 30-40   |
| A6538        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking full length 40-50   |
| A6539        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking waistLength 18-30   |
| A6540        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking waistLength 30-40   |
| A6541        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking waistLength 40-50   |
| A6542        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking custom made         |
| A6543        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking lymphedema          |
| A6544        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gc stocking garter belt         |
| <b>A6545</b> |               | <b>C</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Grad comp non-elastic BK</b> |
| A6549        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | G compression stocking          |
| A6550        |               | C             | 31.02       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Neg pres wound ther drsg set    |
| A7000        |               | C             | 10.79       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable canister for pump    |
| A7000        | NU            | C             | 10.79       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable canister for pump    |
| A7001        |               | C             | 43.41       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nondisposable pump canister     |
| A7001        | NU            | C             | 43.41       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nondisposable pump canister     |
| A7002        |               | C             | 5.02        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Tubing used w suction pump      |
| A7002        | NU            | C             | 5.02        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Tubing used w suction pump      |
| A7003        |               | C             | 3.60        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nebulizer administration set    |
| A7003        | NU            | C             | 3.60        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nebulizer administration set    |
| A7004        |               | C             | 2.36        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable nebulizer sml vol    |
| A7004        | NU            | C             | 2.36        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable nebulizer sml vol    |
| A7005        |               | C             | 40.46       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nondisposable nebulizer set     |
| A7005        | NU            | C             | 40.46       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nondisposable nebulizer set     |
| A7006        |               | C             | 14.70       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Filtered nebulizer admin set    |
| A7006        | NU            | C             | 14.70       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Filtered nebulizer admin set    |
| A7007        |               | C             | 6.05        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Lg vol nebulizer disposable     |
| A7007        | NU            | C             | 6.05        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Lg vol nebulizer disposable     |
| A7008        |               | C             | 14.44       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable nebulizer prefill    |
| A7008        | NU            | C             | 14.44       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Disposable nebulizer prefill    |
| A7009        |               | C             | 55.17       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nebulizer reservoir bottle      |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A7009      | NU            | C             | 55.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer reservoir bottle     |
| A7010      |               | C             | 30.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disposable corrugated tubing   |
| A7010      | NU            | C             | 30.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disposable corrugated tubing   |
| A7011      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nondispos corrugated tubing    |
| A7012      |               | C             | 4.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer water collec devic   |
| A7012      | NU            | C             | 4.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer water collec devic   |
| A7013      |               | C             | 1.09        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disposable compressor filter   |
| A7013      | NU            | C             | 1.09        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disposable compressor filter   |
| A7014      |               | C             | 5.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Compressor nondispos filter    |
| A7014      | NU            | C             | 5.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Compressor nondispos filter    |
| A7015      |               | C             | 2.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aerosol mask used w nebulize   |
| A7015      | NU            | C             | 2.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aerosol mask used w nebulize   |
| A7016      |               | C             | 13.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer dome & mouthpiece    |
| A7016      | NU            | C             | 13.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer dome & mouthpiece    |
| A7017      |               | C             | 17.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer not used w oxygen    |
| A7017      | NU            | C             | 175.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer not used w oxygen    |
| A7017      | RR            | C             | 17.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer not used w oxygen    |
| A7017      | UE            | C             | 131.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer not used w oxygen    |
| A7018      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Water distilled w/nebulizer    |
| A7025      |               | C             | 570.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace chest compress vest    |
| A7025      | NU            | C             | 570.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace chest compress vest    |
| A7026      |               | C             | 37.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace chst cmprss sys hose   |
| A7026      | NU            | C             | 37.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace chst cmprss sys hose   |
| A7027      |               | C             | 244.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Combination oral/nasal mask    |
| A7027      | NU            | C             | 244.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Combination oral/nasal mask    |
| A7028      |               | C             | 65.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl oral cushion combo mask   |
| A7028      | NU            | C             | 65.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl oral cushion combo mask   |
| A7029      |               | C             | 26.56       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl nasal pillow comb mask    |
| A7029      | NU            | C             | 26.56       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl nasal pillow comb mask    |
| A7030      |               | C             | 213.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | CPAP full face mask            |
| A7030      | NU            | C             | 213.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | CPAP full face mask            |
| A7031      |               | C             | 78.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement facemask interfa   |
| A7031      | NU            | C             | 78.92       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement facemask interfa   |
| A7032      |               | C             | 45.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement nasal cushion      |
| A7032      | NU            | C             | 45.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement nasal cushion      |
| A7033      |               | C             | 32.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement nasal pillows      |
| A7033      | NU            | C             | 32.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement nasal pillows      |
| A7034      |               | C             | 133.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nasal application device       |
| A7034      | NU            | C             | 133.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nasal application device       |
| A7035      |               | C             | 44.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pos airway press headgear      |
| A7035      | NU            | C             | 44.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pos airway press headgear      |
| A7036      |               | C             | 20.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pos airway press chinstrap     |
| A7036      | NU            | C             | 20.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pos airway press chinstrap     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| A7037      |               | C             | 46.40       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pos airway pressure tubing     |
| A7037      | NU            | C             | 46.40       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pos airway pressure tubing     |
| A7038      |               | C             | 6.10        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pos airway pressure filter     |
| A7038      | NU            | C             | 6.40        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pos airway pressure filter     |
| A7039      |               | C             | 17.34       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Filter, non disposable w pap   |
| A7039      | NU            | C             | 17.34       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Filter                         |
| A7040      |               | C             | 63.25       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | One way chest drain valve      |
| A7041      |               | C             | 118.86      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Water seal drain container     |
| A7042      |               | C             | 286.94      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Implanted pleural catheter     |
| A7043      |               | C             | 45.03       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vacuum drainagebottle/tubing   |
| A7044      |               | C             | 136.77      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | PAP oral interface             |
| A7044      | NU            | C             | 136.77      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | PAP oral interface             |
| A7045      |               | C             | 2.20        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl exhalation port for PAP   |
| A7045      | NU            | C             | 22.03       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl exhalation port for PAP   |
| A7045      | RR            | C             | 2.20        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl exhalation port for PAP   |
| A7045      | UE            | C             | 16.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl exhalation port for PAP   |
| A7046      |               | C             | 22.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl water chamber, PAP dev    |
| A7046      | NU            | C             | 22.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl water chamber             |
| A7501      |               | C             | 137.85      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Tracheostoma valve w diaphra   |
| A7502      |               | C             | 65.51       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Replacement diaphragm/fplate   |
| A7503      |               | C             | 14.87       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | HMES filter holder or cap      |
| A7504      |               | C             | 1.00        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Tracheostoma HMES filter       |
| A7505      |               | C             | 6.14        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | HMES or trach valve housing    |
| A7506      |               | C             | 1.00        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | HMES/trachvalve adhesivedisk   |
| A7507      |               | C             | 3.26        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Integrated filter & holder     |
| A7508      |               | C             | 3.76        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Housing & Integrated Adhesiv   |
| A7509      |               | C             | 1.85        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Heat & moisture exchange sys   |
| A7520      |               | C             | 62.31       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trach/laryn tube non-cuffed    |
| A7521      |               | C             | 61.75       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trach/laryn tube cuffed        |
| A7522      |               | C             | 59.27       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trach/laryn tube stainless     |
| A7523      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Tracheostomy shower protect    |
| A7524      |               | C             | 101.59      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Tracheostoma stent/stud/bttn   |
| A7525      |               | C             | 2.71        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Tracheostomy mask              |
| A7526      |               | C             | 4.42        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Tracheostomy tube collar       |
| A7527      |               | C             | 4.70        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trach/laryn tube plug/stop     |
| A8000      |               | C             | 20.13       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Soft protect helmet prefab     |
| A8000      | NU            | C             | 201.28      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Soft protect helmet prefab     |
| A8000      | RR            | C             | 20.13       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Soft protect helmet prefab     |
| A8000      | UE            | C             | 150.97      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Soft protect helmet prefab     |
| A8001      |               | C             | 20.13       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hard protect helmet prefab     |
| A8001      | NU            | C             | 201.28      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hard protect helmet prefab     |
| A8001      | RR            | C             | 20.13       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hard protect helmet prefab     |
| A8001      | UE            | C             | 150.97      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hard protect helmet prefab     |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)           |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|--|
| A8002        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Soft protect helmet custom               |
| A8002        | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Soft protect helmet custom               |
| A8002        | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Soft protect helmet custom               |
| A8002        | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Soft protect helmet custom               |
| A8003        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Hard protect helmet custom               |
| A8003        | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Hard protect helmet custom               |
| A8003        | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Hard protect helmet custom               |
| A8003        | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Hard protect helmet custom               |
| A8004        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Repl soft interface, helmet              |
| A8004        | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Repl soft interface, helmet              |
| A8004        | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Repl soft interface, helmet              |
| A8004        | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Repl soft interface, helmet              |
| A9150        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Misc/exper non-prescript drug            |
| A9152        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Single vitamin nos                       |
| A9153        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Multi-vitamin nos                        |
| A9155        |               | C             | 1.30        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Artificial saliva                        |
| A9180        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Lice treatment, topical                  |
| A9270        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Non-covered item or service              |
| A9274        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Ext amb insulin delivery sys             |
| A9275        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Disp home glucose monitor                |
| A9276        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Disposable sensor, CGM sys               |
| A9277        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | External transmitter, CGM                |
| A9278        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | External receiver, CGM sys               |
| A9279        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Monitoring feature/deviceNOC             |
| A9280        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Alert device, noc                        |
| A9281        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Reaching/grabbing device                 |
| A9282        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Wig any type                             |
| A9283        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Foot press off load supp dev             |
| <b>A9284</b> |               | <b>C</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Non-electronic spirometer</b>         |
| A9300        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Exercise equipment                       |
| A9500        |               | C             | 121.70      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetium TC 99m sestamibi, per unit    |
| A9501        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Technetium TC-99m teboroxime             |
| A9502        |               | C             | 121.05      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetium TC99M tetrofosmin, per unit   |
| A9503        |               | C             | 23.75       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetium TC 99m medronate, up to 30mci |
| A9504        |               | C             | 475.00      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetium tc 99m apcitide               |
| A9505        |               | C             | 33.23       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Thallos chloride TL 201/mci              |
| A9507        |               | C             | 892.20      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Indium/111 capromab pendetid, per dose   |
| A9508        |               | C             | 662.63      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | lobenguane sulfate I-131, 0.5mci         |
| A9509        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Iodine I-123 sod iodide mil              |
| A9510        |               | C             | 43.70       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetium TC99m Disofenin, per vial     |
| A9512        |               | C             | 13.52       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Technetiumtc99mpertechetate              |
| A9516        |               | C             | 103.47      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | I-123 sodium iodide capsule, ea          |
| A9517        |               | C             | 18.29       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | I-131 sodium iodide capsule, ea          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                         |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| A9521      |               | C             | 567.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Technetiumtc-99m exametazine                           |
| A9524      |               | C             | 295.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iodinated I-131 serumalbumin, 5microcuries             |
| A9526      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ammonia N-13, per dose                                 |
| A9527      |               | C             | 33.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iodine I-125 sodium iodide, per millicurie             |
| A9528      |               | C             | 27.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dx I131 so iodide cap, 1millicurie                     |
| A9529      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dx I131 so iodide sol millic                           |
| A9530      |               | C             | 13.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Th I131 so iodide sol millic                           |
| A9531      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dx I131 so iodide microcurie                           |
| A9532      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | I-125 serum albumin micro                              |
| A9535      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, methylene blue                              |
| A9536      |               | C             | 760.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m depreotide                                       |
| A9537      |               | C             | 9.46        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m mebropfenin                                      |
| A9538      |               | C             | 40.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m pyrophosphate                                    |
| A9539      |               | C             | 2.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m pentetate  |
| A9540      |               | C             | 21.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m MAA  |
| A9541      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m sulfur colloid                                   |
| A9542      |               | C             | 692.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | In111 ibritumomab, dx                                  |
| A9543      |               | C             | 999.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     |             | Y90 ibritumomab, rx                                    |
| A9544      |               | C             | 660.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | I131 tositumomab, dx                                   |
| A9545      |               | C             | 954.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     |             | I131 tositumomab, rx                                   |
| A9546      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Co57/58  |
| A9547      |               | C             | 291.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | In111 oxyquinoline                                     |
| A9548      |               | C             | 816.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | In111 pentetate  |
| A9550      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tc99m gluceptate                                       |
| A9551      |               | C             | 126.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m succimer   |
| A9552      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | F18 fdg  |
| A9553      |               | C             | 427.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cr51 chromate  |
| A9554      |               | C             | 21.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | I125 iothalamate, dx                                   |
| A9555      |               | C             | 875.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Rb82 rubidium  |
| A9556      |               | C             | 330.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ga67 gallium   |
| A9557      |               | C             | 424.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m bicsate  |
| A9558      |               | C             | 38.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Xe133 xenon 10mci                                      |
| A9559      |               | C             | 83.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Co57 cyano   |
| A9560      |               | C             | 106.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m labeled rbc                                      |
| A9561      |               | C             | 50.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m oxidronate                                       |
| A9562      |               | C             | 588.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tc99m mertiatide                                       |
| A9563      |               | C             | 873.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | P32 Na phosphate                                       |
| A9564      |               | C             | 331.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | P32 chromic phosphate                                  |
| A9566      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tc99m fanolesomab                                      |
| A9567      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Technetium TC-99m aerosol                              |
| A9568      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Technetium TC99m arcitumomab, dx, up to 45 millicuries |
| A9569      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Technetium TC-99m auto WBC                             |
| A9570      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Indium In-111 auto WBC                                 |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)             |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|--|
| A9571        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Indium IN-111 auto platelet                |
| A9572        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Indium In-111 pentetreotide                |
| A9576        |               | C             | 2.37        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj prohance multipack                     |
| A9577        |               | C             | 2.79        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj multihance                             |
| A9578        |               | C             | 2.59        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj multihance multipack                   |
| A9579        |               | C             | 2.35        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Gad-base MR contrast NOS,1ml               |
| <b>A9580</b> | <b>C</b>      | <b>0.00</b>   | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Sodium fluoride F-18, up to 30 mci</b>  |
| A9600        |               | C             | 882.79      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Strontium-89 chloride, 1mci                |
| A9605        |               | C             | 678.92      | 0.00                       | 0.00                  | 0.00        | XXX              | 7.50                      |             | Samarium sm153 lexidronamm, 50mci          |
| A9698        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Non-rad contrast materialNOC               |
| A9699        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Noc therapeutic radiopharm                 |
| A9700        |               | C             | 153.90      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Echocardiography Contrast, per study       |
| A9900        |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Supply/accessory/service                   |
| A9901        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Delivery/set up/dispensing                 |
| A9999        |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | DME supply or accessory, nos               |
| ANIML        |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Animal cost in tx of A.C.                  |
| ASSTR        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Assisted Reemployment                      |
| ATTMD        |               | C             | 3.87        | 1.83                       | 1.83                  | 0.13        | XXX              | 53.10                     |             | Attending physician medical report request |
| B4034        |               | C             | 7.46        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enter feed supkit syr by day               |
| B4035        |               | C             | 14.58       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral feed supp pump per d               |
| B4036        |               | C             | 10.00       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral feed sup kit grav by               |
| B4081        |               | C             | 27.03       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral ng tubing w/ stylet                |
| B4082        |               | C             | 20.11       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral ng tubing w/o stylet               |
| B4083        |               | C             | 3.08        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral stomach tube levine                |
| B4087        |               | C             | 34.59       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Gastro/jejuno tube, std                    |
| B4088        |               | C             | 34.59       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Gastro/jejuno tube, low-pro                |
| B4100        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Food thickener oral                        |
| B4102        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF adult fluids and electro                |
| B4103        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF ped fluids and electro                  |
| B4104        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Additive for enteral formula (fiber)       |
| B4149        |               | C             | 1.96        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | EF blenderized foods                       |
| B4150        |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral formulae category i                |
| B4152        |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral formulae category ii               |
| B4153        |               | C             | 2.39        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral formulae category ii               |
| B4154        |               | C             | 1.53        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral formulae category iv               |
| B4155        |               | C             | 1.19        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Enteral formulae category v                |
| B4157        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF special metabolic inherit               |
| B4158        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF, pediatrics                             |
| B4159        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF, pediatrics, soy based                  |
| B4160        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF, pediatrics                             |
| B4161        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF, pediatrics                             |
| B4162        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | EF, pediatrics                             |
| B4164        |               | C             | 20.60       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Parenteral 50% dextrose solu               |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |  |
|-------|-------|--------|--------|----------|----------|------|--------|---------|--|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE   |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |  |
|       |       |        |        |          |          |      |        |         | SHORT DESCRIPTION (HCPCS only)               |
| B4168 |       | C      | 30.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol amino acid 3.                 |
| B4172 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Parenteral sol amino acid 5.                 |
| B4176 |       | C      | 58.08  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol amino acid 7-                 |
| B4178 |       | C      | 69.73  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol amino acid >                  |
| B4180 |       | C      | 29.54  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol carb > 50%                    |
| B4185 |       | C      | 12.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol 10 gm lipids                  |
| B4189 |       | C      | 215.39 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol amino acid &                  |
| B4193 |       | C      | 278.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol 52-73 gm prot                 |
| B4197 |       | C      | 338.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol 74-100 gm pro                 |
| B4199 |       | C      | 387.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol > 100gm prote                 |
| B4216 |       | C      | 9.36   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral nutrition additiv                 |
| B4220 |       | C      | 9.70   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral supply kit premix                 |
| B4222 |       | C      | 11.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral supply kit homemi                 |
| B4224 |       | C      | 30.31  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral administration ki                 |
| B5000 |       | C      | 14.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol renal-amirosy                 |
| B5100 |       | C      | 5.64   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral sol hepatic-fream                 |
| B5200 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Parenteral sol stres-brnch c                 |
| B9000 |       | C      | 140.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Enter infusion pump w/o alm                  |
| B9000 | NU    | C      | 766.42 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Enter infusion pump w/o alm                  |
| B9000 | RR    | C      | 140.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Enter infusion pump w/o alm                  |
| B9000 | UE    | C      | 574.81 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Enter infusion pump w/o alm                  |
| B9002 |       | C      | 148.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Enteral infusion pump w/ ala                 |
| B9002 | NU    | C      | 766.42 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Enteral infusion pump w/ ala                 |
| B9002 | RR    | C      | 148.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Enteral infusion pump w/ ala                 |
| B9002 | UE    | C      | 574.81 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Enteral infusion pump w/ ala                 |
| B9004 |       | C      | 484.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral infus pump portab                 |
| B9004 | NU    | C      | 764.39 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | Parenteral infus pump portab                 |
| B9004 | RR    | C      | 484.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral infus pump portab                 |
| B9004 | UE    | C      | 573.29 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | Parenteral infus pump portab                 |
| B9006 |       | C      | 484.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral infus pump statio                 |
| B9006 | NU    | C      | 764.39 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | Parenteral infus pump statio                 |
| B9006 | RR    | C      | 484.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Parenteral infus pump statio                 |
| B9006 | UE    | C      | 573.29 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | Parenteral infus pump statio                 |
| B9998 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Enteral supply, n.o.c.                       |
| B9999 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Parenteral supply, n.o.c.                    |
| C1300 |       | C      | 119.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | HYPERBARIC O2, full body, 30 min             |
| C1713 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Anchor screw, implantable                    |
| C1714 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Catheter, transluminal atherectomy, direct'l |
| C1715 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Brachytherapy needle                         |
| C1716 |       | C      | 39.98  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Brachytherapy seed, gold 198                 |
| C1717 |       | C      | 210.23 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Brachytherapy seed, hi dose iridium 192      |
| C1719 |       | C      | 78.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Brachytherapy seed, non-hi dose iridium 192  |
| C1721 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Cardioverter-defrib, dual chamber, implant   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                     |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| C1722      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cardioverter-defibr, single chamber, implant       |
| C1724      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, transluminal atherectomy, rotat'l        |
| C1725      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, transluminal angioplasty, non-laser      |
| C1726      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, balloon dilatation, non-vascular         |
| C1727      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, balloon tissue dissector, non-vasc       |
| C1728      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, brachytherapy seed admin                 |
| C1729      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, drainage                                 |
| C1730      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, electrophysiology, diag, < 20 elect      |
| C1731      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, electrophysiology, diag, > 19 elect      |
| C1732      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, electrophysiology, diag/ablation, 3D map |
| C1733      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, electrophysiology, diag/ablation         |
| C1750      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, hemodialysis, long-term                  |
| C1751      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, infusion                                 |
| C1752      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, hemodialysis, short-term                 |
| C1753      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, intravascular ultrasound                 |
| C1754      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, intradiscal                              |
| C1755      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, intraspinal                              |
| C1756      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, pacing, tranesophageal                   |
| C1757      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, thrombectomy/embolectomy                 |
| C1758      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, ureteral                                 |
| C1759      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, intracardiac echocardiography            |
| C1760      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Closure device, vascular                           |
| C1762      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Connective tissue, human                           |
| C1763      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Connective tissue, non-human                       |
| C1764      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Event recorder, cardiac, implantable               |
| C1765      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adhesion barrier                                   |
| C1766      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intro cheath, guiding, intracardiac                |
| C1767      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Generator, neurostimulator non-recharge            |
| C1768      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Graft, vascular                                    |
| C1769      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Guide wire   |
| C1770      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Imaging coil, m.r.                                 |
| C1771      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair device, urinary, incont.                    |
| C1772      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion pump, programmable                        |
| C1773      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retrieval device, insertable                       |
| C1776      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Joint device                                       |
| C1777      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, cardioverter-defibrillator                   |
| C1778      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, neurostimulator                              |
| C1779      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, pacemaker, transvenous VDD                   |
| C1780      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lens, intraocular                                  |
| C1781      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mesh, implantable                                  |
| C1782      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Morcellator  |
| C1783      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ocular imp, aqueous drain de                       |
| C1784      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ocular device, intraoperative, detach retina       |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                    |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| C1785      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pacemaker, dual chamber, rate respons             |
| C1786      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pacemaker, single chamber, rate respons           |
| C1787      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Patient programmer, neurostimulator               |
| C1788      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Port, indwelling                                  |
| C1789      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthesis, breast, implantable                   |
| C1813      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthesis, penile, inflatable                    |
| C1814      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retinal temponade device, silicone oil            |
| C1815      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthesis, urinary sphincter                     |
| C1816      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Receiver/transmitter, neurostimulator             |
| C1817      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Septal defect implant system, intracardiac        |
| C1818      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Integrated keratoprosthesis                       |
| C1819      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tissue localization-excision device               |
| C1820      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Generator neurostim, implant, rechg bat sy        |
| C1821      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Interspinous proces distraction device, implant   |
| C1874      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, coated/covered, w/deliv sys                |
| C1875      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, coated/covered, w/out deliv sys            |
| C1876      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, non-coat/cov, w/deliv sys                  |
| C1877      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, non-coat/cov, w/out deliv sys              |
| C1878      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Material for vocal cord medializ, synth           |
| C1879      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tissue marker, implantable                        |
| C1880      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vena cava filter                                  |
| C1881      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dialysis access system                            |
| C1882      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cardioverter-defrib, not single/dual chamber      |
| C1883      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adaptor/extension, pacing lead                    |
| C1884      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Embolization protective system                    |
| C1885      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, transluminal angioplasty, laser         |
| C1887      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, guiding                                 |
| C1888      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Endovas non-cardiac abl cath                      |
| C1891      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion pump, non-program, permanent             |
| C1892      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Introducer/sheath, guiding, intracardiac elec     |
| C1893      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Introducer/sheath, guiding, intracardiac elec     |
| C1894      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Introducer/sheath, not guiding, intracardiac elec |
| C1895      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, cardiovert-defibr, endocard dual coil       |
| C1896      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, cardiovert-defibr, not endocard dual coil   |
| C1897      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, neurostimulator test kit                    |
| C1898      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, pacemaker, not transvenous VDD              |
| C1899      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, pacemaker/cardiovert-defibr combi           |
| C1900      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lead, coronary venous                             |
| C2614      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Probe, perc lumb disc                             |
| C2615      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sealant, pulmonary, liquid                        |
| C2616      |               | C             | 882.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Brachytherapy seed, Yttrium-90                    |
| C2617      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, non-coronary, temp, w/out deliv sys        |
| C2618      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Probe, cryoablation                               |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                    |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| C2619      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pacemaker, dual chamber, non rate-resp            |
| C2620      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pacemaker, single chamber, non rate-resp          |
| C2621      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pacemaker, not single/dual chamber                |
| C2622      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthesis, penile, non-inflatable                |
| C2625      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stent, non-coronary, temp, w/deliv sys            |
| C2626      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion pump, non-program, temp                  |
| C2627      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, suprapubic/cystoscopic                  |
| C2628      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, occlusion                               |
| C2629      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Introducer/sheath, not guiding, intracardiac elec |
| C2630      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Catheter, elect, diag/ablation not 3D map         |
| C2631      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair device, urinary, incont                    |
| C2634      |               | C             | 37.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx source, HA, I-125                        |
| C2635      |               | C             | 56.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx source, HA, P-103                        |
| C2636      |               | C             | 50.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx linear source, P-103                     |
| C2637      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Brachytx, Ytterbium-169                           |
| C2638      |               | C             | 54.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytherapy seed, stranded, iodine-125          |
| C2639      |               | C             | 38.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytherapy seed, non-stranded, iodine-125      |
| C2640      |               | C             | 78.79       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytherapy seed, stranded, palladium-103       |
| C2641      |               | C             | 61.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytherapy seed, non-stranded, palladium-103   |
| C2642      |               | C             | 117.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx source, stranded, Cesium-131             |
| C2643      |               | C             | 76.90       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx source, non-stranded, Cesium-131         |
| C2698      |               | C             | 54.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx, stranded, NOS                           |
| C2699      |               | C             | 37.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brachytx, non-stranded, NOS                       |
| C8900      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/contrast, abdomen                           |
| C8901      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out contrast, abdomen                       |
| C8902      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out + w/contrast, abdomen                   |
| C8903      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/contrast, breast, unil                      |
| C8904      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/out contrast, breast, unil                  |
| C8905      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/out + w/contrast, breast, unil              |
| C8906      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/contrast, breast, bil                       |
| C8907      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/out contrast, breast, bil                   |
| C8908      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRI w/out + w/contrast, breast, bil               |
| C8909      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/contrast, chest                             |
| C8910      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out contrast, chest                         |
| C8911      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out + w/contrast, chest                     |
| C8912      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/contrast, lower ext                         |
| C8913      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out contrast, lower ext                     |
| C8914      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out + w/contrast, lower ext                 |
| C8918      |               | C             | 545.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/ contrast, pelvis                           |
| C8919      |               | C             | 480.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out contrast, pelvis                        |
| C8920      |               | C             | 724.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MRA w/out & w/contrast, pelvis                    |
| C8921      |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Comp transtho echo w/contr                        |
| C8922      |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Limit transtho echo w/contr                       |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                       |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|--|
| C8923        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | 2D com transtho echo w/contr                         |
| C8924        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | 2D lim transtho echo w/contr                         |
| C8925        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | 2D TEE w/contrast, int/rept                          |
| C8926        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cong TEE w/contr, int/rept                           |
| C8927        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TEE w/contrast; monitor                              |
| C8928        |               | C             | 757.03      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | 2D transtho w/contr; stress                          |
| <b>C8929</b> |               | <b>D</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>TTE w or wo fol wcon,Doppler</b>                  |
| <b>C8930</b> |               | <b>D</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>TTE w or w/o contr, cont ECG</b>                  |
| C8957        |               | C             | 179.21      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Prolonged IV inf, req pump                           |
| C9003        |               | C             | 972.80      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Palivizumab, per 50 mg                               |
| C9113        |               | C             | 13.50       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Injection, Pantoprazole sodium, per vial             |
| C9121        |               | C             | 23.89       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Injection, argatroban                                |
| C9237        |               | C             | 24.13       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, lanreotide acetate                        |
| C9238        |               | C             | 7.56        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Inj, levetiracetam                                   |
| C9239        |               | C             | 58.09       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Inj, temsirolimus                                    |
| C9240        |               | C             | 64.54       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, ixabepilone                               |
| C9241        |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, doripenem, 10 mg                          |
| C9242        |               | C             | 1.61        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, fosaprepitant                             |
| C9243        |               | C             | 18.75       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, bendamustine hcl, 1 mg                    |
| C9244        |               | C             | 212.50      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Injection, regadenoson, 0.4 mg                       |
| C9245        |               | C             | 45.05       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Injection, romiplostim                               |
| C9246        |               | C             | 13.78       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj, gadoxetate disodium                             |
| C9247        |               | <b>D</b>      | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Inj, iobenguane, I-123, dx                           |
| C9248        |               | C             | 6.15        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj, clevidipine butyrate                            |
| C9249        |               | C             | 3.52        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Inj, certolizumab pegol, 1 mg                        |
| C9352        |               | C             | 516.67      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Neuragen nerve guide, per cm                         |
| C9353        |               | C             | 439.50      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Neurawrap nerve protector,cm                         |
| C9354        |               | C             | 11.77       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Veritas collagen matrix, cm2                         |
| C9355        |               | C             | 227.26      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Neuromatrix nerve cuff, cm                           |
| C9356        |               | C             | 16.92       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TendoGlideTendon Prot, cm2                           |
| C9357        |               | C             | 883.33      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Flowable Wound Matrix, 1 cc                          |
| C9358        |               | C             | 10.38       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | SurgiMend, 0.5cm2                                    |
| C9359        |               | C             | 56.75       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Implant, bone void filler                            |
| C9399        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Unclassified drugs/biologicals                       |
| C9716        |               | C             | 626.42      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Creation thermal anal lesions, radiofrequency energy |
| C9723        |               | C             | 90.00       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Dyn IR Perf lmg                                      |
| C9724        |               | C             | 512.17      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | EPS gast cardia plic                                 |
| C9725        |               | C             | 236.21      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Place endorectal app                                 |
| C9726        |               | C             | 867.19      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Rxt breast appl place/remov                          |
| C9727        |               | C             | 304.05      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Insert implants, soft palate; min of 3               |
| C9728        |               | C             | 545.56      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Placement interstitial device/marker, non prostrate  |
| C9898        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Inpnt stay radiolabeled item                         |
| C9899        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Inpt implant pros dev, no inpatient coverage         |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                         |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--|
| CANCL      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | OWCP-requested examination; claimant failed to show up |
| CHILD      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Child care, per day                                    |
| CLMMT      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Claimant Maintenance                                   |
| CLMOD      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Clothing Modification                                  |
| CNSLT      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Case file review by DMO or office consultant           |
| COPAY      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Reimburse claimant copayments                          |
| COPTN      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Nurse intervention during COP - telephonic             |
| D0120      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Periodic oral evaluation                               |
| D0140      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Limit oral eval problm focus                           |
| D0145      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Oral evaluation, pt < 3yrs                             |
| D0150      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | YYY              | 0.00                      |             | Comprehensve oral evaluation                           |
| D0160      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Extensv oral eval prob focus                           |
| D0170      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Re-eval,est pt,problem focus                           |
| D0180      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Comp periodontal evaluation                            |
| D0210      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Intraor complete film series                           |
| D0220      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Intraoral periapical first f                           |
| D0230      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Intraoral periapical ea add                            |
| D0240      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Intraoral occlusal film                                |
| D0250      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Extraoral first film                                   |
| D0260      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Extraoral ea additional film                           |
| D0270      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental bitewing single film                            |
| D0272      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental bitewings two films                             |
| D0273      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental bitewings - three films                         |
| D0274      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental bitewings four films                            |
| D0277      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Vert bitewings-sev to eight                            |
| D0290      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental film skull/facial bon                           |
| D0310      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental saligraphy                                      |
| D0320      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental tmj arthrogram incl i                           |
| D0321      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental other tmj films                                 |
| D0322      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental tomographic survey                              |
| D0330      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental panoramic film                                  |
| D0340      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dental cephalometric film                              |
| D0350      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Oral/facial images                                     |
| D0360      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Cone beam ct   |
| D0362      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Cone beam, two dimensional                             |
| D0363      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Cone beam, three dimensional                           |
| D0415      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Bacteriologic study                                    |
| D0416      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Viral culture  |
| D0417      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Collect & prep saliva sample                           |
| D0418      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Analysis of saliva sample                              |
| D0421      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Gen tst suscept oral disease                           |
| D0425      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Caries susceptibility test                             |
| D0431      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Diag tst detect mucos abnorm                           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D0460      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pulp vitality test             |
| D0470      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diagnostic casts               |
| D0472      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gross exam, prep & report      |
| D0473      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Micro exam, prep & report      |
| D0474      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Micro w exam of surg margins   |
| D0475      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Decalcification procedure      |
| D0476      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spec stains for microorganis   |
| D0477      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spec stains not for microorg   |
| D0478      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Immunohistochemical stains     |
| D0479      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tissue in-situ hybridization   |
| D0480      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cytopath smear prep & report   |
| D0481      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Electron microscopy diagnost   |
| D0482      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Direct immunofluorescence      |
| D0483      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Indirect immunofluorescence    |
| D0484      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Consult slides prep elsewher   |
| D0485      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Consult inc prep of slides     |
| D0486      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Accession of brush biopsy      |
| D0502      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Other oral pathology procedu   |
| D0999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unspecified diagnostic proce   |
| D1110      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental prophylaxis adult       |
| D1120      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental prophylaxis child       |
| D1203      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topical fluor w/o prophy child |
| D1204      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topical fluor w/o prophy adu   |
| D1206      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topical fluoride varnish       |
| D1310      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nutri counsel-control caries   |
| D1320      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tobacco counseling             |
| D1330      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oral hygiene instruction       |
| D1351      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental sealant per tooth       |
| D1510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Space maintainer fxd unilat    |
| D1515      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fixed bilat space maintainer   |
| D1520      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Remove unilat space maintain   |
| D1525      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Remove bilat space maintain    |
| D1550      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Recement space maintainer      |
| D1555      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Remove fix space maintainer    |
| D2140      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amalgam one surface permanen   |
| D2150      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amalgam two surfaces permane   |
| D2160      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amalgam three surfaces perma   |
| D2161      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amalgam 4 or > surfaces perm   |
| D2330      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Resin one surface-anterior     |
| D2331      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Resin two surfaces-anterior    |
| D2332      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Resin three surfaces-anterio   |
| D2335      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Resin 4/> surf or w incis an   |
| D2390      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ant resin-based cmpst crown    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D2391      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post 1 srfc resinbased cmpst   |
| D2392      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post 2 srfc resinbased cmpst   |
| D2393      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post 3 srfc resinbased cmpst   |
| D2394      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post >=4srfc resinbase cmpst   |
| D2410      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental gold foil one surface   |
| D2420      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental gold foil two surface   |
| D2430      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental gold foil three surfa   |
| D2510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental inlay metallic 1 surf   |
| D2520      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental inlay metallic 2 surf   |
| D2530      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental inlay metl 3/more sur   |
| D2542      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay metallic 2 surf   |
| D2543      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay metallic 3 surf   |
| D2544      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay metl 4/more sur   |
| D2610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inlay porcelain/ceramic 1 su   |
| D2620      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inlay porcelain/ceramic 2 su   |
| D2630      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay porc 3/more sur   |
| D2642      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay porcelin 2 surf   |
| D2643      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay porcelin 3 surf   |
| D2644      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay porc 4/more sur   |
| D2650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inlay composite/resin one su   |
| D2651      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inlay composite/resin two su   |
| D2652      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental inlay resin 3/mre sur   |
| D2662      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay resin 2 surface   |
| D2663      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay resin 3 surface   |
| D2664      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental onlay resin 4/mre sur   |
| D2710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin laboratory         |
| D2712      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 resin-based compos   |
| D2720      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin w/ high noble me   |
| D2721      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin w/ base metal      |
| D2722      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin w/ noble metal     |
| D2740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain/ceramic subs   |
| D2750      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain w/ h noble m   |
| D2751      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain fused base m   |
| D2752      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain w/ noble met   |
| D2780      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 cast hi noble met    |
| D2781      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 cast base metal      |
| D2782      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 cast noble metal     |
| D2783      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 porcelain/ceramic    |
| D2790      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full cast high noble m   |
| D2791      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full cast base metal     |
| D2792      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full cast noble metal    |
| D2794      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown-titanium                 |
| D2799      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Provisional crown              |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D2910      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental recement inlay          |
| D2915      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Recement cast or prefab post   |
| D2920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental recement crown          |
| D2930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab stnlss steel crwn pri   |
| D2931      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab stnlss steel crown pe   |
| D2932      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefabricated resin crown      |
| D2933      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab stainless steel crown   |
| D2934      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab steel crown primary     |
| D2940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental sedative filling        |
| D2950      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Core build-up incl any pins    |
| D2951      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tooth pin retention            |
| D2952      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post and core cast + crown     |
| D2953      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Each addtnl cast post          |
| D2954      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab post/core + crown       |
| D2955      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post removal                   |
| D2957      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Each addtnl prefab post        |
| D2960      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Laminate labial veneer         |
| D2961      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lab labial veneer resin        |
| D2962      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lab labial veneer porcelain    |
| D2970      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Temp crown (fractured tooth)   |
| D2971      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Add proc construct new crown   |
| D2975      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coping                         |
| D2980      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown repair                   |
| D2999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental unspec restorative pr   |
| D3110      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pulp cap direct                |
| D3120      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pulp cap indirect              |
| D3220      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Therapeutic pulpotomy          |
| D3221      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gross pulpal debridement       |
| D3222      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Part pulp for apexogenesis     |
| D3230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pulpal therapy anterior prim   |
| D3240      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pulpal therapy posterior pri   |
| D3310      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Anterior                       |
| D3320      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root canal therapy 2 canals    |
| D3330      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root canal therapy 3 canals    |
| D3331      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-surg tx root canal obs     |
| D3332      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incomplete endodontic tx       |
| D3333      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Internal root repair           |
| D3346      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retreat root canal anterior    |
| D3347      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retreat root canal bicuspid    |
| D3348      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retreat root canal molar       |
| D3351      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apexification/recalc initial   |
| D3352      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apexification/recalc interim   |
| D3353      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apexification/recalc final     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D3410      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apicoect/perirad surg anter    |
| D3421      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root surgery bicuspid          |
| D3425      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root surgery molar             |
| D3426      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root surgery ea add root       |
| D3430      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retrograde filling             |
| D3450      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Root amputation                |
| D3460      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Endodontic endosseous implan   |
| D3470      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intentional replantation       |
| D3910      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Isolation- tooth w rubb dam    |
| D3920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tooth splitting                |
| D3950      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Canal prep/fitting of dowel    |
| D3999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Endodontic procedure, nos      |
| D4210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gingivectomy/plasty per quad   |
| D4211      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gingivectomy/plasty per toot   |
| D4230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ana crown exp 4 or> per quad   |
| D4231      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ana crown exp 1-3 per quad     |
| D4240      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gingival flap proc w/ planin   |
| D4241      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gngvl flap w rootplan 1-3 th   |
| D4245      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apically positioned flap       |
| D4249      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown lengthen hard tissue     |
| D4260      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osseous surgery per quadrant   |
| D4261      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osseous surgl-3teethperquad    |
| D4263      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone replce graft first site   |
| D4264      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone replce graft each add     |
| D4265      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bio mtrls to aid soft/os reg   |
| D4266      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Guided tiss regen resorble     |
| D4267      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Guided tiss regen nonresorb    |
| D4268      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical revision procedure    |
| D4270      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pedicle soft tissue graft pr   |
| D4271      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Free soft tissue graft proc    |
| D4273      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Subepithelial tissue graft     |
| D4274      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Distal/proximal wedge proc     |
| D4275      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Soft tissue allograft          |
| D4276      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Con tissue w dble ped graft    |
| D4320      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Provision splnt intracoronal   |
| D4321      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Provisional splint extracoro   |
| D4341      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Periodontal scaling & root     |
| D4342      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Periodontal scaling 1-3teeth   |
| D4355      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Full mouth debridement         |
| D4381      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Localized chemo delivery       |
| D4910      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Periodontal maint procedures   |
| D4920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unscheduled dressing change    |
| D4999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unspecified periodontal proc   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D5110      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures complete maxillary    |
| D5120      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures complete mandible     |
| D5130      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures immediat maxillary    |
| D5140      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures immediat mandible     |
| D5211      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures maxill part resin     |
| D5212      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures mand part resin       |
| D5213      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures maxill part metal     |
| D5214      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures mandibl part metal    |
| D5225      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Maxillary part denture flex    |
| D5226      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandibular part denture flex   |
| D5281      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removable partial denture      |
| D5410      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures adjust cmplt maxil    |
| D5411      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures adjust cmplt mand     |
| D5421      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures adjust part maxill    |
| D5422      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures adjust part mandbl    |
| D5510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentur repr broken compl bas   |
| D5520      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replace denture teeth cmplt    |
| D5610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures repair resin base     |
| D5620      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rep part denture cast frame    |
| D5630      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rep partial denture clasp      |
| D5640      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replace part denture teeth     |
| D5650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Add tooth to partial denture   |
| D5660      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Add clasp to partial denture   |
| D5670      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replc tth&acrlc on mtl frmwk   |
| D5671      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replc tth&acrlc mandibular     |
| D5710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures rebase cmplt maxil    |
| D5711      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures rebase cmplt mand     |
| D5720      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures rebase part maxill    |
| D5721      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dentures rebase part mandbl    |
| D5730      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln cmplt maxil ch    |
| D5731      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln cmplt mand chr    |
| D5740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln part maxil chr    |
| D5741      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln part mand chr     |
| D5750      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln cmplt max lab     |
| D5751      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln cmplt mand lab    |
| D5760      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln part maxil lab    |
| D5761      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture reln part mand lab     |
| D5810      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture interm cmplt maxill    |
| D5811      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture interm cmplt mandbl    |
| D5820      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture interm part maxill     |
| D5821      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture interm part mandbl     |
| D5850      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture tiss conditn maxill    |
| D5851      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Denture tiss conditin mandbl   |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D5860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Overdenture complete           |
| D5861      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Overdenture partial            |
| D5862      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Precision attachment           |
| D5867      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement of precision att   |
| D5875      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthesis modification        |
| D5899      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removable prosthodontic proc   |
| D5911      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Facial moulage sectional       |
| D5912      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Facial moulage complete        |
| D5913      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nasal prosthesis               |
| D5914      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Auricular prosthesis           |
| D5915      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orbital prosthesis             |
| D5916      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ocular prosthesis              |
| D5919      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Facial prosthesis              |
| D5922      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nasal septal prosthesis        |
| D5923      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ocular prosthesis interim      |
| D5924      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cranial prosthesis             |
| D5925      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Facial augmentation implant    |
| D5926      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement nasal prosthesis   |
| D5927      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Auricular replacement          |
| D5928      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orbital replacement            |
| D5929      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Facial replacement             |
| D5931      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical obturator             |
| D5932      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Postsurgical obturator         |
| D5933      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Refitting of obturator         |
| D5934      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandibular flange prosthesis   |
| D5935      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandibular denture prosth      |
| D5936      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Temp obturator prosthesis      |
| D5937      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Trismus appliance              |
| D5951      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Feeding aid                    |
| D5952      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pediatric speech aid           |
| D5953      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult speech aid               |
| D5954      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Superimposed prosthesis        |
| D5955      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Palatal lift prosthesis        |
| D5958      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intraoral con def inter plt    |
| D5959      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intraoral con def mod palat    |
| D5960      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Modify speech aid prosthesis   |
| D5982      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical stent                 |
| D5983      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radiation applicator           |
| D5984      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radiation shield               |
| D5985      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radiation cone locator         |
| D5986      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fluoride applicator            |
| D5987      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Commissure splint              |
| D5988      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical splint                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)    |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-----------------------------------|
| D5991      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topical medicament carrier        |
| D5999      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Maxillofacial prosthesis          |
| D6010      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Odontics endosteal implant        |
| D6012      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surg placement, Endosteal implant |
| D6040      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Odontics eposteal implant         |
| D6050      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Odontics transosteal implnt       |
| D6053      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implnt/abtmnt spprt remv dnt      |
| D6054      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implnt/abtmnt spprt remvprtl      |
| D6055      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant connecting bar            |
| D6056      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefabricated abutment            |
| D6057      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom abutment                   |
| D6058      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported crown          |
| D6059      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6060      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6061      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6062      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6063      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6064      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported mtl crown      |
| D6065      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported crown           |
| D6066      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported mtl crown       |
| D6067      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported mtl crown       |
| D6068      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6069      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6070      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6071      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6072      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6073      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6074      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abutment supported retainer       |
| D6075      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported retainer        |
| D6076      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported retainer        |
| D6077      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant supported retainer        |
| D6078      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implnt/abut suprtd fixd dent      |
| D6079      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implnt/abut suprtd fixd dent      |
| D6080      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant maintenance               |
| D6090      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair implant                    |
| D6091      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repl semi/precision attach        |
| D6092      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Recement supp crown               |
| D6093      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Recement supp part denture        |
| D6094      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abut support crown titanium       |
| D6095      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Odontics repr abutment            |
| D6100      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of implant                |
| D6190      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radio/surgical implant index      |
| D6194      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Abut support retainer titani      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D6199      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant procedure              |
| D6205      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pontic-indirect resin based    |
| D6210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthodont high noble metal   |
| D6211      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge base metal cast         |
| D6212      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge noble metal cast        |
| D6214      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pontic titanium                |
| D6240      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge porcelain high noble    |
| D6241      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge porcelain base metal    |
| D6242      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge porcelain nobel metal   |
| D6245      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge porcelain/ceramic       |
| D6250      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge resin w/high noble      |
| D6251      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge resin base metal        |
| D6252      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge resin w/noble metal     |
| D6253      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Provisional pontic             |
| D6545      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental retainr cast metl       |
| D6548      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Porcelain/ceramic retainer     |
| D6600      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Porcelain/ceramic inlay 2srf   |
| D6601      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Porc/ceram inlay >= 3 surfac   |
| D6602      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cst hgh nble mtl inlay 2 srf   |
| D6603      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cst hgh nble mtl inlay >=3sr   |
| D6604      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cst bse mtl inlay 2 surfaces   |
| D6605      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cst bse mtl inlay >= 3 surfa   |
| D6606      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cast noble metal inlay 2 sur   |
| D6607      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cst noble mtl inlay >=3 surf   |
| D6608      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay porc/crmc 2 surfaces     |
| D6609      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay porc/crmc >=3 surfaces   |
| D6610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst hgh nbl mtl 2 srfc   |
| D6611      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst hgh nbl mtl >=3srf   |
| D6612      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst base mtl 2 surface   |
| D6613      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst base mtl >=3 surfa   |
| D6614      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst nbl mtl 2 surfaces   |
| D6615      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay cst nbl mtl >=3 surfac   |
| D6624      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inlay titanium                 |
| D6634      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onlay titanium                 |
| D6710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown-indirect resin based     |
| D6720      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Retain crown resin w hi nble   |
| D6721      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin w/base metal       |
| D6722      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown resin w/noble metal      |
| D6740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain/ceramic        |
| D6750      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain high noble     |
| D6751      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain base metal     |
| D6752      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown porcelain noble metal    |
| D6780      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 high noble metal     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D6781      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 cast based metal     |
| D6782      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 cast noble metal     |
| D6783      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown 3/4 porcelain/ceramic    |
| D6790      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full high noble metal    |
| D6791      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full base metal cast     |
| D6792      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown full noble metal cast    |
| D6793      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Provisional retainer crown     |
| D6794      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crown titanium                 |
| D6920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental connector bar           |
| D6930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental recement bridge         |
| D6940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Stress breaker                 |
| D6950      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Precision attachment           |
| D6970      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post & core plus retainer      |
| D6972      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prefab post & core plus reta   |
| D6973      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Core build up for retainer     |
| D6975      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coping metal                   |
| D6976      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Each addtnl cast post          |
| D6977      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Each addtl prefab post         |
| D6980      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bridge repair                  |
| D6985      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pediatric partial denture fx   |
| D6999      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fixed prosthodontic proc       |
| D7111      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coronal remnants deciduous t   |
| D7140      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Extraction erupted tooth/exr   |
| D7210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Rem imp tooth w mucoper flp    |
| D7220      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Impact tooth remov soft tiss   |
| D7230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Impact tooth remov part bony   |
| D7240      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Impact tooth remov comp bony   |
| D7241      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Impact tooth rem bony w/comp   |
| D7250      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Tooth root removal             |
| D7260      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Oral antral fistula closure    |
| D7261      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Primary closure sinus perf     |
| D7270      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tooth reimplantation           |
| D7272      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tooth transplantation          |
| D7280      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Exposure impact tooth orthod   |
| D7282      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mobilize erupted/malpos toot   |
| D7283      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Place device impacted tooth    |
| D7285      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Biopsy of oral tissue hard     |
| D7286      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Biopsy of oral tissue soft     |
| D7287      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cytology sample collection     |
| D7288      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Brush biopsy                   |
| D7290      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repositioning of teeth         |
| D7291      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Transseptal fiberotomy         |
| D7292      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Screw retained plate w flap    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D7293      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Temp anchorage dev w flap      |
| D7294      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Temp anchorage dev w/o flap    |
| D7310      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveoplasty w/ extraction      |
| D7311      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveoloplasty w/extract 1-3    |
| D7320      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveoplasty w/o extraction     |
| D7321      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveoloplasty not w/extracts   |
| D7340      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vestibuloplasty ridge extens   |
| D7350      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vestibuloplasty exten graft    |
| D7410      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rad exc lesion up to 1.25 cm   |
| D7411      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision benign lesion>1.25c   |
| D7412      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision benign lesion compl   |
| D7413      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision malig lesion<=1.25c   |
| D7414      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision malig lesion>1.25cm   |
| D7415      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision malig les complicat   |
| D7440      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Malig tumor exc to 1.25 cm     |
| D7441      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Malig tumor > 1.25 cm          |
| D7450      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rem odontogen cyst to 1.25cm   |
| D7451      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rem odontogen cyst > 1.25 cm   |
| D7460      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rem nonodonto cyst to 1.25cm   |
| D7461      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rem nonodonto cyst > 1.25 cm   |
| D7465      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lesion destruction             |
| D7471      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rem exostosis any site         |
| D7472      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of torus palatinus     |
| D7473      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Remove torus mandibularis      |
| D7485      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surg reduct osseoustuberosit   |
| D7490      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandible resection             |
| D7510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | I&d absc intraoral soft tiss   |
| D7511      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incision/drain abscess intra   |
| D7520      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | I&d abscess extraoral          |
| D7521      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incision/drain abscess extra   |
| D7530      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal fb skin/areolar tiss   |
| D7540      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of fb reaction         |
| D7550      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of sloughed off bone   |
| D7560      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Maxillary sinusotomy           |
| D7610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Maxilla open reduct simple     |
| D7620      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd reduct simpl maxilla fx   |
| D7630      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Open red simpl mandible fx     |
| D7640      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd red simpl mandible fx     |
| D7650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Open red simp malar/zygom fx   |
| D7660      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd red simp malar/zygom fx   |
| D7670      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Closd rductn splint alveolus   |
| D7671      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveolus open reduction        |
| D7680      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reduct simple facial bone fx   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D7710      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Maxilla open reduct compound   |
| D7720      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd reduct compd maxilla fx   |
| D7730      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Open reduct compd mandble fx   |
| D7740      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd reduct compd mandble fx   |
| D7750      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Open red comp malar/zygma fx   |
| D7760      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clsd red comp malar/zygma fx   |
| D7770      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Open reduc compd alveolus fx   |
| D7771      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alveolus clsd reduc stblz te   |
| D7780      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reduct compnd facial bone fx   |
| D7810      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj open reduct-dislocation    |
| D7820      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Closed tmp manipulation        |
| D7830      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj manipulation under anest   |
| D7840      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of tmj condyle         |
| D7850      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj meniscectomy               |
| D7852      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj repair of joint disc       |
| D7854      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj excisn of joint membrane   |
| D7856      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj cutting of a muscle        |
| D7858      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj reconstruction             |
| D7860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj cutting into joint         |
| D7865      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj reshaping components       |
| D7870      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj aspiration joint fluid     |
| D7871      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lysis + lavage w catheters     |
| D7872      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj diagnostic arthroscopy     |
| D7873      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj arthroscopy lysis adhesn   |
| D7874      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj arthroscopy disc reposit   |
| D7875      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj arthroscopy synovectomy    |
| D7876      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj arthroscopy discectomy     |
| D7877      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj arthroscopy debridement    |
| D7880      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Occlusal orthotic appliance    |
| D7899      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tmj unspecified therapy        |
| D7910      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dent sutur recent wnd to 5cm   |
| D7911      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental suture wound to 5 cm    |
| D7912      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Suture complicate wnd > 5 cm   |
| D7920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental skin graft              |
| D7940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Reshaping bone orthognathic    |
| D7941      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone cutting ramus closed      |
| D7943      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cutting ramus open w/graft     |
| D7944      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone cutting segmented         |
| D7945      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone cutting body mandible     |
| D7946      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reconstruction maxilla total   |
| D7947      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reconstruct maxilla segment    |
| D7948      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reconstruct midface no graft   |
| D7949      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reconstruct midface w/graft    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D7950      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandible graft                 |
| D7951      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sinus aug w bone/bone sup      |
| D7953      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone replacement graft         |
| D7955      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair maxillofacial defects   |
| D7960      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Frenulectomy/frenulotomy       |
| D7963      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Frenuloplasty                  |
| D7970      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision hyperplastic tissue   |
| D7971      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision pericoronary gingiva  |
| D7972      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surg redct fibrous tuberosit   |
| D7980      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sialolithotomy                 |
| D7981      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Excision of salivary gland     |
| D7982      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sialodochoplasty               |
| D7983      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Closure of salivary fistula    |
| D7990      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Emergency tracheotomy          |
| D7991      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental coronoidectomy          |
| D7995      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Synthetic graft facial bones   |
| D7996      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant mandible for augment   |
| D7997      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Appliance removal              |
| D7998      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intraoral place of fix dev     |
| D7999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oral surgery procedure, nos    |
| D8010      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Limited dental tx primary      |
| D8020      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Limited dental tx transition   |
| D8030      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Limited dental tx adolescent   |
| D8040      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Limited dental tx adult        |
| D8050      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intercep dental tx primary     |
| D8060      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intercep dental tx transitn    |
| D8070      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compre dental tx transition    |
| D8080      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compre dental tx adolescent    |
| D8090      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compre dental tx adult         |
| D8210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orthodontic rem appliance tx   |
| D8220      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fixed appliance therapy habt   |
| D8660      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Preorthodontic tx visit        |
| D8670      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Periodic orthodontic tx visit  |
| D8680      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orthodontic retention          |
| D8690      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orthodontic treatment          |
| D8691      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair ortho appliance         |
| D8692      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replacement retainer           |
| D8693      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rebond/cement/repair retain    |
| D8999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orthodontic procedure, nos     |
| D9110      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Tx dental pain minor proc      |
| D9120      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fix partial denture section    |
| D9210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dent anesthesia w/o surgery    |
| D9211      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Regional block anesthesia      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| D9212      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Trigeminal block anesthesia    |
| D9215      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Local anesthesia               |
| D9220      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | General anesthesia             |
| D9221      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | General anesthesia ea ad 15m   |
| D9230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Analgesia                      |
| D9241      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intravenous sedation           |
| D9242      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | IV sedation ea ad 30 m         |
| D9248      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sedation (non-iv)              |
| D9310      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental consultation            |
| D9410      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dental house call              |
| D9420      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hospital call                  |
| D9430      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Office visit during hours      |
| D9440      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Office visit after hours       |
| D9450      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Case presentation tx plan      |
| D9610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dent therapeutic drug inject   |
| D9612      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Thera par drugs 2 or > admin   |
| D9630      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Other drugs/medicaments        |
| D9910      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dent appl desensitizing med    |
| D9911      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Appl desensitizing resin       |
| D9920      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behavior management            |
| D9930      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Treatment of complications     |
| D9940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Dental occlusal guard          |
| D9941      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fabrication athletic guard     |
| D9942      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Repair/reline occlusal guard   |
| D9950      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Occlusion analysis             |
| D9951      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Limited occlusal adjustment    |
| D9952      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | YYY              | 0.00                      |             | Complete occlusal adjustment   |
| D9970      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Enamel microabrasion           |
| D9971      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Odontoplasty 1-2 teeth         |
| D9972      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Extrnl bleaching per arch      |
| D9973      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Extrnl bleaching per tooth     |
| D9974      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intrnl bleaching per tooth     |
| D9999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adjunctive procedure, nos      |
| E0100      |               | C             | 3.43        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd with tip      |
| E0100      | NU            | C             | 34.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd with tip      |
| E0100      | RR            | C             | 3.43        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd with tip      |
| E0100      | UE            | C             | 25.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd with tip      |
| E0105      |               | C             | 6.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd quad/3 pro    |
| E0105      | NU            | C             | 64.46       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd quad/3 pro    |
| E0105      | RR            | C             | 6.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd quad/3 pro    |
| E0105      | UE            | C             | 49.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cane adjust/fixd quad/3 pro    |
| E0110      |               | C             | 10.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Crutch forearm pair            |
| E0110      | NU            | C             | 101.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Crutch forearm pair            |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                     |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|-------------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)      |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                     |
| E0110 | RR    | C      | 10.18  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm pair                 |
| E0110 | UE    | C      | 76.36  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm pair                 |
| E0111 |       | C      | 6.99   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm each                 |
| E0111 | NU    | C      | 69.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm each                 |
| E0111 | RR    | C      | 6.99   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm each                 |
| E0111 | UE    | C      | 53.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch forearm each                 |
| E0112 |       | C      | 4.86   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair wood           |
| E0112 | NU    | C      | 48.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair wood           |
| E0112 | RR    | C      | 4.86   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair wood           |
| E0112 | UE    | C      | 37.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair wood           |
| E0113 |       | C      | 4.11   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each wood           |
| E0113 | NU    | C      | 41.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each wood           |
| E0113 | RR    | C      | 4.11   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each wood           |
| E0113 | UE    | C      | 30.54  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each wood           |
| E0114 |       | C      | 6.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair no wood        |
| E0114 | NU    | C      | 61.94  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair no wood        |
| E0114 | RR    | C      | 6.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair no wood        |
| E0114 | UE    | C      | 46.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm pair no wood        |
| E0116 |       | C      | 3.64   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each no wood        |
| E0116 | NU    | C      | 36.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each no wood        |
| E0116 | RR    | C      | 3.64   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each no wood        |
| E0116 | UE    | C      | 27.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch underarm each no wood        |
| E0117 |       | C      | 25.29  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Underarm springassist crutch        |
| E0117 | NU    | C      | 252.94 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Underarm springassist crutch        |
| E0117 | RR    | C      | 25.29  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Underarm springassist crutch        |
| E0117 | UE    | C      | 189.72 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Underarm springassist crutch        |
| E0118 |       | C      | 59.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch substitute, lwr leg platform |
| E0118 | NU    | C      | 599.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch substitute, lwr leg platform |
| E0118 | RR    | C      | 59.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch substitute, lwr leg platform |
| E0118 | UE    | C      | 449.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch substitute, lwr leg platform |
| E0130 |       | C      | 7.95   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker rigid adjust/fixd ht         |
| E0130 | NU    | C      | 79.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker rigid adjust/fixd ht         |
| E0130 | RR    | C      | 7.95   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker rigid adjust/fixd ht         |
| E0130 | UE    | C      | 61.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker rigid adjust/fixd ht         |
| E0135 |       | C      | 9.49   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding adjust/fixd          |
| E0135 | NU    | C      | 94.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding adjust/fixd          |
| E0135 | RR    | C      | 9.49   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding adjust/fixd          |
| E0135 | UE    | C      | 72.76  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding adjust/fixd          |
| E0140 |       | C      | 40.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker w trunk support              |
| E0140 | NU    | C      | 408.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker w trunk support              |
| E0140 | RR    | C      | 40.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker w trunk support              |
| E0140 | UE    | C      | 306.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker w trunk support              |
| E0141 |       | C      | 13.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rigid walker wheeled wo seat        |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E0141 | NU    | C      | 130.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rigid wheeled walker adj/fix   |
| E0141 | RR    | C      | 13.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rigid wheeled walker adj/fix   |
| E0141 | UE    | C      | 97.83  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rigid wheeled walker adj/fix   |
| E0143 |       | C      | 13.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding wheeled w/o s   |
| E0143 | NU    | C      | 136.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding wheeled w/o s   |
| E0143 | RR    | C      | 13.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding wheeled w/o s   |
| E0143 | UE    | C      | 101.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker folding wheeled w/o s   |
| E0144 |       | C      | 36.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed walker w rear seat    |
| E0144 | NU    | C      | 360.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed walker w rear seat    |
| E0144 | RR    | C      | 36.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed walker w rear seat    |
| E0144 | UE    | C      | 270.17 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed walker w rear seat    |
| E0147 |       | C      | 65.03  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker variable wheel resist   |
| E0147 | NU    | C      | 650.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker variable wheel resist   |
| E0147 | RR    | C      | 65.03  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker variable wheel resist   |
| E0147 | UE    | C      | 487.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker variable wheel resist   |
| E0148 |       | C      | 14.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty walker no wheels     |
| E0148 | NU    | C      | 143.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty walker no wheels     |
| E0148 | RR    | C      | 14.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty walker no wheels     |
| E0148 | UE    | C      | 107.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty walker no wheels     |
| E0149 |       | C      | 25.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavy duty wheeled walker      |
| E0149 | NU    | C      | 252.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavy duty wheeled walker      |
| E0149 | RR    | C      | 25.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavy duty wheeled walker      |
| E0149 | UE    | C      | 189.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavy duty wheeled walker      |
| E0153 |       | C      | 9.32   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Forearm crutch platform atta   |
| E0153 | NU    | C      | 93.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Forearm crutch platform atta   |
| E0153 | RR    | C      | 9.32   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Forearm crutch platform atta   |
| E0153 | UE    | C      | 39.83  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Forearm crutch platform atta   |
| E0154 |       | C      | 9.40   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker platform attachment     |
| E0154 | NU    | C      | 93.99  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker platform attachment     |
| E0154 | RR    | C      | 9.40   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker platform attachment     |
| E0154 | UE    | C      | 70.48  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker platform attachment     |
| E0155 |       | C      | 3.57   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker wheel attachment        |
| E0155 | NU    | C      | 35.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker wheel attachment        |
| E0155 | RR    | C      | 3.57   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker wheel attachment        |
| E0155 | UE    | C      | 27.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker wheel attachment        |
| E0156 |       | C      | 2.99   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker seat attachment         |
| E0156 | NU    | C      | 29.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker seat attachment         |
| E0156 | RR    | C      | 2.99   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker seat attachment         |
| E0156 | UE    | C      | 22.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker seat attachment         |
| E0157 |       | C      | 9.27   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker crutch attachment       |
| E0157 | NU    | C      | 92.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker crutch attachment       |
| E0157 | RR    | C      | 9.27   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker crutch attachment       |
| E0157 | UE    | C      | 69.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker crutch attachment       |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E0158 |       | C      | 3.64   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker leg extenders set of4   |
| E0158 | NU    | C      | 36.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker leg extenders set of4   |
| E0158 | RR    | C      | 3.64   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker leg extenders set of4   |
| E0158 | UE    | C      | 27.47  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Walker leg extenders set of4   |
| E0159 |       | C      | 2.02   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Brake for wheeled walker       |
| E0159 | NU    | C      | 20.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Brake for wheeled walker       |
| E0159 | RR    | C      | 2.02   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Brake for wheeled walker       |
| E0159 | UE    | C      | 15.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Brake for wheeled walker       |
| E0160 |       | C      | 10.37  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz type bath or equipment    |
| E0160 | NU    | C      | 103.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz type bath or equipment    |
| E0160 | RR    | C      | 10.37  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz type bath or equipment    |
| E0160 | UE    | C      | 77.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz type bath or equipment    |
| E0161 |       | C      | 3.44   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath/equipment w/faucet   |
| E0161 | NU    | C      | 34.43  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath/equipment w/faucet   |
| E0161 | RR    | C      | 3.44   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath/equipment w/faucet   |
| E0161 | UE    | C      | 25.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath/equipment w/faucet   |
| E0162 |       | C      | 19.12  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath chair                |
| E0162 | NU    | C      | 191.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath chair                |
| E0162 | RR    | C      | 19.12  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath chair                |
| E0162 | UE    | C      | 148.31 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sitz bath chair                |
| E0163 |       | C      | 14.48  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry fxd    |
| E0163 | NU    | C      | 144.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry fxd    |
| E0163 | RR    | C      | 14.48  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry fxd    |
| E0163 | UE    | C      | 111.63 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry fxd    |
| E0165 |       | C      | 24.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry det    |
| E0165 | NU    | C      | 243.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry det    |
| E0165 | RR    | C      | 24.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry det    |
| E0165 | UE    | C      | 182.93 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair stationry det    |
| E0167 |       | C      | 1.58   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair pail or pan      |
| E0167 | NU    | C      | 15.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair pail or pan      |
| E0167 | RR    | C      | 1.58   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair pail or pan      |
| E0167 | UE    | C      | 11.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair pail or pan      |
| E0168 |       | C      | 19.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty/wide commode chair   |
| E0168 | NU    | C      | 198.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty/wide commode chair   |
| E0168 | RR    | C      | 19.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty/wide commode chair   |
| E0168 | UE    | C      | 148.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Heavyduty/wide commode chair   |
| E0170 |       | C      | 210.95 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair electric         |
| E0170 | NU    | C      | 527.83 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Commode chair electric         |
| E0170 | RR    | C      | 210.95 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair electric         |
| E0170 | UE    | C      | 791.06 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Commode chair electric         |
| E0171 |       | C      | 37.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair non-electric     |
| E0171 | NU    | C      | 379.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair non-electric     |
| E0171 | RR    | C      | 37.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair non-electric     |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                   |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|-----------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)    |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                   |
| E0171 | UE    | C      | 284.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair non-electric        |
| E0172 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Seat lift mechanism toilet        |
| E0175 |       | C      | 8.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair foot rest           |
| E0175 | NU    | C      | 86.93  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair foot rest           |
| E0175 | RR    | C      | 8.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair foot rest           |
| E0175 | UE    | C      | 65.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Commode chair foot rest           |
| E0181 |       | C      | 34.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Press pad alternating w/ pum      |
| E0181 | NU    | C      | 342.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Press pad alternating w/ pum      |
| E0181 | RR    | C      | 34.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Press pad alternating w/ pum      |
| E0181 | UE    | C      | 266.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Press pad alternating w/ pum      |
| E0182 |       | C      | 34.36  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pressure pad alternating pum      |
| E0182 | NU    | C      | 343.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pressure pad alternating pum      |
| E0182 | RR    | C      | 34.36  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pressure pad alternating pum      |
| E0182 | UE    | C      | 257.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pressure pad alternating pum      |
| E0184 |       | C      | 25.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Dry pressure mattress             |
| E0184 | NU    | C      | 255.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Dry pressure mattress             |
| E0184 | RR    | C      | 25.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Dry pressure mattress             |
| E0184 | UE    | C      | 195.99 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Dry pressure mattress             |
| E0185 |       | C      | 41.98  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gel pressure mattress pad         |
| E0185 | NU    | C      | 419.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gel pressure mattress pad         |
| E0185 | RR    | C      | 41.98  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gel pressure mattress pad         |
| E0185 | UE    | C      | 314.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gel pressure mattress pad         |
| E0186 |       | C      | 43.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Air pressure mattress             |
| E0186 | NU    | C      | 435.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Air pressure mattress             |
| E0186 | RR    | C      | 43.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Air pressure mattress             |
| E0186 | UE    | C      | 326.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Air pressure mattress             |
| E0187 |       | C      | 43.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Water pressure mattress           |
| E0187 | NU    | C      | 435.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Water pressure mattress           |
| E0187 | RR    | C      | 43.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Water pressure mattress           |
| E0187 | UE    | C      | 326.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Water pressure mattress           |
| E0188 |       | C      | 4.89   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Synthetic sheepskin pad           |
| E0188 | NU    | C      | 48.92  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Synthetic sheepskin pad           |
| E0188 | RR    | C      | 4.89   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Synthetic sheepskin pad           |
| E0188 | UE    | C      | 36.68  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Synthetic sheepskin pad           |
| E0189 |       | C      | 11.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lambswool sheepskin pad, any size |
| E0189 | NU    | C      | 113.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lambswool sheepskin pad           |
| E0189 | RR    | C      | 11.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lambswool sheepskin pad           |
| E0189 | UE    | C      | 85.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lambswool sheepskin pad           |
| E0190 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Positioning cushion               |
| E0190 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Positioning cushion               |
| E0191 |       | C      | 1.31   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Protector heel or elbow           |
| E0191 | NU    | C      | 13.11  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Protector heel or elbow           |
| E0191 | RR    | C      | 1.31   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Protector heel or elbow           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0191      | UE            | C             | 9.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Protector heel or elbow        |
| E0193      |               | C             | 511.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Powered air flotation bed      |
| E0193      | NU            | C             | 851.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Powered air flotation bed      |
| E0193      | RR            | C             | 511.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Powered air flotation bed      |
| E0193      | UE            | C             | 638.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Powered air flotation bed      |
| E0194      |               | C             | 711.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Air fluidized bed              |
| E0194      | NU            | C             | 711.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 75.00                     |             | Air fluidized bed              |
| E0194      | RR            | C             | 711.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Air fluidized bed              |
| E0194      | UE            | C             | 533.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 75.00                     |             | Air fluidized bed              |
| E0196      |               | C             | 43.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gel pressure mattress          |
| E0196      | NU            | C             | 435.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gel pressure mattress          |
| E0196      | RR            | C             | 43.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gel pressure mattress          |
| E0196      | UE            | C             | 326.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gel pressure mattress          |
| E0197      |               | C             | 37.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Air pressure pad for mattres   |
| E0197      | NU            | C             | 379.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Air pressure pad for mattres   |
| E0197      | RR            | C             | 37.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Air pressure pad for mattres   |
| E0197      | UE            | C             | 284.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Air pressure pad for mattres   |
| E0198      |               | C             | 58.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Water pressure pad for mattr   |
| E0198      | NU            | C             | 582.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Water pressure pad for mattr   |
| E0198      | RR            | C             | 58.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Water pressure pad for mattr   |
| E0198      | UE            | C             | 436.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Water pressure pad for mattr   |
| E0199      |               | C             | 8.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dry pressure pad for mattres   |
| E0199      | NU            | C             | 84.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dry pressure pad for mattres   |
| E0199      | RR            | C             | 8.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dry pressure pad for mattres   |
| E0199      | UE            | C             | 63.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dry pressure pad for mattres   |
| E0200      |               | C             | 11.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp without stand        |
| E0200      | NU            | C             | 112.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp without stand        |
| E0200      | RR            | C             | 11.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp without stand        |
| E0200      | UE            | C             | 84.25       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp without stand        |
| E0202      |               | C             | 82.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phototherapy light w/ photom   |
| E0202      | NU            | C             | 821.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phototherapy light w/ photom   |
| E0202      | RR            | C             | 82.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phototherapy light w/ photom   |
| E0202      | UE            | C             | 616.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phototherapy light w/ photom   |
| E0203      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Therapeutic lightbox tabletp   |
| E0203      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Therapeutic lightbox tabletp   |
| E0203      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Therapeutic lightbox tabletp   |
| E0203      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Therapeutic lightbox tabletp   |
| E0205      |               | C             | 25.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp with stand           |
| E0205      | NU            | C             | 254.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp with stand           |
| E0205      | RR            | C             | 25.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp with stand           |
| E0205      | UE            | C             | 191.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat lamp with stand           |
| E0210      |               | C             | 9.41        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electric heat pad standard     |
| E0210      | NU            | C             | 94.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electric heat pad standard     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|---------------------------------|
| E0210      | RR            | C             | 9.41        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad standard      |
| E0210      | UE            | C             | 70.59       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad standard      |
| E0215      |               | C             | 9.30        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad moist         |
| E0215      | NU            | C             | 92.97       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad moist         |
| E0215      | RR            | C             | 9.30        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad moist         |
| E0215      | UE            | C             | 69.73       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Electric heat pad moist         |
| E0217      |               | C             | 68.02       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Water circ heat pad w pump      |
| E0217      | NU            | C             | 680.21      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Water circ heat pad w pump      |
| E0217      | RR            | C             | 68.02       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Water circ heat pad w pump      |
| E0217      | UE            | C             | 510.16      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Water circ heat pad w pump      |
| E0218      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | H2O circulating cold pad w/pump |
| E0220      |               | C             | 1.11        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hot water bottle                |
| E0220      | NU            | C             | 11.11       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hot water bottle                |
| E0220      | RR            | C             | 1.11        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hot water bottle                |
| E0220      | UE            | C             | 8.31        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hot water bottle                |
| E0221      |               | C             | 223.33      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Infrared heating pad sys        |
| E0221      | NU            | C             | 558.34      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             | Infrared heating pad system     |
| E0221      | RR            | C             | 223.33      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Infrared heating pad system     |
| E0221      | UE            | C             | 837.52      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Infrared heating pad system     |
| E0225      |               | C             | 50.29       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit              |
| E0225      | NU            | C             | 502.90      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit              |
| E0225      | RR            | C             | 50.29       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit              |
| E0225      | UE            | C             | 377.18      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit              |
| E0230      |               | C             | 1.11        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ice cap or collar               |
| E0230      | NU            | C             | 11.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ice cap or collar               |
| E0230      | RR            | C             | 1.11        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ice cap or collar               |
| E0230      | UE            | C             | 8.32        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ice cap or collar               |
| E0231      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Non-contact wound warm device   |
| E0231      | NU            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Non-contact wound warm device   |
| E0231      | RR            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Non-contact wound warm device   |
| E0231      | UE            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Non-contact wound warm device   |
| E0232      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Warming card for use w/E0231    |
| E0232      | NU            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Warming card for use w/E0231    |
| E0232      | RR            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Warming card for use w/E0231    |
| E0232      | UE            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Warming card for use w/E0231    |
| E0235      |               | C             | 36.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Paraffin bath unit portable     |
| E0235      | NU            | C             | 369.30      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Paraffin bath unit portable     |
| E0235      | RR            | C             | 36.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Paraffin bath unit portable     |
| E0235      | UE            | C             | 276.98      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Paraffin bath unit portable     |
| E0236      |               | C             | 64.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pump for water circulating p    |
| E0236      | NU            | C             | 648.40      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pump for water circulating p    |
| E0236      | RR            | C             | 64.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pump for water circulating p    |
| E0236      | UE            | C             | 486.30      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Pump for water circulating p    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0238      |               | C             | 8.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat pad non-electric moist    |
| E0238      | NU            | C             | 82.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat pad non-electric moist    |
| E0238      | RR            | C             | 8.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat pad non-electric moist    |
| E0238      | UE            | C             | 61.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heat pad non-electric moist    |
| E0239      |               | C             | 177.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit portable    |
| E0239      | NU            | C             | 888.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hydrocollator unit portable    |
| E0239      | RR            | C             | 177.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocollator unit portable    |
| E0239      | UE            | C             | 666.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hydrocollator unit portable    |
| E0240      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bath/shower chair              |
| E0240      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bath/shower chair              |
| E0240      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bath/shower chair              |
| E0240      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bath/shower chair              |
| E0241      |               | C             | 47.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bathtub wall rail, each        |
| E0241      | NU            | C             | 47.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bathtub wall rail, each        |
| E0242      |               | C             | 107.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bathtub rail, floor base       |
| E0242      | NU            | C             | 107.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bathtub rail, floor base       |
| E0243      |               | C             | 85.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Toilet rail, each              |
| E0243      | NU            | C             | 85.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Toilet rail, each              |
| E0244      |               | C             | 64.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Raised toilet seat             |
| E0244      | NU            | C             | 64.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Raised toilet seat             |
| E0245      |               | C             | 106.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tub stool or bench             |
| E0245      | NU            | C             | 106.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tub stool or bench             |
| E0246      |               | C             | 145.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transfer tub rail attachment   |
| E0246      | NU            | C             | 145.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transfer tub rail attachment   |
| E0247      |               | C             | 10.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans bench w/wo comm open     |
| E0247      | NU            | C             | 104.87      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans bench w/wo comm open     |
| E0247      | RR            | C             | 10.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans bench w/wo comm open     |
| E0247      | UE            | C             | 78.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans bench w/wo comm open     |
| E0248      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HDtrans bench w/wo comm open   |
| E0248      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HDtrans bench w/wo comm open   |
| E0248      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HDtrans bench w/wo comm open   |
| E0248      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HDtrans bench w/wo comm open   |
| E0249      |               | C             | 16.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pad water circulating heat u   |
| E0249      | NU            | C             | 161.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pad water circulating heat u   |
| E0249      | RR            | C             | 16.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pad water circulating heat u   |
| E0249      | UE            | C             | 121.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pad water circulating heat u   |
| E0250      |               | C             | 110.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixed ht w/ mattres   |
| E0250      | NU            | C             | 552.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed fixed ht w/ mattres   |
| E0250      | RR            | C             | 110.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixed ht w/ mattres   |
| E0250      | UE            | C             | 829.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixed ht w/ mattres   |
| E0251      |               | C             | 83.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixd ht w/o mattres   |
| E0251      | NU            | C             | 838.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixd ht w/o mattres   |
| E0251      | RR            | C             | 83.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixd ht w/o mattres   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0251      | UE            | C             | 628.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fixd ht w/o mattres   |
| E0255      |               | C             | 132.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/ matr    |
| E0255      | NU            | C             | 664.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hospital bed var ht w/ matr    |
| E0255      | RR            | C             | 132.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/ matr    |
| E0255      | UE            | C             | 996.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/ matr    |
| E0256      |               | C             | 94.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/o matt   |
| E0256      | NU            | C             | 942.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/o matt   |
| E0256      | RR            | C             | 94.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/o matt   |
| E0256      | UE            | C             | 707.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospital bed var ht w/o matt   |
| E0260      |               | C             | 127.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-electr w/ matt   |
| E0260      | NU            | C             | 635.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-electr w/ matt   |
| E0260      | RR            | C             | 127.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-electr w/ matt   |
| E0260      | UE            | C             | 953.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-electr w/ matt   |
| E0261      |               | C             | 154.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-electr w/o mat   |
| E0261      | NU            | C             | 774.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-electr w/o mat   |
| E0261      | RR            | C             | 154.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-electr w/o mat   |
| E0261      | UE            | C             | 580.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-electr w/o mat   |
| E0265      |               | C             | 226.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total electr w/ mat   |
| E0265      | NU            | C             | 565.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Hosp bed total electr w/ mat   |
| E0265      | RR            | C             | 226.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total electr w/ mat   |
| E0265      | UE            | C             | 847.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed total electr w/ mat   |
| E0266      |               | C             | 216.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total elec w/o matt   |
| E0266      | NU            | C             | 540.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Hosp bed total elec w/o matt   |
| E0266      | RR            | C             | 216.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total elec w/o matt   |
| E0266      | UE            | C             | 810.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed total elec w/o matt   |
| E0270      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hosp bed institu type w/mat    |
| E0271      |               | C             | 25.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress innerspring           |
| E0271      | NU            | C             | 251.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress innerspring           |
| E0271      | RR            | C             | 25.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress innerspring           |
| E0271      | UE            | C             | 196.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress innerspring           |
| E0272      |               | C             | 24.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress foam rubber           |
| E0272      | NU            | C             | 248.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress foam rubber           |
| E0272      | RR            | C             | 24.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress foam rubber           |
| E0272      | UE            | C             | 186.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mattress foam rubber           |
| E0273      |               | C             | 5.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed board                      |
| E0273      | NU            | C             | 51.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed board                      |
| E0273      | RR            | C             | 5.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed board                      |
| E0273      | UE            | C             | 38.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed board                      |
| E0274      |               | C             | 8.27        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Over-bed table                 |
| E0274      | NU            | C             | 82.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Over-bed table                 |
| E0274      | RR            | C             | 8.27        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Over-bed table                 |
| E0274      | UE            | C             | 62.02       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Over-bed table                 |
| E0275      |               | C             | 2.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan standard               |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0275      | NU            | C             | 21.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan standard               |
| E0275      | RR            | C             | 2.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan standard               |
| E0275      | UE            | C             | 15.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan standard               |
| E0276      |               | C             | 1.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan fracture               |
| E0276      | NU            | C             | 17.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan fracture               |
| E0276      | RR            | C             | 1.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan fracture               |
| E0276      | UE            | C             | 13.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed pan fracture               |
| E0277      |               | C             | 636.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Powered pres-redu air mattrs   |
| E0277      | NU            | C             | 795.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Powered pres-redu air mattrs   |
| E0277      | RR            | C             | 636.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Powered pres-redu air mattrs   |
| E0277      | UE            | C             | 596.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Powered pres-redu air mattrs   |
| E0280      |               | C             | 4.32        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed cradle                     |
| E0280      | NU            | C             | 43.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed cradle                     |
| E0280      | RR            | C             | 4.32        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed cradle                     |
| E0280      | UE            | C             | 32.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bed cradle                     |
| E0290      |               | C             | 84.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rails w/m   |
| E0290      | NU            | C             | 845.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rails w/m   |
| E0290      | RR            | C             | 84.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rails w/m   |
| E0290      | UE            | C             | 634.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rails w/m   |
| E0291      |               | C             | 61.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rail w/o    |
| E0291      | NU            | C             | 614.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rail w/o    |
| E0291      | RR            | C             | 61.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rail w/o    |
| E0291      | UE            | C             | 460.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed fx ht w/o rail w/o    |
| E0292      |               | C             | 95.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/o   |
| E0292      | NU            | C             | 950.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/o   |
| E0292      | RR            | C             | 95.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/o   |
| E0292      | UE            | C             | 713.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/o   |
| E0293      |               | C             | 80.90       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/    |
| E0293      | NU            | C             | 809.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/    |
| E0293      | RR            | C             | 80.90       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/    |
| E0293      | UE            | C             | 606.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed var ht w/o rail w/    |
| E0294      |               | C             | 147.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-elect w/ mattr   |
| E0294      | NU            | C             | 739.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-elect w/ mattr   |
| E0294      | RR            | C             | 147.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-elect w/ mattr   |
| E0294      | UE            | C             | 554.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-elect w/ mattr   |
| E0295      |               | C             | 144.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-elect w/o matt   |
| E0295      | NU            | C             | 720.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-elect w/o matt   |
| E0295      | RR            | C             | 144.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed semi-elect w/o matt   |
| E0295      | UE            | C             | 540.23      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed semi-elect w/o matt   |
| E0296      |               | C             | 185.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total elect w/ matt   |
| E0296      | NU            | C             | 928.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed total elect w/ matt   |
| E0296      | RR            | C             | 185.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hosp bed total elect w/ matt   |
| E0296      | UE            | C             | 696.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hosp bed total elect w/ matt   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |   |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|---|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)          |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |   |
| E0297 |       | C      | 159.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed total elect w/o mat            |
| E0297 | NU    | C      | 795.70 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hosp bed total elect w/o mat            |
| E0297 | RR    | C      | 159.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed total elect w/o mat            |
| E0297 | UE    | C      | 596.78 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hosp bed total elect w/o mat            |
| E0300 |       | D      | 321.11 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed ped crib hosp grade            |
| E0300 | NU    | D      | 802.78 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Enclosed ped crib hosp grade            |
| E0300 | RR    | D      | 321.11 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Enclosed ped crib hosp grade            |
| E0300 | UE    | D      | 602.10 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Enclosed ped crib hosp grade            |
| E0301 |       | C      | 306.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD hosp bed                             |
| E0301 | NU    | C      | 765.63 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | HD hosp bed                             |
| E0301 | RR    | C      | 306.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD hosp bed                             |
| E0301 | UE    | C      | 574.25 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | HD hosp bed                             |
| E0302 |       | C      | 809.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ex hd hosp bed > 600 lbs                |
| E0302 | NU    | C      | 809.34 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Ex hd hosp bed > 600 lbs                |
| E0302 | RR    | C      | 809.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ex hd hosp bed > 600 lbs                |
| E0302 | UE    | C      | 607.05 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Ex hd hosp bed > 600 lbs                |
| E0303 |       | C      | 343.88 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed hvy dty xtra wide              |
| E0303 | NU    | C      | 859.70 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hosp bed hvy dty xtra wide              |
| E0303 | RR    | C      | 343.88 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed hvy dty xtra wide              |
| E0303 | UE    | C      | 644.78 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hosp bed hvy dty xtra wide              |
| E0304 |       | C      | 871.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed xtra hvy dty x wide            |
| E0304 | NU    | C      | 871.83 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Hosp bed xtra hvy dty x wide            |
| E0304 | RR    | C      | 871.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hosp bed xtra hvy dty x wide            |
| E0304 | UE    | C      | 653.87 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Hosp bed xtra hvy dty x wide            |
| E0305 |       | C      | 20.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side half length              |
| E0305 | NU    | C      | 201.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side half length              |
| E0305 | RR    | C      | 20.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side half length              |
| E0305 | UE    | C      | 150.98 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side half length              |
| E0310 |       | C      | 31.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side full length              |
| E0310 | NU    | C      | 313.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side full length              |
| E0310 | RR    | C      | 31.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side full length              |
| E0310 | UE    | C      | 235.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rails bed side full length              |
| E0315 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Bed accessory; board/table/support      |
| E0316 |       | C      | 239.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Safety enclos frame/canopy for hosp bed |
| E0316 | NU    | C      | 597.53 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Safety enclos frame/canopy for hosp bed |
| E0316 | RR    | C      | 239.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bed safety enclosure                    |
| E0316 | UE    | C      | 896.29 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Safety enclos frame/canopy for hosp bed |
| E0325 |       | C      | 1.33   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal male jug-type                    |
| E0325 | NU    | C      | 13.27  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal male jug-type                    |
| E0325 | RR    | C      | 1.33   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal male jug-type                    |
| E0325 | UE    | C      | 8.77   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal male jug-type                    |
| E0326 |       | C      | 1.83   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal female jug-type                  |
| E0326 | NU    | C      | 18.27  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Urinal female jug-type                  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)         |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--|
| E0326      | RR            | C             | 1.83        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Urinal female jug-type                 |
| E0326      | UE            | C             | 13.70       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Urinal female jug-type                 |
| E0328      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed, manual               |
| E0328      | NU            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed, manual               |
| E0328      | RR            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed, manual               |
| E0328      | UE            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed, manual               |
| E0329      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed semi/elect            |
| E0329      | NU            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed semi/elect            |
| E0329      | RR            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed semi/elect            |
| E0329      | UE            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Ped hospital bed semi/elect            |
| E0350      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Cont unit, electronic bowel irriga     |
| E0352      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dispos pack, use w/electronic irriga   |
| E0370      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Air elevator for heel                  |
| E0370      | NU            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Air elevator for heel                  |
| E0370      | RR            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Air elevator for heel                  |
| E0370      | UE            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Air elevator for heel                  |
| E0371      |               | C             | 502.81      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nonpower mattress overlay              |
| E0371      | NU            | C             | 838.02      | 0.00                       | 0.00            | 0.00       | XXX              | 7.50                      |             | Nonpower mattress overlay              |
| E0371      | RR            | C             | 502.81      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nonpower mattress overlay              |
| E0371      | UE            | C             | 628.50      | 0.00                       | 0.00            | 0.00       | XXX              | 7.50                      |             | Nonpower mattress overlay              |
| E0372      |               | C             | 610.13      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Powered air mattress overlay           |
| E0372      | NU            | C             | 762.66      | 0.00                       | 0.00            | 0.00       | XXX              | 10.00                     |             | Powered air mattress overlay           |
| E0372      | RR            | C             | 610.13      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Powered air mattress overlay           |
| E0372      | UE            | C             | 572.00      | 0.00                       | 0.00            | 0.00       | XXX              | 10.00                     |             | Powered air mattress overlay           |
| E0373      |               | C             | 695.12      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nonpowered pressure mattress           |
| E0373      | NU            | C             | 868.90      | 0.00                       | 0.00            | 0.00       | XXX              | 10.00                     |             | Nonpowered pressure mattress           |
| E0373      | RR            | C             | 695.12      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nonpowered pressure mattress           |
| E0373      | UE            | C             | 651.68      | 0.00                       | 0.00            | 0.00       | XXX              | 10.00                     |             | Nonpowered pressure mattress           |
| E0424      |               | C             | 175.79      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Stationary compressed gas O2, rental   |
| E0424      | RR            | C             | 175.79      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Stationary compressed gas O2, rental   |
| E0425      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Stationary compressed gas O2, purchase |
| E0425      | NU            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Stationary compressed gas O2, purchase |
| E0425      | UE            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Stationary compressed gas O2, purchase |
| E0430      |               | C             | 139.61      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable gaseous O2, purchase          |
| E0430      | NU            | C             | 186.14      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable gaseous O2, purchase          |
| E0430      | UE            | C             | 139.61      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable gaseous O2, purchase          |
| E0431      |               | C             | 28.77       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable gaseous O2, rental            |
| E0431      | RR            | C             | 28.77       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable gaseous O2, rental            |
| E0434      |               | C             | 28.77       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable liquid O2, rental             |
| E0434      | RR            | C             | 28.77       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable liquid O2, rental             |
| E0435      |               | C             | 139.61      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable liquid O2, purchase           |
| E0435      | NU            | C             | 186.14      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable liquid O2, purchase           |
| E0435      | UE            | C             | 139.61      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Portable liquid O2, purchase           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-------------------------------------|
| E0439      |               | C             | 175.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stationary liquid O2, rental        |
| E0439      | RR            | C             | 175.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stationary liquid O2, rental        |
| E0440      |               | C             | 888.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stationary liquid O2, purchase      |
| E0440      | NU            | C             | 592.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Stationary liquid O2, purchase      |
| E0440      | UE            | C             | 888.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stationary liquid O2, purchase      |
| E0441      |               | C             | 77.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxygen contents, gaseous            |
| E0442      |               | C             | 77.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxygen contents, liquid             |
| E0443      |               | C             | 77.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Portable O2 contents                |
| E0444      |               | C             | 77.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Portable O2 contents                |
| E0445      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oximeter non-invasive               |
| E0445      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oximeter non-invasive               |
| E0445      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oximeter non-invasive               |
| E0445      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oximeter non-invasive               |
| E0450      |               | C             | 626.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Volume vent stationary/porta        |
| E0450      | NU            | C             | 783.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Volume vent stationary/porta        |
| E0450      | RR            | C             | 626.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Volume vent stationary/porta        |
| E0450      | UE            | C             | 587.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Volume vent stationary/porta        |
| E0455      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | O2 tent, excl croup/pediatric tents |
| E0457      |               | C             | 80.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest shell                         |
| E0457      | NU            | C             | 806.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest shell                         |
| E0457      | RR            | C             | 80.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest shell                         |
| E0457      | UE            | C             | 604.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest shell                         |
| E0459      |               | C             | 98.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest wrap                          |
| E0459      | NU            | C             | 983.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest wrap                          |
| E0459      | RR            | C             | 98.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest wrap                          |
| E0459      | UE            | C             | 737.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chest wrap                          |
| E0460      |               | C             | 962.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Neg press vent portabl/statn        |
| E0460      | NU            | C             | 962.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Neg press vent portabl/statn        |
| E0460      | RR            | C             | 962.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Neg press vent portabl/statn        |
| E0460      | UE            | C             | 722.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Neg press vent portabl/statn        |
| E0461      |               | C             | 626.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Vol vent noninvasive interfa        |
| E0461      | NU            | C             | 783.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Vol vent noninvasive interfa        |
| E0461      | RR            | C             | 626.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Vol vent noninvasive interfa        |
| E0461      | UE            | C             | 587.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Vol vent noninvasive interfa        |
| E0462      |               | C             | 420.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rocking bed w/ or w/o side r        |
| E0462      | NU            | C             | 701.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Rocking bed w/ or w/o side r        |
| E0462      | RR            | C             | 420.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rocking bed w/ or w/o side r        |
| E0462      | UE            | C             | 526.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Rocking bed w/ or w/o side r        |
| E0463      |               | C             | 922.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Press supp vent invasive int        |
| E0463      | RR            | C             | 922.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Press supp vent invasive int        |
| E0464      |               | C             | 922.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Press supp vent invasive int        |
| E0464      | RR            | C             | 692.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Press supp vent invasive int        |
| E0470      |               | C             | 290.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | RAD w/o backup non-inv intfc        |

| CPT<br>ADA | MOD-  | PAY    | WORK   | NON-<br>FACILITY | FACILITY<br>PE | MPE  | GLOBAL | CON-<br>VERSION | END  |  |
|------------|-------|--------|--------|------------------|----------------|------|--------|-----------------|------|--|
| HCPCS      | IFIER | STATUS | RVU    | PE RVU           | RVU            | RVU  | PERIOD | FACTOR          | DATE | SHORT DESCRIPTION (HCPCS only)           |
| E0470      | NU    | C      | 725.70 | 0.00             | 0.00           | 0.00 | XXX    | 5.00            |      | RAD w/o backup non-inv intrfc            |
| E0470      | RR    | C      | 290.28 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | RAD w/o backup non-inv intrfc            |
| E0470      | UE    | C      | 544.28 | 0.00             | 0.00           | 0.00 | XXX    | 5.00            |      | RAD w/o backup non-inv intrfc            |
| E0471      |       | C      | 726.45 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | RAD w/backup non inv intrfc              |
| E0471      | NU    | C      | 908.06 | 0.00             | 0.00           | 0.00 | XXX    | 10.00           |      | RAD w/backup non inv intrfc              |
| E0471      | RR    | C      | 726.45 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | RAD w/backup non inv intrfc              |
| E0471      | UE    | C      | 681.05 | 0.00             | 0.00           | 0.00 | XXX    | 10.00           |      | RAD w/backup non inv intrfc              |
| E0472      |       | C      | 726.45 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | RAD w backup invasive intrfc             |
| E0472      | NU    | C      | 908.06 | 0.00             | 0.00           | 0.00 | XXX    | 10.00           |      | RAD w backup invasive intrfc             |
| E0472      | RR    | C      | 726.45 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | RAD w backup invasive intrfc             |
| E0472      | UE    | C      | 681.05 | 0.00             | 0.00           | 0.00 | XXX    | 10.00           |      | RAD w backup invasive intrfc             |
| E0480      |       | C      | 57.67  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Percussor elect/pneum home m             |
| E0480      | NU    | C      | 576.70 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Percussor elect/pneum home m             |
| E0480      | RR    | C      | 57.67  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Percussor elect/pneum home m             |
| E0480      | UE    | C      | 432.53 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Percussor elect/pneum home m             |
| E0481      |       | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Intrapulmonary perc vent sys + access    |
| E0481      | NU    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Intrapulmonary perc vent sys + access    |
| E0481      | RR    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Intrapulmonary perc vent sys + access    |
| E0481      | UE    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Intrapulmonary perc vent sys + access    |
| E0482      |       | C      | 564.40 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Cough stimulat device, alt +/- air press |
| E0482      | NU    | C      | 940.67 | 0.00             | 0.00           | 0.00 | XXX    | 7.50            |      | Cough stimulat device, alt +/- air press |
| E0482      | RR    | C      | 564.40 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Cough stimulating device                 |
| E0482      | UE    | C      | 705.50 | 0.00             | 0.00           | 0.00 | XXX    | 7.50            |      | Cough stimulat device, alt +/- air press |
| E0483      |       | C      | 697.68 | 0.00             | 0.00           | 0.00 | XXX    | 2.50            |      | Chest compression gen system             |
| E0483      | NU    | C      | 872.10 | 0.00             | 0.00           | 0.00 | XXX    | 20.00           |      | Chest compression gen system             |
| E0483      | RR    | C      | 697.68 | 0.00             | 0.00           | 0.00 | XXX    | 2.50            |      | Chest compression gen system             |
| E0483      | UE    | C      | 654.08 | 0.00             | 0.00           | 0.00 | XXX    | 20.00           |      | Chest compression gen system             |
| E0484      |       | C      | 4.84   | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Non-elec oscillatory pep dvc             |
| E0484      | NU    | C      | 48.40  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Non-elec oscillatory pep dvc             |
| E0484      | RR    | C      | 4.84   | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Non-elec oscillatory pep dvc             |
| E0484      | UE    | C      | 36.30  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Non-elec oscillatory pep dvc             |
| E0485      |       | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance prefab             |
| E0485      | NU    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance prefab             |
| E0485      | RR    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance prefab             |
| E0485      | UE    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance prefab             |
| E0486      |       | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance cusfab             |
| E0486      | NU    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance cusfab             |
| E0486      | RR    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance cusfab             |
| E0486      | UE    | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Oral device/appliance cusfab             |
| E0487      |       | C      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | Electronic spirometer                    |
| E0500      |       | C      | 144.08 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Ippb all types                           |
| E0500      | NU    | C      | 720.40 | 0.00             | 0.00           | 0.00 | XXX    | 2.50            |      | Ippb all types                           |
| E0500      | RR    | C      | 144.08 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Ippb all types                           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0500      | UE            | C             | 540.30      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Ippb all types                 |
| E0550      |               | C             | 77.15       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidif extens suppl w ippb    |
| E0550      | NU            | C             | 771.50      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidif extens suppl w ippb    |
| E0550      | RR            | C             | 77.15       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidif extens suppl w ippb    |
| E0550      | UE            | C             | 578.63      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidif extens suppl w ippb    |
| E0555      |               | C             | 14.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier for use w/ regula   |
| E0555      | NU            | C             | 14.12       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier for use w/ regula   |
| E0555      | RR            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      | 12/31/2008  | Humidifier for use w/ regula   |
| E0555      | UE            | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      | 12/31/2008  | Humidifier for use w/ regula   |
| E0560      |               | C             | 25.76       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier supplemental w/ i   |
| E0560      | NU            | C             | 257.60      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier supplemental w/ i   |
| E0560      | RR            | C             | 25.76       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier supplemental w/ i   |
| E0560      | UE            | C             | 193.20      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier supplemental w/ i   |
| E0561      |               | C             | 12.09       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier nonheated w PAP     |
| E0561      | NU            | C             | 121.05      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier nonheated w PAP     |
| E0561      | RR            | C             | 12.09       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier nonheated w PAP     |
| E0561      | UE            | C             | 90.78       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier nonheated w PAP     |
| E0562      |               | C             | 34.06       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier heated used w PAP   |
| E0562      | NU            | C             | 340.75      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier heated used w PAP   |
| E0562      | RR            | C             | 34.06       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier heated used w PAP   |
| E0562      | UE            | C             | 255.56      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Humidifier heated used w PAP   |
| E0565      |               | C             | 80.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Compressor air power source    |
| E0565      | NU            | C             | 800.70      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Compressor air power source    |
| E0565      | RR            | C             | 80.07       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Compressor air power source    |
| E0565      | UE            | C             | 600.53      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Compressor air power source    |
| E0570      |               | C             | 16.92       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nebulizer with compression     |
| E0570      | NU            | C             | 169.20      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nebulizer with compression     |
| E0570      | RR            | C             | 16.92       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nebulizer with compression     |
| E0570      | UE            | C             | 126.90      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nebulizer with compression     |
| E0571      |               | C             | 39.34       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor for svneb   |
| E0571      | NU            | C             | 393.40      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor for svneb   |
| E0571      | RR            | C             | 39.34       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor for svneb   |
| E0571      | UE            | C             | 295.05      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor for svneb   |
| E0572      |               | C             | 49.99       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor adjust pr   |
| E0572      | NU            | C             | 499.90      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor adjust pr   |
| E0572      | RR            | C             | 49.99       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor adjust pr   |
| E0572      | UE            | C             | 374.92      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Aerosol compressor adjust pr   |
| E0574      |               | C             | 52.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultrasonic generator w svneb   |
| E0574      | NU            | C             | 528.40      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultrasonic generator w svneb   |
| E0574      | RR            | C             | 52.84       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultrasonic generator w svneb   |
| E0574      | UE            | C             | 396.30      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultrasonic generator w svneb   |
| E0575      |               | C             | 134.90      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Nebulizer ultrasonic           |
| E0575      | NU            | C             | 674.50      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Nebulizer ultrasonic           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------|
| E0575      | RR            | C             | 134.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer ultrasonic            |
| E0575      | UE            | C             | 505.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Nebulizer ultrasonic            |
| E0580      |               | C             | 15.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer for use w/ regulat    |
| E0580      | NU            | C             | 151.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer for use w/ regulat    |
| E0580      | RR            | C             | 15.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer for use w/ regulat    |
| E0580      | UE            | C             | 113.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer for use w/ regulat    |
| E0585      |               | C             | 60.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer w/ compressor & he    |
| E0585      | NU            | C             | 601.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer w/ compressor & he    |
| E0585      | RR            | C             | 60.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer w/ compressor & he    |
| E0585      | UE            | C             | 450.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nebulizer w/ compressor & he    |
| E0600      |               | C             | 71.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Suction pump portab hom modl    |
| E0600      | NU            | C             | 713.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Suction pump portab hom modl    |
| E0600      | RR            | C             | 71.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Suction pump portab hom modl    |
| E0600      | UE            | C             | 535.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Suction pump portab hom modl    |
| E0601      |               | C             | 126.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cont airway pressure device     |
| E0601      | NU            | C             | 631.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Cont airway pressure device     |
| E0601      | RR            | C             | 126.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cont airway pressure device     |
| E0601      | UE            | C             | 947.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cont airway pressure device     |
| E0602      |               | C             | 3.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Breast pump, all types          |
| E0602      | NU            | C             | 38.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Manual breast pump              |
| E0602      | RR            | C             | 3.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Manual breast pump              |
| E0602      | UE            | C             | 29.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Manual breast pump              |
| E0603      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast pump, electric, any type |
| E0604      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast pump, HD hosp grade      |
| E0605      |               | C             | 7.93        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vaporizer room type             |
| E0605      | NU            | C             | 79.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vaporizer room type             |
| E0605      | RR            | C             | 7.93        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vaporizer room type             |
| E0605      | UE            | C             | 59.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vaporizer room type             |
| E0606      |               | C             | 30.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainage board postural         |
| E0606      | NU            | C             | 301.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainage board postural         |
| E0606      | RR            | C             | 30.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainage board postural         |
| E0606      | UE            | C             | 225.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drainage board postural         |
| E0607      |               | C             | 8.01        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose monitor home      |
| E0607      | NU            | C             | 79.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose monitor home      |
| E0607      | RR            | C             | 8.01        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose monitor home      |
| E0607      | UE            | C             | 59.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood glucose monitor home      |
| E0610      |               | C             | 52.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr audible/vis    |
| E0610      | NU            | C             | 524.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr audible/vis    |
| E0610      | RR            | C             | 52.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr audible/vis    |
| E0610      | UE            | C             | 393.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr audible/vis    |
| E0615      |               | C             | 62.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr digital/vis    |
| E0615      | NU            | C             | 628.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr digital/vis    |
| E0615      | RR            | C             | 62.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr digital/vis    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)        |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------------|
| E0615      | UE            | C             | 471.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pacemaker monitr digital/vis          |
| E0616      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cardiac event recorder                |
| E0617      |               | C             | 399.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext defrib w/ integ EKG analysis      |
| E0617      | NU            | C             | 997.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ext defrib w/ integ EKG analysis      |
| E0617      | RR            | C             | 399.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Automatic ext defibrillator           |
| E0617      | UE            | C             | 748.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ext defrib w/ integ EKG analysis      |
| E0618      |               | C             | 367.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Apnea monitor                         |
| E0618      | NU            | C             | 919.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Apnea monitor                         |
| E0618      | RR            | C             | 367.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Apnea monitor                         |
| E0618      | UE            | C             | 689.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Apnea monitor                         |
| E0619      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apnea monitor w recorder              |
| E0619      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apnea monitor w recorder              |
| E0619      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apnea monitor w recorder              |
| E0619      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Apnea monitor w recorder              |
| E0620      |               | C             | 114.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cap bld skin piercing laser           |
| E0620      | NU            | C             | 573.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Cap bld skin piercing laser           |
| E0620      | RR            | C             | 114.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cap bld skin piercing laser           |
| E0620      | UE            | C             | 860.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cap bld skin piercing laser           |
| E0621      |               | C             | 12.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift sling or seat            |
| E0621      | NU            | C             | 121.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift sling or seat            |
| E0621      | RR            | C             | 12.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift sling or seat            |
| E0621      | UE            | C             | 91.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift sling or seat            |
| E0625      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Patient lift; kartop/bath/toilet, NOS |
| E0627      |               | C             | 44.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift incorp lift-chair           |
| E0627      | NU            | C             | 442.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift incorp lift-chair           |
| E0627      | RR            | C             | 44.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift incorp lift-chair           |
| E0627      | UE            | C             | 332.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift incorp lift-chair           |
| E0628      |               | C             | 44.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-electr          |
| E0628      | NU            | C             | 442.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-electr          |
| E0628      | RR            | C             | 44.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-electr          |
| E0628      | UE            | C             | 332.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-electr          |
| E0629      |               | C             | 43.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-non-el          |
| E0629      | NU            | C             | 434.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-non-el          |
| E0629      | RR            | C             | 43.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-non-el          |
| E0629      | UE            | C             | 325.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat lift for pt furn-non-el          |
| E0630      |               | C             | 133.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift hydraulic                |
| E0630      | NU            | C             | 668.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Patient lift hydraulic                |
| E0630      | RR            | C             | 133.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift hydraulic                |
| E0630      | UE            | C             | 501.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Patient lift hydraulic                |
| E0635      |               | C             | 160.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift electric                 |
| E0635      | NU            | C             | 803.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Patient lift electric                 |
| E0635      | RR            | C             | 160.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Patient lift electric                 |
| E0635      | UE            | C             | 602.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Patient lift electric                 |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E0636 |       | C      | 692.06 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PT support & positioning sys   |
| E0636 | NU    | C      | 865.07 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | PT support & positioning sys   |
| E0636 | RR    | C      | 692.06 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PT support & positioning sys   |
| E0636 | UE    | C      | 648.80 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | PT support & positioning sys   |
| E0637 |       | C      | 360.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sit-stand w seatlift           |
| E0637 | NU    | C      | 902.13 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Sit-stand w seatlift           |
| E0637 | RR    | C      | 360.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sit-stand w seatlift           |
| E0637 | UE    | C      | 676.60 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Sit-stand w seatlift           |
| E0638 |       | C      | 88.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standing frame sys             |
| E0638 | NU    | C      | 883.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standing frame sys             |
| E0638 | RR    | C      | 88.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standing frame sys             |
| E0638 | UE    | C      | 662.59 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standing frame sys             |
| E0639 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Patient lift, moveable         |
| E0640 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Patient lift, fixed            |
| E0641 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Multi-position stnd fram sys   |
| E0642 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Dynamic standing frame         |
| E0650 |       | C      | 116.64 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneuma compresor non-segment   |
| E0650 | NU    | C      | 583.20 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pneuma compresor non-segment   |
| E0650 | RR    | C      | 116.64 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneuma compresor non-segment   |
| E0650 | UE    | C      | 874.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneuma compresor non-segment   |
| E0651 |       | C      | 123.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum compressor segmental     |
| E0651 | NU    | C      | 615.70 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pneum compressor segmental     |
| E0651 | RR    | C      | 123.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum compressor segmental     |
| E0651 | UE    | C      | 923.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum compressor segmental     |
| E0652 |       | C      | 693.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum compres w/cal pressure   |
| E0652 | NU    | C      | 866.32 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Pneum compres w/cal pressure   |
| E0652 | RR    | C      | 693.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum compres w/cal pressure   |
| E0652 | UE    | C      | 649.74 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Pneum compres w/cal pressure   |
| E0655 |       | C      | 14.17  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance half arm   |
| E0655 | NU    | C      | 141.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance half arm   |
| E0655 | RR    | C      | 14.17  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance half arm   |
| E0655 | UE    | C      | 106.37 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance half arm   |
| E0656 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic trunk      |
| E0656 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic trunk      |
| E0656 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic trunk      |
| E0656 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic trunk      |
| E0657 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic chest      |
| E0657 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic chest      |
| E0657 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic chest      |
| E0657 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Segmental pneumatic chest      |
| E0660 |       | C      | 20.97  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance full leg   |
| E0660 | NU    | C      | 209.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance full leg   |
| E0660 | RR    | C      | 20.97  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic appliance full leg   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0660      | UE            | C             | 157.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance full leg   |
| E0665      |               | C             | 17.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance full arm   |
| E0665      | NU            | C             | 179.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance full arm   |
| E0665      | RR            | C             | 17.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance full arm   |
| E0665      | UE            | C             | 135.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance full arm   |
| E0666      |               | C             | 18.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance half leg   |
| E0666      | NU            | C             | 181.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance half leg   |
| E0666      | RR            | C             | 18.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance half leg   |
| E0666      | UE            | C             | 135.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic appliance half leg   |
| E0667      |               | C             | 77.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full leg    |
| E0667      | NU            | C             | 776.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full leg    |
| E0667      | RR            | C             | 77.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full leg    |
| E0667      | UE            | C             | 582.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full leg    |
| E0668      |               | C             | 71.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full arm    |
| E0668      | NU            | C             | 719.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full arm    |
| E0668      | RR            | C             | 71.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full arm    |
| E0668      | UE            | C             | 539.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appl full arm    |
| E0669      |               | C             | 24.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appli half leg   |
| E0669      | NU            | C             | 240.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appli half leg   |
| E0669      | RR            | C             | 24.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appli half leg   |
| E0669      | UE            | C             | 180.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seg pneumatic appli half leg   |
| E0671      |               | C             | 54.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full leg   |
| E0671      | NU            | C             | 545.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full leg   |
| E0671      | RR            | C             | 54.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full leg   |
| E0671      | UE            | C             | 408.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full leg   |
| E0672      |               | C             | 42.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full arm   |
| E0672      | NU            | C             | 423.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full arm   |
| E0672      | RR            | C             | 42.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full arm   |
| E0672      | UE            | C             | 317.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl full arm   |
| E0673      |               | C             | 35.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl half leg   |
| E0673      | NU            | C             | 351.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl half leg   |
| E0673      | RR            | C             | 35.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl half leg   |
| E0673      | UE            | C             | 264.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pressure pneum appl half leg   |
| E0675      |               | C             | 504.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic compression device   |
| E0675      | NU            | C             | 841.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Pneumatic compression device   |
| E0675      | RR            | C             | 504.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic compression device   |
| E0675      | UE            | C             | 630.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Pneumatic compression device   |
| E0676      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inter limb compress dev NOS    |
| E0691      |               | C             | 117.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl pnl 2 sq ft or less        |
| E0691      | NU            | C             | 589.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Uvl pnl 2 sq ft or less        |
| E0691      | RR            | C             | 117.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl pnl 2 sq ft or less        |
| E0691      | UE            | C             | 884.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl pnl 2 sq ft or less        |
| E0692      |               | C             | 148.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Uvl sys panel 4 ft             |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |  |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)             |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |  |
| E0692 | NU    | C      | 740.50 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Uvl sys panel 4 ft                         |
| E0692 | RR    | C      | 148.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Uvl sys panel 4 ft                         |
| E0692 | UE    | C      | 555.38 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Uvl sys panel 4 ft                         |
| E0693 |       | C      | 182.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Uvl sys panel 6 ft                         |
| E0693 | NU    | C      | 912.83 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Uvl sys panel 6 ft                         |
| E0693 | RR    | C      | 182.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Uvl sys panel 6 ft                         |
| E0693 | UE    | C      | 684.62 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Uvl sys panel 6 ft                         |
| E0694 |       | C      | 581.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Uvl md cabinet sys 6 ft                    |
| E0694 | NU    | C      | 968.48 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Uvl md cabinet sys 6 ft                    |
| E0694 | RR    | C      | 581.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Uvl md cabinet sys 6 ft                    |
| E0694 | UE    | C      | 726.36 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Uvl md cabinet sys 6 ft                    |
| E0700 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Safety equip.-belt/harness/vest            |
| E0705 |       | C      | 9.93   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Transfer board or device                   |
| E0705 | NU    | C      | 99.30  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Transfer board or device                   |
| E0705 | RR    | C      | 9.93   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Transfer board or device                   |
| E0705 | UE    | C      | 74.47  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Transfer board or device                   |
| E0710 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Restraint, any type-body/chest/wrist/ankle |
| E0720 |       | C      | 51.22  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens two lead                              |
| E0720 | NU    | C      | 512.17 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens two lead                              |
| E0720 | RR    | C      | 51.22  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens two lead                              |
| E0720 | UE    | C      | 384.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens two lead                              |
| E0730 |       | C      | 55.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens four lead                             |
| E0730 | NU    | C      | 559.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens four lead                             |
| E0730 | RR    | C      | 55.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens four lead                             |
| E0730 | UE    | C      | 419.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tens four lead                             |
| E0731 |       | C      | 62.44  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Conductive garment for tens/               |
| E0731 | NU    | C      | 624.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Conductive garment for tens/               |
| E0731 | RR    | C      | 62.44  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Conductive garment for tens/               |
| E0731 | UE    | C      | 468.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Conductive garment for tens/               |
| E0740 |       | C      | 68.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Incontinence treatment system              |
| E0740 | NU    | C      | 686.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Incontinence treatment systm               |
| E0740 | RR    | C      | 68.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Incontinence treatment systm               |
| E0740 | UE    | C      | 514.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Incontinence treatment systm               |
| E0744 |       | C      | 120.19 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for scoli               |
| E0744 | NU    | C      | 600.95 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Neuromuscular stim for scoli               |
| E0744 | RR    | C      | 120.19 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for scoli               |
| E0744 | UE    | C      | 901.43 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for scoli               |
| E0745 |       | C      | 117.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for shock               |
| E0745 | NU    | C      | 587.45 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Neuromuscular stim for shock               |
| E0745 | RR    | C      | 117.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for shock               |
| E0745 | UE    | C      | 881.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Neuromuscular stim for shock               |
| E0746 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | EMG biofeedback device                     |
| E0747 |       | C      | 510.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elec osteogen stim not spine               |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)        |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------------|
| E0747      | NU            | C             | 851.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elec osteogen stim not spine          |
| E0747      | RR            | C             | 510.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elec osteogen stim not spine          |
| E0747      | UE            | C             | 638.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elec osteogen stim not spine          |
| E0748      |               | C             | 510.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elec osteogen stim spinal             |
| E0748      | NU            | C             | 851.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elec osteogen stim spinal             |
| E0748      | RR            | C             | 510.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elec osteogen stim spinal             |
| E0748      | UE            | C             | 638.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elec osteogen stim spinal             |
| E0749      |               | C             | 373.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elec osteogen stim implanted          |
| E0749      | NU            | C             | 933.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elec osteogen stim implanted          |
| E0749      | RR            | C             | 373.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elec osteogen stim implanted          |
| E0749      | UE            | C             | 699.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elec osteogen stim implanted          |
| E0755      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Electronic salivary reflex stimulator |
| E0760      |               | C             | 424.36      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Osteogen ultrasound stimltor          |
| E0760      | NU            | C             | 707.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Osteogen ultrasound stimltor          |
| E0760      | RR            | C             | 424.36      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Osteogen ultrasound stimltor          |
| E0760      | UE            | C             | 530.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Osteogen ultrasound stimltor          |
| E0761      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nontherm electromgntc device          |
| E0762      |               | C             | 172.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans elec jt stim dev sys            |
| E0762      | NU            | C             | 860.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Trans elec jt stim dev sys            |
| E0762      | RR            | C             | 172.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans elec jt stim dev sys            |
| E0762      | UE            | C             | 645.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Trans elec jt stim dev sys            |
| E0764      |               | C             | 726.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Functional neuromuscularstim          |
| E0764      | NU            | C             | 907.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Functional neuromuscularstim          |
| E0764      | RR            | C             | 726.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Functional neuromuscularstim          |
| E0764      | UE            | C             | 680.87      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Functional neuromuscularstim          |
| E0765      |               | C             | 11.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nerve stimulator for tx n&v           |
| E0765      | NU            | C             | 110.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nerve stimulator for tx n&v           |
| E0765      | RR            | C             | 11.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nerve stimulator for tx n&v           |
| E0765      | UE            | C             | 82.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nerve stimulator for tx n&v           |
| E0769      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Elect/electromag wound tx device NOS  |
| E0770      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Functional electric stim NOS          |
| E0776      |               | C             | 18.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iv pole                               |
| E0776      | NU            | C             | 187.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iv pole                               |
| E0776      | RR            | C             | 18.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iv pole                               |
| E0776      | UE            | C             | 138.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iv pole                               |
| E0779      |               | C             | 23.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amb infusion pump mechanical          |
| E0779      | NU            | C             | 234.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amb infusion pump mechanical          |
| E0779      | RR            | C             | 23.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amb infusion pump mechanical          |
| E0779      | UE            | C             | 176.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amb infusion pump mechanical          |
| E0780      |               | C             | 1.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mech amb infusion pump <8hrs          |
| E0780      | NU            | C             | 13.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mech amb infusion pump <8hrs          |
| E0780      | RR            | C             | 1.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mech amb infusion pump <8hrs          |
| E0780      | UE            | C             | 10.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mech amb infusion pump <8hrs          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0781      |               | C             | 356.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | External ambulatory infus pu   |
| E0781      | NU            | C             | 890.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | External ambulatory infus pu   |
| E0781      | RR            | C             | 356.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | External ambulatory infus pu   |
| E0781      | UE            | C             | 667.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | External ambulatory infus pu   |
| E0782      |               | C             | 563.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-programble infusion pump   |
| E0782      | NU            | C             | 939.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Non-programble infusion pump   |
| E0782      | RR            | C             | 563.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-programble infusion pump   |
| E0782      | UE            | C             | 704.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Non-programble infusion pump   |
| E0783      |               | C             | 537.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Programmable infusion pump     |
| E0783      | NU            | C             | 895.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Programmable infusion pump     |
| E0783      | RR            | C             | 537.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Programmable infusion pump     |
| E0783      | UE            | C             | 671.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Programmable infusion pump     |
| E0784      |               | C             | 548.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext amb infusn pump insulin    |
| E0784      | NU            | C             | 913.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Ext amb infusn pump insulin    |
| E0784      | RR            | C             | 548.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ext amb infusn pump insulin    |
| E0784      | UE            | C             | 685.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Ext amb infusn pump insulin    |
| E0785      |               | C             | 496.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement impl pump cathet   |
| E0785      | KF            | C             | 496.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement impl pump cathet   |
| E0785      | NU            | C             | 496.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replacement impl pump cathet   |
| E0786      |               | C             | 838.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Implantable pump replacement   |
| E0786      | NU            | C             | 698.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Implantable pump replacement   |
| E0786      | RR            | C             | 838.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Implantable pump replacement   |
| E0786      | UE            | C             | 786.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Implantable pump replacement   |
| E0791      |               | C             | 415.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Parenteral infusion pump sta   |
| E0791      | NU            | C             | 691.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Parenteral infusion pump sta   |
| E0791      | RR            | C             | 415.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Parenteral infusion pump sta   |
| E0791      | UE            | C             | 778.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Parenteral infusion pump sta   |
| E0830      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ambulatory traction device     |
| E0840      |               | C             | 11.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tract frame attach headboard   |
| E0840      | NU            | C             | 119.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tract frame attach headboard   |
| E0840      | RR            | C             | 11.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tract frame attach headboard   |
| E0840      | UE            | C             | 119.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tract frame attach headboard   |
| E0849      |               | C             | 67.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical pneum trac equip      |
| E0849      | NU            | C             | 676.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical pneum trac equip      |
| E0849      | RR            | C             | 67.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical pneum trac equip      |
| E0849      | UE            | C             | 507.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical pneum trac equip      |
| E0850      |               | C             | 13.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Traction stand free standing   |
| E0850      | NU            | C             | 137.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Traction stand free standing   |
| E0850      | RR            | C             | 13.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Traction stand free standing   |
| E0850      | UE            | C             | 105.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Traction stand free standing   |
| E0855      |               | C             | 65.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical traction equipment    |
| E0855      | NU            | C             | 659.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical traction equipment    |
| E0855      | RR            | C             | 65.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical traction equipment    |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E0855 | UE    | C      | 494.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cervical traction equipment    |
| E0856 |       | C      | 20.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cervic collar w air bladder    |
| E0856 | NU    | C      | 202.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cervic collar w air bladder    |
| E0856 | RR    | C      | 20.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cervic collar w air bladder    |
| E0856 | UE    | C      | 151.64 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cervic collar w air bladder    |
| E0860 |       | C      | 34.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract equip cervical tract     |
| E0860 | NU    | C      | 341.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract equip cervical tract     |
| E0860 | RR    | C      | 34.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract equip cervical tract     |
| E0860 | UE    | C      | 255.98 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract equip cervical tract     |
| E0870 |       | C      | 49.76  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract frame attach footboard   |
| E0870 | NU    | C      | 497.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract frame attach footboard   |
| E0870 | RR    | C      | 49.76  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract frame attach footboard   |
| E0870 | UE    | C      | 373.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tract frame attach footboard   |
| E0880 |       | C      | 43.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand extrem   |
| E0880 | NU    | C      | 436.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand extrem   |
| E0880 | RR    | C      | 43.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand extrem   |
| E0880 | UE    | C      | 327.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand extrem   |
| E0890 |       | C      | 41.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Traction frame attach pelvic   |
| E0890 | NU    | C      | 414.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Traction frame attach pelvic   |
| E0890 | RR    | C      | 41.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Traction frame attach pelvic   |
| E0890 | UE    | C      | 310.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Traction frame attach pelvic   |
| E0900 |       | C      | 44.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand pelvic   |
| E0900 | NU    | C      | 447.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand pelvic   |
| E0900 | RR    | C      | 44.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand pelvic   |
| E0900 | UE    | C      | 335.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trac stand free stand pelvic   |
| E0910 |       | C      | 22.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trapeze bar attached to bed    |
| E0910 | NU    | C      | 226.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trapeze bar attached to bed    |
| E0910 | RR    | C      | 22.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trapeze bar attached to bed    |
| E0910 | UE    | C      | 169.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Trapeze bar attached to bed    |
| E0911 |       | C      | 56.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar attach to bed   |
| E0911 | NU    | C      | 563.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar attach to bed   |
| E0911 | RR    | C      | 56.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar attach to bed   |
| E0911 | UE    | C      | 422.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar attach to bed   |
| E0912 |       | C      | 129.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar free standing   |
| E0912 | NU    | C      | 647.50 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | HD trapeze bar free standing   |
| E0912 | RR    | C      | 129.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar free standing   |
| E0912 | UE    | C      | 971.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | HD trapeze bar free standing   |
| E0920 |       | C      | 60.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame attached to bed |
| E0920 | NU    | C      | 605.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame attached to bed |
| E0920 | RR    | C      | 60.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame attached to b   |
| E0920 | UE    | C      | 454.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame attached to bed |
| E0930 |       | C      | 59.96  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame free standing   |
| E0930 | NU    | C      | 599.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fracture frame free standing   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0930      | RR            | C             | 59.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame free standing   |
| E0930      | UE            | C             | 449.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame free standing   |
| E0935      |               | C             | 29.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exercise device passive moti   |
| E0935      | NU            | C             | 298.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exercise device passive moti   |
| E0935      | RR            | C             | 29.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exercise device passive moti   |
| E0935      | UE            | C             | 223.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exercise device passive moti   |
| E0936      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CPM device, other than knee    |
| E0940      |               | C             | 39.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trapeze bar free standing      |
| E0940      | NU            | C             | 393.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trapeze bar free standing      |
| E0940      | RR            | C             | 39.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trapeze bar free standing      |
| E0940      | UE            | C             | 295.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trapeze bar free standing      |
| E0941      |               | C             | 69.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gravity assisted traction de   |
| E0941      | NU            | C             | 696.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gravity assisted traction de   |
| E0941      | RR            | C             | 69.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gravity assisted traction de   |
| E0941      | UE            | C             | 522.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gravity assisted traction de   |
| E0942      |               | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical head harness/halter   |
| E0942      | NU            | C             | 30.10       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical head harness/halter   |
| E0942      | RR            | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical head harness/halter   |
| E0942      | UE            | C             | 22.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cervical head harness/halter   |
| E0944      |               | C             | 6.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelvic belt/harness/boot       |
| E0944      | NU            | C             | 60.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelvic belt/harness/boot       |
| E0944      | RR            | C             | 6.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelvic belt/harness/boot       |
| E0944      | UE            | C             | 45.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelvic belt/harness/boot       |
| E0945      |               | C             | 5.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Belt/harness extremity         |
| E0945      | NU            | C             | 58.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Belt/harness extremity         |
| E0945      | RR            | C             | 5.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Belt/harness extremity         |
| E0945      | UE            | C             | 45.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Belt/harness extremity         |
| E0946      |               | C             | 77.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame dual w cross    |
| E0946      | NU            | C             | 776.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame dual w cross    |
| E0946      | RR            | C             | 77.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame dual w cross    |
| E0946      | UE            | C             | 582.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame dual w cross    |
| E0947      |               | C             | 79.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts pe   |
| E0947      | NU            | C             | 795.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts pe   |
| E0947      | RR            | C             | 79.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts pe   |
| E0947      | UE            | C             | 596.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts pe   |
| E0948      |               | C             | 76.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts ce   |
| E0948      | NU            | C             | 769.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts ce   |
| E0948      | RR            | C             | 76.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts ce   |
| E0948      | UE            | C             | 542.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fracture frame attachmnts ce   |
| E0950      |               | C             | 19.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tray, wheelchair accessory     |
| E0950      | NU            | C             | 193.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tray, wheelchair accessory     |
| E0950      | RR            | C             | 19.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tray, wheelchair accessory     |
| E0950      | UE            | C             | 144.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tray, wheelchair accessory     |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E0951 |       | C      | 5.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Loop heel                      |
| E0951 | NU    | C      | 57.46  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Loop heel                      |
| E0951 | RR    | C      | 5.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Loop heel                      |
| E0951 | UE    | C      | 43.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Loop heel                      |
| E0952 |       | C      | 4.32   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Toe loop/holder, each          |
| E0952 | NU    | C      | 43.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Toe loop/holder, each          |
| E0952 | RR    | C      | 4.32   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Toe loop/holder, each          |
| E0952 | UE    | C      | 32.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Toe loop/holder, each          |
| E0955 |       | C      | 26.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cushioned headrest             |
| E0955 | NU    | C      | 265.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cushioned headrest             |
| E0955 | RR    | C      | 26.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cushioned headrest             |
| E0955 | UE    | C      | 199.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cushioned headrest             |
| E0956 |       | C      | 12.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c lateral trunk/hip suppor   |
| E0956 | NU    | C      | 129.39 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c lateral trunk/hip suppor   |
| E0956 | RR    | C      | 12.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c lateral trunk/hip suppor   |
| E0956 | UE    | C      | 97.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c lateral trunk/hip suppor   |
| E0957 |       | C      | 18.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c medial thigh support       |
| E0957 | NU    | C      | 181.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c medial thigh support       |
| E0957 | RR    | C      | 18.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c medial thigh support       |
| E0957 | UE    | C      | 135.78 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c medial thigh support       |
| E0958 |       | C      | 57.26  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr att- conv 1 arm drive   |
| E0958 | NU    | C      | 572.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr att- conv 1 arm drive   |
| E0958 | RR    | C      | 57.26  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr att- conv 1 arm drive   |
| E0958 | UE    | C      | 429.45 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr att- conv 1 arm drive   |
| E0959 |       | C      | 7.90   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Amputee adapter                |
| E0959 | NU    | C      | 78.92  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Amputee adapter                |
| E0959 | RR    | C      | 7.90   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Amputee adapter                |
| E0959 | UE    | C      | 59.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Amputee adapter                |
| E0960 |       | C      | 11.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c shoulder harness/straps    |
| E0960 | NU    | C      | 119.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c shoulder harness/straps    |
| E0960 | RR    | C      | 11.95  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c shoulder harness/straps    |
| E0960 | UE    | C      | 89.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/c shoulder harness/straps    |
| E0961 |       | C      | 4.07   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair brake extension     |
| E0961 | NU    | C      | 39.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair brake extension     |
| E0961 | RR    | C      | 4.07   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair brake extension     |
| E0961 | UE    | C      | 29.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair brake extension     |
| E0966 |       | C      | 12.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair head rest extensi   |
| E0966 | NU    | C      | 126.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair head rest extensi   |
| E0966 | RR    | C      | 12.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair head rest extensi   |
| E0966 | UE    | C      | 94.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair head rest extensi   |
| E0967 |       | C      | 8.63   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hand rims           |
| E0967 | NU    | C      | 86.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hand rims           |
| E0967 | RR    | C      | 8.63   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hand rims           |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|-----------|------------|------------------|---------------------------|-------------|--------------------------------|
| E0967      | UE            | C             | 64.64       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair hand rims           |
| E0968      |               | C             | 23.54       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair commode seat        |
| E0968      | NU            | C             | 235.40      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair commode seat        |
| E0968      | RR            | C             | 23.54       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair commode seat        |
| E0968      | UE            | C             | 176.55      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair commode seat        |
| E0969      |               | C             | 20.36       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair narrowing device    |
| E0969      | NU            | C             | 205.58      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair narrowing device    |
| E0969      | RR            | C             | 20.36       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair narrowing device    |
| E0969      | UE            | C             | 154.19      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair narrowing device    |
| E0970      |               | C             | 5.49        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair no. 2 footplates    |
| E0970      | NU            | C             | 61.50       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair no. 2 footplates    |
| E0970      | RR            | C             | 5.49        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair no. 2 footplates    |
| E0970      | UE            | C             | 46.14       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair no. 2 footplates    |
| E0971      |               | C             | 5.70        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair anti-tipping devi   |
| E0971      | NU            | C             | 56.95       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair anti-tipping devi   |
| E0971      | RR            | C             | 5.70        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair anti-tipping devi   |
| E0971      | UE            | C             | 42.74       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair anti-tipping devi   |
| E0973      |               | C             | 57.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair adjustabl height    |
| E0973      | NU            | C             | 579.90      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access det adj armrest    |
| E0973      | RR            | C             | 57.97       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access det adj armrest    |
| E0973      | UE            | C             | 434.91      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access det adj armrest    |
| E0974      |               | C             | 10.29       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair grade-aid           |
| E0974      | NU            | C             | 102.91      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access anti-rollback      |
| E0974      | RR            | C             | 10.29       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access anti-rollback      |
| E0974      | UE            | C             | 77.76       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/Ch access anti-rollback      |
| E0978      |               | C             | 5.61        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/C acc,saf belt pelv strap    |
| E0978      | NU            | C             | 56.05       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/C acc,saf belt pelv strap    |
| E0978      | RR            | C             | 5.61        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/C acc,saf belt pelv strap    |
| E0978      | UE            | C             | 41.55       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | W/C acc,saf belt pelv strap    |
| E0980      |               | C             | 4.34        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair safety vest         |
| E0980      | NU            | C             | 43.39       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair safety vest         |
| E0980      | RR            | C             | 4.34        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair safety vest         |
| E0980      | UE            | C             | 32.36       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Wheelchair safety vest         |
| E0981      |               | C             | 9.71        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Seat upholstery                |
| E0981      | NU            | C             | 97.06       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Seat upholstery                |
| E0981      | RR            | C             | 9.71        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Seat upholstery                |
| E0981      | UE            | C             | 72.79       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Seat upholstery                |
| E0982      |               | C             | 9.11        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Back upholstery                |
| E0982      | NU            | C             | 91.20       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Back upholstery                |
| E0982      | RR            | C             | 9.11        | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Back upholstery                |
| E0982      | UE            | C             | 68.39       | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Back upholstery                |
| E0983      |               | C             | 328.04      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 1.25                      |             | Add pwr joystick               |
| E0983      | NU            | C             | 820.10      | 0.00                       | 0.00            | 0.00      | 0.00       | XXX              | 5.00                      |             | Add pwr joystick               |

| CPT   | MOD-  | PAY    | WORK   | NON-   | FACILITY | CON-    | END           |                |      |                                |
|-------|-------|--------|--------|--------|----------|---------|---------------|----------------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | PE RVU | RVU      | MPE RVU | GLOBAL PERIOD | VERSION FACTOR | DATE | SHORT DESCRIPTION (HCPCS only) |
| E0983 | RR    | C      | 328.04 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Add pwr joystick               |
| E0983 | UE    | C      | 615.08 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | Add pwr joystick               |
| E0984 |       | C      | 233.09 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Add pwr tiller                 |
| E0984 | NU    | C      | 582.73 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | Add pwr tiller                 |
| E0984 | RR    | C      | 233.09 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Add pwr tiller                 |
| E0984 | UE    | C      | 874.09 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | Add pwr tiller                 |
| E0985 |       | C      | 26.65  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c seat lift mechanism        |
| E0985 | NU    | C      | 266.24 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c seat lift mechanism        |
| E0985 | RR    | C      | 26.65  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c seat lift mechanism        |
| E0985 | UE    | C      | 199.60 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c seat lift mechanism        |
| E0986 |       | C      | 638.44 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Man w/c push-rim pow assist    |
| E0986 | NU    | C      | 798.04 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | Man w/c push-rim pow assist    |
| E0986 | RR    | C      | 638.44 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Man w/c push-rim pow assist    |
| E0986 | UE    | C      | 598.53 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | Man w/c push-rim pow assist    |
| E0990 |       | C      | 17.75  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Whellchair elevating leg res   |
| E0990 | NU    | C      | 177.49 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Whellchair elevating leg res   |
| E0990 | RR    | C      | 17.75  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Whellchair elevating leg res   |
| E0990 | UE    | C      | 133.12 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Whellchair elevating leg res   |
| E0992 |       | C      | 25.57  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair solid seat insert   |
| E0992 | NU    | C      | 255.80 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair solid seat insert   |
| E0992 | RR    | C      | 25.57  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair solid seat insert   |
| E0992 | UE    | C      | 191.87 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair solid seat insert   |
| E0994 |       | C      | 3.47   | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair arm rest            |
| E0994 | NU    | C      | 34.68  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair arm rest            |
| E0994 | RR    | C      | 3.47   | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair arm rest            |
| E0994 | UE    | C      | 26.01  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair arm rest            |
| E0995 |       | C      | 10.94  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair calf rest           |
| E0995 | NU    | C      | 109.29 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair calf rest           |
| E0995 | RR    | C      | 10.94  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair calf rest           |
| E0995 | UE    | C      | 82.01  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Wheelchair calf rest           |
| E1002 |       | C      | 531.99 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat tilt                  |
| E1002 | NU    | C      | 886.64 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | Pwr seat tilt                  |
| E1002 | RR    | C      | 531.99 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat tilt                  |
| E1002 | UE    | C      | 664.98 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | Pwr seat tilt                  |
| E1003 |       | C      | 576.38 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat recline               |
| E1003 | NU    | C      | 960.60 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | Pwr seat recline               |
| E1003 | RR    | C      | 576.38 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat recline               |
| E1003 | UE    | C      | 720.45 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | Pwr seat recline               |
| E1004 |       | C      | 639.06 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat recline mech          |
| E1004 | NU    | C      | 798.83 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | Pwr seat recline mech          |
| E1004 | RR    | C      | 639.06 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat recline mech          |
| E1004 | UE    | C      | 599.12 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | Pwr seat recline mech          |
| E1005 |       | C      | 691.73 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr seat recline pwr           |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E1005 | NU    | C      | 864.67 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Pwr seat recline pwr           |
| E1005 | RR    | C      | 691.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr seat recline pwr           |
| E1005 | UE    | C      | 648.50 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Pwr seat recline pwr           |
| E1006 |       | C      | 847.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr seat combo w/o shear       |
| E1006 | NU    | C      | 847.31 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Pwr seat combo w/o shear       |
| E1006 | RR    | C      | 847.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr seat combo w/o shear       |
| E1006 | UE    | C      | 635.48 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Pwr seat combo w/o shear       |
| E1007 |       | C      | 573.65 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pwr seat combo w/shear         |
| E1007 | NU    | C      | 956.08 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Pwr seat combo w/shear         |
| E1007 | RR    | C      | 573.65 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pwr seat combo w/shear         |
| E1007 | UE    | C      | 717.06 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Pwr seat combo w/shear         |
| E1008 |       | C      | 573.70 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pwr seat combo pwr shear       |
| E1008 | NU    | C      | 956.16 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Pwr seat combo pwr shear       |
| E1008 | RR    | C      | 573.70 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Pwr seat combo pwr shear       |
| E1008 | UE    | C      | 717.12 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Pwr seat combo pwr shear       |
| E1009 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Add mech leg elevation         |
| E1009 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Add mech leg elevation         |
| E1009 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Add mech leg elevation         |
| E1009 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Add mech leg elevation         |
| E1010 |       | C      | 150.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add pwr leg elevation          |
| E1010 | NU    | C      | 750.61 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Add pwr leg elevation          |
| E1010 | RR    | C      | 150.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add pwr leg elevation          |
| E1010 | UE    | C      | 844.48 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add pwr leg elevation          |
| E1011 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ped wc modify width adjustm    |
| E1011 | NU    | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ped wc modify width adjustm    |
| E1011 | RR    | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ped wc modify width adjustm    |
| E1011 | UE    | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ped wc modify width adjustm    |
| E1014 |       | D      | 47.94  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Reclining back add ped w/c     |
| E1014 | NU    | D      | 479.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Reclining back add ped w/c     |
| E1014 | RR    | D      | 47.94  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Reclining back add ped w/c     |
| E1014 | UE    | D      | 359.43 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Reclining back add ped w/c     |
| E1015 |       | C      | 15.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for man w/c     |
| E1015 | NU    | C      | 150.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for man w/c     |
| E1015 | RR    | C      | 15.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for man w/c     |
| E1015 | UE    | C      | 112.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for man w/c     |
| E1016 |       | C      | 17.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for power w/c   |
| E1016 | NU    | C      | 172.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for power w/c   |
| E1016 | RR    | C      | 17.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for power w/c   |
| E1016 | UE    | C      | 129.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shock absorber for power w/c   |
| E1017 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HD shck absrbr for hd man wc   |
| E1017 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HD shck absrbr for hd man wc   |
| E1017 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HD shck absrbr for hd man wc   |
| E1017 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HD shck absrbr for hd man wc   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE                           |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |                                |
|       |       |        |        |          |          |      |        |         | SHORT DESCRIPTION (HCPCS only) |
| E1018 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | HD shck absrber for hd powwc   |
| E1018 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | HD shck absrber for hd powwc   |
| E1018 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | HD shck absrber for hd powwc   |
| E1018 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | HD shck absrber for hd powwc   |
| E1020 |       | C      | 31.93  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Residual limb support system   |
| E1020 | NU    | C      | 319.48 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Residual limb support system   |
| E1020 | RR    | C      | 31.93  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Residual limb support system   |
| E1020 | UE    | C      | 239.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Residual limb support system   |
| E1028 |       | C      | 27.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c manual swingaway           |
| E1028 | NU    | C      | 271.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c manual swingaway           |
| E1028 | RR    | C      | 27.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c manual swingaway           |
| E1028 | UE    | C      | 203.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c manual swingaway           |
| E1029 |       | C      | 48.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray fixed            |
| E1029 | NU    | C      | 485.02 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray fixed            |
| E1029 | RR    | C      | 48.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray fixed            |
| E1029 | UE    | C      | 363.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray fixed            |
| E1030 |       | C      | 152.95 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray gimbaled         |
| E1030 | NU    | C      | 764.71 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | W/c vent tray gimbaled         |
| E1030 | RR    | C      | 152.95 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | W/c vent tray gimbaled         |
| E1030 | UE    | C      | 573.54 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | W/c vent tray gimbaled         |
| E1031 |       | C      | 66.30  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Rollabout chair with casters   |
| E1031 | NU    | C      | 663.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Rollabout chair with casters   |
| E1031 | RR    | C      | 66.30  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Rollabout chair with casters   |
| E1031 | UE    | C      | 497.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Rollabout chair with casters   |
| E1035 |       | C      | 643.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Patient transfer system        |
| E1035 | NU    | C      | 804.83 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   | Patient transfer system        |
| E1035 | RR    | C      | 643.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Patient transfer system        |
| E1035 | UE    | C      | 603.62 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   | Patient transfer system        |
| E1037 |       | D      | 142.39 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, ped size      |
| E1037 | NU    | D      | 711.95 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Transport chair, ped size      |
| E1037 | RR    | D      | 142.39 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, ped size      |
| E1037 | UE    | D      | 533.96 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Transport chair, ped size      |
| E1038 |       | C      | 23.66  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, adult size    |
| E1038 | NU    | C      | 236.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, adult size    |
| E1038 | RR    | C      | 23.66  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, adult size    |
| E1038 | UE    | C      | 177.45 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair, adult size    |
| E1039 |       | C      | 44.89  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair pt wt>=250lb   |
| E1039 | NU    | C      | 448.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair pt wt>=250lb   |
| E1039 | RR    | C      | 44.89  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair pt wt>=250lb   |
| E1039 | UE    | C      | 336.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Transport chair pt wt>=250lb   |
| E1050 |       | C      | 192.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Whelchr fxd full length arms   |
| E1050 | NU    | C      | 960.50 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Whelchr fxd full length arms   |
| E1050 | RR    | C      | 192.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Whelchr fxd full length arms   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E1050 | UE    | C      | 720.38 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchr fxd full length arms  |
| E1060 |       | C      | 165.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair detachable arms     |
| E1060 | NU    | C      | 827.30 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair detachable arms     |
| E1060 | RR    | C      | 165.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair detachable arms     |
| E1060 | UE    | C      | 620.48 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair detachable arms     |
| E1070 |       | C      | 143.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair detachable foot r   |
| E1070 | NU    | C      | 718.80 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair detachable foot r   |
| E1070 | RR    | C      | 143.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair detachable foot r   |
| E1070 | UE    | C      | 539.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair detachable foot r   |
| E1083 |       | C      | 103.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1083 | NU    | C      | 516.75 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hemi-wheelchair fixed arms     |
| E1083 | RR    | C      | 103.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1083 | UE    | C      | 775.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1084 |       | C      | 128.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1084 | NU    | C      | 643.80 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hemi-wheelchair detachable a   |
| E1084 | RR    | C      | 128.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1084 | UE    | C      | 965.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1085 |       | C      | 104.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1085 | NU    | C      | 522.19 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hemi-wheelchair fixed arms     |
| E1085 | RR    | C      | 104.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1085 | UE    | C      | 783.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair fixed arms     |
| E1086 |       | C      | 104.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1086 | NU    | C      | 522.19 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hemi-wheelchair detachable a   |
| E1086 | RR    | C      | 104.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1086 | UE    | C      | 783.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hemi-wheelchair detachable a   |
| E1087 |       | C      | 173.84 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1087 | NU    | C      | 869.20 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightwt fixed arm   |
| E1087 | RR    | C      | 173.84 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1087 | UE    | C      | 651.90 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightwt fixed arm   |
| E1088 |       | C      | 197.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight det a   |
| E1088 | NU    | C      | 989.45 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightweight det a   |
| E1088 | RR    | C      | 197.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight det a   |
| E1088 | UE    | C      | 742.09 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightweight det a   |
| E1089 |       | C      | 170.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1089 | NU    | C      | 852.82 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightwt fixed arm   |
| E1089 | RR    | C      | 170.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1089 | UE    | C      | 639.53 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightwt fixed arm   |
| E1090 |       | C      | 170.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight det a   |
| E1090 | NU    | C      | 852.82 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightweight det a   |
| E1090 | RR    | C      | 170.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight det a   |
| E1090 | UE    | C      | 639.53 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightweight det a   |
| E1092 |       | C      | 168.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair wide w/ leg rests   |
| E1092 | NU    | C      | 843.40 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair wide w/ leg rests   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E1092 | RR    | C      | 168.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair wide w/ leg rests   |
| E1092 | UE    | C      | 632.55 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair wide w/ leg rests   |
| E1093 |       | C      | 145.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair wide w/ foot rest   |
| E1093 | NU    | C      | 725.30 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair wide w/ foot rest   |
| E1093 | RR    | C      | 145.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair wide w/ foot rest   |
| E1093 | UE    | C      | 543.98 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair wide w/ foot rest   |
| E1100 |       | C      | 136.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr s-recl fxd arm leg res   |
| E1100 | NU    | C      | 681.25 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr s-recl fxd arm leg res   |
| E1100 | RR    | C      | 136.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr s-recl fxd arm leg res   |
| E1100 | UE    | C      | 510.94 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr s-recl fxd arm leg res   |
| E1110 |       | C      | 133.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair semi-recl detach    |
| E1110 | NU    | C      | 667.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair semi-recl detach    |
| E1110 | RR    | C      | 133.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair semi-recl detach    |
| E1110 | UE    | C      | 500.33 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair semi-recl detach    |
| E1130 |       | C      | 69.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr std. fxd arm ft rest    |
| E1130 | NU    | C      | 697.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr std. fxd arm ft rest    |
| E1130 | RR    | C      | 69.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr std. fxd arm ft rest    |
| E1130 | UE    | C      | 522.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr std. fxd arm ft rest    |
| E1140 |       | C      | 69.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard detach a   |
| E1140 | NU    | C      | 697.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard detach a   |
| E1140 | RR    | C      | 69.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard detach a   |
| E1140 | UE    | C      | 522.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard detach a   |
| E1150 |       | C      | 107.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard w/ leg r   |
| E1150 | NU    | C      | 535.40 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair standard w/ leg r   |
| E1150 | RR    | C      | 107.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard w/ leg r   |
| E1150 | UE    | C      | 803.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair standard w/ leg r   |
| E1160 |       | C      | 82.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair fixed arms          |
| E1160 | NU    | C      | 820.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair fixed arms          |
| E1160 | RR    | C      | 82.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair fixed arms          |
| E1160 | UE    | C      | 615.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair fixed arms          |
| E1161 |       | C      | 310.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual adult wc w tiltinspac   |
| E1161 | NU    | C      | 776.34 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Manual adult wc w tiltinspac   |
| E1161 | RR    | C      | 310.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual adult wc w tiltinspac   |
| E1161 | UE    | C      | 582.26 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Manual adult wc w tiltinspac   |
| E1170 |       | C      | 117.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr ampu fxd arm leg rest   |
| E1170 | NU    | C      | 586.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whlchr ampu fxd arm leg rest   |
| E1170 | RR    | C      | 117.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr ampu fxd arm leg rest   |
| E1170 | UE    | C      | 879.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whlchr ampu fxd arm leg rest   |
| E1171 |       | C      | 105.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/o leg r   |
| E1171 | NU    | C      | 526.00 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee w/o leg r   |
| E1171 | RR    | C      | 105.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/o leg r   |
| E1171 | UE    | C      | 789.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/o leg r   |
| E1172 |       | C      | 133.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee detach ar   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                    |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|------------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)     |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                    |
| E1172 | NU    | C      | 665.60 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee detach ar       |
| E1172 | RR    | C      | 133.12 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee detach ar       |
| E1172 | UE    | C      | 998.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee detach ar       |
| E1180 |       | C      | 133.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/ foot r       |
| E1180 | NU    | C      | 665.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee w/ foot r       |
| E1180 | RR    | C      | 133.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/ foot r       |
| E1180 | UE    | C      | 997.58 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/ foot r       |
| E1190 |       | C      | 153.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/ leg re       |
| E1190 | NU    | C      | 768.25 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee w/ leg re       |
| E1190 | RR    | C      | 153.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee w/ leg re       |
| E1190 | UE    | C      | 576.19 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee w/ leg re       |
| E1195 |       | C      | 164.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee heavy dut       |
| E1195 | NU    | C      | 824.45 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee heavy dut       |
| E1195 | RR    | C      | 164.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee heavy dut       |
| E1195 | UE    | C      | 618.34 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee heavy dut       |
| E1200 |       | C      | 114.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee fixed arm       |
| E1200 | NU    | C      | 571.00 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair amputee fixed arm       |
| E1200 | RR    | C      | 114.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee fixed arm       |
| E1200 | UE    | C      | 856.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair amputee fixed arm       |
| E1220 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Wheelchair; specially sized/constr |
| E1221 |       | C      | 62.36  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1221 | NU    | C      | 623.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1221 | RR    | C      | 62.36  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1221 | UE    | C      | 467.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1222 |       | C      | 95.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1222 | NU    | C      | 956.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1222 | RR    | C      | 95.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1222 | UE    | C      | 717.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1223 |       | C      | 97.15  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1223 | NU    | C      | 971.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1223 | RR    | C      | 97.15  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1223 | UE    | C      | 728.63 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w foot        |
| E1224 |       | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1224 | NU    | C      | 532.55 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair spec size w/ leg        |
| E1224 | RR    | C      | 106.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1224 | UE    | C      | 798.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec size w/ leg        |
| E1225 |       | C      | 59.32  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec sz semi-recl       |
| E1225 | NU    | C      | 593.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec sz semi-recl       |
| E1225 | RR    | C      | 59.32  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec sz semi-recl       |
| E1225 | UE    | C      | 444.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec sz semi-recl       |
| E1226 |       | C      | 113.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair spec sz full-recl       |
| E1226 | NU    | C      | 567.20 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | W/C access fully reclineback       |
| E1226 | RR    | C      | 113.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | W/C access fully reclineback       |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| E1226      | UE            | C             | 850.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | W/C access fully reclineback   |
| E1227      |               | C             | 36.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht a   |
| E1227      | NU            | C             | 364.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht a   |
| E1227      | RR            | C             | 36.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht a   |
| E1227      | UE            | C             | 273.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht a   |
| E1228      |               | C             | 36.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht b   |
| E1228      | NU            | C             | 367.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht b   |
| E1228      | RR            | C             | 36.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht b   |
| E1228      | UE            | C             | 275.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wheelchair spec sz spec ht b   |
| E1229      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Wheelchair, pediatric          |
| E1230      |               | C             | 291.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Power operated vehicle         |
| E1230      | NU            | C             | 742.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Power operated vehicle         |
| E1230      | RR            | C             | 291.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Power operated vehicle         |
| E1230      | UE            | C             | 556.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Power operated vehicle         |
| E1231      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rigid ped w/c tilt-in-space    |
| E1231      | NU            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rigid ped w/c tilt-in-space    |
| E1231      | RR            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rigid ped w/c tilt-in-space    |
| E1231      | UE            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rigid ped w/c tilt-in-space    |
| E1232      |               | D             | 280.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Folding ped wc tilt-in-space   |
| E1232      | NU            | D             | 701.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Folding ped wc tilt-in-space   |
| E1232      | RR            | D             | 280.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Folding ped wc tilt-in-space   |
| E1232      | UE            | D             | 526.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Folding ped wc tilt-in-space   |
| E1233      |               | D             | 290.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rig ped wc tltnspc w/o seat    |
| E1233      | NU            | D             | 727.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Rig ped wc tltnspc w/o seat    |
| E1233      | RR            | D             | 290.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rig ped wc tltnspc w/o seat    |
| E1233      | UE            | D             | 545.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Rig ped wc tltnspc w/o seat    |
| E1234      |               | D             | 253.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fld ped wc tltnspc w/o seat    |
| E1234      | NU            | D             | 632.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Fld ped wc tltnspc w/o seat    |
| E1234      | RR            | D             | 253.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fld ped wc tltnspc w/o seat    |
| E1234      | UE            | D             | 949.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Fld ped wc tltnspc w/o seat    |
| E1235      |               | D             | 243.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rigid ped wc adjustable        |
| E1235      | NU            | D             | 609.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Rigid ped wc adjustable        |
| E1235      | RR            | D             | 243.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rigid ped wc adjustable        |
| E1235      | UE            | D             | 914.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Rigid ped wc adjustable        |
| E1236      |               | D             | 215.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Folding ped wc adjustable      |
| E1236      | NU            | D             | 537.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Folding ped wc adjustable      |
| E1236      | RR            | D             | 215.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Folding ped wc adjustable      |
| E1236      | UE            | D             | 806.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Folding ped wc adjustable      |
| E1237      |               | D             | 216.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rgd ped wc adjstabl w/o seat   |
| E1237      | NU            | D             | 542.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Rgd ped wc adjstabl w/o seat   |
| E1237      | RR            | D             | 216.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rgd ped wc adjstabl w/o seat   |
| E1237      | UE            | D             | 813.62      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Rgd ped wc adjstabl w/o seat   |
| E1238      |               | D             | 215.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fld ped wc adjstabl w/o seat   |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E1238 | NU    | D      | 537.71 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Fld ped wc adjstabl w/o seat   |
| E1238 | RR    | D      | 215.07 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fld ped wc adjstabl w/o seat   |
| E1238 | UE    | D      | 806.57 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Fld ped wc adjstabl w/o seat   |
| E1239 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Pwr ped wc, NOS                |
| E1240 |       | C      | 135.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr litwt det arm leg rest   |
| E1240 | NU    | C      | 676.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr litwt det arm leg rest   |
| E1240 | RR    | C      | 135.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr litwt det arm leg rest   |
| E1240 | UE    | C      | 507.04 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr litwt det arm leg rest   |
| E1250 |       | C      | 94.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1250 | NU    | C      | 946.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1250 | RR    | C      | 94.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1250 | UE    | C      | 710.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt fixed arm   |
| E1260 |       | C      | 94.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt foot rest   |
| E1260 | NU    | C      | 946.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt foot rest   |
| E1260 | RR    | C      | 94.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt foot rest   |
| E1260 | UE    | C      | 710.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightwt foot rest   |
| E1270 |       | C      | 103.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight leg r   |
| E1270 | NU    | C      | 518.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair lightweight leg r   |
| E1270 | RR    | C      | 103.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight leg r   |
| E1270 | UE    | C      | 777.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair lightweight leg r   |
| E1280 |       | C      | 172.28 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr h-duty det arm leg res   |
| E1280 | NU    | C      | 861.40 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr h-duty det arm leg res   |
| E1280 | RR    | C      | 172.28 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Whchr h-duty det arm leg res   |
| E1280 | UE    | C      | 646.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Whchr h-duty det arm leg res   |
| E1285 |       | C      | 132.52 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair heavy duty fixed    |
| E1285 | NU    | C      | 662.61 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair heavy duty fixed    |
| E1285 | RR    | C      | 132.52 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair heavy duty fixed    |
| E1285 | UE    | C      | 993.91 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair heavy duty fixed    |
| E1290 |       | C      | 132.52 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hvy duty detach a   |
| E1290 | NU    | C      | 662.61 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair hvy duty detach a   |
| E1290 | RR    | C      | 132.52 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hvy duty detach a   |
| E1290 | UE    | C      | 993.91 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair hvy duty detach a   |
| E1295 |       | C      | 159.43 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair heavy duty fixed    |
| E1295 | NU    | C      | 797.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair heavy duty fixed    |
| E1295 | RR    | C      | 159.43 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair heavy duty fixed    |
| E1295 | UE    | C      | 597.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Wheelchair heavy duty fixed    |
| E1296 |       | C      | 65.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat heig   |
| E1296 | NU    | C      | 645.31 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat heig   |
| E1296 | RR    | C      | 65.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat heig   |
| E1296 | UE    | C      | 483.99 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat heig   |
| E1297 |       | C      | 15.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat dept   |
| E1297 | NU    | C      | 152.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat dept   |
| E1297 | RR    | C      | 15.25  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair special seat dept   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |                                   |
|-------|-------|--------|--------|----------|----------|------|--------|---------|-----------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE                              |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |                                   |
|       |       |        |        |          |          |      |        |         | SHORT DESCRIPTION (HCPCS only)    |
| E1297 | UE    | C      | 114.38 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Wheelchair special seat dept      |
| E1298 |       | C      | 56.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Wheelchair spec seat depth/w      |
| E1298 | NU    | C      | 556.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Wheelchair spec seat depth/w      |
| E1298 | RR    | C      | 56.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Wheelchair spec seat depth/w      |
| E1298 | UE    | C      | 417.02 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Wheelchair spec seat depth/w      |
| E1300 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Whirlpool, portable (overtub)     |
| E1310 |       | C      | 243.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Whirlpool non-portable            |
| E1310 | NU    | C      | 608.79 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | Whirlpool non-portable            |
| E1310 | RR    | C      | 243.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Whirlpool non-portable            |
| E1310 | UE    | C      | 913.19 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Whirlpool non-portable            |
| E1340 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Repair/service for DME per 15 min |
| E1353 |       | C      | 37.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Regulator                         |
| E1353 | RR    | C      | 37.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Regulator                         |
| E1354 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Wheeled cart, port cyl/conc       |
| E1355 |       | C      | 28.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Stand/rack                        |
| E1355 | RR    | C      | 28.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Stand/rack                        |
| E1356 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Batt pack/cart, port conc         |
| E1357 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Battery charger, port conc        |
| E1358 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | DC power adapter, port conc       |
| E1372 |       | C      | 24.87  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxy suppl heater for nebuliz      |
| E1372 | NU    | C      | 248.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxy suppl heater for nebuliz      |
| E1372 | RR    | C      | 24.87  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxy suppl heater for nebuliz      |
| E1372 | UE    | C      | 186.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxy suppl heater for nebuliz      |
| E1390 |       | C      | 175.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxygen concentrator               |
| E1390 | NU    | C      | 878.95 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Oxygen concentrator               |
| E1390 | RR    | C      | 175.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxygen concentrator               |
| E1390 | UE    | C      | 659.21 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Oxygen concentrator               |
| E1391 |       | C      | 175.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxygen concentrator               |
| E1391 | NU    | C      | 878.95 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Oxygen concentrator               |
| E1391 | RR    | C      | 175.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Oxygen concentrator               |
| E1391 | UE    | C      | 659.21 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | Oxygen concentrator               |
| E1392 |       | C      | 51.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Portable oxygen concentrator      |
| E1392 | RR    | C      | 51.63  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Portable oxygen concentrator      |
| E1399 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Durable medical equip. misc       |
| E1405 |       | C      | 236.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | O2/water vapor enrich w/heat      |
| E1405 | NU    | C      | 591.63 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    | O2/water vapor enrich w/heat      |
| E1405 | RR    | C      | 236.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | O2/water vapor enrich w/heat      |
| E1405 | UE    | C      | 887.44 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | O2/water vapor enrich w/heat      |
| E1406 |       | C      | 192.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | O2/water vapor enrich w/o he      |
| E1406 | NU    | C      | 963.55 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | O2/water vapor enrich w/o he      |
| E1406 | RR    | C      | 192.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | O2/water vapor enrich w/o he      |
| E1406 | UE    | C      | 722.66 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    | O2/water vapor enrich w/o he      |
| E1500 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Centrifuge, for dialysis          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)             |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--|
| E1510      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Kidney dialysate del sys kidney machine    |
| E1520      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Heparin infus pump-dialysis                |
| E1530      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Air bubble detector for dialysis           |
| E1540      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Pressure alarm for dialysis                |
| E1550      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Bath conductivity meter for dialysis       |
| E1560      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Blood leak detector for dialysis           |
| E1570      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Adjust chair for ESRD patients             |
| E1575      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Transducer protector/fluid barrier any siz |
| E1580      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Unipuncture control sys for dialysis       |
| E1590      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Hemodialysis machine                       |
| E1592      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Automatic intermittent periotneal dialysis |
| E1594      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Cycler dialysis mach for peritoneal dialys |
| E1600      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Deliv &/or installa chgs-renal dialysis eq |
| E1610      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Reverse osmosis H2O purification sys       |
| E1615      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Deionizer water purification sys           |
| E1620      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Blood pump for dialysis                    |
| E1625      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Water softening system                     |
| E1630      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Reciprocating peritoneal dialysis sys      |
| E1632      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Wearable artificial kidney                 |
| E1634      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Peritoneal dialysis clamp, each            |
| E1635      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Compact travel hemodialyzer sys            |
| E1636      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Sorbent cartridges, per case               |
| E1637      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Hemostats for dialysis, each               |
| E1639      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Scale, for dialysis, each                  |
| E1699      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Dialysis equip, unspecified by rpt         |
| E1700      |               | C             | 44.39       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Jaw motion rehab system                    |
| E1700      | NU            | C             | 443.90      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Jaw motion rehab system                    |
| E1700      | RR            | C             | 44.39       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Jaw motion rehab system                    |
| E1700      | UE            | C             | 332.93      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Jaw motion rehab system                    |
| E1701      |               | C             | 13.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl cushions for jaw motion               |
| E1702      |               | C             | 29.63       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Repl measr scales jaw motion               |
| E1800      |               | C             | 163.98      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Adjust elbow ext/flex device               |
| E1800      | NU            | C             | 819.90      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Adjust elbow ext/flex device               |
| E1800      | RR            | C             | 163.98      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Adjust elbow ext/flex device               |
| E1800      | UE            | C             | 614.93      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Adjust elbow ext/flex device               |
| E1801      |               | C             | 169.31      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Bi-direct static prog stretch elbow device |
| E1801      | NU            | C             | 846.55      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Bi-direct static prog stretch elbow device |
| E1801      | RR            | C             | 169.31      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | SPS elbow device                           |
| E1801      | UE            | C             | 634.91      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Bi-direct static prog stretch elbow device |
| E1802      |               | C             | 428.93      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Adjst forearm pro/sup device               |
| E1802      | NU            | C             | 714.88      | 0.00                       | 0.00            | 0.00       | XXX              | 7.50                      |             | Adjst forearm pro/sup device               |
| E1802      | RR            | C             | 428.93      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Adjst forearm pro/sup device               |
| E1802      | UE            | C             | 536.16      | 0.00                       | 0.00            | 0.00       | XXX              | 7.50                      |             | Adjst forearm pro/sup device               |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |  |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--|
| ADA   |       |        |        | FACILITY | PE       | MPE  | GLOBAL | VERSION | END  |  |
| HCPCS | IFIER | STATUS | RVU    | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  | DATE | SHORT DESCRIPTION (HCPCS only)               |
| E1805 |       | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust wrist ext/flex device                 |
| E1805 | NU    | C      | 829.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust wrist ext/flex device                 |
| E1805 | RR    | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust wrist ext/flex device                 |
| E1805 | UE    | C      | 621.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust wrist ext/flex device                 |
| E1806 |       | C      | 139.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bi-direct static prog stretch wrist device   |
| E1806 | NU    | C      | 695.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch wrist device   |
| E1806 | RR    | C      | 139.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SPS wrist device                             |
| E1806 | UE    | C      | 521.29 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch wrist device   |
| E1810 |       | C      | 163.98 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust knee ext/flex device                  |
| E1810 | NU    | C      | 819.90 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust knee ext/flex device                  |
| E1810 | RR    | C      | 163.98 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust knee ext/flex device                  |
| E1810 | UE    | C      | 614.93 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust knee ext/flex device                  |
| E1811 |       | C      | 176.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bi-direct static prog stretch knee device    |
| E1811 | NU    | C      | 880.20 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch knee device    |
| E1811 | RR    | C      | 176.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SPS knee device                              |
| E1811 | UE    | C      | 660.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch knee device    |
| E1812 |       | C      | 112.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee ext/flex w act res ctrl                 |
| E1812 | NU    | C      | 564.30 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Knee ext/flex w act res ctrl                 |
| E1812 | RR    | C      | 112.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee ext/flex w act res ctrl                 |
| E1812 | UE    | C      | 846.45 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee ext/flex w act res ctrl                 |
| E1815 |       | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust ankle ext/flex device                 |
| E1815 | NU    | C      | 829.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust ankle ext/flex device                 |
| E1815 | RR    | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust ankle ext/flex device                 |
| E1815 | UE    | C      | 621.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust ankle ext/flex device                 |
| E1816 |       | C      | 178.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bi-direct static prog stretch ankle device   |
| E1816 | NU    | C      | 894.05 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch ankle device   |
| E1816 | RR    | C      | 178.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SPS ankle device                             |
| E1816 | UE    | C      | 670.54 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch ankle device   |
| E1818 |       | C      | 182.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bi-direct static prog stretch forearm device |
| E1818 | NU    | C      | 912.75 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch forearm device |
| E1818 | RR    | C      | 182.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SPS forearm device                           |
| E1818 | UE    | C      | 684.56 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Bi-direct static prog stretch forearm device |
| E1820 |       | C      | 10.72  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Soft interface material                      |
| E1820 | NU    | C      | 107.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Soft interface material                      |
| E1820 | RR    | C      | 10.72  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Soft interface material                      |
| E1820 | UE    | C      | 80.47  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Soft interface material                      |
| E1821 |       | C      | 13.80  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replacement, soft interface material         |
| E1821 | NU    | C      | 138.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replacement interface SPSD                   |
| E1821 | RR    | C      | 13.80  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replacement interface SPSD                   |
| E1821 | UE    | C      | 103.63 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replacement interface SPSD                   |
| E1825 |       | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust finger ext/flex devc                  |
| E1825 | NU    | C      | 829.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust finger ext/flex devc                  |
| E1825 | RR    | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust finger ext/flex devc                  |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |  |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE |  |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      | SHORT DESCRIPTION (HCPCS only)               |
| E1825 | UE    | C      | 621.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust finger ext/flex devc                  |
| E1830 |       | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust toe ext/flex device                   |
| E1830 | NU    | C      | 829.15 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust toe ext/flex device                   |
| E1830 | RR    | C      | 165.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjust toe ext/flex device                   |
| E1830 | UE    | C      | 621.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Adjust toe ext/flex device                   |
| E1840 |       | C      | 502.31 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Dynamic adj shouldter flex/abduct/rot device |
| E1840 | NU    | C      | 837.18 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Dynamic adj shouldter flex/abduct/rot device |
| E1840 | RR    | C      | 502.31 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adj shoulder ext/flex device                 |
| E1840 | UE    | C      | 627.90 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Dynamic adj shouldter flex/abduct/rot device |
| E1841 |       | C      | 594.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Static str shldr dev rom adj                 |
| E1841 | NU    | C      | 990.93 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Static str shldr dev rom adj                 |
| E1841 | RR    | C      | 594.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Static str shldr dev rom adj                 |
| E1841 | UE    | C      | 743.20 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Static str shldr dev rom adj                 |
| E1902 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Commun board, non-elect                      |
| E2000 |       | C      | 68.02  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gastric suction pump, home model             |
| E2000 | NU    | C      | 680.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gastric suction pump, home model             |
| E2000 | RR    | C      | 68.02  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gastric suction pump hme mdl                 |
| E2000 | UE    | C      | 510.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gastric suction pump, home model             |
| E2100 |       | C      | 84.43  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Blood glucose monitor w/int voice synth      |
| E2100 | NU    | C      | 844.19 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w voice                  |
| E2100 | RR    | C      | 84.43  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w voice                  |
| E2100 | UE    | C      | 633.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w voice                  |
| E2101 |       | C      | 24.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Blood glucose monitor w/int lancing          |
| E2101 | NU    | C      | 247.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w lance                  |
| E2101 | RR    | C      | 24.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w lance                  |
| E2101 | UE    | C      | 185.61 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bld glucose monitor w lance                  |
| E2120 |       | C      | 372.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pulse gen sys tx endolymp fl                 |
| E2120 | NU    | C      | 930.33 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Pulse gen sys tx endolymp fl                 |
| E2120 | RR    | C      | 372.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pulse gen sys tx endolymp fl                 |
| E2120 | UE    | C      | 697.75 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Pulse gen sys tx endolymp fl                 |
| E2201 |       | C      | 48.98  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Man w/ch acc seat w>=20ö<24ö                 |
| E2201 | NU    | C      | 489.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Man w/ch acc seat w>=20ö<24ö                 |
| E2201 | RR    | C      | 48.98  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Man w/ch acc seat w>=20ö<24ö                 |
| E2201 | UE    | C      | 367.28 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Man w/ch acc seat w>=20ö<24ö                 |
| E2202 |       | C      | 62.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Seat width 24-27 in                          |
| E2202 | NU    | C      | 622.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Seat width 24-27 in                          |
| E2202 | RR    | C      | 62.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Seat width 24-27 in                          |
| E2202 | UE    | C      | 466.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Seat width 24-27 in                          |
| E2203 |       | C      | 62.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth less than 22 in                  |
| E2203 | NU    | C      | 628.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth less than 22 in                  |
| E2203 | RR    | C      | 62.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth less than 22 in                  |
| E2203 | UE    | C      | 471.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth less than 22 in                  |
| E2204 |       | C      | 106.77 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth 22 to 25 in                      |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E2204 | NU    | C      | 533.80 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Frame depth 22 to 25 in        |
| E2204 | RR    | C      | 106.77 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth 22 to 25 in        |
| E2204 | UE    | C      | 800.69 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Frame depth 22 to 25 in        |
| E2205 |       | C      | 4.26   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual wc accessory, handrim   |
| E2205 | NU    | C      | 42.87  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual wc accessory, handrim   |
| E2205 | RR    | C      | 4.26   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual wc accessory, handrim   |
| E2205 | UE    | C      | 32.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Manual wc accessory, handrim   |
| E2206 |       | C      | 5.33   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Complete wheel lock assembly   |
| E2206 | NU    | C      | 53.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Complete wheel lock assembly   |
| E2206 | RR    | C      | 5.33   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Complete wheel lock assembly   |
| E2206 | UE    | C      | 40.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Complete wheel lock assembly   |
| E2207 |       | C      | 5.70   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch and cane holder         |
| E2207 | NU    | C      | 56.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch and cane holder         |
| E2207 | RR    | C      | 5.70   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch and cane holder         |
| E2207 | UE    | C      | 42.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Crutch and cane holder         |
| E2208 |       | C      | 15.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cylinder tank carrier          |
| E2208 | NU    | C      | 155.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cylinder tank carrier          |
| E2208 | RR    | C      | 15.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cylinder tank carrier          |
| E2208 | UE    | C      | 116.93 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cylinder tank carrier          |
| E2209 |       | C      | 14.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm trough each                |
| E2209 | NU    | C      | 140.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm trough each                |
| E2209 | RR    | C      | 14.10  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm trough each                |
| E2209 | UE    | C      | 105.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm trough each                |
| E2210 |       | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair bearings            |
| E2210 | NU    | C      | 8.60   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair bearings            |
| E2210 | RR    | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair bearings            |
| E2210 | UE    | C      | 6.46   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Wheelchair bearings            |
| E2211 |       | C      | 13.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic propulsion tire      |
| E2211 | NU    | C      | 131.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic propulsion tire      |
| E2211 | RR    | C      | 13.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic propulsion tire      |
| E2211 | UE    | C      | 98.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic propulsion tire      |
| E2212 |       | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire tube       |
| E2212 | NU    | C      | 7.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire tube       |
| E2212 | RR    | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire tube       |
| E2212 | UE    | C      | 5.80   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire tube       |
| E2213 |       | C      | 4.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire insert     |
| E2213 | NU    | C      | 39.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire insert     |
| E2213 | RR    | C      | 4.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire insert     |
| E2213 | UE    | C      | 29.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic prop tire insert     |
| E2214 |       | C      | 5.21   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire each     |
| E2214 | NU    | C      | 52.02  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire each     |
| E2214 | RR    | C      | 5.21   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire each     |
| E2214 | UE    | C      | 39.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire each     |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E2215 |       | C      | 1.25   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire tube     |
| E2215 | NU    | C      | 12.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire tube     |
| E2215 | RR    | C      | 1.25   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire tube     |
| E2215 | UE    | C      | 9.42   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire tube     |
| E2216 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled propulsion tire    |
| E2216 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled propulsion tire    |
| E2216 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled propulsion tire    |
| E2216 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled propulsion tire    |
| E2217 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled caster tire each   |
| E2217 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled caster tire each   |
| E2217 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled caster tire each   |
| E2217 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam filled caster tire each   |
| E2218 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam propulsion tire each      |
| E2218 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam propulsion tire each      |
| E2218 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam propulsion tire each      |
| E2218 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foam propulsion tire each      |
| E2219 |       | C      | 10.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire any size ea   |
| E2219 | NU    | C      | 103.35 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire any size ea   |
| E2219 | RR    | C      | 10.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire any size ea   |
| E2219 | UE    | C      | 77.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire any size ea   |
| E2220 |       | C      | 3.79   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid propulsion tire each     |
| E2220 | NU    | C      | 37.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid propulsion tire each     |
| E2220 | RR    | C      | 3.79   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid propulsion tire each     |
| E2220 | UE    | C      | 28.62  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid propulsion tire each     |
| E2221 |       | C      | 3.39   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire each         |
| E2221 | NU    | C      | 33.54  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire each         |
| E2221 | RR    | C      | 3.39   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire each         |
| E2221 | UE    | C      | 25.17  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire each         |
| E2222 |       | C      | 2.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster integrated whl    |
| E2222 | NU    | C      | 27.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster integrated whl    |
| E2222 | RR    | C      | 2.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster integrated whl    |
| E2222 | UE    | C      | 20.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster integrated whl    |
| E2223 |       | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Valve replacement only each    |
| E2223 | NU    | C      | 7.36   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Valve replacement only each    |
| E2223 | RR    | C      | 1.00   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Valve replacement only each    |
| E2223 | UE    | C      | 5.53   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Valve replacement only each    |
| E2224 |       | C      | 13.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Propulsion whl excludes tire   |
| E2224 | NU    | C      | 128.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Propulsion whl excludes tire   |
| E2224 | RR    | C      | 13.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Propulsion whl excludes tire   |
| E2224 | UE    | C      | 96.54  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Propulsion whl excludes tire   |
| E2225 |       | C      | 2.29   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2225 | NU    | C      | 22.84  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2225 | RR    | C      | 2.29   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)            |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| E2225      | UE            | C             | 17.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster wheel excludes tire                |
| E2226      |               | C             | 4.98        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster fork replacement only              |
| E2226      | NU            | C             | 49.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster fork replacement only              |
| E2226      | RR            | C             | 4.98        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster fork replacement only              |
| E2226      | UE            | C             | 37.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster fork replacement only              |
| E2227      |               | C             | 205.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gear reduction drive wheel                |
| E2227      | NU            | C             | 514.87      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Gear reduction drive wheel                |
| E2227      | RR            | C             | 205.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gear reduction drive wheel                |
| E2227      | UE            | C             | 772.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Gear reduction drive wheel                |
| E2228      |               | C             | 122.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mwc acc, wheelchair brake                 |
| E2228      | NU            | C             | 614.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Mwc acc, wheelchair brake                 |
| E2228      | RR            | C             | 122.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mwc acc, wheelchair brake                 |
| E2228      | UE            | C             | 921.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mwc acc, wheelchair brake                 |
| E2230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Manual standing system                    |
| E2231      |               | C             | 20.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid seat support base                   |
| E2231      | NU            | C             | 201.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid seat support base                   |
| E2231      | RR            | C             | 20.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid seat support base                   |
| E2231      | UE            | C             | 151.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Solid seat support base                   |
| E2291      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Back, planar, ped wc                      |
| E2292      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Seat, planar, ped wc                      |
| E2293      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Back, contoured, ped wc                   |
| E2294      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Seat, contoured, ped wc                   |
| E2295      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ped dynamic seating frame                 |
| E2300      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr seat elev system |
| E2300      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr seat elev system |
| E2300      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr seat elev system |
| E2300      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr seat elev system |
| E2301      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr standing system  |
| E2301      | NU            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr standing system  |
| E2301      | RR            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr standing system  |
| E2301      | UE            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr whl chr access., pwr standing system  |
| E2310      |               | C             | 153.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electro connect btw control               |
| E2310      | NU            | C             | 767.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Electro connect btw control               |
| E2310      | RR            | C             | 153.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electro connect btw control               |
| E2310      | UE            | C             | 575.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Electro connect btw control               |
| E2311      |               | C             | 310.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electro connect btw 2 sys                 |
| E2311      | NU            | C             | 777.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Electro connect btw 2 sys                 |
| E2311      | RR            | C             | 310.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Electro connect btw 2 sys                 |
| E2311      | UE            | C             | 583.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Electro connect btw 2 sys                 |
| E2312      |               | C             | 337.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mini-prop remote joystick                 |
| E2312      | NU            | C             | 843.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Mini-prop remote joystick                 |
| E2312      | RR            | C             | 337.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mini-prop remote joystick                 |
| E2312      | UE            | C             | 632.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Mini-prop remote joystick                 |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   |       |        |        | FACILITY | PE       | MPE  | GLOBAL | VERSION |      |                                |
| HCPCS | IFIER | STATUS | RVU    | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  | DATE | SHORT DESCRIPTION (HCPCS only) |
| E2313 |       | C      | 42.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC harness, expand control    |
| E2313 | NU    | C      | 420.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC harness, expand control    |
| E2313 | RR    | C      | 42.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC harness, expand control    |
| E2313 | UE    | C      | 315.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC harness, expand control    |
| E2321 |       | C      | 292.82 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand interface joystick        |
| E2321 | NU    | C      | 732.05 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hand interface joystick        |
| E2321 | RR    | C      | 292.82 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand interface joystick        |
| E2321 | UE    | C      | 549.04 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hand interface joystick        |
| E2322 |       | C      | 310.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Mult mech switches             |
| E2322 | NU    | C      | 775.23 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Mult mech switches             |
| E2322 | RR    | C      | 310.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Mult mech switches             |
| E2322 | UE    | C      | 581.42 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Mult mech switches             |
| E2323 |       | C      | 9.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Special joystick handle        |
| E2323 | NU    | C      | 90.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Special joystick handle        |
| E2323 | RR    | C      | 9.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Special joystick handle        |
| E2323 | UE    | C      | 68.07  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Special joystick handle        |
| E2324 |       | C      | 5.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Chin cup interface             |
| E2324 | NU    | C      | 57.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Chin cup interface             |
| E2324 | RR    | C      | 5.74   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Chin cup interface             |
| E2324 | UE    | C      | 43.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Chin cup interface             |
| E2325 |       | C      | 176.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sip and puff interface         |
| E2325 | NU    | C      | 883.86 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Sip and puff interface         |
| E2325 | RR    | C      | 176.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Sip and puff interface         |
| E2325 | UE    | C      | 662.90 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Sip and puff interface         |
| E2326 |       | C      | 45.59  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Breath tube kit                |
| E2326 | NU    | C      | 455.63 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Breath tube kit                |
| E2326 | RR    | C      | 45.59  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Breath tube kit                |
| E2326 | UE    | C      | 341.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Breath tube kit                |
| E2327 |       | C      | 448.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control interface mech    |
| E2327 | NU    | C      | 748.29 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Head control interface mech    |
| E2327 | RR    | C      | 448.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control interface mech    |
| E2327 | UE    | C      | 561.22 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Head control interface mech    |
| E2328 |       | C      | 650.37 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head/extremity control inter   |
| E2328 | NU    | C      | 812.98 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Head/extremity control inter   |
| E2328 | RR    | C      | 650.37 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head/extremity control inter   |
| E2328 | UE    | C      | 609.74 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Head/extremity control inter   |
| E2329 |       | C      | 231.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control nonproportional   |
| E2329 | NU    | C      | 579.51 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Head control nonproportional   |
| E2329 | RR    | C      | 231.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control nonproportional   |
| E2329 | UE    | C      | 869.27 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Head control nonproportional   |
| E2330 |       | C      | 449.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control proximity switc   |
| E2330 | NU    | C      | 748.58 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Head control proximity switc   |
| E2330 | RR    | C      | 449.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Head control proximity switc   |

| CPT   | MOD-  | PAY    | WORK   | NON-   | FACILITY | CON-    | END           |                |      |                                       |
|-------|-------|--------|--------|--------|----------|---------|---------------|----------------|------|---------------------------------------|
| ADA   | IFIER | STATUS | RVU    | PE RVU | RVU      | MPE RVU | GLOBAL PERIOD | VERSION FACTOR | DATE | SHORT DESCRIPTION (HCPCS only)        |
| E2330 | UE    | C      | 842.16 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | Head control proximity switc          |
| E2331 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Pwr whl chr access, attendant control |
| E2331 | NU    | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Pwr whl chr access, attendant control |
| E2331 | RR    | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Pwr whl chr access, attendant control |
| E2331 | UE    | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Pwr whl chr access, attendant control |
| E2340 |       | C      | 47.05  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 20-23 in seat frame          |
| E2340 | NU    | C      | 470.35 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 20-23 in seat frame          |
| E2340 | RR    | C      | 47.05  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 20-23 in seat frame          |
| E2340 | UE    | C      | 352.79 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 20-23 in seat frame          |
| E2341 |       | C      | 70.56  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 24-27 in seat frame          |
| E2341 | NU    | C      | 705.58 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 24-27 in seat frame          |
| E2341 | RR    | C      | 70.56  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 24-27 in seat frame          |
| E2341 | UE    | C      | 529.19 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c wdth 24-27 in seat frame          |
| E2342 |       | C      | 58.80  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 20-21 in seat frame          |
| E2342 | NU    | C      | 587.98 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 20-21 in seat frame          |
| E2342 | RR    | C      | 58.80  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 20-21 in seat frame          |
| E2342 | UE    | C      | 440.99 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 20-21 in seat frame          |
| E2343 |       | C      | 94.06  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 22-25 in seat frame          |
| E2343 | NU    | C      | 940.77 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 22-25 in seat frame          |
| E2343 | RR    | C      | 94.06  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 22-25 in seat frame          |
| E2343 | UE    | C      | 705.58 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | W/c dpth 22-25 in seat frame          |
| E2351 |       | C      | 91.71  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Electronic SGD interface              |
| E2351 | NU    | C      | 916.95 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Electronic SGD interface              |
| E2351 | RR    | C      | 91.71  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Electronic SGD interface              |
| E2351 | UE    | C      | 687.70 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Electronic SGD interface              |
| E2360 |       | C      | 14.81  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf nonsealed leadacid               |
| E2360 | NU    | C      | 147.45 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf nonsealed leadacid               |
| E2360 | RR    | C      | 14.81  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf nonsealed leadacid               |
| E2360 | UE    | C      | 110.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf nonsealed leadacid               |
| E2361 |       | C      | 18.31  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf sealed leadacid battery          |
| E2361 | NU    | C      | 183.05 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf sealed leadacid battery          |
| E2361 | RR    | C      | 18.31  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf sealed leadacid battery          |
| E2361 | UE    | C      | 137.31 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | 22nf sealed leadacid battery          |
| E2362 |       | C      | 12.07  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 nonsealed leadacid               |
| E2362 | NU    | C      | 120.73 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 nonsealed leadacid               |
| E2362 | RR    | C      | 12.07  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 nonsealed leadacid               |
| E2362 | UE    | C      | 90.54  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 nonsealed leadacid               |
| E2363 |       | C      | 24.43  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 sealed leadacid battery          |
| E2363 | NU    | C      | 244.13 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 sealed leadacid battery          |
| E2363 | RR    | C      | 24.43  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 sealed leadacid battery          |
| E2363 | UE    | C      | 183.10 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Gr24 sealed leadacid battery          |
| E2364 |       | C      | 14.81  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | U1nonsealed leadacid battery          |
| E2364 | NU    | C      | 147.45 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | U1nonsealed leadacid battery          |

| CPT   | MOD-  | PAY    | WORK    | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|---------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU     | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |         | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E2364 | RR    | C      | 14.81   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1nonsealed leadacid battery   |
| E2364 | UE    | C      | 110.59  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1nonsealed leadacid battery   |
| E2365 |       | C      | 14.72   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1 sealed leadacid battery     |
| E2365 | NU    | C      | 147.22  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1 sealed leadacid battery     |
| E2365 | RR    | C      | 14.72   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1 sealed leadacid battery     |
| E2365 | UE    | C      | 110.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | U1 sealed leadacid battery     |
| E2366 |       | C      | 34.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2366 | NU    | C      | 346.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2366 | RR    | C      | 34.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2366 | UE    | C      | 259.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2367 |       | C      | 55.01   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2367 | NU    | C      | 550.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2367 | RR    | C      | 55.01   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2367 | UE    | C      | 412.54  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery charger                |
| E2368 |       | C      | 67.81   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Power wc motor replacement     |
| E2368 | NU    | C      | 678.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Power wc motor replacement     |
| E2368 | RR    | C      | 67.81   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Power wc motor replacement     |
| E2368 | UE    | C      | 508.51  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Power wc motor replacement     |
| E2369 |       | C      | 59.06   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc gear box replacement    |
| E2369 | NU    | C      | 590.55  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc gear box replacement    |
| E2369 | RR    | C      | 59.06   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc gear box replacement    |
| E2369 | UE    | C      | 442.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc gear box replacement    |
| E2370 |       | C      | 105.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc motor/gear box combo    |
| E2370 | NU    | C      | 1053.72 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc motor/gear box combo    |
| E2370 | RR    | C      | 105.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc motor/gear box combo    |
| E2370 | UE    | C      | 790.29  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwr wc motor/gear box combo    |
| E2371 |       | C      | 19.79   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gr27 sealed leadacid battery   |
| E2371 | NU    | C      | 197.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gr27 sealed leadacid battery   |
| E2371 | RR    | C      | 19.79   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gr27 sealed leadacid battery   |
| E2371 | UE    | C      | 148.39  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gr27 sealed leadacid battery   |
| E2372 |       | C      | 0.00    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gr27 non-sealed leadacid       |
| E2372 | NU    | C      | 0.00    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gr27 non-sealed leadacid       |
| E2372 | RR    | C      | 0.00    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gr27 non-sealed leadacid       |
| E2372 | UE    | C      | 0.00    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gr27 non-sealed leadacid       |
| E2373 |       | C      | 142.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl spec joystick   |
| E2373 | NU    | C      | 711.76  | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hand/chin ctrl spec joystick   |
| E2373 | RR    | C      | 142.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl spec joystick   |
| E2373 | UE    | C      | 533.83  | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Hand/chin ctrl spec joystick   |
| E2374 |       | C      | 70.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl std joystick    |
| E2374 | NU    | C      | 700.90  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl std joystick    |
| E2374 | RR    | C      | 70.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl std joystick    |
| E2374 | UE    | C      | 525.70  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand/chin ctrl std joystick    |
| E2375 |       | C      | 112.41  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Non-expandable controller      |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E2375 | NU    | C      | 562.12 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Non-expandable controller      |
| E2375 | RR    | C      | 112.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Non-expandable controller      |
| E2375 | UE    | C      | 843.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Non-expandable controller      |
| E2376 |       | C      | 176.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, repl    |
| E2376 | NU    | C      | 880.87 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Expandable controller, repl    |
| E2376 | RR    | C      | 176.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, repl    |
| E2376 | UE    | C      | 660.67 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Expandable controller, repl    |
| E2377 |       | C      | 63.74  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, initl   |
| E2377 | NU    | C      | 637.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, initl   |
| E2377 | RR    | C      | 63.74  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, initl   |
| E2377 | UE    | C      | 478.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Expandable controller, initl   |
| E2381 |       | C      | 10.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum drive wheel tire         |
| E2381 | NU    | C      | 99.99  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum drive wheel tire         |
| E2381 | RR    | C      | 10.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum drive wheel tire         |
| E2381 | UE    | C      | 75.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneum drive wheel tire         |
| E2382 |       | C      | 2.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneum wheel drive tire   |
| E2382 | NU    | C      | 27.26  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneum wheel drive tire   |
| E2382 | RR    | C      | 2.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneum wheel drive tire   |
| E2382 | UE    | C      | 20.44  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneum wheel drive tire   |
| E2383 |       | C      | 19.94  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Insert, pneum wheel drive      |
| E2383 | NU    | C      | 199.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Insert, pneum wheel drive      |
| E2383 | RR    | C      | 19.94  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Insert, pneum wheel drive      |
| E2383 | UE    | C      | 149.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Insert, pneum wheel drive      |
| E2384 |       | C      | 10.65  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire          |
| E2384 | NU    | C      | 106.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire          |
| E2384 | RR    | C      | 10.65  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire          |
| E2384 | UE    | C      | 79.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pneumatic caster tire          |
| E2385 |       | C      | 6.51   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneumatic caster tire    |
| E2385 | NU    | C      | 71.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneumatic caster tire    |
| E2385 | RR    | C      | 6.51   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneumatic caster tire    |
| E2385 | UE    | C      | 48.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Tube, pneumatic caster tire    |
| E2386 |       | C      | 19.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled drive wheel tire   |
| E2386 | NU    | C      | 197.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled drive wheel tire   |
| E2386 | RR    | C      | 19.75  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled drive wheel tire   |
| E2386 | UE    | C      | 148.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled drive wheel tire   |
| E2387 |       | C      | 8.86   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled caster tire        |
| E2387 | NU    | C      | 88.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled caster tire        |
| E2387 | RR    | C      | 8.86   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled caster tire        |
| E2387 | UE    | C      | 66.48  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam filled caster tire        |
| E2388 |       | C      | 6.61   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam drive wheel tire          |
| E2388 | NU    | C      | 66.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam drive wheel tire          |
| E2388 | RR    | C      | 6.61   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam drive wheel tire          |
| E2388 | UE    | C      | 49.61  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam drive wheel tire          |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   |       |        |        | FACILITY | PE       | MPE  | GLOBAL | VERSION | END  |                                |
| HCPCS | IFIER | STATUS | RVU    | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  | DATE | SHORT DESCRIPTION (HCPCS only) |
| E2389 |       | C      | 3.60   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire               |
| E2389 | NU    | C      | 35.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire               |
| E2389 | RR    | C      | 3.60   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire               |
| E2389 | UE    | C      | 26.93  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Foam caster tire               |
| E2390 |       | C      | 5.61   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid drive wheel tire         |
| E2390 | NU    | C      | 56.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid drive wheel tire         |
| E2390 | RR    | C      | 5.61   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid drive wheel tire         |
| E2390 | UE    | C      | 42.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid drive wheel tire         |
| E2391 |       | C      | 2.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire              |
| E2391 | NU    | C      | 26.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire              |
| E2391 | RR    | C      | 2.69   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire              |
| E2391 | UE    | C      | 20.19  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire              |
| E2392 |       | C      | 7.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire, integrate   |
| E2392 | NU    | C      | 70.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire, integrate   |
| E2392 | RR    | C      | 7.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire, integrate   |
| E2392 | UE    | C      | 53.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Solid caster tire, integrate   |
| E2393 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Valve, pneumatic tire tube     |
| E2393 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Valve, pneumatic tire tube     |
| E2393 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Valve, pneumatic tire tube     |
| E2393 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Valve, pneumatic tire tube     |
| E2394 |       | C      | 10.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Drive wheel excludes tire      |
| E2394 | NU    | C      | 100.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Drive wheel excludes tire      |
| E2394 | RR    | C      | 10.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Drive wheel excludes tire      |
| E2394 | UE    | C      | 75.56  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Drive wheel excludes tire      |
| E2395 |       | C      | 7.16   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2395 | NU    | C      | 71.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2395 | RR    | C      | 7.16   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2395 | UE    | C      | 53.72  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster wheel excludes tire     |
| E2396 |       | C      | 17.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster fork                    |
| E2396 | NU    | C      | 177.78 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster fork                    |
| E2396 | RR    | C      | 17.78  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster fork                    |
| E2396 | UE    | C      | 133.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Caster fork                    |
| E2397 |       | C      | 54.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwc acc, lith-based battery    |
| E2397 | NU    | C      | 543.55 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwc acc, lith-based battery    |
| E2397 | RR    | C      | 54.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwc acc, lith-based battery    |
| E2397 | UE    | C      | 407.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pwc acc, lith-based battery    |
| E2399 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Pwr whl chr access, n.o.c.     |
| E2402 |       | C      | 970.88 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Neg press wound therapy pump   |
| E2402 | NU    | C      | 970.88 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Neg press wound therapy pump   |
| E2402 | RR    | C      | 970.88 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Neg press wound therapy pump   |
| E2402 | UE    | C      | 728.16 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Neg press wound therapy pump   |
| E2500 |       | C      | 51.34  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD digitized pre-rec <=8min   |
| E2500 | NU    | C      | 513.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD digitized pre-rec <=8min   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   |       |        |        | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS | IFIER | STATUS | RVU    | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| E2500 | RR    | C      | 51.34  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD digitized pre-rec <=8min   |
| E2500 | UE    | C      | 384.94 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD digitized pre-rec <=8min   |
| E2502 |       | C      | 156.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg >8min <=20min   |
| E2502 | NU    | C      | 784.75 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | SGD prerec msg >8min <=20min   |
| E2502 | RR    | C      | 156.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg >8min <=20min   |
| E2502 | UE    | C      | 588.56 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | SGD prerec msg >8min <=20min   |
| E2504 |       | C      | 207.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg>20min <=40min   |
| E2504 | NU    | C      | 517.59 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | SGD prerec msg>20min <=40min   |
| E2504 | RR    | C      | 207.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg>20min <=40min   |
| E2504 | UE    | C      | 776.38 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | SGD prerec msg>20min <=40min   |
| E2506 |       | C      | 303.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg > 40 min        |
| E2506 | NU    | C      | 758.94 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | SGD prerec msg > 40 min        |
| E2506 | RR    | C      | 303.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD prerec msg > 40 min        |
| E2506 | UE    | C      | 569.20 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | SGD prerec msg > 40 min        |
| E2508 |       | C      | 469.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD spelling phys contact      |
| E2508 | NU    | C      | 782.38 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | SGD spelling phys contact      |
| E2508 | RR    | C      | 469.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD spelling phys contact      |
| E2508 | UE    | C      | 586.79 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | SGD spelling phys contact      |
| E2510 |       | C      | 888.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD w multi methods msg/accs   |
| E2510 | NU    | C      | 888.33 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | SGD w multi methods msg/accs   |
| E2510 | RR    | C      | 888.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | SGD w multi methods msg/accs   |
| E2510 | UE    | C      | 666.25 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | SGD w multi methods msg/accs   |
| E2511 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD sftwre prgrm for PC/PDA    |
| E2511 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD sftwre prgrm for PC/PDA    |
| E2511 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD sftwre prgrm for PC/PDA    |
| E2511 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD sftwre prgrm for PC/PDA    |
| E2512 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD accessory                  |
| E2512 | NU    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD accessory                  |
| E2512 | RR    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD accessory                  |
| E2512 | UE    | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD accessory                  |
| E2599 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | SGD accessory, n.o.c.          |
| E2601 |       | C      | 8.05   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth < 22 in   |
| E2601 | NU    | C      | 80.28  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth < 22 in   |
| E2601 | RR    | C      | 8.05   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth < 22 in   |
| E2601 | UE    | C      | 60.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth < 22 in   |
| E2602 |       | C      | 15.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth >=22 in   |
| E2602 | NU    | C      | 156.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth >=22 in   |
| E2602 | RR    | C      | 15.67  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth >=22 in   |
| E2602 | UE    | C      | 117.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen w/c cushion wdth >=22 in   |
| E2603 |       | C      | 19.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd <22in   |
| E2603 | NU    | C      | 198.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd <22in   |
| E2603 | RR    | C      | 19.91  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd <22in   |
| E2603 | UE    | C      | 149.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd <22in   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                       |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|---------------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)        |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                       |
| E2604 |       | C      | 24.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd>=22in          |
| E2604 | NU    | C      | 247.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd>=22in          |
| E2604 | RR    | C      | 24.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd>=22in          |
| E2604 | UE    | C      | 185.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin protect wc cus wd>=22in          |
| E2605 |       | C      | 35.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth <22 in          |
| E2605 | NU    | C      | 353.29 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth <22 in          |
| E2605 | RR    | C      | 35.35  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth <22 in          |
| E2605 | UE    | C      | 265.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth <22 in          |
| E2606 |       | C      | 55.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth>=22 in          |
| E2606 | NU    | C      | 551.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth>=22 in          |
| E2606 | RR    | C      | 55.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth>=22 in          |
| E2606 | UE    | C      | 413.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position wc cush wdth>=22 in          |
| E2607 |       | C      | 38.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd <22in          |
| E2607 | NU    | C      | 380.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd <22in          |
| E2607 | RR    | C      | 38.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd <22in          |
| E2607 | UE    | C      | 285.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd <22in          |
| E2608 |       | C      | 45.68  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd>=22in          |
| E2608 | NU    | C      | 456.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd>=22in          |
| E2608 | RR    | C      | 45.68  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd>=22in          |
| E2608 | UE    | C      | 342.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Skin pro/pos wc cus wd>=22in          |
| E2609 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Cus fabricated wc seat cush, any size |
| E2610 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Wc seat cush, powered                 |
| E2611 |       | C      | 40.99  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth <22in          |
| E2611 | NU    | C      | 409.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth <22in          |
| E2611 | RR    | C      | 40.99  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth <22in          |
| E2611 | UE    | C      | 307.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth <22in          |
| E2612 |       | C      | 55.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth>=22in          |
| E2612 | NU    | C      | 554.59 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth>=22in          |
| E2612 | RR    | C      | 55.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth>=22in          |
| E2612 | UE    | C      | 415.91 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Gen use back cush wdth>=22in          |
| E2613 |       | C      | 51.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd <22in           |
| E2613 | NU    | C      | 515.86 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd <22in           |
| E2613 | RR    | C      | 51.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd <22in           |
| E2613 | UE    | C      | 386.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd <22in           |
| E2614 |       | C      | 71.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd>=22in           |
| E2614 | NU    | C      | 713.91 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd>=22in           |
| E2614 | RR    | C      | 71.40  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd>=22in           |
| E2614 | UE    | C      | 535.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Position back cush wd>=22in           |
| E2615 |       | C      | 59.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat wdth <22in          |
| E2615 | NU    | C      | 593.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat wdth <22in          |
| E2615 | RR    | C      | 59.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat wdth <22in          |
| E2615 | UE    | C      | 445.24 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat wdth <22in          |
| E2616 |       | C      | 79.88  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat wdth>=22in          |

| CPT   | MOD-  | PAY    | WORK                                    | NON-     | FACILITY | CON- | END    |         |      |  |
|-------|-------|--------|---|----------|----------|------|--------|---------|------|--|
| ADA   | IFIER | STATUS | RVU                                     | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)                                     |
| HCPCS |       |        |   | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |  |
| E2616 | NU    | C      | 798.76                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat width>=22in                                      |
| E2616 | RR    | C      | 79.88                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat width>=22in                                      |
| E2616 | UE    | C      | 599.09                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pos back post/lat width>=22in                                      |
| E2617 |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Cus fabricated wc back cush, any size                              |
| E2619 |       | C      | 6.74                                    | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replace cover w/c seat cush  |
| E2619 | NU    | C      | 67.36                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replace cover w/c seat cush  |
| E2619 | RR    | C      | 6.74                                    | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replace cover w/c seat cush  |
| E2619 | UE    | C      | 50.55                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replace cover w/c seat cush  |
| E2620 |       | C      | 71.89                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd <22in                                       |
| E2620 | NU    | C      | 718.86                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd <22in                                       |
| E2620 | RR    | C      | 71.89                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd <22in                                       |
| E2620 | UE    | C      | 539.16                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd <22in                                       |
| E2621 |       | C      | 75.43                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd>=22in                                       |
| E2621 | NU    | C      | 754.38                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd>=22in                                       |
| E2621 | RR    | C      | 75.43                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd>=22in                                       |
| E2621 | UE    | C      | 565.79                                  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | WC planar back cush wd>=22in                                       |
| E8000 |       | D      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gait trainer, ped, post support                                    |
| E8001 |       | D      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gait trainer, ped, upright support                                 |
| E8002 |       | D      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Gait trainer, ped, ant support                                     |
| EDCAN |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | FECA Dep Dir Auth  |
| EXTRA |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Court costs/collection agency fees/etc-payable on delin bills      |
| FOLUP |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | OWCP-requested follow-up report with additional med/other evidence |
| FORGN |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Foreign Dummy Procedure Code                                       |
| FR001 |       | C      | <b>\$75.00 maximum, 32 unit/day max</b> |          |          |      | XXX    |         |      | Case file review-15 min  |
| FR002 |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Supplemental code for file & case review                           |
| FURNI |       | C      | 0.00                                    | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Furniture; non-DME   |
| G0008 |       | C      | 25.13                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Admin influenza virus vac  |
| G0009 |       | C      | 25.13                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Admin pneumococcal vaccine   |
| G0010 |       | C      | 0.00                                    | 0.20     | 0.20     | 0.01 | XXX    | 53.10   |      | Admin hepatitis b vaccine  |
| G0027 |       | C      | 16.59                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Semen analysis   |
| G0101 |       | C      | 0.45                                    | 0.49     | 0.49     | 0.02 | XXX    | 1.25    |      | CA screen;pelvic/breast exam                                       |
| G0102 |       | C      | 0.17                                    | 0.34     | 0.06     | 0.01 | XXX    | 53.10   |      | Prostate ca screening; dre   |
| G0103 |       | C      | 46.93                                   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Psa, total screening   |
| G0104 |       | C      | 0.96                                    | 2.43     | 0.60     | 0.08 | 000    | 1.25    |      | CA screen;flexi sigmoidscope                                       |
| G0105 |       | C      | 3.69                                    | 6.24     | 1.78     | 0.30 | 000    | 53.10   |      | Colorectal scrn; hi risk ind                                       |
| G0105 | 53    | C      | 0.96                                    | 2.43     | 0.60     | 0.08 | 000    | 53.10   |      | Colorectal scrn; hi risk ind                                       |
| G0106 |       | C      | 0.99                                    | 4.34     | 4.34     | 0.17 | XXX    | 53.10   |      | Colon CA screen;barium enema                                       |
| G0106 | TC    | C      | 0.00                                    | 3.97     | 3.97     | 0.13 | XXX    | 53.10   |      | Colon CA screen;barium enema                                       |
| G0106 | 26    | C      | 0.99                                    | 0.37     | 0.37     | 0.04 | XXX    | 53.10   |      | Colon CA screen;barium enema                                       |
| G0108 |       | C      | 0.00                                    | 0.63     | 0.63     | 0.01 | XXX    | 53.10   |      | Diab manage trn per indiv  |
| G0109 |       | C      | 0.00                                    | 0.35     | 0.35     | 0.01 | XXX    | 53.10   |      | Diab manage trn ind/group  |
| G0117 |       | D      | 0.45                                    | 0.75     | 0.75     | 0.01 | XXX    | 53.10   |      | Glaucoma scrn hgh risk direc                                       |
| G0118 |       | D      | 0.17                                    | 0.64     | 0.64     | 0.01 | XXX    | 53.10   |      | Glaucoma scrn hgh risk direc                                       |



| CPT<br>ADA | MOD-  | PAY    | WORK   | NON-<br>FACILITY | FACILITY<br>PE | MPE  | GLOBAL | CON-<br>VERSION | END  |   |
|------------|-------|--------|--------|------------------|----------------|------|--------|-----------------|------|---|
| HCPCS      | IFIER | STATUS | RVU    | PE RVU           | RVU            | RVU  | PERIOD | FACTOR          | DATE | SHORT DESCRIPTION (HCPCS only)          |
| G0120      |       | C      | 0.99   | 4.34             | 4.34           | 0.17 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0120      | TC    | C      | 0.00   | 3.97             | 3.97           | 0.13 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0120      | 26    | C      | 0.99   | 0.37             | 0.37           | 0.04 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0121      |       | C      | 3.69   | 6.24             | 1.78           | 0.30 | 000    | 53.10           |      | Colon ca scrn not hi rsk ind            |
| G0121      | 53    | C      | 0.96   | 2.43             | 0.60           | 0.08 | 000    | 53.10           |      | Colon ca scrn not hi rsk ind            |
| G0122      |       | C      | 0.99   | 5.37             | 5.37           | 0.18 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0122      | TC    | C      | 0.00   | 5.03             | 5.03           | 0.13 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0122      | 26    | C      | 0.99   | 0.34             | 0.34           | 0.05 | XXX    | 53.10           |      | Colon ca scrn; barium enema             |
| G0123      |       | C      | 38.26  | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | Screen cerv/vag thin layer              |
| G0124      |       | C      | 0.42   | 0.31             | 0.31           | 0.02 | XXX    | 53.10           |      | Screen c/v thin layer by MD             |
| G0127      |       | C      | 0.17   | 0.34             | 0.05           | 0.01 | 000    | 1.25            |      | Trim nail(s)                            |
| G0128      |       | C      | 0.08   | 0.14             | 0.14           | 0.01 | XXX    | 53.10           |      | CORF skilled nursing service / 10 min.  |
| G0129      |       | C      | 3.36   | 1.26             | 1.26           | 0.42 | XXX    | 53.10           |      | O.T. component of partial hosp serv/day |
| G0130      |       | C      | 0.22   | 0.62             | 0.62           | 0.06 | XXX    | 53.10           |      | Single energy x-ray study               |
| G0130      | TC    | C      | 0.00   | 0.56             | 0.56           | 0.05 | XXX    | 53.10           |      | Single energy x-ray study               |
| G0130      | 26    | C      | 0.22   | 0.06             | 0.06           | 0.01 | XXX    | 53.10           |      | Single energy x-ray study               |
| G0141      |       | C      | 0.42   | 0.31             | 0.31           | 0.02 | XXX    | 53.10           |      | Scr c/v cyto,autosys and md             |
| G0143      |       | C      | 0.76   | 0.26             | 0.26           | 0.02 | XXX    | 53.10           |      | Scr c/v cyto,thinlayer,rescr            |
| G0144      |       | C      | 0.80   | 0.27             | 0.27           | 0.02 | XXX    | 53.10           |      | Scr c/v cyto,thinlayer,rescr            |
| G0145      |       | C      | 1.01   | 0.30             | 0.30           | 0.04 | XXX    | 53.10           |      | Scr c/v cyto,thinlayer,rescr            |
| G0147      |       | C      | 0.41   | 0.17             | 0.17           | 0.01 | XXX    | 53.10           |      | Scr c/v cyto, automated sys             |
| G0148      |       | C      | 0.48   | 0.31             | 0.31           | 0.01 | XXX    | 53.10           |      | Scr c/v cyto, autosys, rescr            |
| G0151      |       | C      | 0.91   | 0.11             | 0.11           | 0.02 | XXX    | 53.10           |      | HHCP-serv of pt,ea 15 min               |
| G0152      |       | C      | 0.92   | 0.11             | 0.11           | 0.02 | XXX    | 53.10           |      | HHCP-serv of ot,ea 15 min               |
| G0153      |       | C      | 0.93   | 0.11             | 0.11           | 0.02 | XXX    | 53.10           |      | HHCP-svs of s/l path,ea 15mn            |
| G0154      |       | C      | 0.80   | 0.09             | 0.09           | 0.02 | XXX    | 53.10           |      | HHCP-svs of m,ea 15 min                 |
| G0155      |       | C      | 1.14   | 0.11             | 0.11           | 0.02 | XXX    | 53.10           |      | HHCP-svs of csw,ea 15 min               |
| G0156      |       | C      | 0.12   | 0.01             | 0.01           | 0.01 | XXX    | 53.10           |      | HHCP-svs of aide,ea 15 min              |
| G0166      |       | C      | 0.07   | 4.08             | 4.08           | 0.01 | XXX    | 53.10           |      | Extrnl counterpulse, per tx             |
| G0168      |       | C      | 0.45   | 1.62             | 0.21           | 0.03 | 000    | 53.10           |      | Wound closure by adhesive               |
| G0173      |       | C      | 785.94 | 0.00             | 0.00           | 0.00 | XXX    | 7.50            |      | Stereo radoisurgery,complete            |
| G0175      |       | D      | 166.16 | 0.00             | 0.00           | 0.00 | XXX    | 1.25            |      | OPPS Service,sched team conf            |
| G0176      |       | D      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | OPPS/PHP;activity therapy               |
| G0177      |       | D      | 0.00   | 0.00             | 0.00           | 0.00 | XXX    | 0.00            |      | OPPS/PHP; train & educ serv             |
| G0179      |       | D      | 0.45   | 0.61             | 0.61           | 0.02 | XXX    | 53.10           |      | MD recertification HHA PT               |
| G0180      |       | D      | 0.67   | 0.73             | 0.73           | 0.03 | XXX    | 53.10           |      | MD certification HHA patient            |
| G0181      |       | D      | 1.73   | 0.98             | 0.98           | 0.07 | XXX    | 53.10           |      | Home health care supervision, 30+ min.  |
| G0182      |       | C      | 1.73   | 1.04             | 1.04           | 0.07 | XXX    | 53.10           |      | Hospice care supervision                |
| G0186      |       | C      | 913.02 | 0.00             | 0.00           | 0.00 | YYY    | 1.25            |      | Dstry eye lesn,fdv vssl tech            |
| G0202      |       | C      | 0.70   | 2.80             | 2.80           | 0.10 | XXX    | 53.10           |      | Screening mammography                   |
| G0202      | TC    | C      | 0.00   | 2.56             | 2.56           | 0.07 | XXX    | 53.10           |      | Screening mammography                   |
| G0202      | 26    | C      | 0.70   | 0.24             | 0.24           | 0.03 | XXX    | 53.10           |      | Screening mammography                   |
| G0204      |       | C      | 0.87   | 3.25             | 3.25           | 0.11 | XXX    | 53.10           |      | Diagnostic mammography, bilateral       |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| G0204      | TC            | C             | 0.00        | 2.96                       | 2.96                  | 0.07       | XXX              | 53.10                     |             | Diagnostic mammography, bilateral                   |
| G0204      | 26            | C             | 0.87        | 0.29                       | 0.29                  | 0.04       | XXX              | 53.10                     |             | Diagnostic mammography, bilateral                   |
| G0206      |               | C             | 0.70        | 2.57                       | 2.57                  | 0.09       | XXX              | 53.10                     |             | Diagnostic mammography, unilateral                  |
| G0206      | TC            | C             | 0.00        | 2.33                       | 2.33                  | 0.06       | XXX              | 53.10                     |             | Diagnostic mammography, unilateral                  |
| G0206      | 26            | C             | 0.70        | 0.24                       | 0.24                  | 0.03       | XXX              | 53.10                     |             | Diagnostic mammography, unilateral                  |
| G0219      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET img wholbod melano nonco                        |
| G0219      | TC            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET img wholbod melano nonco                        |
| G0219      | 26            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET img wholbod melano nonco                        |
| G0235      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET not otherwise specified                         |
| G0235      | TC            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET not otherwise specified                         |
| G0235      | 26            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET not otherwise specified                         |
| G0237      |               | C             | 0.00        | 0.27                       | 0.27                  | 0.02       | XXX              | 1.25                      |             | Therapeutic procedures, c 15 min                    |
| G0238      |               | C             | 0.00        | 0.29                       | 0.29                  | 0.02       | XXX              | 1.25                      |             | Therapeutic procedures, not G0237, c 15 min         |
| G0239      |               | C             | 0.00        | 0.30                       | 0.30                  | 0.02       | XXX              | 1.25                      |             | Therapeutic proced, not G0236, 2 or more            |
| G0245      |               | C             | 0.88        | 0.83                       | 0.32                  | 0.04       | XXX              | 53.10                     |             | Initial foot exam pt lops                           |
| G0246      |               | C             | 0.45        | 0.55                       | 0.16                  | 0.02       | XXX              | 53.10                     |             | Followup eval of foot pt lop                        |
| G0247      |               | C             | 0.50        | 0.62                       | 0.17                  | 0.02       | ZZZ              | 53.10                     |             | Routine footcare pt w lops                          |
| G0248      |               | D             | 0.00        | 4.11                       | 4.11                  | 0.01       | XXX              | 53.10                     |             | Demonstrate use home inr mon                        |
| G0249      |               | D             | 0.00        | 3.49                       | 3.49                  | 0.01       | XXX              | 53.10                     |             | Provide test material,equipm                        |
| G0250      |               | D             | 0.18        | 0.08                       | 0.08                  | 0.01       | XXX              | 53.10                     |             | MD review interpret of test                         |
| G0251      |               | C             | 634.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Linear acc based stero radio                        |
| G0252      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET imaging initial dx                              |
| G0252      | TC            | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PET imaging initial dx                              |
| G0252      | 26            | C             | 1.50        | 0.60                       | 0.60                  | 0.04       | XXX              | 53.10                     |             | PET imaging initial dx                              |
| G0255      |               | D             | 1.50        | 0.59                       | 0.59                  | 0.04       | XXX              | 53.10                     |             | Current percep threshold tst                        |
| G0255      | TC            | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Current percep threshold tst                        |
| G0255      | 26            | D             | 1.50        | 0.59                       | 0.59                  | 0.04       | XXX              | 53.10                     |             | Current percep threshold tst                        |
| G0257      |               | C             | 499.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Unsched dialysis ESRD pt hos                        |
| G0259      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inject for sacroiliac joint                         |
| G0260      |               | C             | 1.40        | 9.35                       | 0.33                  | 0.10       | XXX              | 53.10                     |             | Inj for sacroiliac jt anesth                        |
| G0268      |               | C             | 0.61        | 0.66                       | 0.22                  | 0.02       | 000              | 53.10                     |             | Removal of impacted wax md                          |
| G0269      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Occlusive device in vein art (bundled w/ procedure) |
| G0270      |               | C             | 0.37        | 0.25                       | 0.20                  | 0.01       | XXX              | 53.10                     |             | MNT subs tx for change dx                           |
| G0271      |               | C             | 0.25        | 0.10                       | 0.10                  | 0.01       | XXX              | 53.10                     |             | Group MNT 2 or more 30 mins                         |
| G0275      |               | C             | 0.25        | 0.13                       | 0.13                  | 0.01       | ZZZ              | 53.10                     |             | Renal angio, cardiac cath                           |
| G0278      |               | C             | 0.25        | 0.13                       | 0.13                  | 0.01       | ZZZ              | 53.10                     |             | Iliac art angio,cardiac cath                        |
| G0281      |               | C             | 0.18        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             | Elec stim unattend for press                        |
| G0282      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Elect stim wound care not pd                        |
| G0283      |               | C             | 0.18        | 0.13                       | 0.13                  | 0.01       | XXX              | 53.10                     |             | Elec stim other than wound                          |
| G0288      |               | C             | 0.00        | 3.40                       | 3.40                  | 0.18       | XXX              | 53.10                     |             | Recon, CTA for surg plan                            |
| G0289      |               | C             | 1.48        | 0.67                       | 0.67                  | 0.26       | ZZZ              | 53.10                     |             | Arthro, loose body + chondro                        |
| G0290      |               | D             | 754.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Drug-eluting stents, single                         |
| G0291      |               | D             | 754.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Drug-eluting stents,each add                        |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| G0293      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-cov surg proc,clin trial         |
| G0294      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-cov proc, clinical trial         |
| G0295      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Electromagnetic therapy onc          |
| G0300      |               | C             | 969.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     | 12/31/2008  | Insert reposit lead dual+gen         |
| G0302      |               | D             | 987.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pre-op service LVRS complete         |
| G0303      |               | D             | 987.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pre-op service LVRS 10-15dos         |
| G0304      |               | D             | 199.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pre-op service LVRS 1-9 dos          |
| G0305      |               | D             | 199.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Post op service LVRS min 6           |
| G0306      |               | C             | 19.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | CBC/diffwbc w/o platelet             |
| G0307      |               | C             | 16.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | CBC without platelet                 |
| G0308      |               | D             | 12.74       | 5.57                       | 5.57                  | 0.42       | XXX              | 51.86                     | 12/31/2008  | ESRD related svc 4+mo<2yrs           |
| G0309      |               | D             | 10.61       | 4.16                       | 4.16                  | 0.36       | XXX              | 51.86                     | 12/31/2008  | ESRD related svc 2-3mo<2yrs          |
| G0310      |               | D             | 8.49        | 2.78                       | 2.78                  | 0.28       | XXX              | 51.86                     | 12/31/2008  | ESRD related svc 1 visit<2yr         |
| G0311      |               | D             | 9.73        | 3.55                       | 3.55                  | 0.34       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 4+mo 2-11yr        |
| G0312      |               | D             | 8.11        | 2.70                       | 2.70                  | 0.29       | XXX              | 51.86                     | 12/31/2008  | ESRD relate svcs 2-3 mo 2-11y        |
| G0313      |               | D             | 6.49        | 1.84                       | 1.84                  | 0.22       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 1 mon 2-11y        |
| G0314      |               | D             | 8.28        | 3.39                       | 3.39                  | 0.27       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 4+ mo 12-19        |
| G0315      |               | D             | 6.90        | 2.56                       | 2.56                  | 0.23       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 2-3mo 12-19        |
| G0316      |               | D             | 5.52        | 1.66                       | 1.66                  | 0.17       | XXX              | 51.86                     | 12/31/2008  | ESRD relate svcs 1 vist 12-19        |
| G0317      |               | C             | 5.09        | 2.25                       | 2.25                  | 0.17       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 4+mo 20+yrs        |
| G0318      |               | C             | 4.24        | 1.69                       | 1.69                  | 0.14       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 2-3 mo 20+y        |
| G0319      |               | C             | 3.39        | 1.13                       | 1.13                  | 0.11       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs 1 visit 20+        |
| G0320      |               | D             | 10.61       | 2.69                       | 2.69                  | 0.36       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs home under2        |
| G0321      |               | D             | 8.11        | 1.99                       | 1.99                  | 0.29       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs home mo<2ys        |
| G0322      |               | D             | 6.90        | 1.71                       | 1.71                  | 0.23       | XXX              | 51.86                     | 12/31/2008  | ESRD relate svcs home mo12-19        |
| G0323      |               | C             | 4.24        | 1.14                       | 1.14                  | 0.14       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs home mo 20+        |
| G0324      |               | D             | 0.35        | 0.16                       | 0.16                  | 0.01       | XXX              | 51.86                     | 12/31/2008  | ESRD related svcs home/dy<2y         |
| G0325      |               | D             | 0.23        | 0.09                       | 0.09                  | 0.01       | XXX              | 51.86                     | 12/31/2008  | ESRD relate home/dy 2-11 yr          |
| G0326      |               | D             | 0.27        | 0.10                       | 0.10                  | 0.01       | XXX              | 51.86                     | 12/31/2008  | ESRD relate home/dy 12-19y           |
| G0327      |               | C             | 0.14        | 0.06                       | 0.06                  | 0.01       | XXX              | 51.86                     | 12/31/2008  | ESRD relate home/dy 20+yrs           |
| G0328      |               | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fecal blood scrn immunoassay         |
| G0328      | QW            | C             | 40.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fecal blood scrn immunoassay         |
| G0329      |               | C             | 0.06        | 0.15                       | 0.15                  | 0.01       | XXX              | 53.10                     |             | Electromagnetic tx for ulcers        |
| G0332      |               | C             | 45.25       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Preadmin IV immunoglobulin           |
| G0333      |               | C             | 3.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dispense fee initial 30 day          |
| G0337      |               | C             | 1.34        | 0.46                       | 0.46                  | 0.09       | XXX              | 53.10                     |             | Hospice evaluation preelecti         |
| G0339      |               | C             | 785.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Robot lin-radsurg com, first session |
| G0340      |               | C             | 861.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Robot linear steroradio max5         |
| G0341      |               | C             | 6.98        | 3.83                       | 3.83                  | 0.48       | 000              | 53.10                     |             | Percutaneous islet cell transplant   |
| G0342      |               | C             | 11.92       | 5.26                       | 5.26                  | 1.46       | 090              | 53.10                     |             | Laparoscopy islet cell transplant    |
| G0343      |               | C             | 19.85       | 8.87                       | 8.87                  | 2.07       | 090              | 53.10                     |             | Laparotomy islet cell transplant     |
| G0344      |               | C             | 1.34        | 1.11                       | 0.43                  | 0.10       | XXX              | 51.86                     | 12/31/2008  | Initial preventive exam              |
| G0364      |               | C             | 0.16        | 0.16                       | 0.07                  | 0.04       | ZZZ              | 53.10                     |             | Bone marrow aspirate & biopsy        |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)            |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|---|
| G0365      |               | C             | 0.25        | 4.84                       | 4.84            | 0.25       | XXX              | 53.10                     |             | Vessel mapping hemo access                |
| G0365      | TC            | C             | 0.00        | 4.77                       | 4.77            | 0.23       | XXX              | 53.10                     |             | Vessel mapping hemo access                |
| G0365      | 26            | C             | 0.25        | 0.07                       | 0.07            | 0.02       | XXX              | 53.10                     |             | Vessel mapping hemo access                |
| G0366      |               | C             | 0.17        | 0.35                       | 0.35            | 0.03       | XXX              | 51.86                     | 12/31/2008  | EKG for initial prevent exam              |
| G0367      |               | C             | 0.00        | 0.40                       | 0.40            | 0.02       | XXX              | 51.86                     | 12/31/2008  | EKG tracing for initial prev              |
| G0368      |               | C             | 0.17        | 0.07                       | 0.07            | 0.01       | XXX              | 51.86                     | 12/31/2008  | EKG interpret & report preve              |
| G0372      |               | C             | 0.17        | 0.13                       | 0.05            | 0.01       | XXX              | 53.10                     |             | MD service required for PMD               |
| G0378      |               | C             | 1.28        | 0.39                       | 0.39            | 0.06       | XXX              | 53.10                     |             | Hospital observation per hr               |
| G0379      |               | C             | 2.99        | 0.87                       | 0.87            | 0.14       | XXX              | 53.10                     |             | Direct admit hospital observ              |
| G0380      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Lev 1 hosp type B ED visit                |
| G0381      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Lev 2 hosp type B ED visit                |
| G0382      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Lev 3 hosp type B ED visit                |
| G0383      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Lev 4 hosp type B ED visit                |
| G0384      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Lev 5 hosp type B ED visit                |
| G0389      |               | C             | 0.58        | 2.39                       | 2.39            | 0.11       | XXX              | 53.10                     |             | Ultrasound exam AAA screen                |
| G0389      | TC            | C             | 0.00        | 2.16                       | 2.16            | 0.08       | XXX              | 53.10                     |             | Ultrasound exam AAA screen                |
| G0389      | 26            | C             | 0.58        | 0.23                       | 0.23            | 0.03       | XXX              | 53.10                     |             | Ultrasound exam AAA screen                |
| G0390      |               | C             | 462.39      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trauma Respons w/hosp criti               |
| G0392      |               | C             | 9.48        | 49.71                      | 2.36            | 0.62       | 000              | 53.10                     |             | AV fistula or graft arterial              |
| G0393      |               | C             | 6.03        | 38.77                      | 2.35            | 0.34       | 000              | 53.10                     |             | AV fistula or graft venous                |
| G0394      |               | C             | 8.30        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      | 12/31/2008  | Blood occult test,colorectal              |
| G0396      |               | C             | 0.65        | 0.20                       | 0.16            | 0.01       | XXX              | 53.10                     |             | Alcohol/subs interv 15-30mn               |
| G0397      |               | C             | 1.30        | 0.35                       | 0.31            | 0.03       | XXX              | 53.10                     |             | Alcohol/subs interv >30 min               |
| G0398      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type II portable monitor  |
| G0398      | TC            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type II portable monitor  |
| G0398      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type II portable monitor  |
| G0399      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type III portable monitor |
| G0399      | TC            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type III portable monitor |
| G0399      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type III portable monitor |
| G0400      |               | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type IV portable monitor  |
| G0400      | TC            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type IV portable monitor  |
| G0400      | 26            | D             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Home sleep test/type IV portable monitor  |
| G0402      |               | C             | 1.34        | 1.13                       | 1.13            | 0.10       | XXX              | 53.10                     |             | Initial preventive exam                   |
| G0403      |               | C             | 0.17        | 0.38                       | 0.38            | 0.03       | XXX              | 53.10                     |             | EKG for initial prevent exam              |
| G0404      |               | C             | 0.00        | 0.36                       | 0.36            | 0.02       | XXX              | 53.10                     |             | EKG tracing for initial prev              |
| G0405      |               | C             | 0.17        | 0.05                       | 0.05            | 0.01       | XXX              | 53.10                     |             | EKG interpret & report preve              |
| G0406      |               | C             | 0.76        | 0.24                       | 0.24            | 0.03       | XXX              | 53.10                     |             | Telhealth inpt consult 15min              |
| G0407      |               | C             | 1.39        | 0.42                       | 0.42            | 0.04       | XXX              | 53.10                     |             | Telheath inpt consult 25min               |
| G0408      |               | C             | 2.00        | 0.59                       | 0.59            | 0.06       | XXX              | 53.10                     |             | Telhealth inpt consult 35min              |
| G0409      |               | C             | 0.00        | 0.23                       | 0.23            | 0.01       | XXX              | 53.10                     |             | CORF related serv 15 mins ea              |
| G0410      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Grp psych partial hosp 45-50              |
| G0411      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Inter active grp psych parti              |
| G0412      |               | C             | 10.45       | 6.71                       | 6.71            | 1.98       | XXX              | 53.10                     |             | Open tx iliac spine uni/bil               |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)     |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|------------------------------------|
| G0413      |               | C             | 15.73       | 9.53                       | 9.53                  | 2.64       | XXX              | 53.10                     |             | Pelvic ring fracture uni/bil       |
| G0414      |               | C             | 14.65       | 9.31                       | 9.31                  | 2.42       | XXX              | 53.10                     |             | Pelvic ring fx treat int fx        |
| G0415      |               | C             | 20.93       | 11.68                      | 11.68                 | 3.49       | XXX              | 53.10                     |             | Open tx post pelvic fxcture        |
| G0416      |               | C             | 3.09        | 13.96                      | 13.96                 | 0.54       | XXX              | 53.10                     |             | Sat biopsy prostate 1-20 spc       |
| G0416      | TC            | C             | 0.00        | 12.14                      | 12.14                 | 0.30       | XXX              | 53.10                     |             | Sat biopsy prostate 1-20 spc       |
| G0416      | 26            | C             | 3.09        | 1.82                       | 1.82                  | 0.24       | XXX              | 53.10                     |             | Sat biopsy prostate 1-20 spc       |
| G0417      |               | C             | 5.86        | 27.26                      | 27.26                 | 1.06       | XXX              | 53.10                     |             | Sat biopsy prostate 21-40          |
| G0417      | TC            | C             | 0.00        | 23.71                      | 23.71                 | 0.60       | XXX              | 53.10                     |             | Sat biopsy prostate 21-40          |
| G0417      | 26            | C             | 5.86        | 3.55                       | 3.55                  | 0.46       | XXX              | 53.10                     |             | Sat biopsy prostate 21-40          |
| G0418      |               | C             | 10.30       | 46.56                      | 46.56                 | 1.80       | XXX              | 0.00                      |             | Sat biopsy prostate 41-60          |
| G0418      | TC            | C             | 0.00        | 40.50                      | 40.50                 | 1.03       | XXX              | 53.10                     |             | Sat biopsy prostate 41-60          |
| G0418      | 26            | C             | 10.30       | 6.06                       | 6.06                  | 0.77       | XXX              | 53.10                     |             | Sat biopsy prostate 41-60          |
| G0419      |               | C             | 11.61       | 55.86                      | 55.86                 | 2.16       | XXX              | 0.00                      |             | Sat biopsy prostate: >60           |
| G0419      | TC            | C             | 0.00        | 48.60                      | 48.60                 | 1.23       | XXX              | 53.10                     |             | Sat biopsy prostate: >60           |
| G0419      | 26            | C             | 11.61       | 7.26                       | 7.26                  | 0.93       | XXX              | 53.10                     |             | Sat biopsy prostate: >60           |
| G3001      |               | C             | 524.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Admin + supply, tositumomab, 450mg |
| G8006      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt recd aspirin at arriv       |
| G8007      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt did not receiv aspirin      |
| G8008      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt ineligible for aspirin      |
| G8009      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt recd Bblock at arriv        |
| G8010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt did not rec Bblock          |
| G8011      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt inelig Bbloc at arriv       |
| G8012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pneum pt recv antibiotic 4 h       |
| G8013      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pneum pt w/o antibiotic 4 hr       |
| G8014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pneum pt not elig antibiotic       |
| G8015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic pt w/ HBA1c>9%            |
| G8016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic pt w/ HBA1c<or=9%         |
| G8017      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DM pt inelig for HBA1c measu       |
| G8018      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Care not provided for HbA1c        |
| G8019      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic pt w/LDL>= 100mg/dl       |
| G8020      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diab pt w/LDL< 100mg/dl            |
| G8021      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diab pt inelig for LDL meas        |
| G8022      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Care not provided for LDL          |
| G8023      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DM pt w BP>=140/80                 |
| G8024      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic pt wBP<140/80             |
| G8025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic pt inelig for BP me       |
| G8026      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabet pt w no care re BP me       |
| G8027      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF p w/LVSD on ACE-I/ARB           |
| G8028      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF pt w/LVSD not on ACE-I/AR       |
| G8029      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF pt not elig for ACE-I/ARB       |
| G8030      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF pt w/LVSD on Bblocker           |
| G8031      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF pt w/LVSD not on Bblocker       |
| G8032      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF pt not elig for Bblocker        |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-------------------------------------|
| G8033      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PMI-CAD pt on Bblocker              |
| G8034      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PMI-CAD pt not on Bblocker          |
| G8035      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PMI-CAD pt inelig Bblocker          |
| G8036      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI-CAD pt doc on antiplatelet      |
| G8037      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI-CAD pt not docu on antiplatelet |
| G8038      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI-CAD inelig antiplatelet mea     |
| G8039      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD pt w/LDL>100mg/dl               |
| G8040      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD pt w/LDL<or=100mg/dl            |
| G8041      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD pt not eligible for LDL         |
| G8051      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteoporosis assess                 |
| G8052      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteopor pt not assess              |
| G8053      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for osteopor meas         |
| G8054      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Falls assess not docum 12 mo        |
| G8055      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Falls assess w/ 12 mon              |
| G8056      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Not elig for falls assessmen        |
| G8057      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing assess receive              |
| G8058      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/o hearing assess               |
| G8059      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for hearing assess        |
| G8060      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Urinary incont pt assess            |
| G8061      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not assess for urinary in        |
| G8062      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not elig for urinary inco        |
| G8075      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w/ dialy of URR>=65%        |
| G8076      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w/ dialy of URR<65%         |
| G8077      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt not elig for URR/KtV        |
| G8078      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w/Hct>or=33                 |
| G8079      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w/Hct<33                    |
| G8080      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt inelig for HCT/Hgb          |
| G8081      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w/ auto AV fistula          |
| G8082      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w other fistula             |
| G8085      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD PT inelig auto AV Fistu        |
| G8093      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | COPD pt rec smoking cessat          |
| G8094      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | COPD pt w/o smoke cessat int        |
| G8099      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteopo pt given Ca+VitD sup        |
| G8100      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteop pt inelig for Ca+VitD        |
| G8103      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | New dx osteo pt w/antiresorp        |
| G8104      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteo pt inelig for antireso        |
| G8106      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone dens meas test perf            |
| G8107      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bone dens meas test inelig          |
| G8108      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt receiv influenza vacc            |
| G8109      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/o influenza vacc               |
| G8110      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for influenza vacc        |
| G8111      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt receiv mammogram                 |
| G8112      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc mammogram                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8113      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt ineligible mammography      |
| G8114      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Care not provided for mamogr   |
| G8115      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt receiv pneumo vacc          |
| G8116      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt did not rec pneumo vacc     |
| G8117      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt was inelig for pneumo vac   |
| G8126      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt treat w/antidepress12wks    |
| G8127      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not treat w/antidepres12w   |
| G8128      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for antidepres med   |
| G8129      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt treat w/antidepres for 6m   |
| G8130      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not treat w/antidepres 6m   |
| G8131      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for antidepres med   |
| G8152      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/AB 1 hr prior to incisi   |
| G8153      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc for AB 1 hr prior   |
| G8154      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt ineligi for AB therapy      |
| G8155      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt recd thromboemb prophylax   |
| G8156      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt did not rec thromboembo     |
| G8157      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt ineligi for thrombolism     |
| G8159      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/CABG w/o IMA              |
| G8162      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iso CABG pt w/o preop Bblock   |
| G8164      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iso CABG pt w/prolng intub     |
| G8165      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iso CABG pt w/o prolng intub   |
| G8166      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iso CABG req surg reexpo       |
| G8167      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iso CABG w/o surg explo        |
| G8170      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CEA/ext bypass pt on aspirin   |
| G8171      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/carot endarct/ext bypas   |
| G8172      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CEA/ext bypass pt not on asp   |
| G8182      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD pt care not prov LDL       |
| G8183      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF/atrial fib pt on warfarin   |
| G8184      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HF/atrial fib pt inelig warf   |
| G8185      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteoarth pt w/ assess pain    |
| G8186      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Osteoarth pt inelig assess     |
| G8193      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antibio not doc prior surg     |
| G8196      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antibio not docum prior surg   |
| G8200      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cefazolin not docum prophy     |
| G8204      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD not doc order to d/c anti   |
| G8209      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clinician did not doc          |
| G8214      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clini not doc order VTE        |
| G8217      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not received DVT proph      |
| G8219      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Received DVT proph day 2       |
| G8220      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not rec DVT proph day 2     |
| G8221      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for DVT proph        |
| G8223      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc for presc antipla   |
| G8226      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt no prescr anticoa at D/C    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8231      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc for admin t-PA      |
| G8234      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc dysphagia screen    |
| G8238      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc to rec rehab serv   |
| G8240      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inter carotid stenosis30-99%   |
| G8243      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc MRI/CT w/o lesion   |
| G8246      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig hx w new/chg mole    |
| G8248      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/one alarm symp not doc    |
| G8251      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc w/Barretts, endo    |
| G8254      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/no doc order for barium   |
| G8257      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rev meds D/C        |
| G8260      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc to have dec maker   |
| G8263      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc assess urinary in   |
| G8266      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc charc urin incon    |
| G8268      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec care urin inc   |
| G8271      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt no doc screen fall          |
| G8274      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clini not doc pres/abs alarm   |
| G8276      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc mole change         |
| G8279      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec PE              |
| G8282      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc to rec couns        |
| G8285      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt did not rec pres osteo      |
| G8289      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec Ca/Vit D        |
| G8293      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | COPD pt w/o spir results       |
| G8296      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | COPD pt not doc bronch ther    |
| G8298      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt doc optic nerve eval        |
| G8299      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc optic nerv eval     |
| G8302      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt doc w/ target IOP           |
| G8303      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc w/ IOP              |
| G8304      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin doc pt inelig IOP         |
| G8305      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin not prov care POAG        |
| G8306      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | POAG w/ IOP rec care plan      |
| G8307      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | POAG w/ IOP no care plan       |
| G8308      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | POAG w/ IOP not doc plan       |
| G8310      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec antiox          |
| G8314      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc to rec mac exam     |
| G8318      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt doc not have visual func    |
| G8322      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc pre axial leng      |
| G8326      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec fundus exam     |
| G8330      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc rec dilated mac     |
| G8334      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc of macular not giv MD      |
| G8338      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin not doc pt test osteo     |
| G8341      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc for DEXA            |
| G8345      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc have DEXA           |
| G8351      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc ECG                 |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8354      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not rec aspirin prior ER    |
| G8357      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc to have ECG         |
| G8360      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc vital signs recor   |
| G8362      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc 02 SAT assess       |
| G8365      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc mental status       |
| G8367      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc have empiric AB     |
| G8370      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | AMI pt recd aspirin at arriv   |
| G8371      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemother not rec stg3 colon   |
| G8372      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemother rec stg 3 colon ca   |
| G8373      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemo plan docum prior chemo   |
| G8374      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemo plan not doc prior che   |
| G8375      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CLL pt w/o doc flow cytometr   |
| G8376      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Brst ca pt inelig tamoxifen    |
| G8377      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD doc colon ca pt inelig ch   |
| G8378      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD doc pt inelig rad therapy   |
| G8379      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radiat tx recom doc12mo ov     |
| G8380      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w stgIC-3Brst ca w/o tam    |
| G8381      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w stgIC-3Brst ca rec tam    |
| G8382      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MM pt w/o doc IV bisphophon    |
| G8383      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Radiation rec not doc 12mo o   |
| G8384      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MDS pt w/o base cytogen test   |
| G8385      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diab pt w nodoc Hgb L1c 12m    |
| G8386      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diab pt w nodoc LDL 12m        |
| G8387      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w Hct/Hgb not docume   |
| G8388      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD pt w URR/Ktv not doc el   |
| G8389      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MDS pt no doc Fe prior EPO     |
| G8390      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic w/o document BP 12m   |
| G8391      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w asthma no doc med or tx   |
| G8395      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | LVEF>=40% doc normal or mild   |
| G8396      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | LVEF not performed             |
| G8397      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dil macula/fundus exam/w doc   |
| G8398      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dil macular/fundus not perfo   |
| G8399      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/DXA document or order     |
| G8400      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/DXA no document or orde   |
| G8401      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig osteo screen measu   |
| G8402      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Smoke preven interven counse   |
| G8403      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Smoke preven nocounsel         |
| G8404      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Low extemity neur exam docum   |
| G8405      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Low extemity neur not perfor   |
| G8406      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig lower extrem neuro   |
| G8407      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ABI documented                 |
| G8408      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ABI not documented             |
| G8409      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for ABI measure      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8410      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eval on foot documented        |
| G8415      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eval on foot not performed     |
| G8416      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig footwear evaluatio   |
| G8417      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMI >=30 calculate w/followup  |
| G8418      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMI < 22 calculate w/followup  |
| G8419      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMI>=30or<22 cal no followup   |
| G8420      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMI<30 and >=22 calc & docu    |
| G8421      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMI not calculated             |
| G8422      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig BMI calculation      |
| G8423      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt screen flu vac & counsel    |
| G8424      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flu vaccine not screen         |
| G8425      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flu vaccine screen not curre   |
| G8426      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not approp screen & coun    |
| G8427      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc meds verified w/pt or re   |
| G8428      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Meds document w/o verifica     |
| G8429      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Incomplete doc pt on meds      |
| G8430      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig med check            |
| G8431      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin depression screen doc     |
| G8432      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin depression screen not d   |
| G8433      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for depression scr   |
| G8434      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cognitive impairment screen    |
| G8435      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cognitive screen not documen   |
| G8436      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for cognitive impa   |
| G8437      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tx plan develop & document     |
| G8438      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tx plan develop & not docum    |
| G8439      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig for co-develp tx p   |
| G8440      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pain assessment document       |
| G8441      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No document of pain assess     |
| G8442      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig pain assessment      |
| G8443      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prescription by E-Prescrib s   |
| G8445      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prescrip not gen at encounte   |
| G8446      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Some prescrib handwritten or   |
| G8447      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt visit doc using CCHIT cer   |
| G8448      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt visit docum w/non-CCHIT c   |
| G8449      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt not doc w/EMR due to syst   |
| G8450      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Beta-bloc rx pt w/abn lvef     |
| G8451      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/abn lvef inelig b-bloc    |
| G8452      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/abn lvef b-bloc no rx     |
| G8453      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tob use cess int counsel       |
| G8454      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tob use cess int no counsel    |
| G8455      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Current tobacco smoker         |
| G8456      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Smokeless tobacco user         |
| G8457      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tobacco non-user               |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8458      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig geno no antivir tx   |
| G8459      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc pt rec antivir treat       |
| G8460      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig RNA no antivir tx    |
| G8461      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt rec antivir treat hep c     |
| G8462      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig couns no antivir tx  |
| G8463      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt rec antiviral treat doc     |
| G8464      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig; lo to no dter rsk   |
| G8465      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | High risk recurrence pro ca    |
| G8466      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig suic; MDD remis      |
| G8467      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | New dx init/rec episode MDD    |
| G8468      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ACE/ARB rx pt w/abn lvef       |
| G8469      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/abn lvef inelig ACE/ARB   |
| G8470      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt w/ normal lvef              |
| G8471      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | LVEF not performed/doc         |
| G8472      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ACE/ARB no rx pt w/abn lvef    |
| G8473      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ACE/ARB thxpy rx'd             |
| G8474      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ACE/ARB not rx'd; doc reas     |
| G8475      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ACE/ARB thxpy not rx'd         |
| G8476      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BP sys <130 and dias <80       |
| G8477      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BP sys>=130 and/or dias >=80   |
| G8478      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BP not performed/doc           |
| G8479      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD rx'd ACE/ARB thxpy          |
| G8480      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig ACE/ARB thxpy        |
| G8481      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD not rx'd ACE/ARB thxpy      |
| G8482      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flu immunize order/admin       |
| G8483      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flu imm no ord/admin doc rea   |
| G8484      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flu immunize no order/admin    |
| G8485      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Report, Diabetes measures      |
| G8486      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Report, Prev Care Measures     |
| G8487      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Report CKD Measures            |
| G8488      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Report ESRD Measures           |
| G8489      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD measures grp               |
| G8490      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | RA measures grp                |
| G8491      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIV/AIDS measures grp          |
| G8492      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prev Care measures grp         |
| G8493      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Back pain measures grp         |
| G8494      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DM meas qual act perform       |
| G8495      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CKD meas qual act perform      |
| G8496      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PC meas qual act perform       |
| G8497      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CABG meas qual act perform     |
| G8498      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CAD meas qual act perform      |
| G8499      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | RA meas qual act perform       |
| G8500      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIV meas qual act perform      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| G8501      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Perio meas qual act perform    |
| G8502      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BP meas qual act perform       |
| G8503      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc proph antibx w/in 1 hr     |
| G8504      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc ord pro antibx w/in 1 hr   |
| G8505      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No doc proph antibx w/in 1hr   |
| G8506      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt rec ACE/ARB                 |
| G8507      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig pt verif meds        |
| G8508      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig; pain asses no f/u   |
| G8509      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pain assess no f/u pln doc     |
| G8510      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig neg scrn depres      |
| G8511      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin depres scrn no f/u doc    |
| G8512      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pain sev quant present         |
| G8513      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ABI meas & doc                 |
| G8514      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PT inelig; ABI measure         |
| G8515      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No ABI measurement             |
| G8516      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Scrn fal rsk >2 fal or w/inj   |
| G8517      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Scrn fall rsk; <2 falls        |
| G8518      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin stg b/f lun/eso ca surg   |
| G8519      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt in; clin ca stg b/f surg    |
| G8520      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clin stg b/f surg not doc      |
| G8521      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antplt recd 48 hrs & disch     |
| G8522      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig; antiplt therapy     |
| G8523      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antplt not recd reas no spec   |
| G8524      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Patch closure conv CEA         |
| G8525      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No patch closure CEA           |
| G8526      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No patch closure conv CEA      |
| G8527      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc ord antimic prophy         |
| G8528      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig; proph antibiot      |
| G8529      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No doc ord antimic prophy      |
| G8530      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Auto AV fistula recd           |
| G8531      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig; auto AV fistula     |
| G8532      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No auto AV fistula; no reas    |
| G8533      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Partic in clin data base reg   |
| G8534      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Doc elder mal scrn f/u plan    |
| G8535      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig no eld mal scrn      |
| G8536      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No doc elder mal scrn          |
| G8537      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig eldmal scrn no f/u   |
| G8538      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eld mal scrn no f/u pln        |
| G8539      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cur funct assess & care pln    |
| G8540      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig funct assess         |
| G8541      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | No doc cur funct assess        |
| G8542      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt inelig func asses no pln    |
| G8543      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cur funct asses; no care pln   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| G8544      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CABG measures grp                             |
| G9001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, initial                 |
| G9002      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, maintenance             |
| G9003      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj hi, initial    |
| G9004      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj low, initial   |
| G9005      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj maint          |
| G9006      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, home monitor            |
| G9007      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, schedule team conf      |
| G9008      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, phys coor care oversite |
| G9009      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj maint, level 3 |
| G9010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj maint, level 4 |
| G9011      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj maint, level 5 |
| G9012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coordinated care fee, risk adj maint, other   |
| G9013      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD demo bundle level I                      |
| G9014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | ESRD demo bundle-level II                     |
| G9016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Smoking cessation counseling, individual      |
| G9017      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amantadine HCL, oral 100 mg                   |
| G9018      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Zanamivir, inh pwdr 10m                       |
| G9019      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oseltamivir phosp 75 mg                       |
| G9020      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rimantadine HCL, oral 100 mg                  |
| G9033      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amantadine HCL oral brand 100 mg              |
| G9034      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Zanamivir, inh pwdr, brand 10m                |
| G9035      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oseltamivir phosp, brand 75 mg                |
| G9036      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rimantadine HCL, brand, oral 100 mg           |
| G9041      |               | C             | 0.44        | 0.18                       | 0.18                  | 0.01       | XXX              | 53.10                     |             | Lo-vis svc OT, 15 min                         |
| G9042      |               | C             | 0.10        | 0.10                       | 0.10                  | 0.01       | XXX              | 53.10                     |             | Lo-vis svc CO&M, 15 min                       |
| G9043      |               | C             | 0.10        | 0.09                       | 0.09                  | 0.01       | XXX              | 53.10                     |             | Lo-vis svc CLVT, 15 min                       |
| G9044      |               | C             | 0.10        | 0.08                       | 0.08                  | 0.01       | XXX              | 53.10                     |             | Lo-vis svc CRTchr, 15 min                     |
| G9050      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oncology work-up evaluation (demo)            |
| G9051      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oncology treatment decision (demo)            |
| G9052      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc surveillance for disease (demo)           |
| G9053      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc expectant management pt (demo)            |
| G9054      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc supervision palliative (demo)             |
| G9055      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc visit unspecified NOS (demo)              |
| G9056      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac mgmt adheres guide (demo)            |
| G9057      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc pract mgmt differs guide (demo)           |
| G9058      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac mgmt disagree w/gui (demo)           |
| G9059      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac mgmt pt opt alterna (demo)           |
| G9060      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac mgmt dif pt comorb (demo)            |
| G9061      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac cond noadd by guide (demo)           |
| G9062      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc prac guide differs nos (demo)             |
| G9063      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc stgl no dx prog (demo)           |
| G9064      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc stg2 no dx prog (demo)           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| G9065      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc stg3A nodx prog (demo)  |
| G9066      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc stg3B-4 metasta (demo)  |
| G9067      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc dx unknown nos (demo)   |
| G9068      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx nsclc/sclc limited (demo)     |
| G9069      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx sclc/nsclc ext at dx (demo)   |
| G9070      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx sclc/nsclc ext unknwn (demo)  |
| G9071      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst stg1 2B no dx pr (demo)  |
| G9072      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst stg1-2 noprogres (demo)  |
| G9073      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst stg3-w/progres (demo)    |
| G9074      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst stg3-noprogress (demo)   |
| G9075      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst metastatic/ recur (demo) |
| G9077      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate T1no progres (demo)  |
| G9078      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate T2no progres (demo)  |
| G9079      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate T3b-T4noprog (demo)  |
| G9080      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate w/rise PSA (demo)    |
| G9083      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate unknown NOS (demo)   |
| G9084      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon t1-3,n1-2,no pr (demo)  |
| G9085      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon T4, N0 w/o prog (demo)  |
| G9086      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon T1-4 no dx prog (demo)  |
| G9087      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon radiolg evid dx (demo)  |
| G9088      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon m1/mets w/o rad (demo)  |
| G9089      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx colon extent unknown (demo)   |
| G9090      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal T1-2 no progr (demo)   |
| G9091      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal T3 N0 no prog (demo)   |
| G9092      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal T1-3,N1-2noprg (demo)  |
| G9093      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal T4,N,M0 no prg (demo)  |
| G9094      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal M1 w/mets prog (demo)  |
| G9095      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx rectal extent unknwn (demo)   |
| G9096      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx esophag T1-T3 noprog (demo)   |
| G9097      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx esophageal T4 no prog (demo)  |
| G9098      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx esophageal mets recur (demo)  |
| G9099      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx esophageal unknown (demo)     |
| G9100      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx gastric no recurrence (demo)  |
| G9101      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx gastric p R1-R2noprog (demo)  |
| G9102      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx gastric unresectable (demo)   |
| G9103      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx gastric recurrent (demo)      |
| G9104      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx gastric unknown NOS (demo)    |
| G9105      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx pancreatc p R0 res no (demo)  |
| G9106      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx pancreatc p R1/R2 no (demo)   |
| G9107      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx pancreatic unresectab (demo)  |
| G9108      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx pancreatic unknwn NOS (demo)  |
| G9109      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx head/neck T1-T2no prg (demo)  |
| G9110      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx head/neck T3-4 noprog (demo)  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)               |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| G9111      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx head/neck M1 mets rec (demo)          |
| G9112      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx head/neck ext unknown (demo)          |
| G9113      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian stg1A-B no pr (demo)          |
| G9114      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian stg1A-B or 2 (demo)           |
| G9115      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian stg3/4 noprog (demo)          |
| G9116      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian recurrence (demo)             |
| G9117      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian unknown NOS (demo)            |
| G9123      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL Ige Bcell relap (demo)            |
| G9124      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL relapse/refractor (demo)          |
| G9125      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL stg unknown (demo)                |
| G9126      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx ovarian stg 1A/B (demo)               |
| G9128      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx mult myeloma stg2 hig (demo)          |
| G9129      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx mult myeloma unkwn op (demo)          |
| G9130      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx multi myeloma unknown (demo)          |
| G9131      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx brst unknown NOS                      |
| G9132      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate mets no cast                 |
| G9133      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx prostate clinical met                 |
| G9134      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc NHLstg 1-2 no relap no                   |
| G9135      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL stg 3-4 not relap                 |
| G9136      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL trans to Ig Bcell                 |
| G9137      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL relapse/refractor                 |
| G9138      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx NHL stg unknown                       |
| G9139      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Onc dx CML dx status unknown                 |
| G9140      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Frontier extended stay demo                  |
| GYMEQ      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gym equipt for home use, purchase            |
| GYMME      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gym membership                               |
| H0001      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug assessment               |
| H0002      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug screening, eligibility   |
| H0003      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug screening, lab analysis  |
| H0004      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug services, ind counsel    |
| H0005      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug services, group counsel  |
| H0006      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug services, case mgmt      |
| H0007      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug services, crisis interv  |
| H0008      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, sub-acute dtox, ip |
| H0009      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, acute dtox, ip     |
| H0010      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, sub-acute dtox     |
| H0011      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, acute dtox         |
| H0012      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, sub-acute dtox, op |
| H0013      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, acute dtox, op     |
| H0014      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, ambulatory dtox    |
| H0015      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, intensive op       |
| H0016      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, medical somatic    |
| H0017      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, residential, hosp  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)            |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| H0018      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, s/t residential |
| H0019      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, l/t residential |
| H0020      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug serv, methadone svc   |
| H0021      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug training serv         |
| H0022      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug interven              |
| H0023      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug outreach              |
| H0024      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0025      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0026      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0027      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0028      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0029      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug preventi              |
| H0030      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol and/or drug hotline               |
| H0031      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MH health assess by non-md                |
| H0032      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MH svc plan dev by non-md                 |
| H0033      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oral med adm direct observe               |
| H0034      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med trng & support per 15min              |
| H0035      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MH partial hosp tx under 24h              |
| H0036      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comm psy face-face per 15min              |
| H0037      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comm psy sup tx pgm per diem              |
| H0038      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Self-help/peer svc per 15min              |
| H0039      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Asser com tx face-face/15min              |
| H0040      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Assert comm tx pgm per diem               |
| H0041      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fos c chld non-ther per diem              |
| H0042      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fos c chld non-ther per mon               |
| H0043      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supported housing, per diem               |
| H0044      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supported housing, per month              |
| H0045      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Respite not-in-home per diem              |
| H0046      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mental health service, nos                |
| H0047      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol/drug abuse svc nos                |
| H0048      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spec coll non-blood:a/d test              |
| H0049      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol/drug screening                    |
| H0050      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol/drug service 15 min               |
| H1000      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pre-natal care atrisk assessm             |
| H1001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antepartum management                     |
| H1002      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Care coordination prenatal                |
| H1003      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prenatal at risk education                |
| H1004      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Follow up home visit/prenatal             |
| H1005      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pre-natal care enhanced srv pk            |
| H1010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nonmed family planning ed                 |
| H1011      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Family assessment                         |
| H2000      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp multidisipln evaluation              |
| H2001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Rehabilitation program 1/2 day            |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                          |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| H2010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comprehensive med svc 15 min                            |
| H2011      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crisis interven svc, 15 min                             |
| H2012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behav hlth day treat, per hr                            |
| H2013      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Psych hlth fac svc, per diem                            |
| H2014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Skills train and dev, 15 min                            |
| H2015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp comm supp svc, 15 min                              |
| H2016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp comm supp svc, per diem                            |
| H2017      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Psysoc rehab svc, per 15 min                            |
| H2018      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Psysoc rehab svc, per diem                              |
| H2019      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ther behav svc, per 15 min                              |
| H2020      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ther behav svc, per diem                                |
| H2021      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Com wrap-around sv, 15 min                              |
| H2022      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Com wrap-around sv, per diem                            |
| H2023      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supported employ, per 15 min                            |
| H2024      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supported employ, per diem                              |
| H2025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supp maint employ, 15 min                               |
| H2026      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supp maint employ, per diem                             |
| H2027      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Psychoed svc, per 15 min                                |
| H2028      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sex offend tx svc, 15 min                               |
| H2029      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sex offend tx svc, per diem                             |
| H2030      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MH clubhouse svc, per 15 min                            |
| H2031      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MH clubhouse svc, per diem                              |
| H2032      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Activity therapy, per 15 min                            |
| H2033      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Multisys ther/juvenile 15min                            |
| H2034      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | A/D halfway house, per diem                             |
| H2035      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | A/D tx program, per hour                                |
| H2036      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | A/D tx program, per diem                                |
| H2037      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dev delay prev dp ch, 15 min                            |
| HRENT      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home/apt/garage rental, monthly                         |
| HSMDF      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home modifications per service                          |
| HSPUM      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home purchase and modification                          |
| HSPUR      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home purchase   |
| IMPAR      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP-requested clinical examination to resolve conflict |
| J0120      |               | C             | 40.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tetracyclin inj, 250mg                                  |
| J0128      |               | C             | 67.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abarelix, inj, 10mg                                     |
| J0129      |               | C             | 19.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abatacept injection, 10 mg                              |
| J0130      |               | C             | 444.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abciximab inj, 10mg                                     |
| J0132      |               | C             | 2.26        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acetylcysteine injection, 100 mg                        |
| J0133      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acyclovir injection, 5 mg                               |
| J0135      |               | C             | 344.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adalimumab inj, 20mg                                    |
| J0150      |               | C             | 8.94        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection adenosine tx 6mg                              |
| J0152      |               | C             | 70.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adenosine inj dx 30mg                                   |
| J0170      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adrenalin epinephrin inj, 1ml                           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)        |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------------|
| J0180      |               | C             | 132.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Agalsidase beta inj, 1mg              |
| J0190      |               | C             | 88.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj biperiden lactate/5 mg            |
| J0200      |               | C             | 19.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alatrofloxacin mesylate               |
| J0205      |               | C             | 41.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alglucerase inj, 10units              |
| J0207      |               | C             | 386.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amifostine inj 500mg                  |
| J0210      |               | C             | 17.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methyl dopate hcl inj, 250mg          |
| J0215      |               | C             | 28.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alefacept inj 0.5mg                   |
| J0220      |               | C             | 127.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aglycosidase alfa injection           |
| J0256      |               | C             | 3.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alpha 1 proteinase inhibitor, 10mg    |
| J0270      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alprostadil for inj, 1.25mcg          |
| J0275      |               | C             | 24.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alprostadil urethral suppos, 125mcg   |
| J0278      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amikacin sulfate injection, 50mg      |
| J0280      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aminophyllin 250 MG inj               |
| J0282      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amiodarone HCl, 30mg                  |
| J0285      |               | C             | 13.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amphotericin B, 50mg                  |
| J0287      |               | C             | 21.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amphotericin b lipid complex, 10mg    |
| J0288      |               | C             | 15.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ampho b cholesteryl sulfate, 10mg     |
| J0289      |               | C             | 35.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amphotericin b liposome inj, 10mg     |
| J0290      |               | C             | 2.22        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ampicillin 500 MG inj                 |
| J0295      |               | C             | 3.61        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ampicillin sodium per 1.5 gm          |
| J0300      |               | C             | 11.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amobarbital 125 MG inj                |
| J0330      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Succinylcholine chloride inj, 20mg    |
| J0348      |               | C             | 1.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anadulafungin injection, 1mg          |
| J0350      |               | C             | 673.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Injection anistreplase 30 u           |
| J0360      |               | C             | 4.90        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydralazine hcl inj, 20mg             |
| J0364      |               | C             | 3.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Apomorphine hydrochloride, 1mg        |
| J0365      |               | C             | 2.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aprotonin, 10,000 kiu                 |
| J0380      |               | C             | 1.15        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj metaraminol bitartrate, 10mg      |
| J0390      |               | C             | 19.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chloroquine inj                       |
| J0395      |               | C             | 182.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arbutamine HCl inj                    |
| J0400      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aripiprazole injection                |
| J0456      |               | C             | 9.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Azithromycin, 500mg                   |
| J0460      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Atropine sulfate inj, 0.3mg           |
| J0470      |               | C             | 26.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dimecaprol inj, 100mg                 |
| J0475      |               | C             | 215.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Baclofen 10 MG inj                    |
| J0476      |               | C             | 79.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Baclofen intrathecal trial, 50mcg     |
| J0480      |               | C             | 794.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Basiliximab, 20mg                     |
| J0500      |               | C             | 18.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dicyclomine inj, 20mg                 |
| J0515      |               | C             | 27.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj benztropine mesylate, 1mg         |
| J0520      |               | C             | 5.34        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bethanechol chloride inject           |
| J0530      |               | C             | 14.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 600000u  |
| J0540      |               | C             | 33.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 1200000u |
| J0550      |               | C             | 33.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 2400000u |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)        |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------------|
| J0560      |               | C             | 24.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 600000u  |
| J0570      |               | C             | 43.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 1200000u |
| J0580      |               | C             | 49.33       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g benzathine inj, 2400000u |
| J0583      |               | C             | 2.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bivalirudin, 1mg                      |
| J0585      |               | C             | 5.47        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Botulinum toxin type A per unit       |
| J0587      |               | C             | 9.12        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Botulinum toxin type B per 100u       |
| J0592      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Buprenorphine hydrochloride, 0.1mg    |
| J0594      |               | C             | 12.83       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Busulfan injection, 1 mg              |
| J0595      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Butorphanol tartrate 1 mg             |
| J0600      |               | C             | 50.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Edetate calcium disodium inj, 1ml     |
| J0610      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Calcium gluconate inj, 10ml           |
| J0620      |               | C             | 8.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Calcium glycer & lact/10 ML           |
| J0630      |               | C             | 49.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Calcitonin salmon inj, 400u           |
| J0636      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj calcitriol per 0.1 mcg            |
| J0637      |               | C             | 13.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caspofungin acetate 5mg               |
| J0640      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Leucovorin calcium inj/50mg           |
| J0641      |               | C             | 1.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levoleucovorin injection              |
| J0670      |               | C             | 1.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj mepivacaine HCL/10 ml             |
| J0690      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cefazolin sodium inj 500mg            |
| J0692      |               | C             | 5.25        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cefepime HCl for inj 500mg            |
| J0694      |               | C             | 6.86        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cefoxitin sodium inj, 1gm             |
| J0696      |               | C             | 1.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ceftriaxone sodium inj 250mg          |
| J0697      |               | C             | 3.94        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sterile cefuroxime inj, 750mg         |
| J0698      |               | C             | 4.53        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cefotaxime sodium inj, 1gm            |
| J0702      |               | C             | 6.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Betamethasone acet&sod phosp, 3mg     |
| J0704      |               | C             | 1.13        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Betamethasone sod phosp/4mg           |
| J0706      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caffeine citrate inj, 5mg             |
| J0710      |               | C             | 1.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cephapirin sodium inj, 1gm            |
| J0713      |               | C             | 3.26        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj ceftazidime per 500mg             |
| J0715      |               | C             | 5.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ceftizoxime sodium / 500mg            |
| J0720      |               | C             | 15.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chloramphenicol sodium injec, 1gm     |
| J0725      |               | C             | 3.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chorionic gonadotropin/1000u          |
| J0735      |               | C             | 66.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Clonidine hydrochloride, 1mg          |
| J0740      |               | C             | 761.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cidofovir inj, 375mg                  |
| J0743      |               | C             | 13.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cilastatin sodium inj, 250mg          |
| J0744      |               | C             | 1.77        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ciprofloxacin iv,200mg                |
| J0745      |               | C             | 1.26        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj codeine phosphate /30 MG          |
| J0760      |               | C             | 6.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Colchicine inj, 1mg                   |
| J0770      |               | C             | 16.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Colistimethate sodium inj, 150mg      |
| J0780      |               | C             | 2.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prochlorperazine inj, 10mg            |
| J0795      |               | C             | 4.26        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Corticotropin ovine triflural, 1 ea   |
| J0800      |               | C             | 606.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Corticotropin inj, 40 units           |
| J0835      |               | C             | 98.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj cosyntropin per 0.25mg            |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| J0850      |               | C             | 878.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cytomegalovirus imm IV /vial, 1ml    |
| J0878      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Daptomycin inj, 1mg                  |
| J0881      |               | C             | 3.06        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Darbepoetin alfa, non-esrd, 1mcg     |
| J0882      |               | C             | 3.06        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Darbepoetin alfa, esrd use, 1mcg     |
| J0885      |               | C             | 9.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Epoetin alfa, non-esrd, 1000u        |
| J0886      |               | C             | 9.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Epoetin alfa, esrd, 1000u            |
| J0894      |               | C             | 27.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Decitabine injection, 1 mg           |
| J0895      |               | C             | 15.63       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Deferoxamine mesylate inj 500mg      |
| J0900      |               | C             | 1.38        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone enanthate inj, 1cc      |
| J0945      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Brompheniramine maleate inj, 10mg    |
| J0970      |               | C             | 35.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Estradiol valerate inj, 40mg         |
| J1000      |               | C             | 6.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Depo-estradiol cypionate inj 5mg     |
| J1020      |               | C             | 1.88        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone 20mg inj          |
| J1030      |               | C             | 4.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone 40mg inj          |
| J1040      |               | C             | 7.86        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone 80mg inj          |
| J1051      |               | C             | 7.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Medroxyprogesterone inj, 50mg        |
| J1055      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Medroxyprogester acetate inj, 150 mg |
| J1056      |               | C             | 22.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | MA/EC contraceptive inj, 5mg         |
| J1060      |               | C             | 4.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone cypionate 1 ML          |
| J1070      |               | C             | 3.93        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone cypionat 100mg          |
| J1080      |               | C             | 5.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone cypionat 200mg          |
| J1094      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj dexamethasone acetate, 1 mg      |
| J1100      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dexamethasone sodium phos 1 mg       |
| J1110      |               | C             | 22.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj dihydroergotamine mesylt, 1mg    |
| J1120      |               | C             | 35.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acetazolamid sodium inj, 500mg       |
| J1160      |               | C             | 1.34        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Digoxin inj, 0.5mg                   |
| J1162      |               | C             | 488.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Digoxin immune fab (ovine), per vial |
| J1165      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phenytoin sodium inj, 50mg           |
| J1170      |               | C             | 1.49        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydromorphone inj, 4mg               |
| J1180      |               | C             | 8.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dyphylline inj, 500mg                |
| J1190      |               | C             | 452.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dexrazoxane HCl inj /250mg           |
| J1200      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diphenhydramine hcl inj 50mg         |
| J1205      |               | C             | 234.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlorothiazide sodium inj, 500mg     |
| J1212      |               | C             | 72.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dimethyl sulfoxide 50%, 50 ML        |
| J1230      |               | C             | 3.86        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methadone inj, 10mg                  |
| J1240      |               | C             | 3.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dimenhydrinate inj, 50mg             |
| J1245      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dipyridamole inj /10mg               |
| J1250      |               | C             | 5.60        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj dobutamine HCL/250mg             |
| J1260      |               | C             | 4.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dolasetron mesylate 10mg             |
| J1265      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dopamine inj, 40mg                   |
| J1267      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Doripenem injection                  |
| J1270      |               | C             | 3.31        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, doxercalciferol, 1mcg     |
| J1300      |               | C             | 176.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ecuzumab injection                   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| J1320      |               | C             | 2.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Amitriptyline inj, 20mg              |
| J1324      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Enfuvirtide injection, 1 mg          |
| J1325      |               | C             | 14.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Epoprostenol inj, 0.5mg              |
| J1327      |               | C             | 17.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Eptifibatide inj, 5mg                |
| J1330      |               | C             | 4.03        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ergonovine maleate inj, 0.2mg        |
| J1335      |               | C             | 26.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ertapenem inj, 500mg                 |
| J1364      |               | C             | 7.21        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Erythro lactobionate /500mg          |
| J1380      |               | C             | 9.97        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Estradiol valerate 10mg inj          |
| J1390      |               | C             | 19.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Estradiol valerate 20mg inj          |
| J1410      |               | C             | 78.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj estrogen conjugate 25mg          |
| J1430      |               | C             | 149.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ethanolamine oleate 100mg            |
| J1435      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection estrone per 1 mg           |
| J1436      |               | C             | 70.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Etidronate disodium inj, 300mg       |
| J1438      |               | C             | 172.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Etanercept inj, 25mg                 |
| J1440      |               | C             | 202.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Filgrastim 300 mcg injecton          |
| J1441      |               | C             | 310.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Filgrastim 480 mcg injection         |
| J1450      |               | C             | 7.44        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fluconazole, 200mg                   |
| J1451      |               | C             | 11.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fomepizole, 15 mg                    |
| J1452      |               | C             | 212.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Intraocular Fomivirsen na, 1.65mg    |
| J1453      |               | C             | 1.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fosaprepitant injection              |
| J1455      |               | C             | 13.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foscarnet sodium inj, 1000mg         |
| J1457      |               | C             | 1.60        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gallium nitrate inj, 1mg             |
| J1458      |               | C             | 326.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Galsulfase injection, 1 mg           |
| J1459      |               | C             | 34.16       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj IVIG privigen 500 mg             |
| J1460      |               | C             | 12.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 1CC inj               |
| J1470      |               | C             | 25.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 2 CC inj              |
| J1480      |               | C             | 38.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 3 CC inj              |
| J1490      |               | C             | 51.47       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 4 CC inj              |
| J1500      |               | C             | 64.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 5 CC inj              |
| J1510      |               | C             | 77.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 6 CC inj              |
| J1520      |               | C             | 90.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 7 CC inj              |
| J1530      |               | C             | 102.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 8 CC inj              |
| J1540      |               | C             | 115.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 9 CC inj              |
| J1550      |               | C             | 128.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin 10 CC inj             |
| J1560      |               | C             | 128.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamma globulin > 10 CC inj /10ml     |
| J1561      |               | C             | 35.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gamunex injection, 500 mg            |
| J1562      |               | C             | 7.02        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Immune globulin subcutaneous, 100 mg |
| J1565      |               | C             | 15.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | RSV-ivig, 50mg                       |
| J1566      |               | C             | 29.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Immune globulin, powder, 500mg       |
| J1568      |               | C             | 36.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Octagam injection, 500 mg            |
| J1569      |               | C             | 35.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gammagard liquid injection, 500 mg   |
| J1570      |               | C             | 45.02       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ganciclovir sodium inj, 500mg        |
| J1571      |               | C             | 44.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HepaGam B IM injection, 0.5 ml       |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| J1572      |               | C             | 35.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flebogamma injection, 500 mg         |
| J1573      |               | C             | 44.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hepagam B intravenous, inj           |
| J1580      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Garamycin gentamicin inj 80mg        |
| J1590      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gatifloxacin inj, 10mg               |
| J1595      |               | C             | 67.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj glatiramer acetate, 20mg         |
| J1600      |               | C             | 7.88        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gold sodium thiomaleate inj 50mg     |
| J1610      |               | C             | 74.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Glucagon hydrochloride/1 MG          |
| J1620      |               | C             | 176.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gonadorelin hydroch/ 100 mcg         |
| J1626      |               | C             | 4.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Granisetron HCl injection 100mcg     |
| J1630      |               | C             | 1.53        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Haloperidol inj, 5mg                 |
| J1631      |               | C             | 3.29        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Haloperidol decanoate inj /50mg      |
| J1640      |               | C             | 7.86        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hemin, 1 mg                          |
| J1642      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj heparin sodium per 10 u          |
| J1644      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj heparin sodium per 1000 u        |
| J1645      |               | C             | 11.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dalteparin sodium per 2500 iu        |
| J1650      |               | C             | 6.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj enoxaparin sodium, 10mg          |
| J1652      |               | C             | 6.66        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fondaparinux sodium, 0.5mg           |
| J1655      |               | C             | 2.12        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tinzaparin sodium injection 1000 iu  |
| J1670      |               | C             | 215.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tetanus immune globulin inj, 250u    |
| J1675      |               | C             | 450.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Histrelin acetate                    |
| J1700      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocortisone acetate inj           |
| J1710      |               | C             | 5.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocortisone sodium ph inj         |
| J1720      |               | C             | 2.47        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydrocortisone sodium succ inj 100mg |
| J1730      |               | C             | 112.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diazoxide inj, 300mg                 |
| J1740      |               | C             | 138.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ibandronate sodium injection, 1 mg   |
| J1742      |               | C             | 391.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ibutilide fumarate inj, 1mg          |
| J1743      |               | C             | 455.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Idursulfase injection                |
| J1745      |               | C             | 56.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Infliximab inj, 10mg                 |
| J1750      |               | C             | 11.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj iron dextran                     |
| J1751      |               | C             | 11.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Iron dextran 165 injection, 50mg     |
| J1752      |               | C             | 11.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Iron dextran 267 injection, 50mg     |
| J1756      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Iron sucrose inj, 1mg                |
| J1785      |               | C             | 4.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj imiglucerase, 1unit              |
| J1790      |               | C             | 1.59        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Droperidol inj, 1mg                  |
| J1800      |               | C             | 4.44        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Propranolol inj, 1mg                 |
| J1810      |               | C             | 5.58        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Droperidol/fentanyl inj, 2ml         |
| J1815      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Insulin injection, / 5 units         |
| J1817      |               | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Insulin for insulin pump use, 50u    |
| J1825      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Interferon beta-1a, 33 mcg           |
| J1830      |               | C             | 119.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon beta-1b, 0.25mg           |
| J1835      |               | C             | 42.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Intraconazole inj, 50mg              |
| J1840      |               | C             | 4.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Kanamycin sulfate 500mg inj          |
| J1850      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Kanamycin sulfate 75mg inj           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)     |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|------------------------------------|
| J1885      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ketorolac tromethamine inj 15mg    |
| J1890      |               | C             | 8.64        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cephalothin sodium inj, 1 gram     |
| J1930      |               | C             | 26.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lanreotide injection               |
| J1931      |               | C             | 24.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Laronidase injection, 0.1mg        |
| J1940      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Furosemide injection 20mg          |
| J1945      |               | C             | 180.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lepirudin, 50mg                    |
| J1950      |               | C             | 467.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Leuprolide acetate, 3.75 MG        |
| J1953      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levetiracetam injection            |
| J1955      |               | C             | 6.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj levocarnitine per 1 gm         |
| J1956      |               | C             | 5.97        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levofloxacin inj, 250mg            |
| J1960      |               | C             | 3.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levorphanol tartrate inj           |
| J1980      |               | C             | 9.66        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hyoscyamine sulfate inj, 0.25mg    |
| J1990      |               | C             | 21.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlordiazepoxide inj, 100mg        |
| J2001      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lidocaine inj, 10mg                |
| J2010      |               | C             | 4.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lincomycin inj, 300mg              |
| J2020      |               | C             | 29.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Linezolid inj, 200mg               |
| J2060      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lorazepam inj, 2mg                 |
| J2150      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mannitol injection 25%, 50ml       |
| J2170      |               | C             | 15.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mecasermin injection, 1 mg         |
| J2175      |               | C             | 1.42        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Meperidine hydrochl, 100mg         |
| J2180      |               | C             | 3.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Meperidine/promethazine inj, 50mg  |
| J2185      |               | C             | 4.06        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Meropenem, 100mg                   |
| J2210      |               | C             | 5.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylergonovin maleate inj, 0.2mg |
| J2248      |               | C             | 1.20        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Micafungin sodium injection, 1 mg  |
| J2250      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj midazolam hydrochloride, 1mg   |
| J2260      |               | C             | 51.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj milrinone lactate / 5mg        |
| J2270      |               | C             | 1.73        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Morphine sulfate inj, 10mg         |
| J2271      |               | C             | 11.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Morphine so4 inj, 100mg            |
| J2275      |               | C             | 4.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Morphine sulfate inj, 10mg         |
| J2278      |               | C             | 6.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ziconotide injection, 1mcg         |
| J2280      |               | C             | 2.86        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj, moxifloxacin 100 mg           |
| J2300      |               | C             | 1.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj nalbuphine hydrochloride, 10mg |
| J2310      |               | C             | 3.72        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj naloxone hydrochloride, 1mg    |
| J2315      |               | C             | 1.88        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Naltrexone, depot form, 1 mg       |
| J2320      |               | C             | 3.75        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nandrolone decanoate 50mg          |
| J2321      |               | C             | 7.13        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nandrolone decanoate 100mg         |
| J2322      |               | C             | 15.02       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nandrolone decanoate 200mg         |
| J2323      |               | C             | 7.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Natalizumab injection              |
| J2325      |               | C             | 35.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nesiritide injection 0.1 mg        |
| J2353      |               | C             | 105.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Octreotide injection, depot 1mg    |
| J2354      |               | C             | 1.95        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Octreotide inj, non-depot 25mcg    |
| J2355      |               | C             | 246.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oprelvekin inj, 5mg                |
| J2357      |               | C             | 18.23       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Omalizumab injection, 5mg          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------------|
| J2360      |               | C             | 7.40        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orphenadrine inj, 60mg               |
| J2370      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phenylephrine hcl inj, 1ml           |
| J2400      |               | C             | 12.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chloroprocaine hcl inj, 30ml         |
| J2405      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ondansetron hcl inj, 1 mg            |
| J2410      |               | C             | 2.38        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxymorphone hcl inj, 1mg             |
| J2425      |               | C             | 11.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Palifermin injection, 50mcg          |
| J2430      |               | C             | 30.83       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pamidronate disodium, 30mg           |
| J2440      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Papaverin hcl inj, 60mg              |
| J2460      |               | C             | 165.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxytetracycline inj, 50mg            |
| J2469      |               | C             | 16.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Palonosetron HCl, 25mcg              |
| J2501      |               | C             | 3.66        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Paricalcitol 1mcg                    |
| J2503      |               | C             | 514.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Pegaptanib sodium injection, 0.3mg   |
| J2504      |               | C             | 226.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pegademase bovine, 25 iu             |
| J2505      |               | C             | 544.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Inj, pegfilgrastim, 6mg              |
| J2510      |               | C             | 9.80        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g procaine inj, 600000u   |
| J2513      |               | C             | 21.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pentastarch 10% solution, 100ml      |
| J2515      |               | C             | 9.17        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pentobarbital sodium inj, 50mg       |
| J2540      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Penicillin g potassium inj, 600000u  |
| J2543      |               | C             | 5.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Piperacillin/tazobactam, 1.125g      |
| J2545      |               | C             | 49.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pentamidine isethionate/300mg        |
| J2550      |               | C             | 1.64        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Promethazine hcl inj, 50mg           |
| J2560      |               | C             | 3.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phenobarbital sodium inj, 120mg      |
| J2590      |               | C             | 1.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxytocin inj, 10u                    |
| J2597      |               | C             | 1.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj desmopressin acetate, 1mcg       |
| J2650      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prednisolone acetate inj, 1ml        |
| J2670      |               | C             | 3.92        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Totazoline hcl injection             |
| J2675      |               | C             | 1.42        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj progesterone per 50mg            |
| J2680      |               | C             | 3.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fluphenazine decanoate 25mg          |
| J2690      |               | C             | 3.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Procainamide hcl inj, 1g             |
| J2700      |               | C             | 1.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxacillin sodium inj, 250mg          |
| J2710      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Neostigmine methylsulfate inj, 0.5mg |
| J2720      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj protamine sulfate/10 MG          |
| J2724      |               | C             | 12.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Protein C concentrate                |
| J2725      |               | C             | 21.78       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj protirelin per 250 mcg           |
| J2730      |               | C             | 89.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pralidoxime chloride inj, 1g         |
| J2760      |               | C             | 52.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Phentolaine mesylate inj, 5mg        |
| J2765      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metoclopramide hcl inj, 10mg         |
| J2770      |               | C             | 144.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Quinupristin/dalfopristin, 500mg     |
| J2778      |               | C             | 406.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ranibizumab injection                |
| J2780      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ranitidine hydrochloride inj 25mg    |
| J2783      |               | C             | 165.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rasburicase 0.5mg                    |
| J2785      |               | C             | 47.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Regadenoson injection                |
| J2788      |               | C             | 23.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rho d immune globulin 50 mcg         |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-------------------------------------|
| J2790      |               | C             | 86.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rho d immune globulin inj, 300mcg   |
| J2791      |               | C             | 5.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rhophylac injection                 |
| J2792      |               | C             | 16.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rho(D) immune globulin h, sd, 100iu |
| J2794      |               | C             | 4.98        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Risperidone, long acting, 0.5mg     |
| J2795      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ropivacaine HCl inj, 1mg            |
| J2800      |               | C             | 24.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methocarbamol inj, 10ml             |
| J2805      |               | C             | 61.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sincalide injection, 5mcg           |
| J2810      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj theophylline per 40mg           |
| J2820      |               | C             | 24.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sargramostim injection 50mcg        |
| J2850      |               | C             | 20.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj secretin synthetic human, 1mcg  |
| J2910      |               | C             | 24.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aurothioglucose inj, 50mg           |
| J2916      |               | C             | 4.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | NA Ferric Gluconate Complex 12.5 mg |
| J2920      |               | C             | 2.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone injection 40mg   |
| J2930      |               | C             | 3.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone injection 125mg  |
| J2940      |               | C             | 43.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Somatrem injection                  |
| J2941      |               | C             | 51.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Somatropin inj, 1mg                 |
| J2950      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Promazine hcl inj, 25mg             |
| J2993      |               | C             | 870.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Retepase inj, 18.1mg                |
| J2995      |               | C             | 78.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj streptokinase /250000 IU        |
| J2997      |               | C             | 34.10       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alteplase recombinant, 1 mg         |
| J3000      |               | C             | 4.62        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Streptomycin inj, 1g                |
| J3010      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fentanyl citrate inj, 0.1mg         |
| J3030      |               | C             | 74.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sumatriptan succinate / 6 MG        |
| J3070      |               | C             | 6.38        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pentazocine hcl inj, 30mg           |
| J3100      |               | C             | 508.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      | 12/31/2008  | Tenecteplase inj, 50mg              |
| J3101      |               | C             | 41.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tenecteplase injection              |
| J3105      |               | C             | 2.50        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Terbutaline sulfate inj, 1mg        |
| J3110      |               | C             | 7.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Teriparatide injection, 10mcg       |
| J3120      |               | C             | 4.29        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone enanthate inj, 100mg   |
| J3130      |               | C             | 7.66        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone enanthate inj, 200mg   |
| J3140      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone suspension inj, 50mg   |
| J3150      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosteron propionate inj, 100mg   |
| J3230      |               | C             | 7.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlorpromazine hcl inj, 50mg        |
| J3240      |               | C             | 966.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Thyrotropin inj, 0.9mg              |
| J3243      |               | C             | 1.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tigecycline injection, 1 mg         |
| J3246      |               | C             | 7.74        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tirofiban hydrochloride, 0.25mg     |
| J3250      |               | C             | 4.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trimethobenzamide hcl inj, 200mg    |
| J3260      |               | C             | 2.18        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tobramycin sulfate injection 80mg   |
| J3265      |               | C             | 2.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection toseamide 10 mg/ml        |
| J3280      |               | C             | 4.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Thiethylperazine maleate inj, 10mg  |
| J3285      |               | C             | 57.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Treprostinil injection, 1mg         |
| J3300      |               | C             | 3.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone A inj PRS-free        |
| J3301      |               | C             | 1.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone acetonide inj 10mg    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)           |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| J3302      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone diacetate inj 5mg          |
| J3303      |               | C             | 1.33        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone hexacetonl inj 5mg         |
| J3305      |               | C             | 146.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj trimetrexate glucoronate, 25mg       |
| J3310      |               | C             | 6.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Perphenazine injeciton, 5mg              |
| J3315      |               | C             | 167.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triptorelin pamoate 3.75mg               |
| J3320      |               | C             | 30.08       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spectinomycn di-hcl inj, 2g              |
| J3350      |               | C             | 73.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urea injection, 40mg                     |
| J3355      |               | C             | 51.98       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urofollitropin, 75 iu                    |
| J3360      |               | C             | 1.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diazepam inj, 5mg                        |
| J3364      |               | C             | 9.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urokinase 5000 IU injection              |
| J3365      |               | C             | 457.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urokinase 250,000 IU inj                 |
| J3370      |               | C             | 3.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vancomycin hcl injeciton 500mg           |
| J3396      |               | C             | 9.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Verteporfin injection, 0.1mg             |
| J3400      |               | C             | 20.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triflupromazine hcl inj, 20mg            |
| J3410      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydroxyzine hcl injeciton 25mg           |
| J3411      |               | C             | 2.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Thiamine hcl 100 mg                      |
| J3415      |               | C             | 5.03        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pyridoxine hcl 100 mg                    |
| J3420      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vitamin B-12 inj, 1000mcg                |
| J3430      |               | C             | 4.24        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vitamin K phytonadione inj, 1mg          |
| J3465      |               | C             | 5.32        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, voriconazole, 10mg            |
| J3470      |               | C             | 17.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hyaluronidase inj, 150u                  |
| J3471      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ovine, up to 999 USP units, per unit     |
| J3472      |               | C             | 129.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ovine, 1000 USP units                    |
| J3473      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hyaluronidase recombinant, 1 USP unit    |
| J3475      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj magnesium sulfate 500mg              |
| J3480      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj potassium chloride /2meq             |
| J3485      |               | C             | 1.18        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Zidovudine, 10mg                         |
| J3486      |               | C             | 5.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ziprasidone mesylate, 10mg               |
| J3487      |               | C             | 215.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Zoledronic acid, 1 mg                    |
| J3488      |               | C             | 218.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Reclast injection                        |
| J3490      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Drugs unclassified injection             |
| J3520      |               | C             | 1.01        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Edetate disodium per 150 mg              |
| J3530      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nasal vaccine inhalation                 |
| J3535      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Metered dose inhaler drug                |
| J3570      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Laetrile amygdalin vit B17               |
| J3590      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unclassified biologics                   |
| J7030      |               | C             | 1.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Normal saline solution infus 1000cc      |
| J7040      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Normal saline solution infus 500ml=1unit |
| J7042      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | 5% dextrose/normal saline, 500ml         |
| J7050      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Normal saline solution infus, 250cc      |
| J7060      |               | C             | 1.09        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | 5% dextrose/water, 500ml                 |
| J7070      |               | C             | 2.18        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | D5w infusion, 1000cc                     |
| J7100      |               | C             | 21.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dextran 40 infusion, 500ml               |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)              |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| J7110      |               | C             | 17.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dextran 75 infusion, 500ml                  |
| J7120      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ringers lactate infusion, 1000cc            |
| J7130      |               | C             | 1.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hypertonic saline solution, 20cc            |
| J7186      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Antihemophilic viii/vwf comp                |
| J7187      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj Vonwillebrand factor, per IU            |
| J7189      |               | C             | 1.27        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor viia, 1mcg                           |
| J7190      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor VIII, 1iu                            |
| J7191      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor VIII (porcine), 1iu                  |
| J7192      |               | C             | 1.08        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor VIII recombinant, 1iu                |
| J7193      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor IX non-recombinant, 1iu              |
| J7194      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor IX complex, 1iu                      |
| J7195      |               | C             | 1.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Factor IX recombinant, 1iu                  |
| J7197      |               | C             | 2.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Antithrombin III injection, 1iu             |
| J7198      |               | C             | 1.49        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anti-inhibitor, 1iu                         |
| J7199      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hemophilia clot factor noc                  |
| J7300      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intraut copper contraceptive                |
| J7302      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Levonorgestrel iu contracept                |
| J7303      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Contraceptive vaginal ring                  |
| J7304      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Contraceptive hormone patch                 |
| J7306      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Levonorgestrel implant sys                  |
| J7307      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Etonogestrel implant system                 |
| J7308      |               | C             | 117.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aminolevulinic acid hcl top, 354mg          |
| J7310      |               | C             | 848.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Ganciclovir long act implant, 4.5mg         |
| J7311      |               | C             | 967.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Fluocinolone acetonide intravitreal implant |
| J7321      |               | C             | 97.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hyalgan/supartz inj per dose                |
| J7322      |               | C             | 182.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Synvisc inj per dose                        |
| J7323      |               | C             | 111.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Euflexxa inj per dose                       |
| J7324      |               | C             | 178.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthovisc inj per dose                      |
| J7330      |               | C             | 921.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     |             | Cultured chondrocytes implnt, ea.           |
| J7340      |               | C             | 30.13       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Metabolic active D/E tissue, 1 sq cm        |
| J7341      |               | C             | 2.03        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Non-human, metabolic tissue, 1 sq cm        |
| J7342      |               | C             | 36.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Metabolically active tissue, 1 sq cm        |
| J7343      |               | C             | 20.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Nonmetabolic act d/e tissue, 1 sq cm        |
| J7344      |               | C             | 95.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Nonmetabolic active tissue, 1 sq cm         |
| J7346      |               | C             | 774.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Injectable human tissue, 1 cc               |
| J7347      |               | C             | 33.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Integra matrix tissue                       |
| J7348      |               | C             | 67.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Tissuemend tissue                           |
| J7349      |               | C             | 67.96       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Primatrix tissue                            |
| J7500      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Azathioprine oral, 50mg                     |
| J7501      |               | C             | 90.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Azathioprine parenteral, 100mg              |
| J7502      |               | C             | 3.41        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclosporine oral, 100 mg                   |
| J7504      |               | C             | 463.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lymphocyte immune globulin, 250mg           |
| J7505      |               | C             | 538.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Monoclonal antibodies, 5mg                  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| J7506      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prednisone oral, 5mg                                |
| J7507      |               | C             | 4.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tacrolimus oral per 1 MG                            |
| J7509      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methylprednisolone oral, 4mg                        |
| J7510      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prednisolone oral per 5 mg                          |
| J7511      |               | C             | 371.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Antithymocyte globuln rabbit, 25mg                  |
| J7513      |               | C             | 347.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Daclizumab, parenteral, 25mg                        |
| J7515      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclosporine oral 25 mg                             |
| J7516      |               | C             | 26.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclosporin parenteral 250mg                        |
| J7517      |               | C             | 3.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mycophenolate mofetil oral, 250mg                   |
| J7518      |               | C             | 2.70        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mycophenolic acid, oral, 180mg                      |
| J7520      |               | C             | 8.52        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sirolimus, oral, 1mg                                |
| J7525      |               | C             | 139.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tacrolimus injection, 5mg                           |
| J7599      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Immunosuppressive drug noc                          |
| J7602      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Albuterol inh non-comp con                          |
| J7603      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Albuterol inh non-comp u d                          |
| J7604      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acetylcysteine comp unit                            |
| J7605      |               | C             | 4.96        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arformoterol non-comp unit                          |
| J7606      |               | C             | 4.18        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Formoterol fumarate, inh                            |
| J7607      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levalbuterol inhal soln, comp, con, via dme, 0.5 mg |
| J7608      |               | C             | 2.02        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acetylcysteine inh sol u d, 1g                      |
| J7609      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albuterol comp unit, 1 mg                           |
| J7610      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albuterol comp con, 1 mg                            |
| J7611      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albuterol concentrated form, 1mg                    |
| J7612      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levalbuterol concentrated, 0.5mg                    |
| J7613      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albuterol unit dose, 1mg                            |
| J7614      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levalbuterol unit dose, 0.5mg                       |
| J7615      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Levalbuterol comp unit, 0.5 mg                      |
| J7620      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albuterol non-compounded, 1unit                     |
| J7622      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Beclomethasone inhalatn sol, 1mg                    |
| J7624      |               | C             | 1.21        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Betamethasone inhalation sol, 1mg                   |
| J7626      |               | C             | 5.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Budesonide inhalation sol, 0.5mg                    |
| J7627      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Budesonide, compounded                              |
| J7628      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bitolterol mes inhal sol con                        |
| J7629      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bitolterol mes inh sol u d                          |
| J7631      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cromolyn sodium inh sol u d, 10mg                   |
| J7632      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cromolyn sodium comp unit                           |
| J7633      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Budesonide concentrated sol, 0.25mg                 |
| J7634      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Budesonide inhal soln, comp, con, 0.25mg            |
| J7635      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Atropine inhal sol con, 1mg                         |
| J7636      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Atropine inhal sol unit dose, 1mg                   |
| J7637      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dexamethasone inhal sol con, 1mg                    |
| J7638      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dexamethasone inhal sol u d, 1mg                    |
| J7639      |               | C             | 22.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dornase alpha inhal sol u d, 1mg                    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)          |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| J7640      |               | C             | 1.69        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Formoterol injection, 12mcg             |
| J7641      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flunisolide, inhalation sol, 1mg        |
| J7642      |               | C             | 1.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Glycopyrrolate inhal sol con, 1mg       |
| J7643      |               | C             | 1.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Glycopyrrolate inhal sol u d, 1mg       |
| J7644      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ipratropium brom inh sol u d, 1mg       |
| J7645      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ipratropium bromide comp, via dme, 1mg  |
| J7647      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Isoetharine HCL, comp, con, via dme 1mg |
| J7648      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Isoetharine hcl inh sol con             |
| J7649      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Isoetharine hcl inh sol u d, 1mg        |
| J7650      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Isoetharine comp unit dose, 1mg         |
| J7657      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Isoproterenol HCL, comp, con, 1 mg      |
| J7658      |               | C             | 6.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Isoproterenolhcl inh sol con            |
| J7659      |               | C             | 6.56        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Isoproterenol hcl inh sol ud            |
| J7660      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Isoproterenol comp unit, 1 mg           |
| J7667      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metaproterenol comp con, 10mg           |
| J7668      |               | C             | 1.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metaproterenol inh sol con, 10mg        |
| J7669      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metaproterenol inh sol u d, 10mg        |
| J7670      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metaproterenol, comp, unit, 10mg        |
| J7674      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methacholine chloride, neb, 1mg         |
| J7676      |               | C             | 103.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pentamidine comp unit dose              |
| J7680      |               | C             | 26.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Terbutaline so4 inh sol con, 1mg        |
| J7681      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Terbutaline so4 inh sol u d, 1mg        |
| J7682      |               | C             | 63.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tobramycin inhalation sol, 300mg        |
| J7683      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone inh sol con               |
| J7684      |               | C             | 0.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Triamcinolone inh sol u d               |
| J7685      |               | C             | 5.65        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tobramycin, comp, unit, 300mg           |
| J7699      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Inhalation solution for DME             |
| J7799      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-inhalation drug for DME             |
| J8498      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antiemetic rectal/supp NOS              |
| J8499      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oral prescrip drug non chemo            |
| J8501      |               | C             | 5.36        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aprepitant, oral, 5mg                   |
| J8510      |               | C             | 2.91        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oral busulfan, 2mg                      |
| J8515      |               | C             | 12.52       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cabergoline, oral 0.25mg                |
| J8520      |               | C             | 5.22        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Capecitabine, oral, 150 mg              |
| J8521      |               | C             | 17.42       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Capecitabine, oral, 500 mg              |
| J8530      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide oral 25mg              |
| J8540      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oral dexamethasone, 0.25mg              |
| J8560      |               | C             | 29.57       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Etoposide oral 50 MG                    |
| J8565      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gefitinib, oral, 250mg                  |
| J8597      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Antiemetic drug oral NOS                |
| J8600      |               | C             | 4.14        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Melphalan oral 2 MG                     |
| J8610      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methotrexate oral 2.5 MG                |
| J8650      |               | C             | 16.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nabilone oral, 1mg                      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)     |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|------------------------------------|
| J8700      |               | C             | 8.25        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Temozolmide, 2.5mg                 |
| J8705      |               | C             | 69.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Topotecan oral                     |
| J8999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oral prescription drug chemo       |
| J9000      |               | C             | 3.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Doxorubic hcl 10 MG vl chemo       |
| J9001      |               | C             | 441.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Doxorubicin hcl liposome inj 10mg  |
| J9010      |               | C             | 553.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Alemtuzumab injection 10 mg        |
| J9015      |               | C             | 812.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Aldesleukin/single use vial, ea    |
| J9017      |               | C             | 34.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arsenic trioxide, 1mg              |
| J9020      |               | C             | 58.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Asparaginase inj, 10000u           |
| J9025      |               | C             | 4.64        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Azacitidine injection, 1mg         |
| J9027      |               | C             | 116.62      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Clofarabine injection, 1mg         |
| J9031      |               | C             | 125.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bcg live intravesical vac, ea      |
| J9033      |               | C             | 18.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bendamustine injection             |
| J9035      |               | C             | 57.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bevacizumab injection, 10mg        |
| J9040      |               | C             | 289.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bleomycin sulfate injection 15u    |
| J9041      |               | C             | 36.27       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bortezomib injection, 0.1mg        |
| J9045      |               | C             | 5.75        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Carboplatin injection 50mg         |
| J9050      |               | C             | 168.23      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Carmus bischl nitro inj 100mg      |
| J9055      |               | C             | 49.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cetuximab injection, 10mg          |
| J9060      |               | C             | 2.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cisplatin 10mg injection           |
| J9062      |               | C             | 11.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cisplatin 50mg injection           |
| J9065      |               | C             | 61.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj cladribine per 1 MG            |
| J9070      |               | C             | 2.90        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide 100mg inj         |
| J9080      |               | C             | 5.80        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide 200mg inj         |
| J9090      |               | C             | 14.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide 500mg inj         |
| J9091      |               | C             | 29.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide 1.0 grm inj       |
| J9092      |               | C             | 58.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide 2.0 grm inj       |
| J9093      |               | C             | 1.81        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide lyophilized 100mg |
| J9094      |               | C             | 3.62        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide lyophilized 200mg |
| J9095      |               | C             | 9.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide lyophilized 500mg |
| J9096      |               | C             | 18.10       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide lyophilized 1 g   |
| J9097      |               | C             | 36.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cyclophosphamide lyophilized 2 g   |
| J9098      |               | C             | 448.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cytarabine liposome 10mg           |
| J9100      |               | C             | 8.19        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cytarabine hcl 100mg inj           |
| J9110      |               | C             | 8.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cytarabine hcl 500mg inj           |
| J9120      |               | C             | 503.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dactinomycin actinomycin d, 0.5mg  |
| J9130      |               | C             | 4.39        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dacarbazine 100mg inj              |
| J9140      |               | C             | 8.55        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dacarbazine 200mg inj              |
| J9150      |               | C             | 16.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Daunorubicin 10mg                  |
| J9151      |               | C             | 56.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Daunorubicin citrate liposom, 10mg |
| J9160      |               | C             | 716.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Denileukin diftitox, 300 mcg       |
| J9165      |               | C             | 14.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diethylstilbestrol injection       |
| J9170      |               | C             | 336.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Docetaxel 20mg                     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-------------------------------------|
| J9175      |               | C             | 4.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elliotts b solution, 1ml            |
| J9178      |               | C             | 3.52        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj, epirubicin hcl, 2 mg           |
| J9181      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Etoposide 10mg inj                  |
| J9182      |               | C             | 4.16        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      | 12/31/2008  | Etoposide 100mg inj                 |
| J9185      |               | C             | 198.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fludarabine phosphate inj 50mg      |
| J9190      |               | C             | 2.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fluorouracil inj, 500mg             |
| J9200      |               | C             | 136.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Floxuridine inj, 500mg              |
| J9201      |               | C             | 138.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Gemcitabine HCl 200mg               |
| J9202      |               | C             | 182.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Goserelin acetate implant 3.6mg     |
| J9206      |               | C             | 21.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Irinotecan inj, 20mg                |
| J9207      |               | C             | 63.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ixabepilone injection               |
| J9208      |               | C             | 150.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ifosfomide inj, 1 gm                |
| J9209      |               | C             | 5.83        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mesna inj, 200mg                    |
| J9211      |               | C             | 155.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Idarubicin hcl inj, 5mg             |
| J9212      |               | C             | 5.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon alfacon-1, 1mcg          |
| J9213      |               | C             | 40.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon alfa-2a inj, 3mil u      |
| J9214      |               | C             | 14.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon alfa-2b inj, 1mil u      |
| J9215      |               | C             | 17.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon alfa-n3 inj, 250000 IU   |
| J9216      |               | C             | 309.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interferon gamma 1-b inj, 3mil u    |
| J9217      |               | C             | 210.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Leuprolide acetate suspnsion, 7.5mg |
| J9218      |               | C             | 7.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Leuprolide acetate inj, 1mg         |
| J9219      |               | C             | 803.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Leuprolide acetate implant 65mg     |
| J9225      |               | C             | 732.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Histrelin implant, 50mg             |
| J9226      |               | C             | 900.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Supprelin LA implant                |
| J9230      |               | C             | 147.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mechlorethamine hcl inj, 10mg       |
| J9245      |               | C             | 812.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Inj melphalan hydrochl, 50mg        |
| J9250      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methotrexate sodium inj, 5mg        |
| J9260      |               | C             | 2.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Methotrexate sodium inj, 50mg       |
| J9261      |               | C             | 97.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nelarabine injection, 50mg          |
| J9263      |               | C             | 9.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oxaliplatin, 0.5 mg                 |
| J9264      |               | C             | 9.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Paclitaxel injection, 1mg           |
| J9265      |               | C             | 7.56        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Paclitaxel inj, 30mg                |
| J9266      |               | C             | 655.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Pegaspargase/singl dose vial, ea    |
| J9268      |               | C             | 800.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Pentostatin inj, 10mg               |
| J9270      |               | C             | 77.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plicamycin (mithramycin) inj        |
| J9280      |               | C             | 127.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mitomycin 5mg inj                   |
| J9290      |               | C             | 61.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mitomycin 20mg inj                  |
| J9291      |               | C             | 122.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mitomycin 40mg inj                  |
| J9293      |               | C             | 84.79       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mitoxantrone hydrochl / 5mg         |
| J9300      |               | C             | 624.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Gemtuzumab ozogamicin, 5mg          |
| J9303      |               | C             | 83.56       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Panitumumab injection               |
| J9305      |               | C             | 48.22       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pemetrexed inj, 10mg                |
| J9310      |               | C             | 535.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rituximab cancer treatment, 100mg   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------|------------|------------------|---------------------------|-------------|--------------------------------|
| J9320      |               | C             | 276.36      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Streptozocin inj, 1 gm         |
| J9330      |               | C             | 47.91       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Temsirolimus injection         |
| J9340      |               | C             | 94.11       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Thiotepa inj, 15mg             |
| J9350      |               | C             | 939.34      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Topotecan, 4 mg                |
| J9355      |               | C             | 61.64       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Trastuzumab, 10mg              |
| J9357      |               | C             | 384.38      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Valrubicin, 200 mg             |
| J9360      |               | C             | 4.10        | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vinblastine sulfate inj, 1 mg  |
| J9370      |               | C             | 33.98       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vincristine sulfate 1 mg inj   |
| J9375      |               | C             | 67.96       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vincristine sulfate 2 mg inj   |
| J9380      |               | C             | 169.91      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vincristine sulfate 5 mg inj   |
| J9390      |               | C             | 15.70       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Vinorelbine tartrate/10 mg     |
| J9395      |               | C             | 81.38       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Injection, Fulvestrant, 25mg   |
| J9600      |               | C             | 648.92      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             | Porfimer sodium, 75mg          |
| J9999      |               | S             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Chemotherapy drug              |
| K0001      |               | C             | 55.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Standard wheelchair            |
| K0001      | NU            | C             | 559.30      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Standard wheelchair            |
| K0001      | RR            | C             | 55.93       | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Standard wheelchair            |
| K0001      | UE            | C             | 419.48      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Standard wheelchair            |
| K0002      |               | C             | 109.03      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Std hemi (low seat) whlchr     |
| K0002      | NU            | C             | 545.15      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Std hemi (low seat) whlchr     |
| K0002      | RR            | C             | 109.03      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Std hemi (low seat) whlchr     |
| K0002      | UE            | C             | 817.73      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Std hemi (low seat) whlchr     |
| K0003      |               | C             | 135.24      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Lightweight wheelchair         |
| K0003      | NU            | C             | 676.20      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Lightweight wheelchair         |
| K0003      | RR            | C             | 135.24      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Lightweight wheelchair         |
| K0003      | UE            | C             | 507.15      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Lightweight wheelchair         |
| K0004      |               | C             | 198.86      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | High strength ltwt whlchr      |
| K0004      | NU            | C             | 994.30      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | High strength ltwt whlchr      |
| K0004      | RR            | C             | 198.86      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | High strength ltwt whlchr      |
| K0004      | UE            | C             | 745.73      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | High strength ltwt whlchr      |
| K0005      |               | C             | 242.63      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultralightweight wheelchair    |
| K0005      | NU            | C             | 606.63      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             | Ultralightweight wheelchair    |
| K0005      | RR            | C             | 242.63      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Ultralightweight wheelchair    |
| K0005      | UE            | C             | 909.93      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Ultralightweight wheelchair    |
| K0006      |               | C             | 174.73      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Heavy duty wheelchair          |
| K0006      | NU            | C             | 873.65      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Heavy duty wheelchair          |
| K0006      | RR            | C             | 174.73      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Heavy duty wheelchair          |
| K0006      | UE            | C             | 655.24      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Heavy duty wheelchair          |
| K0007      |               | C             | 234.29      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Extra heavy duty wheelchair    |
| K0007      | NU            | C             | 585.73      | 0.00                       | 0.00            | 0.00       | XXX              | 5.00                      |             | Extra heavy duty wheelchair    |
| K0007      | RR            | C             | 234.29      | 0.00                       | 0.00            | 0.00       | XXX              | 1.25                      |             | Extra heavy duty wheelchair    |
| K0007      | UE            | C             | 878.59      | 0.00                       | 0.00            | 0.00       | XXX              | 2.50                      |             | Extra heavy duty wheelchair    |
| K0009      |               | C             | 0.00        | 0.00                       | 0.00            | 0.00       | XXX              | 0.00                      |             | Other manual wheelchair/base   |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| K0010 |       | C      | 843.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Std wt frame power whlchr      |
| K0010 | NU    | C      | 843.18 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Std wt frame power whlchr      |
| K0010 | RR    | C      | 843.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Std wt frame power whlchr      |
| K0010 | UE    | C      | 632.39 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Std wt frame power whlchr      |
| K0011 |       | C      | 597.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Std wt pwr whlchr w control    |
| K0011 | NU    | C      | 995.35 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Std wt pwr whlchr w control    |
| K0011 | RR    | C      | 597.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Std wt pwr whlchr w control    |
| K0011 | UE    | C      | 746.51 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Std wt pwr whlchr w control    |
| K0012 |       | C      | 426.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ltwt portbl power whlchr       |
| K0012 | NU    | C      | 710.77 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Ltwt portbl power whlchr       |
| K0012 | RR    | C      | 426.46 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ltwt portbl power whlchr       |
| K0012 | UE    | C      | 533.08 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Ltwt portbl power whlchr       |
| K0014 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Other power whlchr base        |
| K0015 |       | C      | 23.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach non-adjus hght armrst   |
| K0015 | NU    | C      | 238.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach non-adjus hght armrst   |
| K0015 | RR    | C      | 23.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach non-adjus hght armrst   |
| K0015 | UE    | C      | 178.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach non-adjus hght armrst   |
| K0017 |       | C      | 6.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrest base     |
| K0017 | NU    | C      | 67.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrest base     |
| K0017 | RR    | C      | 6.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrest base     |
| K0017 | UE    | C      | 50.31  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrest base     |
| K0018 |       | C      | 3.73   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrst upper     |
| K0018 | NU    | C      | 37.47  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrst upper     |
| K0018 | RR    | C      | 3.73   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrst upper     |
| K0018 | UE    | C      | 28.13  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Detach adjust armrst upper     |
| K0019 |       | C      | 2.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm pad each                   |
| K0019 | NU    | C      | 26.88  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm pad each                   |
| K0019 | RR    | C      | 2.71   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm pad each                   |
| K0019 | UE    | C      | 20.16  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Arm pad each                   |
| K0020 |       | C      | 6.10   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fixed adjust armrest pair      |
| K0020 | NU    | C      | 60.97  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fixed adjust armrest pair      |
| K0020 | RR    | C      | 6.10   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fixed adjust armrest pair      |
| K0020 | UE    | C      | 45.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Fixed adjust armrest pair      |
| K0037 |       | C      | 22.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | High mount flip-up footrest    |
| K0037 | NU    | C      | 220.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | High mount flip-up footrest    |
| K0037 | RR    | C      | 22.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | High mount flip-up footrest    |
| K0037 | UE    | C      | 165.28 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | High mount flip-up footrest    |
| K0038 |       | C      | 3.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap each                 |
| K0038 | NU    | C      | 31.84  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap each                 |
| K0038 | RR    | C      | 3.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap each                 |
| K0038 | UE    | C      | 23.89  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap each                 |
| K0039 |       | C      | 7.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap h style each         |
| K0039 | NU    | C      | 70.71  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap h style each         |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| K0039 | RR    | C      | 7.09   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap h style each         |
| K0039 | UE    | C      | 53.04  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Leg strap h style each         |
| K0040 |       | C      | 9.78   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjustable angle footplate     |
| K0040 | NU    | C      | 98.00  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjustable angle footplate     |
| K0040 | RR    | C      | 9.78   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjustable angle footplate     |
| K0040 | UE    | C      | 73.49  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Adjustable angle footplate     |
| K0041 |       | C      | 6.97   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Large size footplate each      |
| K0041 | NU    | C      | 69.46  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Large size footplate each      |
| K0041 | RR    | C      | 6.97   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Large size footplate each      |
| K0041 | UE    | C      | 52.09  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Large size footplate each      |
| K0042 |       | C      | 4.76   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standard size footplate each   |
| K0042 | NU    | C      | 47.81  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standard size footplate each   |
| K0042 | RR    | C      | 4.76   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standard size footplate each   |
| K0042 | UE    | C      | 35.86  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Standard size footplate each   |
| K0043 |       | C      | 2.56   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst lower extension tube     |
| K0043 | NU    | C      | 25.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst lower extension tube     |
| K0043 | RR    | C      | 2.56   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst lower extension tube     |
| K0043 | UE    | C      | 19.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst lower extension tube     |
| K0044 |       | C      | 2.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst upper hanger bracket     |
| K0044 | NU    | C      | 21.84  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst upper hanger bracket     |
| K0044 | RR    | C      | 2.19   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst upper hanger bracket     |
| K0044 | UE    | C      | 16.38  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ftrst upper hanger bracket     |
| K0045 |       | C      | 22.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Footrest complete assembly     |
| K0045 | NU    | C      | 220.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Footrest complete assembly     |
| K0045 | RR    | C      | 22.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Footrest complete assembly     |
| K0045 | UE    | C      | 165.69 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Footrest complete assembly     |
| K0046 |       | C      | 2.56   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst low extension    |
| K0046 | NU    | C      | 25.64  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst low extension    |
| K0046 | RR    | C      | 2.56   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst low extension    |
| K0046 | UE    | C      | 19.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst low extension    |
| K0047 |       | C      | 10.06  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst up hangr brack   |
| K0047 | NU    | C      | 100.38 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst up hangr brack   |
| K0047 | RR    | C      | 10.06  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst up hangr brack   |
| K0047 | UE    | C      | 75.26  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elevat legrst up hangr brack   |
| K0050 |       | C      | 4.25   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ratchet assembly               |
| K0050 | NU    | C      | 42.66  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ratchet assembly               |
| K0050 | RR    | C      | 4.25   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ratchet assembly               |
| K0050 | UE    | C      | 32.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ratchet assembly               |
| K0051 |       | C      | 6.94   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cam relese assem ftrst/lgrst   |
| K0051 | NU    | C      | 69.05  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cam relese assem ftrst/lgrst   |
| K0051 | RR    | C      | 6.94   | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cam relese assem ftrst/lgrst   |
| K0051 | UE    | C      | 51.76  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Cam relese assem ftrst/lgrst   |
| K0052 |       | C      | 12.12  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Swingaway detach footrest      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| K0052      | NU            | C             | 121.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Swingaway detach footrest      |
| K0052      | RR            | C             | 12.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Swingaway detach footrest      |
| K0052      | UE            | C             | 90.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Swingaway detach footrest      |
| K0053      |               | C             | 13.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevate footrest articulate    |
| K0053      | NU            | C             | 133.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevate footrest articulate    |
| K0053      | RR            | C             | 13.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevate footrest articulate    |
| K0053      | UE            | C             | 100.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevate footrest articulate    |
| K0056      |               | C             | 12.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat ht <17 or >=21 ltwt wc    |
| K0056      | NU            | C             | 124.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat ht <17 or >=21 ltwt wc    |
| K0056      | RR            | C             | 12.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat ht <17 or >=21 ltwt wc    |
| K0056      | UE            | C             | 93.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seat ht <17 or >=21 ltwt wc    |
| K0065      |               | C             | 5.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spoke protectors               |
| K0065      | NU            | C             | 58.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spoke protectors               |
| K0065      | RR            | C             | 5.84        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spoke protectors               |
| K0065      | UE            | C             | 43.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spoke protectors               |
| K0069      |               | C             | 13.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl complete solid tire   |
| K0069      | NU            | C             | 131.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl complete solid tire   |
| K0069      | RR            | C             | 13.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl complete solid tire   |
| K0069      | UE            | C             | 98.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl complete solid tire   |
| K0070      |               | C             | 24.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl compl pneum tire      |
| K0070      | NU            | C             | 240.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl compl pneum tire      |
| K0070      | RR            | C             | 24.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl compl pneum tire      |
| K0070      | UE            | C             | 180.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rear whl compl pneum tire      |
| K0071      |               | C             | 14.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front castr compl pneum tire   |
| K0071      | NU            | C             | 143.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front castr compl pneum tire   |
| K0071      | RR            | C             | 14.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front castr compl pneum tire   |
| K0071      | UE            | C             | 107.52      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front castr compl pneum tire   |
| K0072      |               | C             | 8.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Frnt cstr cmpl sem-pneum tir   |
| K0072      | NU            | C             | 86.31       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Frnt cstr cmpl sem-pneum tir   |
| K0072      | RR            | C             | 8.63        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Frnt cstr cmpl sem-pneum tir   |
| K0072      | UE            | C             | 64.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Frnt cstr cmpl sem-pneum tir   |
| K0073      |               | C             | 4.56        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster pin lock each           |
| K0073      | NU            | C             | 45.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster pin lock each           |
| K0073      | RR            | C             | 4.56        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster pin lock each           |
| K0073      | UE            | C             | 34.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Caster pin lock each           |
| K0077      |               | C             | 7.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front caster assem complete    |
| K0077      | NU            | C             | 77.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front caster assem complete    |
| K0077      | RR            | C             | 7.71        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front caster assem complete    |
| K0077      | UE            | C             | 57.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Front caster assem complete    |
| K0098      |               | C             | 3.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drive belt power wheelchair    |
| K0098      | NU            | C             | 35.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drive belt power wheelchair    |
| K0098      | RR            | C             | 3.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drive belt power wheelchair    |
| K0098      | UE            | C             | 26.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drive belt power wheelchair    |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU   | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)     |
|--------------|---------------|---------------|---------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|------------------------------------|
| K0105        |               | C             | 13.04         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Iv hanger                          |
| K0105        | NU            | C             | 130.50        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Iv hanger                          |
| K0105        | RR            | C             | 13.04         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Iv hanger                          |
| K0105        | UE            | C             | 97.88         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Iv hanger                          |
| K0108        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | W/c component-accessory NOS        |
| K0195        |               | C             | 27.65         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Elevating whlchair leg rests       |
| K0195        | NU            | C             | 276.50        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Elevating whlchair leg rests       |
| K0195        | RR            | C             | 27.65         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Elevating whlchair leg rests       |
| K0195        | UE            | C             | 207.38        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Elevating whlchair leg rests       |
| K0455        |               | C             | 356.16        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pump uninterrupted infusion        |
| K0455        | NU            | C             | 890.40        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Pump uninterrupted infusion        |
| K0455        | RR            | C             | 356.16        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pump uninterrupted infusion        |
| K0455        | UE            | C             | 667.80        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Pump uninterrupted infusion        |
| K0462        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Temporary replacement eqpmnt       |
| K0552        |               | C             | 3.47          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Supply/ext inf pump syr type       |
| K0601        |               | C             | 1.45          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt silver oxide 1.5 v       |
| K0601        | NU            | C             | 1.45          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt silver oxide 1.5 v       |
| K0602        |               | C             | 8.35          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt silver oxide 3 v         |
| K0602        | NU            | C             | 8.35          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt silver oxide 3 v         |
| K0603        |               | C             | 1.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt alkaline 1.5 v           |
| K0603        | NU            | C             | 1.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt alkaline 1.5 v           |
| K0604        |               | C             | 7.99          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt lithium 3.6 v            |
| K0604        | NU            | C             | 7.99          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt lithium 3.6 v            |
| K0605        |               | C             | 19.16         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt lithium 4.5 v            |
| K0605        | NU            | C             | 19.16         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt lithium 4.5 v            |
| K0606        |               | C             | 826.31        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | AED garment w elec analysis        |
| K0606        | NU            | C             | 826.31        | 0.00                       | 0.00                  | 0.00        | XXX              | 50.00                     |             | AED garment w elec analysis        |
| K0606        | RR            | C             | 826.31        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | AED garment w elec analysis        |
| K0606        | UE            | C             | 619.73        | 0.00                       | 0.00                  | 0.00        | XXX              | 50.00                     |             | AED garment w elec analysis        |
| K0607        |               | C             | 28.31         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt for AED                  |
| K0607        | NU            | C             | 283.02        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt for AED                  |
| K0607        | RR            | C             | 28.31         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt for AED                  |
| K0607        | UE            | C             | 212.28        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl batt for AED                  |
| K0608        |               | C             | 17.68         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl garment for AED               |
| K0608        | NU            | C             | 176.64        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl garment for AED               |
| K0608        | RR            | C             | 17.68         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl garment for AED               |
| K0608        | UE            | C             | 132.48        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl garment for AED               |
| K0609        |               | C             | 529.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Repl electrode for AED             |
| K0609        | KF            | C             | 587.32        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Repl electrode for AED             |
| K0669        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Seat/back cus no sadmerc ver       |
| <b>K0672</b> |               | <b>C</b>      | <b>114.58</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | <b>Removable soft interface LE</b> |
| K0730        |               | C             | 226.28        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Ctrl dose inh drug deliv sys       |
| K0730        | NU            | C             | 565.69        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Ctrl dose inh drug deliv sys       |

| CPT   | MOD-  | PAY    | WORK   | NON-   | FACILITY | CON-    | END           |                |      |   |
|-------|-------|--------|--------|--------|----------|---------|---------------|----------------|------|---|
| ADA   | IFIER | STATUS | RVU    | PE RVU | RVU      | MPE RVU | GLOBAL PERIOD | VERSION FACTOR | DATE | SHORT DESCRIPTION (HCPCS only)                |
| K0730 | RR    | C      | 226.28 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Ctrl dose inh drug deliv sys                  |
| K0730 | UE    | C      | 848.54 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | Ctrl dose inh drug deliv sys                  |
| K0733 |       | C      | 3.99   | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr wc acc, 12-24 hr sealed lead acid battery |
| K0733 | NU    | C      | 39.65  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr wc acc, 12-24 hr sealed lead acid battery |
| K0733 | RR    | C      | 3.99   | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr wc acc, 12-24 hr sealed lead acid battery |
| K0733 | UE    | C      | 29.75  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Pwr wc acc, 12-24 hr sealed lead acid battery |
| K0734 |       | C      | 43.51  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd <22in              |
| K0734 | NU    | C      | 435.05 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd <22in              |
| K0734 | RR    | C      | 43.51  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd <22in              |
| K0734 | UE    | C      | 326.29 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd <22in              |
| K0735 |       | C      | 55.37  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd>=22in              |
| K0735 | NU    | C      | 553.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd>=22in              |
| K0735 | RR    | C      | 55.37  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd>=22in              |
| K0735 | UE    | C      | 415.19 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect wc cus adj wd>=22in              |
| K0736 |       | C      | 43.86  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus adj wd <22in          |
| K0736 | NU    | C      | 438.62 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus adj wd <22in          |
| K0736 | RR    | C      | 43.86  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus adj wd <22in          |
| K0736 | UE    | C      | 328.99 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus adj wd <22in          |
| K0737 |       | C      | 55.52  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus wd>=22in              |
| K0737 | NU    | C      | 555.26 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus wd>=22in              |
| K0737 | RR    | C      | 55.52  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus wd>=22in              |
| K0737 | UE    | C      | 416.44 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Skin protect&pos wc cus wd>=22in              |
| K0738 |       | C      | 51.63  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Portable gas oxygen system                    |
| K0738 | NU    | C      | 516.30 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Portable gas oxygen system                    |
| K0738 | RR    | C      | 51.63  | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Portable gas oxygen system                    |
| K0738 | UE    | C      | 387.23 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | Portable gas oxygen system                    |
| K0739 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Repair/svc DME non-oxygen equipt per 15 min   |
| K0740 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | Repair/svc oxygen equipt per 15 min           |
| K0800 |       | C      | 146.25 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 std up to 300 lbs                 |
| K0800 | NU    | C      | 731.23 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | POV group 1 std up to 300 lbs                 |
| K0800 | RR    | C      | 146.25 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 std up to 300 lbs                 |
| K0800 | UE    | C      | 548.42 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | POV group 1 std up to 300 lbs                 |
| K0801 |       | C      | 235.75 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 hd 301-450 lbs                    |
| K0801 | NU    | C      | 589.44 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | POV group 1 hd 301-450 lbs                    |
| K0801 | RR    | C      | 235.75 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 hd 301-450 lbs                    |
| K0801 | UE    | C      | 884.16 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | POV group 1 hd 301-450 lbs                    |
| K0802 |       | C      | 266.81 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 vhd 451-600 lbs                   |
| K0802 | NU    | C      | 667.06 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | POV group 1 vhd 451-600 lbs                   |
| K0802 | RR    | C      | 266.81 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 1 vhd 451-600 lbs                   |
| K0802 | UE    | C      | 500.30 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | POV group 1 vhd 451-600 lbs                   |
| K0806 |       | C      | 176.91 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 2 std up to 300lbs                  |
| K0806 | NU    | C      | 884.59 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | POV group 2 std up to 300lbs                  |
| K0806 | RR    | C      | 176.91 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | POV group 2 std up to 300lbs                  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| K0806      | UE            | C             | 663.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | POV group 2 std up to 300lbs   |
| K0807      |               | C             | 268.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | POV group 2 hd 301-450 lbs     |
| K0807      | NU            | C             | 671.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | POV group 2 hd 301-450 lbs     |
| K0807      | RR            | C             | 268.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | POV group 2 hd 301-450 lbs     |
| K0807      | UE            | C             | 503.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | POV group 2 hd 301-450 lbs     |
| K0808      |               | C             | 415.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | POV group 2 vhd 451-600 lbs    |
| K0808      | NU            | C             | 692.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | POV group 2 vhd 451-600 lbs    |
| K0808      | RR            | C             | 415.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | POV group 2 vhd 451-600 lbs    |
| K0808      | UE            | C             | 778.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | POV group 2 vhd 451-600 lbs    |
| K0812      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Power operated vehicle NOC     |
| K0813      |               | C             | 272.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std port seat/back    |
| K0813      | NU            | C             | 682.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std port seat/back    |
| K0813      | RR            | C             | 272.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std port seat/back    |
| K0813      | UE            | C             | 511.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std port seat/back    |
| K0814      |               | C             | 349.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std port cap chair    |
| K0814      | NU            | C             | 873.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std port cap chair    |
| K0814      | RR            | C             | 349.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std port cap chair    |
| K0814      | UE            | C             | 654.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std port cap chair    |
| K0815      |               | C             | 397.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std seat/back         |
| K0815      | NU            | C             | 994.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std seat/back         |
| K0815      | RR            | C             | 397.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std seat/back         |
| K0815      | UE            | C             | 745.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std seat/back         |
| K0816      |               | C             | 380.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std cap chair         |
| K0816      | NU            | C             | 952.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std cap chair         |
| K0816      | RR            | C             | 380.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 1 std cap chair         |
| K0816      | UE            | C             | 714.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 1 std cap chair         |
| K0820      |               | C             | 291.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std port seat/back    |
| K0820      | NU            | C             | 728.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 2 std port seat/back    |
| K0820      | RR            | C             | 291.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std port seat/back    |
| K0820      | UE            | C             | 546.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 2 std port seat/back    |
| K0821      |               | C             | 374.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std port cap chair    |
| K0821      | NU            | C             | 935.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 2 std port cap chair    |
| K0821      | RR            | C             | 374.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std port cap chair    |
| K0821      | UE            | C             | 701.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | PWC gp 2 std port cap chair    |
| K0822      |               | C             | 452.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std seat/back         |
| K0822      | NU            | C             | 753.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | PWC gp 2 std seat/back         |
| K0822      | RR            | C             | 452.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std seat/back         |
| K0822      | UE            | C             | 565.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | PWC gp 2 std seat/back         |
| K0823      |               | C             | 455.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std cap chair         |
| K0823      | NU            | C             | 758.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | PWC gp 2 std cap chair         |
| K0823      | RR            | C             | 455.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 std cap chair         |
| K0823      | UE            | C             | 568.97      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | PWC gp 2 std cap chair         |
| K0824      |               | C             | 547.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | PWC gp 2 hd seat/back          |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| K0824 | NU    | C      | 913.05 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd seat/back          |
| K0824 | RR    | C      | 547.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd seat/back          |
| K0824 | UE    | C      | 684.79 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd seat/back          |
| K0825 |       | C      | 501.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd cap chair          |
| K0825 | NU    | C      | 835.83 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd cap chair          |
| K0825 | RR    | C      | 501.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd cap chair          |
| K0825 | UE    | C      | 626.87 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd cap chair          |
| K0826 |       | C      | 709.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 vhd seat/back          |
| K0826 | NU    | C      | 886.51 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp2 vhd seat/back          |
| K0826 | RR    | C      | 709.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 vhd seat/back          |
| K0826 | UE    | C      | 664.88 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp2 vhd seat/back          |
| K0827 |       | C      | 603.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 vhd cap chair         |
| K0827 | NU    | C      | 753.83 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 vhd cap chair         |
| K0827 | RR    | C      | 603.06 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 vhd cap chair         |
| K0827 | UE    | C      | 565.37 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 vhd cap chair         |
| K0828 |       | C      | 781.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 xtra hd seat/back     |
| K0828 | NU    | C      | 976.86 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 xtra hd seat/back     |
| K0828 | RR    | C      | 781.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 xtra hd seat/back     |
| K0828 | UE    | C      | 732.65 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 xtra hd seat/back     |
| K0829 |       | C      | 717.62 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 xtra hd cap chair     |
| K0829 | NU    | C      | 897.03 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 xtra hd cap chair     |
| K0829 | RR    | C      | 717.62 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 xtra hd cap chair     |
| K0829 | UE    | C      | 672.77 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 2 xtra hd cap chair     |
| K0830 |       | C      | 489.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std seat elevate s/b   |
| K0830 | NU    | C      | 815.44 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std seat elevate s/b   |
| K0830 | RR    | C      | 489.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std seat elevate s/b   |
| K0830 | UE    | C      | 611.58 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std seat elevate s/b   |
| K0831 |       | C      | 489.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std seat elevate cap   |
| K0831 | NU    | C      | 815.44 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std seat elevate cap   |
| K0831 | RR    | C      | 489.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std seat elevate cap   |
| K0831 | UE    | C      | 611.58 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std seat elevate cap   |
| K0835 |       | C      | 458.99 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std sing pow opt s/b   |
| K0835 | NU    | C      | 764.98 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std sing pow opt s/b   |
| K0835 | RR    | C      | 458.99 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std sing pow opt s/b   |
| K0835 | UE    | C      | 573.74 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std sing pow opt s/b   |
| K0836 |       | C      | 475.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std sing pow opt cap   |
| K0836 | NU    | C      | 793.28 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std sing pow opt cap   |
| K0836 | RR    | C      | 475.97 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std sing pow opt cap   |
| K0836 | UE    | C      | 594.96 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std sing pow opt cap   |
| K0837 |       | C      | 547.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd sing pow opt s/b   |
| K0837 | NU    | C      | 913.05 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd sing pow opt s/b   |
| K0837 | RR    | C      | 547.83 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd sing pow opt s/b   |
| K0837 | UE    | C      | 684.79 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd sing pow opt s/b   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| K0838 |       | C      | 490.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd sing pow opt cap   |
| K0838 | NU    | C      | 816.82 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd sing pow opt cap   |
| K0838 | RR    | C      | 490.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 2 hd sing pow opt cap   |
| K0838 | UE    | C      | 612.62 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 2 hd sing pow opt cap   |
| K0839 |       | C      | 709.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 vhd sing pow opt s/b   |
| K0839 | NU    | C      | 886.51 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp2 vhd sing pow opt s/b   |
| K0839 | RR    | C      | 709.21 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 vhd sing pow opt s/b   |
| K0839 | UE    | C      | 664.88 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp2 vhd sing pow opt s/b   |
| K0840 |       | C      | 537.25 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp2 xhd sing pow opt s/b   |
| K0840 | NU    | C      | 895.42 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 xhd sing pow opt s/b   |
| K0840 | RR    | C      | 537.25 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp2 xhd sing pow opt s/b   |
| K0840 | UE    | C      | 671.57 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 xhd sing pow opt s/b   |
| K0841 |       | C      | 488.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std mult pow opt s/b   |
| K0841 | NU    | C      | 814.23 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std mult pow opt s/b   |
| K0841 | RR    | C      | 488.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std mult pow opt s/b   |
| K0841 | UE    | C      | 610.67 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std mult pow opt s/b   |
| K0842 |       | C      | 488.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std mult pow opt cap   |
| K0842 | NU    | C      | 814.23 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std mult pow opt cap   |
| K0842 | RR    | C      | 488.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 std mult pow opt cap   |
| K0842 | UE    | C      | 610.67 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 std mult pow opt cap   |
| K0843 |       | C      | 588.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 hd mult pow opt s/b    |
| K0843 | NU    | C      | 980.33 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 hd mult pow opt s/b    |
| K0843 | RR    | C      | 588.20 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp2 hd mult pow opt s/b    |
| K0843 | UE    | C      | 735.25 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp2 hd mult pow opt s/b    |
| K0848 |       | C      | 597.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 std seat/back         |
| K0848 | NU    | C      | 996.33 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 3 std seat/back         |
| K0848 | RR    | C      | 597.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 std seat/back         |
| K0848 | UE    | C      | 747.25 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 3 std seat/back         |
| K0849 |       | C      | 574.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 std cap chair         |
| K0849 | NU    | C      | 957.92 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 3 std cap chair         |
| K0849 | RR    | C      | 574.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 std cap chair         |
| K0849 | UE    | C      | 718.44 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | PWC gp 3 std cap chair         |
| K0850 |       | C      | 693.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 hd seat/back          |
| K0850 | NU    | C      | 866.80 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 3 hd seat/back          |
| K0850 | RR    | C      | 693.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 hd seat/back          |
| K0850 | UE    | C      | 650.10 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 3 hd seat/back          |
| K0851 |       | C      | 666.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 hd cap chair          |
| K0851 | NU    | C      | 833.41 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 3 hd cap chair          |
| K0851 | RR    | C      | 666.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 hd cap chair          |
| K0851 | UE    | C      | 625.06 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp 3 hd cap chair          |
| K0852 |       | C      | 801.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 vhd seat/back         |
| K0852 | NU    | C      | 801.22 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp 3 vhd seat/back         |
| K0852 | RR    | C      | 801.22 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 vhd seat/back         |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| K0852 | UE    | C      | 600.92 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp 3 vhd seat/back         |
| K0853 |       | C      | 823.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 vhd cap chair         |
| K0853 | NU    | C      | 823.05 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp 3 vhd cap chair         |
| K0853 | RR    | C      | 823.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp 3 vhd cap chair         |
| K0853 | UE    | C      | 617.29 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp 3 vhd cap chair         |
| K0854 |       | C      | 545.18 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp 3 xhd seat/back         |
| K0854 | NU    | C      | 908.63 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp 3 xhd seat/back         |
| K0854 | RR    | C      | 545.18 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp 3 xhd seat/back         |
| K0854 | UE    | C      | 681.47 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp 3 xhd seat/back         |
| K0855 |       | C      | 515.01 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp 3 xhd cap chair         |
| K0855 | NU    | C      | 858.34 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp 3 xhd cap chair         |
| K0855 | RR    | C      | 515.01 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp 3 xhd cap chair         |
| K0855 | UE    | C      | 643.76 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp 3 xhd cap chair         |
| K0856 |       | C      | 641.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std sing pow opt s/b   |
| K0856 | NU    | C      | 802.10 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 std sing pow opt s/b   |
| K0856 | RR    | C      | 641.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std sing pow opt s/b   |
| K0856 | UE    | C      | 601.58 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 std sing pow opt s/b   |
| K0857 |       | C      | 654.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std sing pow opt cap   |
| K0857 | NU    | C      | 818.18 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 std sing pow opt cap   |
| K0857 | RR    | C      | 654.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std sing pow opt cap   |
| K0857 | UE    | C      | 613.64 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 std sing pow opt cap   |
| K0858 |       | C      | 796.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd sing pow opt s/b    |
| K0858 | NU    | C      | 995.16 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd sing pow opt s/b    |
| K0858 | RR    | C      | 796.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd sing pow opt s/b    |
| K0858 | UE    | C      | 746.37 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd sing pow opt s/b    |
| K0859 |       | C      | 759.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd sing pow opt cap    |
| K0859 | NU    | C      | 949.08 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd sing pow opt cap    |
| K0859 | RR    | C      | 759.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd sing pow opt cap    |
| K0859 | UE    | C      | 711.81 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd sing pow opt cap    |
| K0860 |       | C      | 568.69 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp3 vhd sing pow opt s/b   |
| K0860 | NU    | C      | 947.82 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp3 vhd sing pow opt s/b   |
| K0860 | RR    | C      | 568.69 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp3 vhd sing pow opt s/b   |
| K0860 | UE    | C      | 710.87 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp3 vhd sing pow opt s/b   |
| K0861 |       | C      | 827.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std mult pow opt s/b   |
| K0861 | NU    | C      | 827.89 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp3 std mult pow opt s/b   |
| K0861 | RR    | C      | 827.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 std mult pow opt s/b   |
| K0861 | UE    | C      | 620.92 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | PWC gp3 std mult pow opt s/b   |
| K0862 |       | C      | 796.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd mult pow opt s/b    |
| K0862 | NU    | C      | 995.16 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd mult pow opt s/b    |
| K0862 | RR    | C      | 796.13 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | PWC gp3 hd mult pow opt s/b    |
| K0862 | UE    | C      | 746.37 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | PWC gp3 hd mult pow opt s/b    |
| K0863 |       | C      | 568.69 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | PWC gp3 vhd mult pow opt s/b   |
| K0863 | NU    | C      | 947.82 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | PWC gp3 vhd mult pow opt s/b   |

| CPT   | MOD-  | PAY    | WORK   | NON-   | FACILITY | CON-    | END           |                |      |                                |
|-------|-------|--------|--------|--------|----------|---------|---------------|----------------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | PE RVU | RVU      | MPE RVU | GLOBAL PERIOD | VERSION FACTOR | DATE | SHORT DESCRIPTION (HCPCS only) |
| K0863 | RR    | C      | 568.69 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | PWC gp3 vhd mult pow opt s/b   |
| K0863 | UE    | C      | 710.87 | 0.00   | 0.00     | 0.00    | XXX           | 15.00          |      | PWC gp3 vhd mult pow opt s/b   |
| K0864 |       | C      | 676.75 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | PWC gp3 xhd mult pow opt s/b   |
| K0864 | NU    | C      | 845.93 | 0.00   | 0.00     | 0.00    | XXX           | 20.00          |      | PWC gp3 xhd mult pow opt s/b   |
| K0864 | RR    | C      | 676.75 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | PWC gp3 xhd mult pow opt s/b   |
| K0864 | UE    | C      | 634.45 | 0.00   | 0.00     | 0.00    | XXX           | 20.00          |      | PWC gp3 xhd mult pow opt s/b   |
| K0868 |       | C      | 626.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp 4 std seat/back         |
| K0868 | NU    | C      | 783.24 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWC gp 4 std seat/back         |
| K0868 | RR    | C      | 626.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp 4 std seat/back         |
| K0868 | UE    | C      | 783.24 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp 4 std seat/back         |
| K0869 |       | C      | 626.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp 4 std cap chair         |
| K0869 | NU    | C      | 783.24 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWC gp 4 std cap chair         |
| K0869 | RR    | C      | 626.59 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp 4 std cap chair         |
| K0869 | UE    | C      | 783.24 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp 4 std cap chair         |
| K0870 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | PWC gp 4 hd seat/back          |
| K0871 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | PWC gp 4 vhd seat/back         |
| K0877 |       | C      | 550.36 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 std sing pow opt s/b   |
| K0877 | NU    | C      | 917.27 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp4 std sing pow opt s/b   |
| K0877 | RR    | C      | 550.36 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 std sing pow opt s/b   |
| K0877 | UE    | C      | 687.95 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp4 std sing pow opt s/b   |
| K0878 |       | C      | 0.00   | 0.00   | 0.00     | 0.00    | XXX           | 0.00           |      | PWC gp4 std sing pow opt cap   |
| K0879 |       | C      | 743.24 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 hd sing pow opt s/b    |
| K0879 | NU    | C      | 929.05 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWC gp4 hd sing pow opt s/b    |
| K0879 | RR    | C      | 743.24 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 hd sing pow opt s/b    |
| K0879 | UE    | C      | 929.05 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp4 hd sing pow opt s/b    |
| K0880 |       | C      | 581.56 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | PWC gp4 vhd sing pow opt s/b   |
| K0880 | NU    | C      | 969.25 | 0.00   | 0.00     | 0.00    | XXX           | 15.00          |      | PWC gp4 vhd sing pow opt s/b   |
| K0880 | RR    | C      | 581.56 | 0.00   | 0.00     | 0.00    | XXX           | 2.50           |      | PWC gp4 vhd sing pow opt s/b   |
| K0880 | UE    | C      | 872.33 | 0.00   | 0.00     | 0.00    | XXX           | 12.50          |      | PWC gp4 vhd sing pow opt s/b   |
| K0884 |       | C      | 840.24 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWc gp4 std mult pow opt s/b   |
| K0884 | NU    | C      | 840.24 | 0.00   | 0.00     | 0.00    | XXX           | 12.50          |      | PWc gp4 std mult pow opt s/b   |
| K0884 | RR    | C      | 840.24 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWc gp4 std mult pow opt s/b   |
| K0884 | UE    | C      | 787.73 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWc gp4 std mult pow opt s/b   |
| K0885 |       | C      | 830.37 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 std mult pow opt cap   |
| K0885 | NU    | C      | 830.37 | 0.00   | 0.00     | 0.00    | XXX           | 12.50          |      | PWC gp4 std mult pow opt cap   |
| K0885 | RR    | C      | 830.37 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 std mult pow opt cap   |
| K0885 | UE    | C      | 778.47 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWC gp4 std mult pow opt cap   |
| K0886 |       | C      | 766.92 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 hd mult pow s/b        |
| K0886 | NU    | C      | 958.65 | 0.00   | 0.00     | 0.00    | XXX           | 10.00          |      | PWC gp4 hd mult pow s/b        |
| K0886 | RR    | C      | 766.92 | 0.00   | 0.00     | 0.00    | XXX           | 1.25           |      | PWC gp4 hd mult pow s/b        |
| K0886 | UE    | C      | 958.65 | 0.00   | 0.00     | 0.00    | XXX           | 7.50           |      | PWC gp4 hd mult pow s/b        |
| K0890 |       | D      | 632.32 | 0.00   | 0.00     | 0.00    | XXX           | 5.00           |      | PWC gp5 ped sing pow opt s/b   |
| K0890 | NU    | D      | 903.32 | 0.00   | 0.00     | 0.00    | XXX           | 17.50          |      | PWC gp5 ped sing pow opt s/b   |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|-------------------------------------|
| K0890        | RR            | D             | 632.32      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | PWC gp5 ped sing pow opt s/b        |
| K0890        | UE            | D             | 948.49      | 0.00                       | 0.00                  | 0.00        | XXX              | 12.50                     |             | PWC gp5 ped sing pow opt s/b        |
| K0891        |               | D             | 837.41      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | PWC gp5 ped mult pow opt s/b        |
| K0891        | NU            | D             | 930.45      | 0.00                       | 0.00                  | 0.00        | XXX              | 22.50                     |             | PWC gp5 ped mult pow opt s/b        |
| K0891        | RR            | D             | 837.41      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | PWC gp5 ped mult pow opt s/b        |
| K0891        | UE            | D             | 897.22      | 0.00                       | 0.00                  | 0.00        | XXX              | 17.50                     |             | PWC gp5 ped mult pow opt s/b        |
| K0898        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Power wheelchair NOC                |
| K0899        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Pow mobility dev no sadmerc         |
| L0112        |               | C             | 943.43      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Cranial cervical orthosis           |
| <b>L0113</b> |               | <b>C</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Cranial cervical torticollis</b> |
| L0120        |               | C             | 44.44       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv flexible non-adjustable        |
| L0130        |               | C             | 230.21      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Flex thermoplastic collar mo        |
| L0140        |               | C             | 90.34       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cervical semi-rigid adjustab        |
| L0150        |               | C             | 152.49      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv semi-rig adj molded chn        |
| L0160        |               | C             | 221.00      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv semi-rig wire occ/mand         |
| L0170        |               | C             | 910.01      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cervical collar molded to pt        |
| L0172        |               | C             | 179.15      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv col thermplas foam 2 pi        |
| L0174        |               | C             | 395.86      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv col foam 2 piece w thor        |
| L0180        |               | C             | 522.84      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cer post col occ/man sup adj        |
| L0190        |               | C             | 698.99      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv collar supp adj cerv ba        |
| L0200        |               | C             | 756.19      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cerv col supp adj bar & thor        |
| L0210        |               | C             | 62.49       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Thoracic rib belt                   |
| L0220        |               | C             | 172.81      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Thor rib belt custom fabrica        |
| L0430        |               | C             | 945.37      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Dewall posture protector            |
| L0450        |               | C             | 245.24      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO flex prefab thoracic           |
| L0452        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | TLSO flex custom fab thoraci        |
| L0454        |               | C             | 467.56      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO flex prefab sacrococ-T9        |
| L0456        |               | C             | 670.42      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO flex prefab                    |
| L0458        |               | C             | 601.15      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO 2Mod symphis-xipho pre         |
| L0460        |               | C             | 676.64      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO2Mod symphysis-stern pre        |
| L0462        |               | C             | 841.63      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO 3Mod sacro-scap pre            |
| L0464        |               | C             | 500.97      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | TLSO 4Mod sacro-scap pre            |
| L0466        |               | C             | 527.19      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO rigid frame pre soft ap        |
| L0468        |               | C             | 646.80      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO rigid frame prefab pelv        |
| L0470        |               | C             | 989.92      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO rigid frame pre subclav        |
| L0472        |               | C             | 570.56      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO rigid frame hyperex pre        |
| L0480        |               | C             | 502.32      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | TLSO rigid plastic custom fa        |
| L0482        |               | C             | 547.04      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | TLSO rigid lined custom fab         |
| L0484        |               | C             | 626.91      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | TLSO rigid plastic cust fab         |
| L0486        |               | C             | 665.12      | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | TLSO rigidlined cust fab two        |
| L0488        |               | C             | 676.64      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO rigid lined pre one pie        |
| L0490        |               | C             | 381.35      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | TLSO rigid plastic pre one          |
| L0491        |               | C             | 517.68      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | TLSO 2 piece rigid shell            |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L0492      |               | C             | 672.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | TLSO 3 piece rigid shell       |
| L0621      |               | C             | 130.12      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | SIO flex pelvisacral prefab    |
| L0622      |               | C             | 364.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | SIO flex pelvisacral custom    |
| L0623      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | SIO panel prefab               |
| L0624      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | SIO panel custom               |
| L0625      |               | C             | 74.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LO flexibl L1-below L5 pre     |
| L0626      |               | C             | 105.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LO sag stays/panels pre-fab    |
| L0627      |               | C             | 554.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LO sagitt rigid panel prefab   |
| L0628      |               | C             | 113.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LO flex w/o rigid stays pre    |
| L0629      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LSO flex w/rigid stays cust    |
| L0630      |               | C             | 218.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LSO post rigid panel pre       |
| L0631      |               | C             | 692.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO sag-coro rigid frame pre   |
| L0632      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LSO sag rigid frame cust       |
| L0633      |               | C             | 386.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LSO flexion control prefab     |
| L0634      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LSO flexion control custom     |
| L0635      |               | C             | 791.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO sagitt rigid panel prefab  |
| L0636      |               | C             | 501.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | LSO sagittal rigid panel cus   |
| L0637      |               | C             | 791.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO sag-coronal panel prefab   |
| L0638      |               | C             | 889.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO sag-coronal panel custom   |
| L0639      |               | C             | 791.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO s/c shell/panel prefab     |
| L0640      |               | C             | 705.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | LSO s/c shell/panel custom     |
| L0700      |               | C             | 713.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ctlso a-p-l control molded     |
| L0710      |               | C             | 736.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ctlso a-p-l control w/ inter   |
| L0810      |               | C             | 909.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Halo cervical into jckt vest   |
| L0820      |               | C             | 762.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Halo cervical into body jack   |
| L0830      |               | C             | 855.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Halo cerv into milwaukee typ   |
| L0859      |               | C             | 859.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | MRI compatible system          |
| L0861      |               | C             | 290.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Halo repl liner/interface      |
| L0970      |               | C             | 163.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tlso corset front              |
| L0972      |               | C             | 146.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lso corset front               |
| L0974      |               | C             | 252.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tlso full corset               |
| L0976      |               | C             | 225.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lso full corset                |
| L0978      |               | C             | 510.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Axillary crutch extension      |
| L0980      |               | C             | 24.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Peroneal straps pair           |
| L0982      |               | C             | 22.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stocking supp grips set of f   |
| L0984      |               | C             | 84.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Protective body sock each      |
| L0999      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Add'n to spinal orthosis, NOS  |
| L1000      |               | C             | 748.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ctlso milwauke initial model   |
| L1001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CTLSO infant immobilizer       |
| L1005      |               | C             | 719.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Tension based scoliosis orth   |
| L1010      |               | C             | 94.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ctlso axilla sling             |
| L1020      |               | C             | 136.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Kyphosis pad                   |
| L1025      |               | C             | 175.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Kyphosis pad floating          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L1030      |               | C             | 89.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lumbar bolster pad             |
| L1040      |               | C             | 122.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lumbar or lumbar rib pad       |
| L1050      |               | C             | 117.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sternal pad                    |
| L1060      |               | C             | 134.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Thoracic pad                   |
| L1070      |               | C             | 126.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trapezius sling                |
| L1080      |               | C             | 78.10       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Outrigger                      |
| L1085      |               | C             | 222.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Outrigger bil w/ vert extens   |
| L1090      |               | C             | 129.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lumbar sling                   |
| L1100      |               | C             | 224.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ring flange plastic/leather    |
| L1110      |               | C             | 385.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ring flange plas/leather mol   |
| L1120      |               | C             | 84.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Covers for upright each        |
| L1200      |               | C             | 631.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Furnsh initial orthosis only   |
| L1210      |               | C             | 369.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lateral thoracic extension     |
| L1220      |               | C             | 312.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anterior thoracic extension    |
| L1230      |               | C             | 802.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Milwaukee type superstructur   |
| L1240      |               | C             | 109.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lumbar derotation pad          |
| L1250      |               | C             | 101.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anterior asis pad              |
| L1260      |               | C             | 106.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anterior thoracic derotation   |
| L1270      |               | C             | 122.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abdominal pad                  |
| L1280      |               | C             | 123.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rib gusset (elastic) each      |
| L1290      |               | C             | 172.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lateral trochanteric pad       |
| L1300      |               | C             | 589.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Body jacket mold to patient    |
| L1310      |               | C             | 606.36      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Post-operative body jacket     |
| L1499      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spinal orthosis, NOS           |
| L1500      |               | C             | 670.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Thkao mobility frame           |
| L1510      |               | C             | 847.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Thkao standing frame           |
| L1520      |               | C             | 890.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Thkao swivel walker            |
| L1600      |               | C             | 181.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct hip flex frejka w cvr   |
| L1610      |               | C             | 61.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct hip flex frejka covr    |
| L1620      |               | C             | 189.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct hip flex pavlik harne   |
| L1630      |               | C             | 239.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct control hip semi-flex   |
| L1640      |               | C             | 651.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelv band/spread bar thigh c   |
| L1650      |               | C             | 326.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HO abduction hip adjustable    |
| L1652      |               | C             | 480.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HO bi thighcuffs w sprdr bar   |
| L1660      |               | C             | 241.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HO abduction static plastic    |
| L1680      |               | C             | 592.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Pelvic & hip control thigh c   |
| L1685      |               | C             | 504.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Post-op hip abduct custom fa   |
| L1686      |               | C             | 643.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | HO post-op hip abduction       |
| L1690      |               | C             | 651.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Combination bilateral HO       |
| L1700      |               | C             | 617.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Leg perthes orth toronto typ   |
| L1710      |               | C             | 683.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Legg perthes orth newington    |
| L1720      |               | C             | 601.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Legg perthes orthosis trilat   |
| L1730      |               | C             | 887.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Legg perthes orth scottish r   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | MPE  | GLOBAL | CON-    | END  |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | RVU  | PERIOD | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  |        | FACTOR  |      |                                |
| L1755 |       | C      | 558.52 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Legg perthes patten bottom t   |
| L1800 |       | C      | 93.87  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee orthoses elas w stays     |
| L1810 |       | C      | 138.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ko elastic with joints         |
| L1815 |       | C      | 136.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Elastic with condylar pads     |
| L1820 |       | C      | 182.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ko elas w/ condyle pads & jo   |
| L1825 |       | C      | 77.60  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ko elastic knee cap            |
| L1830 |       | C      | 164.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ko immobilizer canvas longit   |
| L1831 |       | C      | 396.78 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee orth pos locking joint    |
| L1832 |       | C      | 857.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | KO adj jnt pos rigid support   |
| L1834 |       | C      | 547.68 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Ko w/0 joint rigid molded to   |
| L1836 |       | C      | 179.87 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Rigid KO wo joints             |
| L1840 |       | C      | 648.73 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Ko derot ant cruciate custom   |
| L1843 |       | C      | 604.82 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | KO single upright custom fit   |
| L1844 |       | C      | 560.92 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Ko w/adj jt rot cntrl molded   |
| L1845 |       | C      | 576.67 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Ko w/ adj flex/ext rotat cus   |
| L1846 |       | C      | 788.18 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Ko w adj flex/ext rotat mold   |
| L1847 |       | C      | 775.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | KO adjustable w air chambers   |
| L1850 |       | C      | 416.69 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ko swedish type                |
| L1860 |       | C      | 757.08 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Ko supracondylar socket mold   |
| L1900 |       | C      | 380.68 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo sprng wir drsflx calf bd   |
| L1901 |       | C      | 23.85  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Prefab ankle orthosis          |
| L1902 |       | C      | 112.64 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo ankle gauntlet             |
| L1904 |       | C      | 729.94 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo molded ankle gauntlet      |
| L1906 |       | C      | 234.62 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo multiligamentus ankle su   |
| L1907 |       | C      | 758.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | AFO supramalleolar custom      |
| L1910 |       | C      | 386.63 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo sing bar clasp attach sh   |
| L1920 |       | C      | 493.30 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo sing upright w/ adjust s   |
| L1930 |       | C      | 338.79 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo plastic                    |
| L1932 |       | C      | 601.50 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Afo rig ant tib prefab TCF/=   |
| L1940 |       | C      | 697.84 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo molded to patient plasti   |
| L1945 |       | C      | 653.11 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Afo molded plas rig ant tib    |
| L1950 |       | C      | 525.52 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Afo spiral molded to pt plas   |
| L1951 |       | C      | 566.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | AFO spiral prefabricated       |
| L1960 |       | C      | 782.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo pos solid ank plastic mo   |
| L1970 |       | C      | 502.03 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Afo plastic molded w/ankle j   |
| L1971 |       | C      | 631.90 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | AFO w/ankle joint              |
| L1980 |       | C      | 585.92 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo sing solid stirrup calf    |
| L1990 |       | C      | 688.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Afo doub solid stirrup calf    |
| L2000 |       | C      | 947.68 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Kafo sing fre stirr thi/calf   |
| L2005 |       | C      | 920.94 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | KAFO sng/dbl mechanical act    |
| L2010 |       | C      | 828.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Kafo sng solid stirrup w/o j   |
| L2020 |       | C      | 591.59 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Kafo dbl solid stirrup band/   |
| L2030 |       | C      | 716.19 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Kafo dbl solid stirrup w/o j   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L2034      |               | C             | 690.62      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | KAFO pla sin up w/wo k/a cus   |
| L2035      |               | D             | 235.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | KAFO plastic pediatric size    |
| L2036      |               | C             | 654.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Kafo plas doub free knee mol   |
| L2037      |               | C             | 587.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Kafo plas sing free knee mol   |
| L2038      |               | C             | 504.36      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Kafo w/o joint multi-axis an   |
| L2040      |               | C             | 250.52      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo torsion bil rot straps   |
| L2050      |               | C             | 755.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo torsion cable hip pelv   |
| L2060      |               | C             | 925.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo torsion ball bearing j   |
| L2070      |               | C             | 189.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo torsion unilat rot str   |
| L2080      |               | C             | 507.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo unilat torsion cable     |
| L2090      |               | C             | 655.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hkafo unilat torsion ball br   |
| L2106      |               | C             | 540.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Afo tib fx cast plaster mold   |
| L2108      |               | C             | 753.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Afo tib fx cast molded to pt   |
| L2112      |               | C             | 658.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Afo tibial fracture soft       |
| L2114      |               | C             | 829.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Afo tib fx semi-rigid          |
| L2116      |               | C             | 516.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Afo tibial fracture rigid      |
| L2126      |               | C             | 844.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Kafo fem fx cast thermoplas    |
| L2128      |               | C             | 604.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Kafo fem fx cast molded to p   |
| L2132      |               | C             | 569.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Kafo femoral fx cast soft      |
| L2134      |               | C             | 682.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Kafo fem fx cast semi-rigid    |
| L2136      |               | C             | 834.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Kafo femoral fx cast rigid     |
| L2180      |               | C             | 165.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plas shoe insert w ank joint   |
| L2182      |               | C             | 129.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drop lock knee                 |
| L2184      |               | C             | 174.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Limited motion knee joint      |
| L2186      |               | C             | 212.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Adj motion knee jnt lerman t   |
| L2188      |               | C             | 422.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Quadrilateral brim             |
| L2190      |               | C             | 123.23      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Waist belt                     |
| L2192      |               | C             | 541.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pelvic band & belt thigh fla   |
| L2200      |               | C             | 97.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Limited ankle motion ea jnt    |
| L2210      |               | C             | 121.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dorsiflexion assist each joi   |
| L2220      |               | C             | 145.08      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dorsi & plantar flex ass/res   |
| L2230      |               | C             | 162.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Split flat caliper stirr & p   |
| L2232      |               | C             | 131.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rocker bottom, contact AFO     |
| L2240      |               | C             | 161.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Round caliper and plate atta   |
| L2250      |               | C             | 716.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot plate molded stirrup at   |
| L2260      |               | C             | 618.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Reinforced solid stirrup       |
| L2265      |               | C             | 259.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Long tongue stirrup            |
| L2270      |               | C             | 96.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Varus/valgus strap padded/li   |
| L2275      |               | C             | 176.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plastic mod low ext pad/line   |
| L2280      |               | C             | 638.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Molded inner boot              |
| L2300      |               | C             | 473.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduction bar jointed adjust   |
| L2310      |               | C             | 251.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduction bar-straight         |
| L2320      |               | C             | 290.32      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-molded lacer               |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| L2330 |       | C      | 666.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lacer molded to patient mode   |
| L2335 |       | C      | 341.43 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Anterior swing band            |
| L2340 |       | C      | 630.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pre-tibial shell molded to p   |
| L2350 |       | C      | 932.62 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Prosthetic type socket molde   |
| L2360 |       | C      | 73.01  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Extended steel shank           |
| L2370 |       | C      | 530.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Patten bottom                  |
| L2375 |       | C      | 159.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Torsion ank & half solid sti   |
| L2380 |       | C      | 179.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Torsion straight knee joint    |
| L2385 |       | C      | 189.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Straight knee joint heavy du   |
| L2387 |       | C      | 233.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add LE poly knee custom KAFO   |
| L2390 |       | C      | 167.94 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Offset knee joint each         |
| L2395 |       | C      | 220.77 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Offset knee joint heavy duty   |
| L2397 |       | C      | 158.59 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Suspension sleeve lower ext    |
| L2405 |       | C      | 117.54 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee joint drop lock ea jnt    |
| L2415 |       | C      | 163.75 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee joint cam lock each joi   |
| L2425 |       | C      | 193.24 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee disc/dial lock/adj flex   |
| L2430 |       | C      | 193.24 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee jnt ratchet lock ea jnt   |
| L2492 |       | C      | 143.89 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee lift loop drop lock rin   |
| L2500 |       | C      | 445.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thi/glut/ischia wgt bearing    |
| L2510 |       | C      | 512.48 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Th/wght bear quad-lat brim m   |
| L2520 |       | C      | 650.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Th/wght bear quad-lat brim c   |
| L2525 |       | C      | 860.04 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Th/wght bear nar m-l brim mo   |
| L2526 |       | C      | 966.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Th/wght bear nar m-l brim cu   |
| L2530 |       | C      | 405.48 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thigh/wght bear lacer non-mo   |
| L2540 |       | C      | 664.49 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thigh/wght bear lacer molded   |
| L2550 |       | C      | 448.33 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thigh/wght bear high roll cu   |
| L2570 |       | C      | 889.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hip clevis type 2 posit jnt    |
| L2580 |       | C      | 667.78 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pelvic control pelvic sling    |
| L2600 |       | C      | 389.72 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hip clevis/thrust bearing fr   |
| L2610 |       | C      | 432.67 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hip clevis/thrust bearing lo   |
| L2620 |       | C      | 411.32 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pelvic control hip heavy dut   |
| L2622 |       | C      | 515.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hip joint adjustable flexion   |
| L2624 |       | C      | 645.65 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hip adj flex ext abduct cont   |
| L2627 |       | C      | 604.75 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Plastic mold recipro hip & c   |
| L2628 |       | C      | 591.02 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Metal frame recipro hip & ca   |
| L2630 |       | C      | 349.41 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pelvic control band & belt u   |
| L2640 |       | C      | 706.52 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pelvic control band & belt b   |
| L2650 |       | C      | 169.34 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Pelv & thor control gluteal    |
| L2660 |       | C      | 263.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thoracic control thoracic ba   |
| L2670 |       | C      | 240.70 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thorac cont paraspinal uprig   |
| L2680 |       | C      | 220.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Thorac cont lat support upri   |
| L2750 |       | C      | 117.95 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Plating chrome/nickel pr bar   |
| L2755 |       | C      | 176.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Carbon graphite lamination     |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L2760      |               | C             | 116.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Extension per extension per    |
| L2768      |               | C             | 175.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho sidebar disconnect       |
| L2770      |               | C             | 88.02       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Low ext orthosis per bar/jnt   |
| L2780      |               | C             | 95.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-corrosive finish           |
| L2785      |               | C             | 53.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Drop lock retainer each        |
| L2795      |               | C             | 129.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee control full kneecap      |
| L2800      |               | C             | 158.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee cap medial or lateral p   |
| L2810      |               | C             | 127.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee control condylar pad      |
| L2820      |               | C             | 191.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Soft interface below knee se   |
| L2830      |               | C             | 161.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Soft interface above knee se   |
| L2840      |               | C             | 61.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tibial length sock fx or equ   |
| L2850      |               | C             | 87.38       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Femoral lgth sock fx or equa   |
| L2860      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Torsion mechanism knee/ankle   |
| L2999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lower extremity orthosis NOS   |
| L3000      |               | C             | 423.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ft insert ucb berkeley shell   |
| L3001      |               | C             | 178.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot insert remov molded spe   |
| L3002      |               | C             | 217.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot insert plastazote or eq   |
| L3003      |               | C             | 234.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot insert silicone gel eac   |
| L3010      |               | C             | 234.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot longitudinal arch suppo   |
| L3020      |               | C             | 267.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot longitud/metatarsal sup   |
| L3030      |               | C             | 102.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot arch support remov prem   |
| L3031      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Foot, insert/plate, removable  |
| L3040      |               | C             | 63.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ft arch suprt premold longit   |
| L3050      |               | C             | 63.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot arch supp premold metat   |
| L3060      |               | C             | 99.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot arch supp longitud/meta   |
| L3070      |               | C             | 42.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arch suprt att to sho longit   |
| L3080      |               | C             | 42.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arch supp att to shoe metata   |
| L3090      |               | C             | 54.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arch supp att to shoe long/m   |
| L3100      |               | C             | 58.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hallus-valgus nght dynamic s   |
| L3140      |               | C             | 120.02      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduction rotation bar shoe    |
| L3150      |               | C             | 109.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct rotation bar w/o shoe   |
| L3160      |               | C             | 20.86       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe styled positioning dev    |
| L3170      |               | C             | 68.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot plastic heel stabilizer   |
| L3201      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oxford w supinat/pronator inf  |
| L3202      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oxford w/ supinat/pronator c   |
| L3203      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Oxford w/ supinator/pronator   |
| L3204      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hightop w/ supp/pronator inf   |
| L3206      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hightop w/ supp/pronator chi   |
| L3207      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hightop w/ supp/pronator jun   |
| L3208      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical boot each infant      |
| L3209      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical boot each child       |
| L3211      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surgical boot each junior      |
| L3212      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Benesch boot pair infant       |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)             |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| L3213      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Benesch boot pair child                    |
| L3214      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Benesch boot pair junior                   |
| L3215      |               | C             | 146.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthopedic ftwear ladies oxf               |
| L3216      |               | C             | 176.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthoped ladies shoes dpth i               |
| L3217      |               | C             | 191.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ladies shoes hightop depth i               |
| L3219      |               | C             | 164.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthopedic mens shoes oxford               |
| L3221      |               | C             | 196.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthopedic mens shoes dpth i               |
| L3222      |               | C             | 217.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mens shoes hightop depth inl               |
| L3224      |               | C             | 90.12       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Woman's shoe oxford brace                  |
| L3225      |               | C             | 103.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Man's shoe oxford brace                    |
| L3230      |               | C             | 255.87      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho footwear, custom shoes, depth inlay  |
| L3250      |               | C             | 497.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho footwear, custom molded shoe         |
| L3251      |               | C             | 68.48       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot, shoe molded to pat model/silicone ea |
| L3252      |               | C             | 272.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot, shoe molded to pat model/plastazote  |
| L3253      |               | C             | 68.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot, molded shoe Plastazote ea            |
| L3254      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Footwear, nonstandard size or width        |
| L3255      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orth foot non-standard size/               |
| L3257      |               | C             | 49.37       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orth foot add charge split s               |
| L3260      |               | C             | 27.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ambulatory surgical boot eac               |
| L3265      |               | C             | 30.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plastazote sandal each                     |
| L3300      |               | C             | 70.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sho lift taper to metatarsal               |
| L3310      |               | C             | 109.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe lift elev heel/sole neo               |
| L3320      |               | C             | 575.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe lift elev heel/sole cor               |
| L3330      |               | C             | 762.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lifts elevation metal extens               |
| L3332      |               | C             | 99.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe lifts tapered to one-ha               |
| L3334      |               | C             | 51.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe lifts elevation heel /i               |
| L3340      |               | C             | 114.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe wedge sach                            |
| L3350      |               | C             | 30.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel wedge                            |
| L3360      |               | C             | 48.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe sole wedge outside sole               |
| L3370      |               | C             | 66.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe sole wedge between sole               |
| L3380      |               | C             | 66.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe clubfoot wedge                        |
| L3390      |               | C             | 66.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe outflare wedge                        |
| L3400      |               | C             | 54.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe metatarsal bar wedge ro               |
| L3410      |               | C             | 125.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe metatarsal bar between                |
| L3420      |               | C             | 73.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Full sole/heel wedge btween                |
| L3430      |               | C             | 216.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sho heel count plast reinfor               |
| L3440      |               | C             | 102.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heel leather reinforced                    |
| L3450      |               | C             | 142.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel sach cushion type                |
| L3455      |               | C             | 54.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel new leather standa               |
| L3460      |               | C             | 46.28       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel new rubber standar               |
| L3465      |               | C             | 78.87       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel thomas with wedge                |
| L3470      |               | C             | 84.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel thomas extend to b               |
| L3480      |               | C             | 84.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel pad & depress for                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L3485      |               | C             | 27.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe heel pad removable for    |
| L3500      |               | C             | 39.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho shoe add leather insol   |
| L3510      |               | C             | 39.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Orthopedic shoe add rub insl   |
| L3520      |               | C             | 42.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe add felt w leath insl   |
| L3530      |               | C             | 42.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho shoe add half sole       |
| L3540      |               | C             | 68.60       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho shoe add full sole       |
| L3550      |               | C             | 12.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe add standard toe tap    |
| L3560      |               | C             | 30.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe add horseshoe toe tap   |
| L3570      |               | C             | 114.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe add instep extension    |
| L3580      |               | C             | 87.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe add instep velcro clo   |
| L3590      |               | C             | 72.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | O shoe convert to sof counte   |
| L3595      |               | C             | 56.56       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho shoe add march bar       |
| L3600      |               | C             | 102.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans shoe calip plate exist   |
| L3610      |               | C             | 135.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans shoe caliper plate new   |
| L3620      |               | C             | 102.88      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans shoe solid stirrup exi   |
| L3630      |               | C             | 135.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trans shoe solid stirrup new   |
| L3640      |               | C             | 58.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoe dennis browne splint bo   |
| L3649      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orthopedic shoe modifica NOS   |
| L3650      |               | C             | 81.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shlder fig 8 abduct restrain   |
| L3651      |               | C             | 80.79       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab shoulder orthosis       |
| L3652      |               | C             | 243.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab dbl shoulder orthosis   |
| L3660      |               | C             | 141.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Abduct restrainer canvas&web   |
| L3670      |               | C             | 158.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Acromio/clavicular canvas&we   |
| L3671      |               | C             | 552.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | SO cap design w/o jnts CF      |
| L3672      |               | C             | 687.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | SO airplane w/o jnts CF        |
| L3673      |               | C             | 749.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | SO airplane w/joint CF         |
| L3675      |               | C             | 215.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Canvas vest SO                 |
| L3677      |               | C             | 201.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoulder ortho hard plastic    |
| L3700      |               | C             | 96.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elbow orthoses elas w stays    |
| L3701      |               | C             | 24.99       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab elbow orthosis          |
| L3702      |               | C             | 354.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | EO w/o joints CF               |
| L3710      |               | C             | 170.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elbow elastic with metal joi   |
| L3720      |               | C             | 562.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Forearm/arm cuffs free motio   |
| L3730      |               | C             | 622.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Forearm/arm cuffs ext/flex a   |
| L3740      |               | C             | 911.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Cuffs adj lock w/ active con   |
| L3760      |               | C             | 613.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | EO withjoint                   |
| L3762      |               | C             | 131.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rigid EO wo joints             |
| L3763      |               | C             | 903.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | EWHO rigid w/o jnts CF         |
| L3764      |               | C             | 510.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | EWHO w/joint(s) CF             |
| L3765      |               | C             | 786.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | EWHFO rigid w/o jnts CF        |
| L3766      |               | C             | 832.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | EWHFO w/joint(s) CF            |
| L3806      |               | C             | 557.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | WHFO w/joint(s) custom fab     |
| L3807      |               | C             | 306.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | WHFO,no joint, prefabricated   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L3808      |               | C             | 465.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | WHFO, rigid w/o joints         |
| L3890      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Torsion mechanism wrist/elbo   |
| L3900      |               | C             | 893.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hinge extension/flex wrist/f   |
| L3901      |               | C             | 554.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Hinge ext/flex wrist finger    |
| L3904      |               | C             | 783.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Whfo electric custom fitted    |
| L3905      |               | C             | 608.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | WHO w/nontorsion jnt(s) CF     |
| L3906      |               | C             | 545.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wrist gauntlet molded to pt    |
| L3908      |               | C             | 92.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wrist cock-up non-molded       |
| L3909      |               | C             | 17.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab wrist orthosis          |
| L3911      |               | C             | 30.40       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab hand finger orthosis    |
| L3912      |               | C             | 130.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flex glove w/elastic finger    |
| L3913      |               | C             | 332.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HFO w/o joints CF              |
| L3915      |               | C             | 652.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | WHO w nontor jnt(s) prefab     |
| L3917      |               | C             | 129.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prefab metacarpl fx orthosis   |
| L3919      |               | C             | 332.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HO w/o joints CF               |
| L3921      |               | C             | 394.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HFO w/joint(s) CF              |
| L3923      |               | C             | 120.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HFO                            |
| L3925      |               | C             | 68.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | FO pip/dip with joint/spring   |
| L3927      |               | C             | 42.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | FO pip/dip w/o joint/spring    |
| L3929      |               | C             | 107.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HFO nontorsion joint, prefab   |
| L3931      |               | C             | 251.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | WHFO nontorsion joint prefab   |
| L3933      |               | C             | 261.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | FO w/o joints CF               |
| L3935      |               | C             | 271.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | FO nontorsion joint CF         |
| L3956      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Add joint upper ext orthosis   |
| L3960      |               | C             | 507.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Sewho airplan desig abdu pos   |
| L3961      |               | C             | 515.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHO cap design w/o jnts CF   |
| L3962      |               | C             | 990.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sewho erbs palsey design abd   |
| L3964      |               | C             | 84.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seo mobile arm sup att to wc   |
| L3964      | NU            | C             | 845.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seo mobile arm sup att to wc   |
| L3964      | RR            | C             | 84.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seo mobile arm sup att to wc   |
| L3964      | UE            | C             | 633.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Seo mobile arm sup att to wc   |
| L3965      |               | C             | 187.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arm supp att to wc rancho ty   |
| L3965      | NU            | C             | 939.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Arm supp att to wc rancho ty   |
| L3965      | RR            | C             | 187.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Arm supp att to wc rancho ty   |
| L3965      | UE            | C             | 704.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Arm supp att to wc rancho ty   |
| L3966      |               | C             | 99.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm supports reclinin   |
| L3966      | NU            | C             | 996.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm supports reclinin   |
| L3966      | RR            | C             | 99.61       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm supports reclinin   |
| L3966      | UE            | C             | 747.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm supports reclinin   |
| L3967      |               | C             | 608.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHO airplane w/o jnts CF     |
| L3968      |               | C             | 124.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Friction dampening arm supp    |
| L3968      | NU            | C             | 620.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Friction dampening arm supp    |
| L3968      | RR            | C             | 124.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Friction dampening arm supp    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L3968      | UE            | C             | 930.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Friction dampening arm supp    |
| L3969      |               | C             | 98.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Monosuspension arm/hand supp   |
| L3969      | NU            | C             | 983.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Monosuspension arm/hand supp   |
| L3969      | RR            | C             | 98.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Monosuspension arm/hand supp   |
| L3969      | UE            | C             | 737.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Monosuspension arm/hand supp   |
| L3970      |               | C             | 42.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevat proximal arm support    |
| L3970      | NU            | C             | 420.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevat proximal arm support    |
| L3970      | RR            | C             | 42.03       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevat proximal arm support    |
| L3970      | UE            | C             | 315.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Elevat proximal arm support    |
| L3971      |               | C             | 577.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHO cap design w/jnt(s) CF   |
| L3972      |               | C             | 22.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Offset/lat rocker arm w/ ela   |
| L3972      | NU            | C             | 220.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Offset/lat rocker arm w/ ela   |
| L3972      | RR            | C             | 22.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Offset/lat rocker arm w/ ela   |
| L3972      | UE            | C             | 165.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Offset/lat rocker arm w/ ela   |
| L3973      |               | C             | 608.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHO airplane w/jnt(s) CF     |
| L3974      |               | C             | 18.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm support supinator   |
| L3974      | NU            | C             | 187.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm support supinator   |
| L3974      | RR            | C             | 18.72       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm support supinator   |
| L3974      | UE            | C             | 140.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobile arm support supinator   |
| L3975      |               | C             | 515.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHFO cap design w/o jnt CF   |
| L3976      |               | C             | 515.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHFO airplane w/o jnts CF    |
| L3977      |               | C             | 577.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHFO cap desgn w/jnt(s) CF   |
| L3978      |               | C             | 608.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | SEWHFO airplane w/jnt(s) CF    |
| L3980      |               | C             | 435.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Upp ext fx orthosis humeral    |
| L3982      |               | C             | 672.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Upper ext fx orthosis rad/ul   |
| L3984      |               | C             | 475.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Upper ext fx orthosis wrist    |
| L3995      |               | C             | 45.15       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sock fracture or equal each    |
| L3999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Upper limb orthosis, NOS       |
| L4000      |               | C             | 899.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Repl girdle milwaukee orth     |
| L4002      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Replace strap, any orthosis    |
| L4010      |               | C             | 950.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace trilateral socket br   |
| L4020      |               | C             | 607.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Replace quadlat socket brim    |
| L4030      |               | C             | 712.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace socket brim cust fit   |
| L4040      |               | C             | 616.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace molded thigh lacer     |
| L4045      |               | C             | 543.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace non-molded thigh lac   |
| L4050      |               | C             | 795.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace molded calf lacer      |
| L4055      |               | C             | 505.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace non-molded calf lace   |
| L4060      |               | C             | 508.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace high roll cuff         |
| L4070      |               | C             | 699.35      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace prox & dist upright    |
| L4080      |               | C             | 142.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl met band kafo-afo prox    |
| L4090      |               | C             | 127.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl met band kafo-afo calf/   |
| L4100      |               | C             | 147.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl leath cuff kafo prox th   |
| L4110      |               | C             | 123.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl leath cuff kafo-afo cal   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)    |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-----------------------------------|
| L4130      |               | C             | 700.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace pretibial shell           |
| L4205      |               | C             | 21.25       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ortho dvc repair, per 15 min      |
| L4210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Orth dev, repair/repl minor parts |
| L4350      |               | C             | 152.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ankle control orthosi prefab      |
| L4360      |               | C             | 390.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumati walking boot prefab      |
| L4370      |               | C             | 266.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic full leg splint         |
| L4380      |               | C             | 151.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pneumatic knee splint             |
| L4386      |               | C             | 213.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Non-pneum walk boot prefab        |
| L4392      |               | C             | 31.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace AFO soft interface        |
| L4394      |               | C             | 23.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Replace foot drop spint           |
| L4396      |               | C             | 225.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Static AFO                        |
| L4398      |               | C             | 103.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot drop splint recumbent        |
| L5000      |               | C             | 759.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sho insert w arch toe filler      |
| L5010      |               | C             | 915.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Mold socket ank hgt w/ toe f      |
| L5020      |               | C             | 744.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Tibial tubercle hgt w/ toe f      |
| L5050      |               | C             | 862.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ank symes mold sckt sach ft       |
| L5060      |               | C             | 692.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Symes met fr leath socket ar      |
| L5100      |               | C             | 873.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Molded socket shin sach foot      |
| L5105      |               | C             | 870.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Plast socket jts/thgh lacer       |
| L5150      |               | C             | 879.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Mold sckt ext knee shin sach      |
| L5160      |               | C             | 957.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Mold socket bent knee shin s      |
| L5200      |               | C             | 827.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Kne sing axis fric shin sach      |
| L5210      |               | C             | 911.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | No knee/ankle joints w/ ft b      |
| L5220      |               | C             | 691.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | No knee joint with artic ali      |
| L5230      |               | C             | 953.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Fem focal defic constant fri      |
| L5250      |               | C             | 834.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Hip canad sing axi cons fric      |
| L5270      |               | C             | 853.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Tilt table locking hip sing       |
| L5280      |               | C             | 952.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Hemipelvect canad sing axis       |
| L5301      |               | C             | 862.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | BK mold socket SACH ft endo       |
| L5311      |               | C             | 826.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Knee disart                       |
| L5321      |               | C             | 823.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | AK open end SACH                  |
| L5331      |               | C             | 873.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Hip disart canadian SACH ft       |
| L5341      |               | C             | 952.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Hemipelvectomy canadian SACH      |
| L5400      |               | C             | 904.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Postop dress & 1 cast chg bk      |
| L5410      |               | C             | 628.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop dsg bk ea add cast ch      |
| L5420      |               | C             | 571.27      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Postop dsg & 1 cast chg ak/d      |
| L5430      |               | C             | 756.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop dsg ak ea add cast ch      |
| L5450      |               | C             | 612.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop app non-wgt bear dsg       |
| L5460      |               | C             | 819.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop app non-wgt bear dsg       |
| L5500      |               | C             | 965.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Init bk ptb plaster direct        |
| L5505      |               | C             | 653.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Init ak ischal plstr direct       |
| L5510      |               | C             | 547.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep BK ptb plaster molded        |
| L5520      |               | C             | 540.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Perp BK ptb thermopls direct      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------|
| L5530      |               | C             | 649.15      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep BK ptb thermopls molded    |
| L5535      |               | C             | 654.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep BK ptb open end socket     |
| L5540      |               | C             | 680.24      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep BK ptb laminated socket    |
| L5560      |               | C             | 730.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep AK ischial plast molded    |
| L5570      |               | C             | 759.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep AK ischial direct form     |
| L5580      |               | C             | 886.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep AK ischial thermo mold     |
| L5585      |               | C             | 961.58      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep AK ischial open end        |
| L5590      |               | C             | 903.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Prep AK ischial laminated       |
| L5595      |               | C             | 824.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Hip disartic sach thermopls     |
| L5600      |               | C             | 927.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Hip disartic sach laminat mold  |
| L5610      |               | C             | 778.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Above knee hydracadence         |
| L5611      |               | C             | 605.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ak 4 bar link w/fric swing      |
| L5613      |               | C             | 921.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ak 4 bar link w/hydraulic swing |
| L5614      |               | C             | 569.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | 4-bar link above knee w/swing   |
| L5616      |               | C             | 510.44      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Ak univ multiplex sys frict     |
| L5617      |               | C             | 760.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | AK/BK self-aligning unit ea     |
| L5618      |               | C             | 422.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Test socket symes               |
| L5620      |               | C             | 417.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Test socket below knee          |
| L5622      |               | C             | 544.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Test socket knee disarticula    |
| L5624      |               | C             | 546.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Test socket above knee          |
| L5626      |               | C             | 716.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Test socket hip disarticulat    |
| L5628      |               | C             | 725.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Test socket hemipelvectomy      |
| L5629      |               | C             | 477.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Below knee acrylic socket       |
| L5630      |               | C             | 674.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Symes type expandabl wall sckt  |
| L5631      |               | C             | 660.52      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ak/knee disartic acrylic soc    |
| L5632      |               | C             | 333.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Symes type ptb brim design s    |
| L5634      |               | C             | 492.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Symes type poster opening so    |
| L5636      |               | C             | 383.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Symes type medial opening so    |
| L5637      |               | C             | 434.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Below knee total contact        |
| L5638      |               | C             | 731.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Below knee leather socket       |
| L5639      |               | C             | 923.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Below knee wood socket          |
| L5640      |               | C             | 961.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee disarticulat leather so    |
| L5642      |               | C             | 931.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Above knee leather socket       |
| L5643      |               | C             | 584.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Hip flex inner socket ext fr    |
| L5644      |               | C             | 887.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Above knee wood socket          |
| L5645      |               | C             | 599.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Bk flex inner socket ext fra    |
| L5646      |               | C             | 823.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Below knee cushion socket       |
| L5647      |               | C             | 597.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Below knee suction socket       |
| L5648      |               | C             | 989.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Above knee cushion socket       |
| L5649      |               | C             | 715.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Isch containmt/narrow m-l so    |
| L5650      |               | C             | 733.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tot contact ak/knee disartic s  |
| L5651      |               | C             | 902.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Ak flex inner socket ext fra    |
| L5652      |               | C             | 655.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Suction susp ak/knee disartic   |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| L5653 |       | C      | 874.93 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee disart expand wall sock   |
| L5654 |       | C      | 498.56 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert symes            |
| L5655 |       | C      | 398.74 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert below knee       |
| L5656 |       | C      | 557.66 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert knee articulat   |
| L5658 |       | C      | 546.60 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert above knee       |
| L5661 |       | C      | 914.84 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Multi-durometer symes          |
| L5665 |       | C      | 772.98 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Multi-durometer below knee     |
| L5666 |       | C      | 105.24 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Below knee cuff suspension     |
| L5668 |       | C      | 151.80 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert w/o lock lower   |
| L5670 |       | C      | 407.92 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk molded supracondylar susp   |
| L5671 |       | C      | 796.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | BK/AK locking mechanism        |
| L5672 |       | C      | 448.26 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk removable medial brim sus   |
| L5673 |       | C      | 502.27 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Socket insert w lock mech      |
| L5676 |       | C      | 544.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk knee joints single axis p   |
| L5677 |       | C      | 799.66 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk knee joints polycentric p   |
| L5678 |       | C      | 79.14  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk joint covers pair           |
| L5679 |       | C      | 837.09 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Socket insert w/o lock mech    |
| L5680 |       | C      | 457.57 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk thigh lacer non-molded      |
| L5681 |       | C      | 888.61 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Intl custm cong/latyp insert   |
| L5682 |       | C      | 940.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk thigh lacer glut/ischia m   |
| L5683 |       | C      | 888.61 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Initial custom socket insert   |
| L5684 |       | C      | 103.36 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk fork strap                  |
| L5685 |       | C      | 173.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Below knee sus/seal sleeve     |
| L5686 |       | C      | 76.80  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk back check                  |
| L5688 |       | C      | 105.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk waist belt webbing          |
| L5690 |       | C      | 147.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Bk waist belt padded and lin   |
| L5692 |       | C      | 216.25 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak pelvic control belt light   |
| L5694 |       | C      | 277.01 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak pelvic control belt pad/l   |
| L5695 |       | C      | 245.16 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak sleeve susp neoprene/equa   |
| L5696 |       | C      | 278.14 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak/knee disartic pelvic join   |
| L5697 |       | C      | 120.69 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak/knee disartic pelvic band   |
| L5698 |       | C      | 156.81 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Ak/knee disartic silesian ba   |
| L5699 |       | C      | 313.05 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Shoulder harness               |
| L5700 |       | C      | 686.15 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Replace socket below knee      |
| L5701 |       | C      | 851.91 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Replace socket above knee      |
| L5702 |       | C      | 816.42 | 0.00     | 0.00     | 0.00 | XXX    | 10.00   |      | Replace socket hip             |
| L5703 |       | C      | 786.19 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Symes ankle w/o (SACH) foot    |
| L5704 |       | C      | 791.58 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Custom shape cover BK          |
| L5705 |       | C      | 698.23 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Custom shape cover AK          |
| L5706 |       | C      | 685.02 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Custom shape cvr knee disart   |
| L5707 |       | C      | 929.83 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Custom shape cvr hip disart    |
| L5710 |       | C      | 617.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Kne-shin exo sng axi mnl loc   |
| L5711 |       | C      | 784.96 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Knee-shin exo mnl lock ultra   |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L5712      |               | C             | 717.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee-shin exo frict swg & st   |
| L5714      |               | C             | 628.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Knee-shin exo variable frict   |
| L5716      |               | C             | 562.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Knee-shin exo mech stance ph   |
| L5718      |               | C             | 684.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Knee-shin exo frct swg & sta   |
| L5722      |               | C             | 678.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Knee-shin pneum swg frct exo   |
| L5724      |               | C             | 567.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Knee-shin exo fluid swing ph   |
| L5726      |               | C             | 653.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Knee-shin ext jnts fld swg e   |
| L5728      |               | C             | 894.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Knee-shin fluid swg & stance   |
| L5780      |               | C             | 863.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Knee-shin pneum/hydra pneum    |
| L5781      |               | C             | 900.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Lower limb pros vacuum pump    |
| L5782      |               | C             | 949.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | HD low limb pros vacuum pump   |
| L5785      |               | C             | 781.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exoskeletal bk ultralt mater   |
| L5790      |               | C             | 540.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Exoskeletal ak ultra-light m   |
| L5795      |               | C             | 807.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Exoskel hip ultra-light mate   |
| L5810      |               | C             | 832.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endoskel knee-shin mnl lock    |
| L5811      |               | C             | 608.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Endo knee-shin mnl lck ultra   |
| L5812      |               | C             | 930.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endo knee-shin frct swg & st   |
| L5814      |               | C             | 836.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Endo knee-shin hydral swg ph   |
| L5816      |               | C             | 745.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Endo knee-shin polyc mch sta   |
| L5818      |               | C             | 751.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Endo knee-shin frct swg & st   |
| L5822      |               | C             | 640.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Endo knee-shin pneum swg frc   |
| L5824      |               | C             | 648.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Endo knee-shin fluid swing p   |
| L5826      |               | C             | 707.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Miniature knee joint           |
| L5828      |               | C             | 707.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Endo knee-shin fluid swg/sta   |
| L5830      |               | C             | 774.62      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Endo knee-shin pneum/swg pha   |
| L5840      |               | C             | 849.22      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Multi-axial knee/shin system   |
| L5845      |               | C             | 605.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Knee-shin sys stance flexion   |
| L5848      |               | C             | 726.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Knee-shin sys hydraul stance   |
| L5850      |               | C             | 192.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endo ak/hip knee extens assi   |
| L5855      |               | C             | 464.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mech hip extension assist      |
| L5856      |               | C             | 811.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 50.00                     |             | Elec knee-shin swing/stance    |
| L5857      |               | C             | 962.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Elec knee-shin swing only      |
| L5858      |               | C             | 627.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 50.00                     |             | Stance phase only              |
| L5910      |               | C             | 544.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endo below knee alignable sy   |
| L5920      |               | C             | 797.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endo ak/hip alignable system   |
| L5925      |               | C             | 505.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Above knee manual lock         |
| L5930      |               | C             | 762.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | High activity knee frame       |
| L5940      |               | C             | 754.08      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endo bk ultra-light material   |
| L5950      |               | C             | 584.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Endo ak ultra-light material   |
| L5960      |               | C             | 724.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Endo hip ultra-light materia   |
| L5962      |               | C             | 883.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Below knee flex cover system   |
| L5964      |               | C             | 703.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Above knee flex cover system   |
| L5966      |               | C             | 897.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Hip flexible cover system      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L5968      |               | C             | 818.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Multiaxial ankle w dorsiflex   |
| L5970      |               | C             | 305.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot external keel sach foot   |
| L5971      |               | C             | 305.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | SACH foot, replacement         |
| L5972      |               | C             | 540.75      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flexible keel foot             |
| L5974      |               | C             | 390.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Foot single axis ankle/foot    |
| L5975      |               | C             | 626.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Combo ankle/foot prosthesis    |
| L5976      |               | C             | 885.68      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Energy storing foot            |
| L5978      |               | C             | 480.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ft prosth multiaxial ankl/ft   |
| L5979      |               | C             | 857.55      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Multi-axial ankle/ft prosth    |
| L5980      |               | C             | 928.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Flex foot system               |
| L5981      |               | C             | 721.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Flex-walk sys low ext prosth   |
| L5982      |               | C             | 869.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Exoskeletal axial rotation u   |
| L5984      |               | C             | 864.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Endoskeletal axial rotation    |
| L5985      |               | C             | 383.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lwr ext dynamic prosth pylon   |
| L5986      |               | C             | 506.62      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Multi-axial rotation unit      |
| L5987      |               | C             | 971.70      | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Shank ft w vert load pylon     |
| L5988      |               | C             | 674.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Vertical shock reducing pylo   |
| L5990      |               | C             | 612.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | User adjustable heel height    |
| L5993      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Heavy duty feature, foot       |
| L5994      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Heavy duty feature, knee       |
| L5995      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Lower ext pros heavyduty fea   |
| L5999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lowr extremity prosthes, NOS   |
| L6000      |               | C             | 541.76      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Par hand robin-aids thum rem   |
| L6010      |               | C             | 613.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Hand robin-aids little/ring    |
| L6020      |               | C             | 561.49      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Part hand robin-aids no fing   |
| L6025      |               | C             | 900.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Part hand disart myoelectric   |
| L6050      |               | C             | 713.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Wrst MLd sck flx hng tri pad   |
| L6055      |               | C             | 995.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Wrst mold sock w/exp interfa   |
| L6100      |               | C             | 723.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elb mold sock flex hinge pad   |
| L6110      |               | C             | 767.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elbow mold sock suspension t   |
| L6120      |               | C             | 894.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elbow mold doub splt soc ste   |
| L6130      |               | C             | 685.43      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elbow stump activated lock h   |
| L6200      |               | C             | 683.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elbow mold outsid lock hinge   |
| L6205      |               | C             | 912.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elbow molded w/ expand inter   |
| L6250      |               | C             | 672.82      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elbow inter loc elbow forarm   |
| L6300      |               | C             | 933.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Shlder disart int lock elbow   |
| L6310      |               | C             | 760.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Shoulder passive restor comp   |
| L6320      |               | C             | 657.53      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Shoulder passive restor cap    |
| L6350      |               | C             | 981.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Thoracic intern lock elbow     |
| L6360      |               | C             | 916.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Thoracic passive restor comp   |
| L6370      |               | C             | 763.34      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Thoracic passive restor cap    |
| L6380      |               | C             | 864.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Postop dsg cast chg wrst/elb   |
| L6382      |               | C             | 556.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Postop dsg cast chg elb dis/   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| L6384      |               | C             | 716.56      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Postop dsg cast chg shlder/t   |
| L6386      |               | C             | 603.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop ea cast chg & realign   |
| L6388      |               | C             | 660.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Postop applicat rigid dsg on   |
| L6400      |               | C             | 827.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Below elbow prosth tiss shap   |
| L6450      |               | C             | 772.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Elb disart prosth tiss shap    |
| L6500      |               | C             | 773.11      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Above elbow prosth tiss shap   |
| L6550      |               | C             | 955.42      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Shldr disar prosth tiss shap   |
| L6570      |               | C             | 822.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Scap thorac prosth tiss shap   |
| L6580      |               | C             | 587.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Wrist/elbow bowden cable mol   |
| L6582      |               | C             | 517.26      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Wrist/elbow bowden cbl dir f   |
| L6584      |               | C             | 769.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elbow fair lead cable molded   |
| L6586      |               | C             | 707.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elbow fair lead cable dir fo   |
| L6588      |               | C             | 708.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Shdr fair lead cable molded    |
| L6590      |               | C             | 988.77      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Shdr fair lead cable direct    |
| L6600      |               | C             | 301.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Polycentric hinge pair         |
| L6605      |               | C             | 313.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Single pivot hinge pair        |
| L6610      |               | C             | 261.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flexible metal hinge pair      |
| L6611      |               | C             | 556.14      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Additional switch, ext power   |
| L6615      |               | C             | 261.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disconnect locking wrist uni   |
| L6616      |               | C             | 97.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Disconnect insert locking wr   |
| L6620      |               | C             | 455.83      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flexion/extension wrist unit   |
| L6621      |               | C             | 772.40      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Flex/ext wrist w/wo friction   |
| L6623      |               | C             | 964.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spring-ass rot wrst w/ latch   |
| L6624      |               | C             | 847.84      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Flex/ext/rotation wrist unit   |
| L6625      |               | C             | 875.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Rotation wrst w/ cable lock    |
| L6628      |               | C             | 720.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Quick disconn hook adapter o   |
| L6629      |               | C             | 219.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lamination collar w/ couplin   |
| L6630      |               | C             | 324.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Stainless steel any wrist      |
| L6632      |               | C             | 97.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Latex suspension sleeve each   |
| L6635      |               | C             | 264.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lift assist for elbow          |
| L6637      |               | C             | 552.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Nudge control elbow lock       |
| L6638      |               | C             | 844.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Elec lock on manual pw elbow   |
| L6639      |               | C             | 515.03      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Heavy duty elbow feature       |
| L6640      |               | C             | 421.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoulder abduction joint pai   |
| L6641      |               | C             | 241.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Excursion amplifier pulley t   |
| L6642      |               | C             | 326.89      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Excursion amplifier lever ty   |
| L6645      |               | C             | 479.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoulder flexion-abduction j   |
| L6646      |               | C             | 710.04      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Multipo locking shoulder jnt   |
| L6647      |               | C             | 701.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoulder lock actuator         |
| L6648      |               | C             | 732.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Ext pwrd shlder lock/unlock    |
| L6650      |               | C             | 508.85      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shoulder universal joint       |
| L6655      |               | C             | 115.08      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Standard control cable extra   |
| L6660      |               | C             | 154.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Heavy duty control cable       |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU   | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|--------------|---------------|---------------|---------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|-------------------------------------|
| L6665        |               | C             | 69.24         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Teflon or equal cable lining        |
| L6670        |               | C             | 87.86         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Hook to hand cable adapter          |
| L6672        |               | C             | 253.49        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Harness chest/shldr saddle          |
| L6675        |               | C             | 180.54        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Harness figure of 8 sing con        |
| L6676        |               | C             | 182.31        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Harness figure of 8 dual con        |
| L6677        |               | C             | 400.70        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | UE triple control harness           |
| L6680        |               | C             | 348.79        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Test sock wrist disart/bel e        |
| L6682        |               | C             | 385.63        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Test sock elbw disart/above         |
| L6684        |               | C             | 565.27        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Test socket shldr disart/tho        |
| L6686        |               | C             | 887.51        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Suction socket                      |
| L6687        |               | C             | 867.13        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Frame typ socket bel elbow/w        |
| L6688        |               | C             | 796.37        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Frame typ sock above elb/dis        |
| L6689        |               | C             | 506.47        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Frame typ socket shoulder di        |
| L6690        |               | C             | 516.85        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Frame typ sock interscap-tho        |
| L6691        |               | C             | 518.93        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Removable insert each               |
| L6692        |               | C             | 840.70        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Silicone gel insert or equal        |
| L6693        |               | C             | 958.70        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Lockingelbow forearm cntrbal        |
| L6694        |               | C             | 502.27        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Elbow socket ins use w/lock         |
| L6695        |               | C             | 837.09        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Elbow socket ins use w/o lck        |
| L6696        |               | C             | 888.61        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Cus elbo skt in for con/atyp        |
| L6697        |               | C             | 888.61        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Cus elbo skt in not con/atyp        |
| L6698        |               | C             | 796.01        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Below/above elbow lock mech         |
| L6703        |               | C             | 488.71        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Term dev, passive hand mitt         |
| L6704        |               | C             | 880.40        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Term dev, sport/rec/work att        |
| L6706        |               | C             | 524.55        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Term dev mech hook vol open         |
| L6707        |               | C             | 966.68        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Term dev mech hook vol close        |
| L6708        |               | C             | 628.74        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Term dev mech hand vol open         |
| L6709        |               | C             | 910.66        | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Term dev mech hand vol close        |
| <b>L6711</b> |               | <b>D</b>      | <b>908.14</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | <b>Ped term dev, hook, vol open</b> |
| <b>L6712</b> |               | <b>D</b>      | <b>836.03</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>2.50</b>               |             | <b>Ped term dev, hook, vol clos</b> |
| <b>L6713</b> |               | <b>D</b>      | <b>527.57</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>5.00</b>               |             | <b>Ped term dev, hand, vol open</b> |
| <b>L6714</b> |               | <b>D</b>      | <b>893.70</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>2.50</b>               |             | <b>Ped term dev, hand, vol clos</b> |
| <b>L6721</b> |               | <b>C</b>      | <b>794.23</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>5.00</b>               |             | <b>Hook/hand, hvy dty, vol open</b> |
| <b>L6722</b> |               | <b>C</b>      | <b>684.69</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>5.00</b>               |             | <b>Hook/hand, hvy dty, vol clos</b> |
| L6805        |               | C             | 511.47        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Modifier wrist flexion unit         |
| L6810        |               | C             | 280.42        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pincher tool otto bock or eq        |
| L6881        |               | C             | 920.37        | 0.00                       | 0.00                  | 0.00        | XXX              | 7.50                      |             | Autograsp feature ul term dv        |
| L6882        |               | C             | 698.14        | 0.00                       | 0.00                  | 0.00        | XXX              | 7.50                      |             | Microprocessor control uplmb        |
| L6883        |               | C             | 596.40        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Replc sockt below e/w disa          |
| L6884        |               | C             | 860.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 5.00                      |             | Replc sockt above elbow disa        |
| L6885        |               | C             | 916.34        | 0.00                       | 0.00                  | 0.00        | XXX              | 7.50                      |             | Replc sockt shldr dis/interc        |
| L6890        |               | C             | 255.70        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Production glove                    |
| L6895        |               | C             | 839.44        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Custom glove                        |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |      |                                |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------|--------------------------------|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only) |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                |
| L6900 |       | C      | 567.68 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hand restorat thumb/1 finger   |
| L6905 |       | C      | 551.80 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hand restoration multiple fi   |
| L6910 |       | C      | 537.56 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Hand restoration no fingers    |
| L6915 |       | C      | 941.11 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Hand restoration replacmnt g   |
| L6920 |       | C      | 836.06 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Wrist disarticul switch ctrl   |
| L6925 |       | C      | 965.22 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Wrist disart myoelectronic c   |
| L6930 |       | C      | 841.25 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Below elbow switch control     |
| L6935 |       | C      | 983.29 | 0.00     | 0.00     | 0.00 | XXX    | 15.00   |      | Below elbow myoelectronic ct   |
| L6940 |       | C      | 824.36 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Elbow disarticulation switch   |
| L6945 |       | C      | 959.04 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Elbow disart myoelectronic c   |
| L6950 |       | C      | 937.00 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Above elbow switch control     |
| L6955 |       | C      | 897.74 | 0.00     | 0.00     | 0.00 | XXX    | 25.00   |      | Above elbow myoelectronic ct   |
| L6960 |       | C      | 905.44 | 0.00     | 0.00     | 0.00 | XXX    | 25.00   |      | Shldr disartic switch contro   |
| L6965 |       | C      | 887.75 | 0.00     | 0.00     | 0.00 | XXX    | 30.00   |      | Shldr disartic myoelectronic   |
| L6970 |       | C      | 913.57 | 0.00     | 0.00     | 0.00 | XXX    | 30.00   |      | Interscapular-thor switch ct   |
| L6975 |       | C      | 857.99 | 0.00     | 0.00     | 0.00 | XXX    | 35.00   |      | Interscap-thor myoelectronic   |
| L7007 |       | C      | 862.17 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Adult electric hand            |
| L7008 |       | D      | 814.18 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Pediatric electric hand        |
| L7009 |       | C      | 879.68 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Adult electric hook            |
| L7040 |       | C      | 706.35 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Prehensile actuator hosmer s   |
| L7045 |       | C      | 607.47 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Electron hook child michigan   |
| L7170 |       | C      | 881.47 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Electronic elbow hosmer swit   |
| L7180 |       | C      | 818.48 | 0.00     | 0.00     | 0.00 | XXX    | 75.00   |      | Electronic elbow utah myoele   |
| L7181 |       | C      | 902.03 | 0.00     | 0.00     | 0.00 | XXX    | 75.00   |      | Electronic elbo simultaneous   |
| L7185 |       | C      | 892.61 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Electron elbow adolescent sw   |
| L7186 |       | C      | 831.10 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Electron elbow child switch    |
| L7190 |       | C      | 709.80 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Elbow adolescent myoelectron   |
| L7191 |       | C      | 868.45 | 0.00     | 0.00     | 0.00 | XXX    | 20.00   |      | Elbow child myoelectronic ct   |
| L7260 |       | C      | 739.64 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Electron wrist rotator otto    |
| L7261 |       | C      | 897.62 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |      | Electron wrist rotator utah    |
| L7266 |       | C      | 744.20 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |      | Servo control steeper or equ   |
| L7272 |       | C      | 758.71 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |      | Analogue control unb or equa   |
| L7274 |       | C      | 863.44 | 0.00     | 0.00     | 0.00 | XXX    | 12.50   |      | Proportional ctl 12 volt uta   |
| L7360 |       | C      | 341.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Six volt bat otto bock/eq ea   |
| L7362 |       | C      | 376.64 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery chrgr six volt otto    |
| L7364 |       | C      | 599.04 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Twelve volt battery utah/equ   |
| L7366 |       | C      | 806.92 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery chrgr 12 volt utah/e   |
| L7367 |       | C      | 525.88 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Replacmnt lithium ionbatter    |
| L7368 |       | C      | 681.73 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Lithium ion battery charger    |
| L7400 |       | C      | 414.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add UE prost be/wd, ultlite    |
| L7401 |       | C      | 463.45 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add UE prost a/e ultlite mat   |
| L7402 |       | C      | 500.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add UE prost s/d ultlite mat   |
| L7403 |       | C      | 497.44 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Add UE prost b/e acrylic       |

| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |            |                                |   |
|-------|-------|--------|--------|----------|----------|------|--------|---------|------------|--------------------------------|---|
| ADA   |       |        |        | FACILITY | PE       | MPE  | GLOBAL | VERSION |            |                                |   |
| HCPCS | IFIER | STATUS | RVU    | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  | DATE       | SHORT DESCRIPTION (HCPCS only) |   |
| L7404 |       | C      | 750.76 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Add UE prost a/e acrylic                |
| L7405 |       | C      | 981.88 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Add UE prost s/d acrylic                |
| L7499 |       | S      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                | Upper extremity prosthes, NOS           |
| L7500 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                | Repair prosthetic dvc, per hour         |
| L7510 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                | Repair prosth dvc, rep/repl minor parts |
| L7520 |       | C      | 26.21  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Repair prosthetic dvc, per 15 min       |
| L7600 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                | Prosthetic donning sleeve               |
| L7611 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Ped term dev, hook, vol open            |
| L7612 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Ped term dev, hook, vol clos            |
| L7613 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Ped term dev, hand, vol open            |
| L7614 |       | D      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Ped term dev, hand, vol clos            |
| L7621 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Hook/hand, hvy dty, vol open            |
| L7622 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | 12/31/2008 |                                | Hook/hand, hvy dty, vol clos            |
| L7900 |       | C      | 724.40 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Male vacuum erection system             |
| L8000 |       | C      | 57.58  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Mastectomy bra                          |
| L8001 |       | C      | 169.42 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Breast prosthesis bra & form            |
| L8002 |       | C      | 222.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Brst prsth bra & bilat form             |
| L8010 |       | C      | 67.45  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Mastectomy sleeve                       |
| L8015 |       | C      | 81.15  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Ext breastprosthesis garment            |
| L8020 |       | C      | 301.59 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Mastectomy form                         |
| L8030 |       | C      | 474.28 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |            |                                | Breast prosthesis silicone/e            |
| L8035 |       | C      | 824.78 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Custom breast prosthesis                |
| L8039 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |            |                                | Breast prosthesis, NOS                  |
| L8040 |       | C      | 836.37 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Nasal prosthesis                        |
| L8040 | KM    | C      | 794.55 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Nasal prosthesis                        |
| L8040 | KN    | C      | 669.10 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |            |                                | Nasal prosthesis                        |
| L8041 |       | C      | 672.08 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Midfacial prosthesis                    |
| L8041 | KM    | C      | 957.70 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Midfacial prosthesis                    |
| L8041 | KN    | C      | 806.49 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |            |                                | Midfacial prosthesis                    |
| L8042 |       | C      | 755.14 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Orbital prosthesis                      |
| L8042 | KM    | C      | 717.38 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Orbital prosthesis                      |
| L8042 | KN    | C      | 906.16 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |            |                                | Orbital prosthesis                      |
| L8043 |       | C      | 845.76 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Upper facial prosthesis                 |
| L8043 | KM    | C      | 803.47 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Upper facial prosthesis                 |
| L8043 | KN    | C      | 507.45 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Upper facial prosthesis                 |
| L8044 |       | C      | 936.37 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Hemi-facial prosthesis                  |
| L8044 | KM    | C      | 889.55 | 0.00     | 0.00     | 0.00 | XXX    | 7.50    |            |                                | Hemi-facial prosthesis                  |
| L8044 | KN    | C      | 561.83 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Hemi-facial prosthesis                  |
| L8045 |       | C      | 924.20 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Auricular prosthesis                    |
| L8045 | KM    | C      | 877.99 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Auricular prosthesis                    |
| L8045 | KN    | C      | 739.36 | 0.00     | 0.00     | 0.00 | XXX    | 2.50    |            |                                | Auricular prosthesis                    |
| L8046 |       | C      | 906.17 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Partial facial prosthesis               |
| L8046 | KM    | C      | 860.86 | 0.00     | 0.00     | 0.00 | XXX    | 5.00    |            |                                | Partial facial prosthesis               |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)               |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|--|
| L8046        | KN            | C             | 724.93      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Partial facial prosthesis                    |
| L8047        |               | C             | 928.82      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Nasal septal prosthesis                      |
| L8047        | KM            | C             | 882.38      | 0.00                       | 0.00                  | 0.00        | XXX              | 2.50                      |             | Nasal septal prosthesis                      |
| L8047        | KN            | C             | 743.06      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Nasal septal prosthesis                      |
| L8048        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Unspec maxillofacial prosth                  |
| L8049        |               | C             | 22.85       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repair maxillofacial prosth                  |
| L8300        |               | C             | 192.22      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Truss single w/ standard pad                 |
| L8310        |               | C             | 206.70      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Truss double w/ standard pad                 |
| L8320        |               | C             | 80.36       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Truss addition to std pad wa                 |
| L8330        |               | C             | 74.23       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Truss add to std pad scrotal                 |
| L8400        |               | C             | 23.66       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Sheath below knee                            |
| L8410        |               | C             | 31.14       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Sheath above knee                            |
| L8415        |               | C             | 32.23       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Sheath upper limb                            |
| L8417        |               | C             | 101.54      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pros sheath/sock w gel cushn                 |
| L8420        |               | C             | 29.24       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Prosthetic sock multi ply BK                 |
| L8430        |               | C             | 33.28       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Prosthetic sock multi ply AK                 |
| L8435        |               | C             | 31.61       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pros sock multi ply upper lm                 |
| L8440        |               | C             | 72.87       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Shrinker below knee                          |
| L8460        |               | C             | 136.01      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Shrinker above knee                          |
| L8465        |               | C             | 73.32       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Shrinker upper limb                          |
| L8470        |               | C             | 10.04       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pros sock single ply BK                      |
| L8480        |               | C             | 13.84       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pros sock single ply AK                      |
| L8485        |               | C             | 16.71       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Pros sock single ply upper l                 |
| L8499        |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Unlisted misc prosthetic ser                 |
| L8500        |               | C             | 992.13      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Artificial larynx                            |
| L8501        |               | C             | 181.60      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Tracheostomy speaking valve                  |
| L8505        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Battery/access, art larynx                   |
| L8507        |               | C             | 56.59       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Trach-esoph voice pros pt in                 |
| L8509        |               | C             | 147.51      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Trach-esoph voice pros md in                 |
| L8510        |               | C             | 341.32      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Voice amplifier                              |
| L8511        |               | C             | 98.24       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Indwelling trach insert                      |
| L8512        |               | C             | 2.94        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Gel cap for trach voice pros                 |
| L8513        |               | C             | 7.02        | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Trach pros cleaning device                   |
| L8514        |               | C             | 127.39      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Repl trach puncture dilator                  |
| L8515        |               | C             | 85.26       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Gel cap app device for trach                 |
| L8600        |               | C             | 938.74      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Implant breast silicone/eq                   |
| L8603        |               | C             | 592.80      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Collagen imp urinary 2.5 ml                  |
| <b>L8604</b> |               | <b>C</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Dextranomer/hyaluronic acid copolymer</b> |
| L8606        |               | C             | 297.26      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Synthetic implnt urinary 1ml                 |
| L8609        |               | C             | 880.30      | 0.00                       | 0.00                  | 0.00        | XXX              | 12.50                     |             | Artificial cornea                            |
| L8610        |               | C             | 879.91      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Ocular implant                               |
| L8612        |               | C             | 914.08      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Aqueous shunt prosthesis                     |
| L8613        |               | C             | 386.56      | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Ossicular implant                            |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU                             | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)      |
|------------|---------------|---------------|---|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-------------------------------------|
| L8614      |               | C             | 933.10                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 35.00                     |             | Cochlear device/system              |
| L8615      |               | C             | 609.36                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coch implant headset replace        |
| L8616      |               | C             | 141.93                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coch implant microphone repl        |
| L8617      |               | C             | 123.96                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coch implant trans coil repl        |
| L8618      |               | C             | 35.43                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Coch implant tran cable repl        |
| L8619      |               | C             | 934.55                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Replace cochlear processor          |
| L8621      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl zinc air battery               |
| L8622      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Repl alkaline battery               |
| L8623      |               | C             | 87.40                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lith ion batt CID,non-earlvl        |
| L8624      |               | C             | 217.86                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lith ion batt CID, ear level        |
| L8630      |               | C             | 506.47                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metacarpophalangeal implant         |
| L8631      |               | C             | 743.13                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | MCP joint repl 2 pc or more         |
| L8641      |               | C             | 526.23                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Metatarsal joint implant            |
| L8642      |               | C             | 426.82                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hallux implant                      |
| L8658      |               | C             | 458.82                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Interphalangeal joint spacer        |
| L8659      |               | C             | 651.80                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Interphalangeal joint repl          |
| L8670      |               | C             | 753.14                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vascular graft                      |
| L8680      |               | C             | 627.65                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Implant neurostim elctr each        |
| L8681      |               | C             | 810.89                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Pt prgrm for implant neurostim      |
| L8682      |               | C             | 814.59                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 12.50                     |             | Implant neurostim radiofq rec       |
| L8683      |               | C             | 896.29                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Radiofq trsmtr for implant neu      |
| L8684      |               | C             | 511.84                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Radiofq trsmtr implant sclr neu     |
| L8685      |               | C             | 893.40                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Implant nrostm pls gen sng rec      |
| L8686      |               | C             | 950.10                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 15.00                     |             | Implant nrostm pls gen sng non      |
| L8687      |               | C             | 968.89                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     |             | Implant nrostm pls gen dua rec      |
| L8688      |               | C             | 927.35                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 20.00                     |             | Implant nrostm pls gen dua non      |
| L8689      |               | C             | 582.64                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | External recharging system          |
| L8690      |               | C             | 803.42                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Aud osseo dev, int/ext comp         |
| L8691      |               | C             | 900.69                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Aud osseo dev ext snd proces        |
| L8695      |               | C             | 22.51                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | External recharg sys extern         |
| L8699      |               | S             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthetic implant, NOS             |
| L9900      |               | S             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | O&P supply/accessory/service, other |
| M0064      |               | C             | 0.37                                    | 0.74                       | 0.08                  | 0.01       | XXX              | 53.10                     |             | Visit for drug monitoring           |
| M0075      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cellular therapy                    |
| M0076      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prolotherapy                        |
| M0100      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intragastric hypothermia            |
| M0300      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | IV chelationtherapy                 |
| M0301      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fabric wrapping of aneurysm         |
| MR001      |               | C             | <b>\$100.00 maximum, 1 unit/day max</b> |                            |                       |            |                  | XXX                       |             | Medical records                     |
| MSAGE      |               | C             | 0.35                                    | 0.23                       | 0.23                  | 0.01       | XXX              | 53.10                     |             | Massage therapy                     |
| MUINS      |               | C             | 94.59                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Muscle interferential stimulator    |
| MUINS      | NU            | C             | 945.89                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Muscle interferential stimulator    |
| MUINS      | RR            | C             | 94.59                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Muscle interferential stimulator    |



| CPT   | MOD-  | PAY    | WORK   | NON-     | FACILITY | CON- | END    |         |   |
|-------|-------|--------|--------|----------|----------|------|--------|---------|---|
| ADA   | IFIER | STATUS | RVU    | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE  |
| HCPCS |       |        |        | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |   |
|       |       |        |        |          |          |      |        |         | SHORT DESCRIPTION (HCPCS only)                                    |
| MUINS | UE    | C      | 709.23 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Muscle interferential stimulator                                  |
| NCA00 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; telephonic, administrative; 1 min = 1 unit    |
| NCA01 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; telephonic, administrative; 1 hr = 1 unit     |
| NCP00 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, telephonic, prof serv; 1 min = 1 unit         |
| NCP01 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, telephonic, prof serv; 1 hr = 1 unit          |
| NCPTC |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, telephonic, long distance call phone charge   |
| NIA00 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; admin. services, 1 min = 1 unit               |
| NIA01 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; admin. services; 1 hr = 1 unit                |
| NIP00 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, prof services; 1 min = 1 unit                 |
| NIP01 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, prof services; 1 hr = 1 unit                  |
| NIPTC |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention, long distance phone call; actual cost of call |
| NITRA |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; travel, POV mileage rate.                     |
| NOSHO |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | OWCP-requested examination; claimant failed to show up            |
| NPART |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Nurse intervention; travel, tolls, bridges, parking.              |
| P2028 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Cephalin flocculation test  |
| P2029 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Congo red blood test  |
| P2031 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Hair analysis exc arsenic   |
| P2033 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Blood thymol turbidity  |
| P2038 |       | C      | 12.82  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Blood mucoprotein   |
| P3000 |       | C      | 13.20  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Screen pap by tech w md supv                                      |
| P3001 |       | C      | 0.42   | 0.31     | 0.31     | 0.02 | XXX    | 53.10   | Screening pap smear by phys                                       |
| P7001 |       | C      | 0.00   | 0.00     | 0.00     | 0.00 | XXX    | 0.00    | Culture bacterial urine   |
| P9010 |       | C      | 254.85 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Whole blood for transfusion                                       |
| P9011 |       | C      | 149.10 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Blood split unit  |
| P9012 |       | C      | 41.24  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Cryoprecipitate each unit   |
| P9016 |       | C      | 185.15 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | RBC leukocytes reduced  |
| P9017 |       | C      | 67.03  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | One donor fresh frozn plasma                                      |
| P9019 |       | C      | 69.50  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelets, each unit  |
| P9020 |       | C      | 363.50 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelet rich plasma unit   |
| P9021 |       | C      | 129.66 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Red blood cells unit  |
| P9022 |       | C      | 277.03 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Washed red blood cells unit                                       |
| P9023 |       | C      | 73.87  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Frozen plasma, pooled, sd   |
| P9031 |       | C      | 107.51 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelets leukocytes reduced                                      |
| P9032 |       | C      | 121.72 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelets, irradiated   |
| P9033 |       | C      | 139.94 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelets leukoreduced irradiated                                 |
| P9034 |       | C      | 441.03 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelets, pheresis   |
| P9035 |       | C      | 499.53 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelet pheres leukoreduced                                      |
| P9036 |       | C      | 417.71 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Platelet pheresis irradiated                                      |
| P9037 |       | C      | 630.08 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Plate pheres leukoredu irradiated                                 |
| P9038 |       | C      | 195.18 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | RBC irradiated  |
| P9039 |       | C      | 347.23 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | RBC deglycerolized  |
| P9040 |       | C      | 240.27 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | RBC leukoreduced irradiated                                       |
| P9041 |       | C      | 27.32  | 0.00     | 0.00     | 0.00 | XXX    | 1.25    | Albumin(human), 5%, 50ml  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| P9043      |               | C             | 22.34       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plasma protein fraction, 5%, 50ml             |
| P9044      |               | C             | 83.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cryoprecipitatereducedplasma                  |
| P9045      |               | C             | 54.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albumin (human), 5%, 250 ml                   |
| P9046      |               | C             | 25.59       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albumin (human), 25%, 20 ml                   |
| P9047      |               | C             | 51.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Albumin (human), 25%, 50ml                    |
| P9048      |               | C             | 41.21       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plasmaprotein fract,5%,250ml                  |
| P9050      |               | C             | 693.78      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Granulocytes, pheresis unit                   |
| P9051      |               | C             | 147.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood, l/r, cmv-neg                           |
| P9052      |               | C             | 645.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Platelets, hla-m, l/r, unit                   |
| P9053      |               | C             | 686.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plt, pher, l/r cmv-neg, irr                   |
| P9054      |               | C             | 218.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood, l/r, froz/degly/wash                   |
| P9055      |               | C             | 488.74      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plt, aph/pher, l/r, cmv-neg                   |
| P9056      |               | C             | 147.13      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Blood, l/r, irradiated                        |
| P9057      |               | C             | 373.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | RBC, frz/deg/wsh, l/r, irradi                 |
| P9058      |               | C             | 263.46      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | RBC, l/r, cmv-neg, irradi                     |
| P9059      |               | C             | 77.93       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Plasma, frz between 8-24hour                  |
| P9060      |               | C             | 52.64       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fr frz plasma donor retested                  |
| P9603      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | One-way allow prorated miles                  |
| P9604      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | One-way allow prorated trip                   |
| P9612      |               | C             | 4.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Catheterize for urine spec                    |
| P9615      |               | C             | 4.05        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Urine specimen collect mult                   |
| PE001      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Physical exam & other Dx test                 |
| Q0035      |               | C             | 0.17        | 0.33                       | 0.33                  | 0.03       | XXX              | 53.10                     |             | Cardiokymography                              |
| Q0035      | TC            | C             | 0.00        | 0.28                       | 0.28                  | 0.02       | XXX              | 53.10                     |             | Cardiokymography                              |
| Q0035      | 26            | C             | 0.17        | 0.05                       | 0.05                  | 0.01       | XXX              | 53.10                     |             | Cardiokymography                              |
| Q0081      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infusion therapy oth than chemo drugs / visit |
| Q0083      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemo therapy oth than infusion               |
| Q0084      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemo therapy by infusion tech                |
| Q0085      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Chemo therapy-both infusion & oth             |
| Q0091      |               | C             | 0.37        | 0.72                       | 0.11                  | 0.02       | XXX              | 53.10                     |             | Obtaining screen pap smear                    |
| Q0092      |               | C             | 0.00        | 0.44                       | 0.44                  | 0.01       | XXX              | 53.10                     |             | Set up port xray equipment                    |
| Q0111      |               | C             | 10.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Wet mounts/ w preparations                    |
| Q0112      |               | C             | 10.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Potassium hydroxide preps                     |
| Q0113      |               | C             | 13.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pinworm examinations                          |
| Q0114      |               | C             | 18.24       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fern test                                     |
| Q0115      |               | C             | 25.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Post-coital mucous exam                       |
| Q0144      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Azithromycin dihydrate, oral                  |
| Q0163      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Diphenhydramine HCl 50mg                      |
| Q0164      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prochlorperazine maleate 5mg                  |
| Q0165      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prochlorperazine maleate10mg                  |
| Q0166      |               | C             | 16.58       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Granisetron HCl 1 mg oral                     |
| Q0167      |               | C             | 5.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dronabinol 2.5mg oral                         |
| Q0168      |               | C             | 11.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dronabinol 5mg oral                           |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------|
| Q0169      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Promethazine HCl 12.5mg oral    |
| Q0170      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Promethazine HCl 25 mg oral     |
| Q0171      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlorpromazine HCl 10mg oral    |
| Q0172      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlorpromazine HCl 25mg oral    |
| Q0173      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Trimethobenzamide HCl 250mg     |
| Q0174      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Thiethylperazine maleate10mg    |
| Q0175      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Perphenazine 4mg oral           |
| Q0176      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Perphenazine 8mg oral           |
| Q0177      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydroxyzine pamoate 25mg        |
| Q0178      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydroxyzine pamoate 50mg        |
| Q0179      |               | C             | 3.33        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ondansetron HCl 8mg oral        |
| Q0180      |               | C             | 51.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dolasetron mesylate oral, 100mg |
| Q0181      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unspecified oral anti-emetic    |
| Q0480      |               | C             | 981.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 155.00                    |             | Driver pneumatic vad, rep       |
| Q0481      |               | C             | 981.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 25.00                     |             | Microprcsr cu elec vad, rep     |
| Q0482      |               | C             | 768.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 10.00                     |             | Microprcsr cu combo vad, rep    |
| Q0483      |               | C             | 904.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 35.00                     |             | Monitor elec vad, rep           |
| Q0484      |               | C             | 819.91      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Monitor elec or comb vad, rep   |
| Q0485      |               | C             | 474.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Monitor cable elec vad, rep     |
| Q0486      |               | C             | 395.31      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mon cable elec/pneum vad, rep   |
| Q0487      |               | C             | 461.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Leads any type vad, rep only    |
| Q0488      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pwr pack base elec vad, rep     |
| Q0489      |               | C             | 915.07      | 0.00                       | 0.00                  | 0.00       | XXX              | 30.00                     |             | Pwr pack base combo vad, rep    |
| Q0490      |               | C             | 949.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Emr pwr source elec vad, rep    |
| Q0491      |               | C             | 746.71      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Emr pwr source combo vad, rep   |
| Q0492      |               | C             | 120.33      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Emr pwr cbl elec vad, rep       |
| Q0493      |               | C             | 342.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Emr pwr cbl combo vad, rep      |
| Q0494      |               | C             | 289.90      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Emr hd pmp elec/combo, rep      |
| Q0495      |               | C             | 940.60      | 0.00                       | 0.00                  | 0.00       | XXX              | 7.50                      |             | Charger elec/combo vad, rep     |
| Q0496      |               | C             | 506.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 5.00                      |             | Battery elec/combo vad, rep     |
| Q0497      |               | C             | 632.50      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bat clips elec/comb vad, rep    |
| Q0498      |               | C             | 693.99      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Holster elec/combo vad, rep     |
| Q0499      |               | C             | 225.48      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Belt/vest elec/combo vad rep    |
| Q0500      |               | C             | 41.25       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Filters elec/combo vad, rep     |
| Q0501      |               | C             | 690.00      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Shwr cov elec/combo vad, rep    |
| Q0502      |               | C             | 878.45      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mobility cart pneum vad, rep    |
| Q0503      |               | C             | 878.47      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Battery pneum vad, repl         |
| Q0504      |               | C             | 927.09      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Pwr adpt pneum vad, rep veh     |
| Q0505      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Misc supply/accessory vad       |
| Q0510      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dispens fee immunosuppressive   |
| Q0511      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sup fee antiem,antica,immuno    |
| Q0512      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Px sup fee anti-can sub pres    |
| Q0513      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disp fee inhal drugs/30 days    |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)              |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| Q0514      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disp fee inhal drugs/90 days                |
| Q0515      |               | C             | 1.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Sermorelin acetate injection                |
| Q1003      |               | C             | 50.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ntiol category 3                            |
| Q1004      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ntiol category 4                            |
| Q1005      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ntiol category 5                            |
| Q2004      |               | C             | 24.01       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bladder calculi irrig sol, 500ml            |
| Q2009      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fosphenytoin, 50 mg                         |
| Q2017      |               | C             | 308.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Teniposide, 50 mg                           |
| Q3001      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Brachytherapy Radioelements                 |
| Q3014      |               | C             | 34.19       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Telehealth facility fee                     |
| Q3025      |               | C             | 158.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | IM Inj, interferon beta-1A, 11mcg           |
| Q3026      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, interferon beta-1A, subcutaneous |
| Q3031      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Collagen skin test (bundled procedure)      |
| Q4001      |               | C             | 51.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup body cast plaster                  |
| Q4002      |               | C             | 193.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup body cast fiberglas                |
| Q4003      |               | C             | 36.74       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup shoulder cast plstr                |
| Q4004      |               | C             | 127.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup shoulder cast fbrgl                |
| Q4005      |               | C             | 13.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long arm adult plst                |
| Q4006      |               | C             | 30.53       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long arm adult fbrg                |
| Q4007      |               | D             | 6.79        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long arm ped plster                |
| Q4008      |               | D             | 15.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long arm ped fbrgls                |
| Q4009      |               | C             | 9.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm adult plstr                |
| Q4010      |               | C             | 20.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm adult fbrgl                |
| Q4011      |               | D             | 4.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm ped plaster                |
| Q4012      |               | D             | 10.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm ped fbrglas                |
| Q4013      |               | C             | 16.45       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup gauntlet plaster                   |
| Q4014      |               | C             | 27.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup gauntlet fiberglass                |
| Q4015      |               | D             | 8.23        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup gauntlet ped plster                |
| Q4016      |               | D             | 13.88       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup gauntlet ped fbrgls                |
| Q4017      |               | C             | 9.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup lng arm splint plst                |
| Q4018      |               | C             | 15.18       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup lng arm splint fbrg                |
| Q4019      |               | D             | 4.76        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup lng arm splnt ped p                |
| Q4020      |               | D             | 7.60        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup lng arm splnt ped f                |
| Q4021      |               | C             | 7.04        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm splint plst                |
| Q4022      |               | C             | 12.71       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm splint fbrg                |
| Q4023      |               | D             | 3.54        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm splnt ped p                |
| Q4024      |               | D             | 6.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup sht arm splnt ped f                |
| Q4025      |               | C             | 39.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup hip spica plaster                  |
| Q4026      |               | C             | 123.30      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup hip spica fiberglas                |
| Q4027      |               | D             | 19.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup hip spica ped plstr                |
| Q4028      |               | D             | 61.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup hip spica ped fbrgl                |
| Q4029      |               | C             | 30.20       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long leg plaster                   |
| Q4030      |               | C             | 79.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cast sup long leg fiberglass                |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU   | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)       |
|--------------|---------------|---------------|---------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|--------------------------------------|
| Q4031        |               | D             | 15.10         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg ped plaster         |
| Q4032        |               | D             | 39.74         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg ped fbrgls          |
| Q4033        |               | C             | 28.16         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg cylinder pl         |
| Q4034        |               | C             | 70.06         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg cylinder fb         |
| Q4035        |               | D             | 14.09         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lngleg cylndr ped p         |
| Q4036        |               | D             | 35.04         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lngleg cylndr ped f         |
| Q4037        |               | C             | 17.19         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup shrt leg plaster            |
| Q4038        |               | C             | 43.05         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup shrt leg fiberglass         |
| Q4039        |               | D             | 8.61          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup shrt leg ped plster         |
| Q4040        |               | D             | 21.53         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup shrt leg ped fbrgls         |
| Q4041        |               | C             | 20.89         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg splnt plstr         |
| Q4042        |               | C             | 35.66         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg splnt fbrgl         |
| Q4043        |               | D             | 10.45         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg splnt ped p         |
| Q4044        |               | D             | 17.84         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup lng leg splnt ped f         |
| Q4045        |               | C             | 12.13         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup sht leg splnt plstr         |
| Q4046        |               | C             | 19.51         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup sht leg splnt fbrgl         |
| Q4047        |               | D             | 6.05          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup sht leg splnt ped p         |
| Q4048        |               | D             | 9.76          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Cast sup sht leg splnt ped f         |
| Q4049        |               | C             | 2.21          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Finger splint, static                |
| Q4050        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Cast supplies unlisted               |
| Q4051        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Splint supplies misc                 |
| Q4080        |               | C             | 49.82         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Iloprost inhalation solution, 20 mcg |
| Q4081        |               | C             | 1.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Epo alfa 100 units, ESRD             |
| Q4082        |               | D             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Drug/bio NOC part B drug CAP         |
| Q4096        |               | C             | 1.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | VWF complex, not Humate-P            |
| Q4097        |               | C             | 33.86         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Inj. IVIG Privigen 500 mg            |
| Q4098        |               | C             | 11.49         | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      | 12/31/2008  | Inj. Iron dextran                    |
| Q4099        |               | C             | 0.00          | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      | 12/31/2008  | Formoterol fumarate, inh             |
| <b>Q4100</b> |               | <b>C</b>      | <b>0.00</b>   | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Skin substitute, NOS</b>          |
| <b>Q4101</b> |               | <b>C</b>      | <b>31.39</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Apligraf skin sub                    |
| <b>Q4102</b> |               | <b>C</b>      | <b>4.35</b>   | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Oasis wound matrix skin sub          |
| <b>Q4103</b> |               | <b>C</b>      | <b>4.35</b>   | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Oasis burn matrix skin sub           |
| <b>Q4104</b> |               | <b>C</b>      | <b>11.87</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Integra BMWD skin sub                |
| <b>Q4105</b> |               | <b>C</b>      | <b>11.87</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Integra DRT skin sub                 |
| <b>Q4106</b> |               | <b>C</b>      | <b>38.45</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Dermagraft skin sub                  |
| <b>Q4107</b> |               | <b>C</b>      | <b>88.97</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Graftjacket skin sub                 |
| <b>Q4108</b> |               | <b>C</b>      | <b>18.85</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Integra matrix skin sub              |
| <b>Q4109</b> |               | <b>C</b>      | <b>78.59</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Tissuemend skin sub                  |
| <b>Q4110</b> |               | <b>C</b>      | <b>34.27</b>  | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Primatrix skin sub                   |
| <b>Q4111</b> |               | <b>C</b>      | <b>7.56</b>   | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Gammagraft skin sub                  |
| <b>Q4112</b> |               | <b>C</b>      | <b>311.56</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Cymetra allograft                    |
| <b>Q4113</b> |               | <b>C</b>      | <b>311.56</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Graftjacket express allograf         |
| <b>Q4114</b> |               | <b>C</b>      | <b>897.11</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>1.25</b>               |             | Integra flowable wound matri         |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU                             | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|---|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| Q5001      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in patient home, 15 min   |
| Q5002      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in assist living, 15 min  |
| Q5003      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in LT/non-skilled NF, 15 min  |
| Q5004      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in SNF, 15 min  |
| Q5005      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice, inpatient hospital, 15 min   |
| Q5006      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in hospice facility, 15 min   |
| Q5007      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in LTCH, 15 min   |
| Q5008      |               | C             | 7.42                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice in inpatient psych, 15 min  |
| Q5009      |               | D             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hospice, NOS, 15 min  |
| Q9951      |               | C             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | LOCM >= 400 mg/ml iodine,1ml  |
| Q9953      |               | C             | 30.41                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj Fe-based MR contrast,1ml  |
| Q9954      |               | C             | 9.61                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oral MR contrast, 100 ml  |
| Q9955      |               | C             | 13.25                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj perflerane lip micros, 1ml  |
| Q9956      |               | C             | 59.64                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj octafluoropropane mic, 1ml  |
| Q9957      |               | C             | 59.64                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj perflutren lip micros, 1ml  |
| Q9958      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM <= 149 mg/ml iodine, 1ml   |
| Q9959      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM 150-199 mg/ml iodine, 1ml  |
| Q9960      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM 200-249 mg/ml iodine, 1ml  |
| Q9961      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM 250-299 mg/ml iodine, 1ml  |
| Q9962      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM 300-349 mg/ml iodine, 1ml  |
| Q9963      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM 350-399 mg/ml iodine, 1ml  |
| Q9964      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | HOCM >= 400 mg/ml iodine, 1ml   |
| Q9965      |               | C             | 1.37                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LOCM 100-199mg/ml iodine,1ml  |
| Q9966      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LOCM 200-299mg/ml iodine,1ml  |
| Q9967      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | LOCM 300-399mg/ml iodine,1ml  |
| R0070      |               | C             | 131.87                                  | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transport portable x-ray  |
| R0075      |               | C             | 65.94                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transport port x-ray multipl  |
| R0076      |               | C             | 65.94                                   | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Transport portable EKG  |
| RE100      |               | S             | 46.73                                   | 41.68                      | 41.68                 | 5.04       | XXX              | 1.25                      |             | FCE; OWCP Prior-Approved, General Purpose/PM, Per Hour                        |
| RE200      |               | S             | 46.73                                   | 41.68                      | 41.68                 | 5.04       | XXX              | 1.25                      |             | FCE for enrollment in an ORP/PM return to work program, per hour              |
| RE300      |               | S             | 46.73                                   | 41.68                      | 41.68                 | 5.04       | XXX              | 1.25                      |             | FCE for enrollment in an ORP work readiness/PM program, per hour              |
| RP100      |               | C             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pain Management; all inclusive per diem rate                                  |
| RP120      |               | C             | 2.02                                    | 0.79                       | 0.79                  | 0.05       | XXX              | 53.10                     |             | Pain Management; professional psych services NOS, per hour                    |
| RP130      |               | C             | 1.84                                    | 0.80                       | 0.80                  | 0.08       | XXX              | 53.10                     |             | Pain Management; professional services NOS; one-on-one, per hour              |
| RP200      |               | C             | 0.56                                    | 0.56                       | 0.56                  | 0.02       | XXX              | 53.10                     |             | Pain Management; professional services NOS for a group of 2 or more, per hour |
| RTWMC      |               | C             | <b>\$250.00 maximum, 1 unit/day max</b> |                            |                       |            | XXX              |                           |             | Return to work medical conference   |
| S0012      |               | C             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Butorphanol tartrate, nasal   |
| S0014      |               | C             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tacrine hydrochloride, 10 mg  |
| S0017      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, aminocaproic acid, 250 mg  |
| S0020      |               | C             | 2.61                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, bupivacaine hydro  |
| S0021      |               | C             | 0.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, cefoperazone sod   |
| S0023      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, cimetidine hydroc, 150mg   |
| S0028      |               | C             | 1.00                                    | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, famotidine, 20 mg  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)         |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| S0030      |               | C             | 1.44        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, metronidazole, 500mg        |
| S0032      |               | C             | 7.30        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, nafcillin sodium, 1gm       |
| S0034      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, ofloxacin, 400 mg           |
| S0039      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, sulfamethoxazole            |
| S0040      |               | C             | 10.80       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, ticarcillin disod, 0.1-3gm  |
| S0073      |               | C             | 16.17       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, aztreonam, 500 mg           |
| S0074      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, cefotetan disodium, 500 mg  |
| S0077      |               | C             | 1.51        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection, clindamycin phosp, 150mg    |
| S0078      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, fosphenytoin sodi           |
| S0080      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, pentamidine iseth           |
| S0081      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, piperacillin sodi           |
| S0088      |               | C             | 23.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Imatinib 100 mg                        |
| S0090      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sildenafil citrate, 25 mg              |
| S0091      |               | C             | \$52.52     | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Granisetron 1mg                        |
| S0092      |               | C             | \$78.57     | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydromorphone 250 mg                   |
| S0093      |               | C             | \$4.86      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Morphine 500 mg                        |
| S0104      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Zidovudine, oral, 100 mg               |
| S0106      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bupropion HCl, 150 mg, per 60 tablets  |
| S0108      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mercaptopurine, oral, 50 mg            |
| S0109      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Methadone oral, 5mg                    |
| S0117      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tretinoin topical 5 g                  |
| S0122      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, menotropins, 75 lu          |
| S0126      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, follitropin alfa, 75 lu     |
| S0128      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, follitropin beta, 75 lu     |
| S0132      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection, ganirelix acetate, 250 mcg. |
| S0136      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clozapine, 25 mg                       |
| S0137      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Didanosine, 25 mg                      |
| S0138      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Finasteride, 5 mg                      |
| S0139      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minoxidil, 10 mg                       |
| S0140      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Saquinavir, 200 mg                     |
| S0141      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Zalcitabine, 0.375 mg                  |
| S0142      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Colistimethate inh sol mg              |
| S0143      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Aztreonam, inh sol gram                |
| S0145      |               | C             | 473.95      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Peg interferon alfa-2A/180             |
| S0146      |               | C             | 37.81       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Peg interferon alfa-2b/10              |
| S0155      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Epoprostenol dilutant                  |
| S0156      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Exemestane, 25 mg                      |
| S0157      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Becaplermin gel 1%, 0.5 gm             |
| S0160      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dextroamphetamine sulfate, 5 mg        |
| S0161      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Calcitrol, 0.25mg                      |
| S0162      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Injection efalizumab, 125 mg           |
| S0164      |               | C             | 13.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Injection pantoprazole sodium, 40mg    |
| S0166      |               | C             | 5.90        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Inj olanzapine, 2.5mg                  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)            |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| S0170      |               | C             | 8.69        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anastrozole 1 mg                          |
| S0171      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Bumetanide 0.5 mg                         |
| S0172      |               | C             | 2.52        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Chlorambucil 2 mg                         |
| S0174      |               | C             | 51.77       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dolasetron 50 mg                          |
| S0175      |               | C             | 1.87        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Flutamide 125 mg                          |
| S0176      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hydroxyurea 500 mg                        |
| S0177      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Levamisole 50 mg                          |
| S0178      |               | C             | 9.28        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lomustine 10 mg                           |
| S0179      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Megestrol 20 mg                           |
| S0181      |               | C             | 20.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Ondansetron 4 mg                          |
| S0182      |               | C             | 53.82       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Procarbazine 5 mg                         |
| S0183      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prochlorperazine 5 mg                     |
| S0187      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tamoxifen 10 mg                           |
| S0189      |               | C             | 24.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Testosterone pellet 75 mg                 |
| S0190      |               | C             | 81.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Mifepristone, oral, 200 mg                |
| S0191      |               | C             | 1.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Misoprostol, oral, 200 mcg                |
| S0194      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vitamin suppl 100 caps                    |
| S0195      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pneumococcal conjugate vaccine, ped.      |
| S0196      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Poly-l-lactic acid 1ml face               |
| S0197      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prenatal vitamins 30 day                  |
| S0199      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med abortion inc all ex drug              |
| S0201      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Partial hospitalization serv, lt 24 hrs   |
| S0207      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Paramedicintercep nonhospals              |
| S0208      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Paramed intrcept nonvol                   |
| S0209      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | WC van mileage per mi                     |
| S0215      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nonemerg transp mileage                   |
| S0220      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Medical conference by physic              |
| S0221      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Medical conference, 60 min                |
| S0250      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp geriatr assmt team                   |
| S0255      |               | C             | 1.34        | 0.46                       | 0.46                  | 0.09       | XXX              | 53.10                     |             | Hospice refer visit non-MD                |
| S0257      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | End of life counseling                    |
| S0260      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | H&P for surgery                           |
| S0265      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Genetic counsel 15 mins                   |
| S0270      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home std case rate 30 days                |
| S0271      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home hospice case 30 days                 |
| S0272      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home episodic case 30 days                |
| S0273      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MD home visit outside cap                 |
| S0274      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nurse practr visit outs cap               |
| S0302      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Completed EPSDT                           |
| S0310      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hospitalist visit                         |
| S0315      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disease management program                |
| S0316      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disease mgmt prog, Follow-up/reassessment |
| S0317      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disease mgmt per diem                     |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)   |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|----------------------------------|
| S0320      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | RN telephone calls to DMP        |
| S0340      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lifestyle mod 1st stage          |
| S0341      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lifestyle mod 2 or 3 stage       |
| S0342      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lifestyle mod 4th stage          |
| S0345      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home ECG monitoring, global 24hr |
| S0346      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home ECG monitoring, tech 24hr   |
| S0347      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home ECG monitoring, prof 24hr   |
| S0390      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Routine foot care                |
| S0395      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Impression casting ft            |
| S0400      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Global eswl kidney               |
| S0500      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Dispos cont lens                 |
| S0504      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Singl prscrp lens                |
| S0506      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bifoc prscrp lens                |
| S0508      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Trifoc prscrp lens               |
| S0510      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-prscrp lens                  |
| S0512      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Daily cont lens                  |
| S0514      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Color cont lens                  |
| S0515      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Scieral lens liquid bandage      |
| S0516      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Safety frames                    |
| S0518      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sunglass frames                  |
| S0580      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Polycarb lens                    |
| S0581      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Nonstnd lens                     |
| S0590      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Misc integral lens serv          |
| S0592      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp cont lens eval              |
| S0595      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | New lenses in pts old frame      |
| S0601      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Screening proctoscopy            |
| S0605      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Digital rectal examination,      |
| S0610      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Annual gynecological examina     |
| S0612      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Annual gynecological examina     |
| S0613      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ann breast exam                  |
| S0618      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Audiometry for hearing aid       |
| S0620      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Routine ophthalmological exa     |
| S0621      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Routine ophthalmological exa     |
| S0622      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Phys exam for college            |
| S0625      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Digital screening retina         |
| S0630      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Removal of sutures               |
| S0800      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Laser in situ keratomileusis     |
| S0810      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Photorefractive keratectomy      |
| S0812      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Phototherap keratect             |
| S1001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Deluxe item                      |
| S1002      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom item                      |
| S1015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | IV tubing extension set          |
| S1016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-pvc intravenous administ     |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)          |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---|
| S1030      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gluc monitor purchase                   |
| S1031      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gluc monitor rental                     |
| S1040      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cranial remolding orthosis              |
| S2053      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transplantation of small int            |
| S2054      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transplantation of multivisc            |
| S2055      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Harvesting of donor multivis            |
| S2060      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lobar lung transplantation              |
| S2061      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Donor lobectomy (lung)                  |
| S2065      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Simult panc kidn trans                  |
| S2066      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast GAP flap reconstruct, unilateral |
| S2067      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast stacked DIEP/GAP, unilateral     |
| S2068      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast DIEP flap reconstruct            |
| S2070      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cysto laser tx ureteral calc            |
| S2075      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Lap inc/vent hernia repair              |
| S2076      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Lap umbilical hernia repair             |
| S2077      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Lap mesh implant hern rep               |
| S2079      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lap esophagomyotomy                     |
| S2080      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Laup                                    |
| S2083      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adjustment gastric band                 |
| S2095      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transcath emboliz microspher            |
| S2102      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Islet cell tissue transplant            |
| S2103      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adrenal tissue transplant               |
| S2107      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adoptive immunotherapy                  |
| S2112      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Knee arthroscop harv                    |
| S2115      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Periacetabular osteotomy                |
| S2117      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Arthroereisis, subtalar                 |
| S2118      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Total hip resurfacing                   |
| S2120      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Low density lipoprotein(LDL)            |
| S2135      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Neurolysis interspace foot              |
| S2140      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cord blood harvesting                   |
| S2142      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Cord blood-derived stem-cell            |
| S2150      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | BMT harv/transpl 28d pkg                |
| S2152      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Solid organ transpl pkg                 |
| S2202      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Echosclerotherapy                       |
| S2205      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minimally invasive direct co            |
| S2206      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minimally invasive direct co            |
| S2207      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minimally invasive direct co            |
| S2208      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minimally invasive direct co            |
| S2209      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Minimally invasive direct co            |
| S2225      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Myringotomy laser-assist                |
| S2230      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant semi-imp hear                   |
| S2235      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Implant auditory brain imp              |
| S2260      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Induced abortion 17-24 weeks            |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)        |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|---------------------------------------|
| S2265        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Abortion 25-28wks fetal indi          |
| S2266        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Abortion 29-31 wks fetal indi         |
| S2267        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Abortion >=32wks fetal indica         |
| S2270        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Insertion vaginal cylinder            |
| S2300        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Arthroscopy, shoulder, surgi          |
| S2325        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Hip core decompression                |
| S2340        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Chemodeneration of abductor           |
| S2341        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Chemodenerv adduct vocal              |
| S2342        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Nasal endoscop po debrid              |
| S2344        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Endosc balloon sinuplasty             |
| S2348        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Decompress disc RF lumbar             |
| S2350        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Diskectomy, anterior, with d          |
| S2351        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Diskectomy, anterior, with d          |
| S2360        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Vertebroplast cerv 1st                |
| S2361        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Vertebroplast cerv xdl                |
| S2400        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg congen hernia              |
| S2401        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg urin trac obstr            |
| S2402        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg cong cyst malf             |
| S2403        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg pulmon sequest             |
| S2404        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg myelomeningo               |
| S2405        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Repair sacrococcygeal teratoma, fetus |
| S2409        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetal surg noc                        |
| S2411        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Fetoscop laser ther TTTS              |
| S2900        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Robotic surgical system               |
| S3000        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Bilat dil retinal exam                |
| S3005        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Eval self-assess depression           |
| S3600        |               | C             | 12.91       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Stat lab                              |
| S3601        |               | C             | 12.91       | 0.00                       | 0.00                  | 0.00        | XXX              | 1.25                      |             | Stat lab home/nf                      |
| S3620        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Newborn metabolic screening           |
| S3625        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Maternal triple screen test           |
| S3626        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Maternal serum quad screen            |
| <b>S3628</b> |               | <b>D</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>PAMG-1 rapid assay for ROM</b>     |
| S3630        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Eosinophil blood count                |
| S3645        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIV-1 antibody testing of or          |
| S3650        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Saliva test, hormone level;           |
| S3652        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Saliva test, hormone level;           |
| S3655        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Antisperm antibodies test             |
| S3708        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Gastrointestinal fat absorpt          |
| <b>S3711</b> |               | <b>D</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Circulating tumor cell test</b>    |
| S3800        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Genetic testing for ALS               |
| S3818        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | BRCA1 gene anal                       |
| S3819        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | BRCA2 gene anal                       |
| S3820        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Comp BRCA1/BRCA2                      |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| S3822        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sing mutation brst/ovar        |
| S3823        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 3 mutation brst/ovar           |
| S3828        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp MLH1 gene                 |
| S3829        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp MLH2 gene                 |
| S3830        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test HNPCC comp           |
| S3831        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test HNPCC single         |
| S3833        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp APC sequence              |
| S3834        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sing mutation APC              |
| S3835        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test cystic fibrosis      |
| S3837        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test hemochromato         |
| S3840        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DNA analysis RET-oncogene      |
| S3841        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test retinoblastoma       |
| S3842        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test Hippel-Lindau        |
| S3843        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DNA analysis factor v          |
| S3844        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DNA analysis deafness          |
| S3845        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test alpha-thalassemia    |
| S3846        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test beta-thalassemia     |
| S3847        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test Tay-Sachs            |
| S3848        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test Gaucher              |
| S3849        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test Niemann-Pick         |
| S3850        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test sickle cell          |
| S3851        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test canavan              |
| S3852        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | DNA analysis APOE alzheimer    |
| S3853        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test myo musclr dyst      |
| S3854        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene profile panel breast      |
| S3855        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gene test presenilin-1 gene    |
| S3860        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Genet test cardiac ion-comp    |
| S3861        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Genetic test Brugada           |
| S3862        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Genet test cardiac ion-spec    |
| <b>S3865</b> |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comp genet test hyp cardiomy   |
| <b>S3866</b> |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spec gene test hyp cardiomy    |
| <b>S3870</b> |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CGH test developmental delay   |
| S3890        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fecal DNA analysis             |
| S3900        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Surface EMG                    |
| S3902        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ballistocardiogram             |
| S3904        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Masters two step               |
| S3905        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Auto handheld diag nerv test   |
| S4005        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Interim labor facility         |
| S4011        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | IVF package                    |
| S4013        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Complete cycle, GIFT           |
| S4014        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Complete cycle, ZIFT           |
| S4015        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Complete IVF case rate         |
| S4016        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Frozen IVF case rate           |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |                                    |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|------------------------------------|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE | SHORT DESCRIPTION (HCPCS only)     |
| HCPCS |       |        |      | PE RVU   | RVU      | RVU  | PERIOD | FACTOR  |      |                                    |
| S4017 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Incomplete cycle, treatment cancel |
| S4018 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | F EMB trns canc case rate          |
| S4020 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | IVF canc a aspir case rate         |
| S4021 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | IVF canc p aspir case rate         |
| S4022 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Asst oocyte fert case rate         |
| S4023 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Donor egg cycle, incomplete        |
| S4025 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Donor serv IVF case rate           |
| S4026 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Procure donor sperm                |
| S4027 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Store prev froz embryos            |
| S4028 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Microsurg epi sperm asp            |
| S4030 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Sperm procure init visit           |
| S4031 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Sperm procure subs visit           |
| S4035 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Stimulated IUI, case rate          |
| S4037 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Cryopreserved emb transf           |
| S4040 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Monitor, store embryo/30 days      |
| S4042 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ovulation mgmt per cycle           |
| S4981 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Insert levonorgestrel ius          |
| S4989 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Contracept IUD                     |
| S4990 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Nicotine patch legend              |
| S4991 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Nicotine patch nonlegend           |
| S4993 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Birth control pills                |
| S4995 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Smoking cessation gum              |
| S5000 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Prescription drug, generic         |
| S5001 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Prescription drug,brand name       |
| S5010 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | 5% dextrose and 45% saline         |
| S5011 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | 5% dextrose in lactated ring       |
| S5012 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | 5% dextrose with potassium         |
| S5013 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | 5% dextrose/45%saline,1000ml       |
| S5014 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | 5% dextrose/45%saline,1500ml       |
| S5035 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HIT routine device maint           |
| S5036 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | HIT device repair                  |
| S5100 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Adult daycare services, 15 min     |
| S5101 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Adult daycare per half day         |
| S5102 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Adult day care per diem            |
| S5105 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Centerbaseddaycare per diem        |
| S5108 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Homecare train pt 15 min           |
| S5109 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Homecare train pt session          |
| S5110 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Family homecare training, 15min    |
| S5111 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Family homecare training/session   |
| S5115 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Nonfamily homecaretrain/15min      |
| S5116 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Nonfamily homecare train/session   |
| S5120 |       | C      | 0.07 | 0.00     | 0.00     | 0.00 | XXX    | 53.10   |      | Chore services per 15 min          |
| S5121 |       | C      | 1.68 | 0.00     | 0.00     | 0.00 | XXX    | 53.10   |      | Chore services per diem            |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)           |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| S5125      |               | C             | 0.09        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Attendant care service/15 min            |
| S5126      |               | C             | 2.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Attendant care service/diem              |
| S5130      |               | C             | 0.07        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Homemaker service NOS/15 min             |
| S5131      |               | C             | 1.68        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Homemaker service NOS/diem               |
| S5135      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult companion care/15 min              |
| S5136      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult companion care/diem                |
| S5140      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Foster care, adult per diem              |
| S5141      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Foster care, adult per month             |
| S5145      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Foster care, therapeutic, child/diem     |
| S5146      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Foster care, therapeutic, child/mo       |
| S5150      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unskilled respite care/15 min            |
| S5151      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Unskilled respite care, not hospice/diem |
| S5160      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Emer response sys install&tst            |
| S5161      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Emer rspns sys serv per month            |
| S5162      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Emer rspns system purchase               |
| S5165      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home modifications per service           |
| S5170      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home delivered prepared meal             |
| S5175      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Laundry serv, ext, prof per order        |
| S5180      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HH respiratory thrpy in eval             |
| S5181      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HH respiratory thrpy NOS/day             |
| S5185      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med reminder serv per month              |
| S5190      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Wellness assessment by nonph             |
| S5199      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Personal care item NOS each              |
| S5497      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cath care noc                        |
| S5498      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT simple cath care                     |
| S5501      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT complex cath care                    |
| S5502      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT interim cath care                    |
| S5517      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT declotting kit                       |
| S5518      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cath repair kit                      |
| S5520      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT picc insert kit                      |
| S5521      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT midline cath insert kit              |
| S5522      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT picc insert no supp                  |
| S5523      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIP midline cath insert kit              |
| S5550      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin rapid 5 u                        |
| S5551      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin most rapid 5 u                   |
| S5552      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin intermed 5 u                     |
| S5553      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin long acting 5 u                  |
| S5560      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin reuse pen 1.5 ml                 |
| S5561      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin reuse pen 3 ml                   |
| S5565      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin cartridge 150 u                  |
| S5566      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin cartridge 300 u                  |
| S5570      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin dispos pen 1.5 ml                |
| S5571      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin dispos pen 3 ml                  |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)    |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|-----------------------------------|
| S8030      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Tantalum ring application         |
| S8035      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Magnetic source imaging           |
| S8037      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MRCP                              |
| S8040      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Topographic brain mapping         |
| S8042      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | MRI, low field                    |
| S8049      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Intraoperative radiation the      |
| S8055      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Us guidance fetal reduct          |
| S8080      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Scintimammography                 |
| S8085      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Fluorine-18 fluorodeoxygluco      |
| S8092      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Electron beam computed tomog      |
| S8096      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Portable peak flow meter          |
| S8097      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Asthma kit                        |
| S8100      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spacer without mask               |
| S8101      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spacer with mask                  |
| S8110      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Peak expiratory flow rate (p      |
| S8120      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | O2 contents gas cubic ft          |
| S8121      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | O2 contents liquid lb             |
| S8185      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Flutter device                    |
| S8186      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Swivel adaptor                    |
| S8189      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Trach supply noc                  |
| S8190      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 04/01/2009  | Electronic spirometer             |
| S8210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mucus trap                        |
| S8262      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mandib ortho repos device, ea     |
| S8265      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Haberman feeder, cleft lip/palate |
| S8270      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Enuresis alarm                    |
| S8301      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Infect control supplies NOS       |
| S8415      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supplies for home delivery        |
| S8420      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom gradient sleev/glov        |
| S8421      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ready gradient sleev/glov         |
| S8422      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom grad sleeve med            |
| S8423      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom grad sleeve heavy          |
| S8424      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ready gradient sleeve             |
| S8425      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom grad glove med             |
| S8426      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Custom grad glove heavy           |
| S8427      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ready gradient glove              |
| S8428      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ready gradient gauntlet           |
| S8429      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Gradient pressure wrap            |
| S8430      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Padding for comprsn bdg           |
| S8431      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Compression bandage               |
| S8450      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Splint digit                      |
| S8451      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Splint wrist or ankle             |
| S8452      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Splint elbow                      |
| S8460      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Camisole post-mast                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)           |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| S8490      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | 100 insulin syringes                     |
| S8940      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hippotherapy per session                 |
| S8948      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Low-level laser trmt 15 min              |
| S8950      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Complex lymphedema therapy,              |
| S8990      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Pt or manip for maint                    |
| S8999      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Resuscitation bag                        |
| S9001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home uterine monitor with or             |
| S9007      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ultrafiltration monitor                  |
| S9015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Automated EEG monitoring                 |
| S9024      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Paranasal sinus ultrasound               |
| S9025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Omniscardiogram/cardiointegra            |
| S9034      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Extracorp shockwv lithotrip, gall stone  |
| S9055      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Procuren or other growth fac             |
| S9056      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Coma stimulation per diem                |
| S9061      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Medical supplies and equipme             |
| S9075      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Smoking cessation treatment              |
| S9083      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Urgent care center global                |
| S9088      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Services provided in urgent              |
| S9090      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vertebral axial decompressio             |
| S9092      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      | 12/31/2008  | Canolith repos, per visit                |
| S9097      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home visit, wound care                   |
| S9098      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home phototherapy visit                  |
| S9109      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | CHF telemonitoring month                 |
| S9117      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Back school visit                        |
| S9122      |               | C             | 0.50        | 0.01                       | 0.00                  | 0.01       | XXX              | 53.10                     |             | Home health aide/cert'd nrs asst; per hr |
| S9123      |               | C             | 2.27        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Nursing care, in the home, RN; per hr    |
| S9124      |               | C             | 1.82        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Nursing care, in the home, LPN; per hr   |
| S9125      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Respite care, in the home; per diem      |
| S9126      |               | C             | 121.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice care, in the home; per diem      |
| S9127      |               | C             | 15.30       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Social work visit, in the home; per diem |
| S9128      |               | C             | 12.67       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Speech therapy, in the home; per diem    |
| S9129      |               | C             | 12.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Occup. therapy, in the home; per diem    |
| S9131      |               | C             | 12.50       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | PT in the home per diem                  |
| S9140      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic Management Program,             |
| S9141      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diabetic Management Program,             |
| S9145      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Insulin pump init, instruction           |
| S9150      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eval by oculist                          |
| S9152      |               | C             | 0.86        | 3.28                       | 0.25                  | 0.03       | XXX              | 53.10                     |             | Speech therapy, re-evaluation            |
| S9208      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home mgmt preterm labor                  |
| S9209      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home mgmt PPRM                           |
| S9211      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Home mgmt gest hypertension              |
| S9212      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hm postpar hyper per diem                |
| S9213      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hm preeclamp per diem                    |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| S9214      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hm gest dm per diem            |
| S9325      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT pain mgmt per diem         |
| S9326      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cont pain per diem         |
| S9327      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT int pain per diem          |
| S9328      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT pain imp pump diem         |
| S9329      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT chemo per diem             |
| S9330      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cont chem diem             |
| S9331      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT intermit chemo diem        |
| S9335      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT hemodialysis diem           |
| S9336      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cont anticoag diem         |
| S9338      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT immunotherapy diem         |
| S9339      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT periton dialysis diem      |
| S9340      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT enteral per diem           |
| S9341      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT enteral grav diem          |
| S9342      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT enteral pump diem          |
| S9343      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT enteral bolus nurs         |
| S9345      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT anti-hemophil diem         |
| S9346      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT alpha-1-proteinase diem    |
| S9347      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT longterm infusion diem     |
| S9348      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT sympathomim diem           |
| S9349      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tocolysis diem             |
| S9351      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cont antiemetic diem       |
| S9353      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT cont insulin diem          |
| S9355      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT chelation diem             |
| S9357      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT enzyme replace diem        |
| S9359      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT anti-tnf per diem          |
| S9361      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT diuretic infus diem        |
| S9363      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT anti-spasmodic diem        |
| S9364      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tpn total diem             |
| S9365      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tpn 1 liter diem           |
| S9366      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tpn 2 liter diem           |
| S9367      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tpn 3 liter diem           |
| S9368      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT tpn over 3l diem           |
| S9370      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj antiemetic diem         |
| S9372      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj anticoag diem           |
| S9373      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT hydra total diem           |
| S9374      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT hydra 1 liter diem         |
| S9375      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT hydra 2 liter diem         |
| S9376      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT hydra 3 liter diem         |
| S9377      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT hydra over 3l diem         |
| S9379      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT noc per diem               |
| S9381      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT high risk/escort           |
| S9401      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Anticoag clinic, per session   |

| CPT<br>ADA   | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU  | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)                |
|--------------|---------------|---------------|-------------|----------------------------|-----------------------|-------------|------------------|---------------------------|-------------|---|
| S9430        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Rx compound, dispens service                  |
| <b>S9433</b> |               | <b>D</b>      | <b>0.00</b> | <b>0.00</b>                | <b>0.00</b>           | <b>0.00</b> | <b>XXX</b>       | <b>0.00</b>               |             | <b>Medical food oral 100% nutr</b>            |
| S9434        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Mod solid food suppl                          |
| S9435        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Medical foods for inborn err                  |
| S9436        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Childbirth preparation/class, non-MD per sess |
| S9437        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Childbirth refresher class, non-MD per sess   |
| S9438        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Cesarean birth class, non-MD per sess         |
| S9439        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | VBAC class, non-MD per sess                   |
| S9441        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Asthma education                              |
| S9442        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Birthing class                                |
| S9443        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Lactation class                               |
| S9444        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Parenting class; non-MD                       |
| S9445        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | PT education noc individ                      |
| S9446        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | PT education noc group                        |
| S9447        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Infant safety; non-MD                         |
| S9449        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Weight mgmt; non-MD                           |
| S9451        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Exercise class; non-MD                        |
| S9452        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Nutrition class; non-MD                       |
| S9453        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Smoking cessation class; non-MD               |
| S9454        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Stress mgmt class; non-MD                     |
| S9455        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Diabetic Management Program,                  |
| S9460        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Diabetic Management Program,                  |
| S9465        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Diabetic Management Program,                  |
| S9470        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Nutritional counseling, diet                  |
| S9472        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Cardiac rehabilitation progr                  |
| S9473        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Pulmonary rehabilitation pro                  |
| S9474        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Enterostomal therapy by a re                  |
| S9475        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Ambulatory setting substance, per diem        |
| S9476        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Vestibular rehab per diem                     |
| S9480        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Intensive outpatient psychia                  |
| S9482        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Family stabilization 15 min                   |
| S9484        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Crisis intervention per hour                  |
| S9485        |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Crisis intervention mental h                  |
| S9490        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT corticosteroid/diem                       |
| S9494        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic total diem                     |
| S9497        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q3h diem                       |
| S9500        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q24h diem                      |
| S9501        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q12h diem                      |
| S9502        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q8h diem                       |
| S9503        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q6h diem                       |
| S9504        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HIT antibiotic q4h diem                       |
| S9529        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | Venipuncture home/snf                         |
| S9537        |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00        | XXX              | 0.00                      |             | HT hem horm inj diem                          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)   |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| S9538      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT blood products diem  |
| S9542      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj noc per diem  |
| S9558      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj growth horm diem  |
| S9559      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HIT inj interferon diem  |
| S9560      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj hormone diem  |
| S9562      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT inj, palivizumab, per diem  |
| S9590      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT irrig therapy, per diem   |
| S9810      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | HT pharm per hour  |
| S9900      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Christian Sci Pract visit  |
| S9970      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Health club membership, annual   |
| S9975      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transplant related lodging, meals, transport; per diem                 |
| S9976      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lodging per diem   |
| S9977      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Meals per diem   |
| S9981      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med record copy admin  |
| S9982      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med record copy per page   |
| S9986      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Not medically necessary svc  |
| S9988      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Serv part of phase I trial   |
| S9989      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Services outside US  |
| S9990      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Services provided as part of   |
| S9991      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Services provided as part of   |
| S9992      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transportation costs to and  |
| S9994      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lodging costs (e.g. hotel ch   |
| S9996      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Meals for clinical trial par   |
| S9999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Sales tax  |
| SECOP      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP-requested second opinion medical evaluation                       |
| SUPPL      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP-requested supplemental rpt for clarification; no new med evidence |
| SURB1      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Case file review by DMA or office consultation, back surgery           |
| SURB2      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP-requested second opinion clin exam, back surgery                  |
| SURC1      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Case file review by DMA or office consultation, carpal tunnel surgery  |
| SURC2      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP requested second opinion clin exam, carpal tunnel surgery         |
| SURG3      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | OWCP requested second opinion clin exam, other surgery                 |
| T1000      |               | C             | 0.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Private duty/independent nsg up to 15 min                              |
| T1001      |               | C             | 1.72        | 1.56                       | 1.56                  | 0.07       | XXX              | 53.10                     |             | Nursing assessment/evaluatn  |
| T1002      |               | C             | 0.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | RN services up to 15 minutes   |
| T1003      |               | C             | 0.45        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | LPN/LVN services up to 15min   |
| T1004      |               | C             | 0.09        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Nsg aide service up to 15min   |
| T1005      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Respite care service 15 min  |
| T1006      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alco/subst Abuse Family/Couple Counseling                              |
| T1007      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alco/Subst Abuse Treatment Plan Development                            |
| T1009      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Child Sitting Services   |
| T1010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Meals when Receive Services  |
| T1012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Alcohol/Substance Abuse Skil   |
| T1013      |               | C             | 0.57        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Sign Lang/Oral Interpreter/15 min                                      |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)               |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| T1014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Telehealth transmit, per min                 |
| T1015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Clinic service                               |
| T1016      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Case mgmt; per 15 min                        |
| T1017      |               | C             | 0.37        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Targeted case mgmt; per 15 min               |
| T1018      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | School-based IEP serv; bundled               |
| T1019      |               | C             | 0.10        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Personal care serv; per 15 min               |
| T1020      |               | C             | 2.89        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Personal care serv; per diem                 |
| T1021      |               | C             | 0.35        | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | HH Aide or cn aide per visit                 |
| T1022      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Contracted HH agency serv; per diem          |
| T1023      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Screening; per encounter                     |
| T1024      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eval & treatmt, child; per encounter         |
| T1025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Multidiscipline svc, child; per diem         |
| T1026      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Multidiscipline svc, child; per hr           |
| T1027      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Family Training, Counseling; per 15 min      |
| T1028      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Assessment, home environment                 |
| T1029      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comprehensive Pb investigation, per dwelling |
| T1030      |               | C             | 13.63       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Home nursing care, RN; per diem              |
| T1031      |               | C             | 10.91       | 0.00                       | 0.00                  | 0.00       | XXX              | 53.10                     |             | Home nursing care, LPN; per diem             |
| T1502      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Admin, oral, im or subcut med; per visit     |
| T1503      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Med admin, not oral/inject                   |
| T1999      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Misc items, supplies                         |
| T2001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-emerg transp; attendant/escort           |
| T2002      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-emerg transp; per diem                   |
| T2003      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-emerg transp; per encounter/trip         |
| T2004      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-emerg transp; comm carrier               |
| T2005      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Non-emerg transp; stretcher van              |
| T2007      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transp waiting time; per 1/2 hr.             |
| T2010      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PASRR Level I                                |
| T2011      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | PASRR Level II                               |
| T2012      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil ed waiver, per diem                    |
| T2013      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil ed waiver per hour                     |
| T2014      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil prevoc waiver, per d                   |
| T2015      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil prevoc waiver per hr                   |
| T2016      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil res waiver per diem                    |
| T2017      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil res waiver 15 min                      |
| T2018      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil sup empl waiver/diem                   |
| T2019      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Habil sup empl waiver 15min                  |
| T2020      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Day habil waiver per diem                    |
| T2021      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Day habil waiver per 15 min                  |
| T2022      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Case management, per month                   |
| T2023      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Targeted case mgmt per month                 |
| T2024      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Serv asmnt/care plan waiver                  |
| T2025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Waiver service, nos                          |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)             |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--|
| T2026      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Special childcare waiver/d                 |
| T2027      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Spec childcare waiver 15 min               |
| T2028      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Special supply, nos waiver                 |
| T2029      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Special med equip, noswaiver               |
| T2030      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Assist living waiver/month                 |
| T2031      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Assist living waiver/diem                  |
| T2032      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Res care, nos waiver/month                 |
| T2033      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Res, nos waiver per diem                   |
| T2034      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Crisis interven waiver/diem                |
| T2035      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Utility services waiver                    |
| T2036      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Camp overnite waiver/session               |
| T2037      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Camp day waiver/session                    |
| T2038      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Comm trans waiver/service                  |
| T2039      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vehicle mod waiver/service                 |
| T2040      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Financial mgt waiver/15min                 |
| T2041      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Support broker waiver/15 min               |
| T2042      |               | C             | 121.98      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice routine home care, per 24 hrs      |
| T2043      |               | C             | 711.92      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice continuous home care, per 24 hrs   |
| T2044      |               | C             | 126.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice inpatient respite care, per 24 hrs |
| T2045      |               | C             | 542.61      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice inpatient general care, per 24 hrs |
| T2046      |               | C             | 191.67      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hospice long term care, r&b                |
| T2048      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Bh ltc res r&b, per diem                   |
| T2049      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | N-ET; stretcher van, mileage               |
| T2101      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Breast milk proc/store/dist                |
| T4521      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size brief/diaper sm                 |
| T4522      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size brief/diaper med                |
| T4523      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size brief/diaper lg                 |
| T4524      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size brief/diaper xl                 |
| T4525      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size pull-on sm                      |
| T4526      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size pull-on med                     |
| T4527      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size pull-on lg                      |
| T4528      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Adult size pull-on xl                      |
| T4529      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ped size brief/diaper sm/med               |
| T4530      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ped size brief/diaper lg                   |
| T4531      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ped size pull-on sm/med                    |
| T4532      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Ped size pull-on lg                        |
| T4533      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Youth size brief/diaper                    |
| T4534      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Youth size pull-on                         |
| T4535      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disposable liner/shield/pad                |
| T4536      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable pull-on any size                  |
| T4537      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable underpad bed size                 |
| T4538      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Diaper serv reusable diaper                |
| T4539      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reuse diaper/brief any size                |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| T4540      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Reusable underpad chair size   |
| T4541      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Large disposable underpad      |
| T4542      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Small disposable underpad      |
| T4543      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Disp bariatric brief/diaper    |
| T5001      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Special position seat/vehicl   |
| T5999      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Supply, nos                    |
| TRANS      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Transportation, other          |
| V2020      |               | C             | 94.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Vision svcs frames purchases   |
| V2025      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eyeglasses delux frames        |
| V2100      |               | C             | 58.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens spher single plano 4.00   |
| V2101      |               | C             | 62.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Single visn sphere 4.12-7.00   |
| V2102      |               | C             | 87.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Singl visn sphere 7.12-20.00   |
| V2103      |               | C             | 51.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylindr 4.00d/12-2.00d   |
| V2104      |               | C             | 56.62       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylindr 4.00d/2.12-4d    |
| V2105      |               | C             | 61.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.00d/4.25-6d   |
| V2106      |               | C             | 68.41       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.00d/>6.00d    |
| V2107      |               | C             | 65.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.25d/12-2d     |
| V2108      |               | C             | 67.36       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.25d/2.12-4d   |
| V2109      |               | C             | 74.54       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.25d/4.25-6d   |
| V2110      |               | C             | 73.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder 4.25d/over 6d   |
| V2111      |               | C             | 76.68       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylindr 7.25d/.25-2.25   |
| V2112      |               | C             | 83.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylindr 7.25d/2.25-4d    |
| V2113      |               | C             | 94.32       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylindr 7.25d/4.25-6d    |
| V2114      |               | C             | 102.17      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Spherocylinder over 12.00d     |
| V2115      |               | C             | 111.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens lenticular bifocal        |
| V2118      |               | C             | 110.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens aniseikonic single        |
| V2121      |               | C             | 129.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lenticular lens                |
| V2199      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lens single vision not oth c   |
| V2200      |               | C             | 77.07       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens spher bifoc plano 4.00d   |
| V2201      |               | C             | 84.00       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphere bifocal 4.12-7.0   |
| V2202      |               | C             | 98.85       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphere bifocal 7.12-20.   |
| V2203      |               | C             | 77.75       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl bifocal 4.00d/.1   |
| V2204      |               | C             | 81.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.00d/2.1   |
| V2205      |               | C             | 87.89       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.00d/4.2   |
| V2206      |               | C             | 94.43       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.00d/ove   |
| V2207      |               | C             | 85.90       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.25-7d/.   |
| V2208      |               | C             | 90.14       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.25-7/2.   |
| V2209      |               | C             | 97.06       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.25-7/4.   |
| V2210      |               | C             | 107.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifocal 4.25-7/ov   |
| V2211      |               | C             | 111.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy bifo 7.25-12/.25-   |
| V2212      |               | C             | 114.65      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl bifo 7.25-12/2.2   |
| V2213      |               | C             | 115.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl bifo 7.25-12/4.2   |
| V2214      |               | C             | 125.87      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl bifocal over 12.   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| V2215      |               | C             | 145.25      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens lenticular bifocal        |
| V2218      |               | C             | 152.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens aniseikonic bifocal       |
| V2219      |               | C             | 66.94       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens bifocal seg width over    |
| V2220      |               | C             | 54.29       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens bifocal add over 3.25d    |
| V2221      |               | C             | 166.16      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lenticular lens                |
| V2299      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lens bifocal speciality        |
| V2300      |               | C             | 98.11       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphere trifocal 4.00d     |
| V2301      |               | C             | 115.64      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphere trifocal 4.12-7.   |
| V2302      |               | C             | 123.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphere trifocal 7.12-20   |
| V2303      |               | C             | 96.55       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy trifocal 4.0/.12-   |
| V2304      |               | C             | 101.01      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy trifocal 4.0/2.25   |
| V2305      |               | C             | 117.05      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy trifocal 4.0/4.25   |
| V2306      |               | C             | 120.51      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl trifocal 4.00/>6   |
| V2307      |               | C             | 114.10      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcy trifocal 4.25-7/.   |
| V2308      |               | C             | 119.59      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifocal 4.25-7/2.   |
| V2309      |               | C             | 130.28      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifocal 4.25-7/4.   |
| V2310      |               | C             | 128.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifocal 4.25-7/>6   |
| V2311      |               | C             | 133.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifo 7.25-12/.25-   |
| V2312      |               | C             | 143.37      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifo 7.25-12/2.25   |
| V2313      |               | C             | 157.23      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphc trifo 7.25-12/4.25   |
| V2314      |               | C             | 161.57      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens sphcyl trifocal over 12   |
| V2315      |               | C             | 179.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens lenticular trifocal       |
| V2318      |               | C             | 327.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens aniseikonic trifocal      |
| V2319      |               | C             | 74.65       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens trifocal seg width > 28   |
| V2320      |               | C             | 78.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens trifocal add over 3.25d   |
| V2321      |               | C             | 176.81      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lenticular lens                |
| V2399      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Lens trifocal speciality       |
| V2410      |               | C             | 134.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens variab asphericity sing   |
| V2430      |               | C             | 185.63      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens variable asphericity bi   |
| V2499      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Variable asphericity lens      |
| V2500      |               | C             | 122.19      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens pmma spherical    |
| V2501      |               | C             | 186.12      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens pmma-toric/prism    |
| V2502      |               | C             | 229.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens pmma bifocal      |
| V2503      |               | C             | 211.18      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens pmma color vision   |
| V2510      |               | C             | 166.80      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct gas permeable sphericl   |
| V2511      |               | C             | 239.66      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct toric prism ballast      |
| V2512      |               | C             | 283.20      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens gas permbl bifocl   |
| V2513      |               | C             | 237.73      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens extended wear     |
| V2520      |               | C             | 156.79      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens hydrophilic       |
| V2521      |               | C             | 272.96      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens hydrophilic toric   |
| V2522      |               | C             | 295.21      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens hydrophil bifocl    |
| V2523      |               | C             | 226.38      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cntct lens hydrophil extend    |
| V2530      |               | C             | 335.29      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens gas impermeable   |

| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only) |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|--------------------------------|
| V2531      |               | C             | 736.06      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Contact lens gas permeable     |
| V2599      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Contact lens/es other type     |
| V2600      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hand held low vision aids      |
| V2610      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Single lens spectacle mount    |
| V2615      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Telescop/othr compound lens    |
| V2623      |               | C             | 730.94      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Plastic eye prosth custom      |
| V2624      |               | C             | 91.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Polishing artificial eye       |
| V2625      |               | C             | 556.41      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Enlargemnt of eye prosthesis   |
| V2626      |               | C             | 299.93      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Reduction of eye prosthesis    |
| V2627      |               | C             | 968.54      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Scleral cover shell            |
| V2628      |               | C             | 457.39      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fabrication & fitting          |
| V2629      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Prosthetic eye other type      |
| V2630      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Anter chamber intraocul lens   |
| V2631      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Iris support intraoclr lens    |
| V2632      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Post chmbr intraocular lens    |
| V2700      |               | C             | 73.35       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Balance lens                   |
| V2702      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Deluxe lens feature            |
| V2710      |               | C             | 96.39       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Glass/plastic slab off prism   |
| V2715      |               | C             | 22.73       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Prism lens/es                  |
| V2718      |               | C             | 71.26       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Fresnell prism press-on lens   |
| V2730      |               | C             | 31.70       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Special base curve             |
| V2744      |               | C             | 24.66       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tint photochromatic lens/es    |
| V2745      |               | C             | 15.44       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Tint                           |
| V2750      |               | C             | 28.69       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Anti-reflective coating        |
| V2755      |               | C             | 24.97       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | UV lens/es                     |
| V2756      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Eye glass case                 |
| V2760      |               | C             | 26.94       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Scratch resistant coating      |
| V2761      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Mirror coating                 |
| V2762      |               | C             | 80.51       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Polarization                   |
| V2770      |               | C             | 38.49       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Occluder lens/es               |
| V2780      |               | C             | 18.84       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Oversize lens/es               |
| V2781      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Progressive lens per lens      |
| V2782      |               | C             | 86.95       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens                           |
| V2783      |               | C             | 98.05       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens                           |
| V2784      |               | C             | 63.76       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Lens polycarb or equal         |
| V2785      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Corneal tissue processing      |
| V2786      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Occupational multifocal lens   |
| V2787      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Astigmatism-correct function   |
| V2788      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Presbyopia-correct function    |
| V2790      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Amniotic membrane              |
| V2797      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Vis item/svc in other code     |
| V2799      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Miscellaneous vision service   |
| V5008      |               | D             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing screening              |



| CPT<br>ADA | MOD-<br>IFIER | PAY<br>STATUS | WORK<br>RVU | NON-<br>FACILITY<br>PE RVU | FACILITY<br>PE<br>RVU | MPE<br>RVU | GLOBAL<br>PERIOD | CON-<br>VERSION<br>FACTOR | END<br>DATE | SHORT DESCRIPTION (HCPCS only)  |
|------------|---------------|---------------|-------------|----------------------------|-----------------------|------------|------------------|---------------------------|-------------|---------------------------------|
| V5010      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Assessment for hearing aid      |
| V5011      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid fitting/checking    |
| V5014      |               | C             | 51.04       | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Hearing aid repair/modifying    |
| V5020      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Conformity evaluation           |
| V5030      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Body-worn hearing aid air       |
| V5040      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Body-worn hearing aid bone      |
| V5050      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid monaural in ear     |
| V5060      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behind ear hearing aid          |
| V5070      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Glasses air conduction          |
| V5080      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Glasses bone conduction         |
| V5090      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid dispensing fee      |
| V5095      |               | S             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Semi-implant mid ear prosthesis |
| V5100      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Body-worn bilat hearing aid     |
| V5110      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid dispensing fee      |
| V5120      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Body-worn binaur hearing aid    |
| V5130      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | In ear binaural hearing aid     |
| V5140      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behind ear binaur hearing ai    |
| V5150      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Glasses binaural hearing aid    |
| V5160      |               | C             | 724.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 2.50                      |             | Dispensing fee binaural         |
| V5170      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Within ear cros hearing aid     |
| V5180      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behind ear cros hearing aid     |
| V5190      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Glasses cros hearing aid        |
| V5200      |               | C             | 868.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Cros hearing aid dispens fee    |
| V5210      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | In ear bicros hearing aid       |
| V5220      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Behind ear bicros hearing ai    |
| V5230      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Glasses bicros hearing aid      |
| V5240      |               | C             | 868.72      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dispensing fee bicros           |
| V5241      |               | C             | 724.69      | 0.00                       | 0.00                  | 0.00       | XXX              | 1.25                      |             | Dispensing fee, monaural        |
| V5242      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, monaural, cic      |
| V5243      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, monaural, itc      |
| V5244      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, mon, cic     |
| V5245      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, mon, itc     |
| V5246      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, mon, ite     |
| V5247      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, mon, bte     |
| V5248      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, binaural, cic      |
| V5249      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, binaural, itc      |
| V5250      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, bin, cic     |
| V5251      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, bin, itc     |
| V5252      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, bin, ite     |
| V5253      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, prog, bin, bte     |
| V5254      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing id, digit, mon, cic     |
| V5255      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, digit, mon, itc    |
| V5256      |               | C             | 0.00        | 0.00                       | 0.00                  | 0.00       | XXX              | 0.00                      |             | Hearing aid, digit, mon, ite    |

| CPT   | MOD-  | PAY    | WORK | NON-     | FACILITY | CON- | END    |         |      |   |
|-------|-------|--------|------|----------|----------|------|--------|---------|------|---|
| ADA   | IFIER | STATUS | RVU  | FACILITY | PE       | MPE  | GLOBAL | VERSION | DATE |   |
| HCPCS |       |        |      | RVU      | RVU      | RVU  | PERIOD | FACTOR  |      | SHORT DESCRIPTION (HCPCS only)  |
| V5257 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, digit, mon, bte  |
| V5258 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, digit, bin, cic  |
| V5259 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, digit, bin, itc  |
| V5260 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, digit, bin, ite  |
| V5261 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, digit, bin, bte  |
| V5262 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, disp, monaural   |
| V5263 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, disp, binaural   |
| V5264 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ear mold/insert   |
| V5265 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ear mold/insert, disp   |
| V5266 |       | C      | 1.00 | 0.00     | 0.00     | 0.00 | XXX    | 1.25    |      | Battery for hearing device  |
| V5267 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid supply/accessory  |
| V5268 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD Telephone Amplifier   |
| V5269 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Alerting device, any type   |
| V5270 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD, TV amplifier, any type   |
| V5271 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD, TV caption decoder   |
| V5272 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD, Tdd  |
| V5273 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD for cochlear implant  |
| V5274 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | ALD unspecified   |
| V5275 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Ear impression  |
| V5298 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing aid, nos  |
| V5299 |       | S      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Hearing service   |
| V5336 |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Repair communication device   |
| V5362 |       | C      | 0.86 | 1.72     | 1.72     | 0.04 | XXX    | 53.10   |      | Speech screening  |
| V5363 |       | C      | 0.86 | 1.72     | 1.72     | 0.04 | XXX    | 53.10   |      | Language screening  |
| V5364 |       | C      | 1.50 | 1.69     | 1.69     | 0.07 | XXX    | 53.10   |      | Dysphagia screening   |
| VHMDF |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vehicle modification  |
| VHPUM |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vehicle purchase and modification                                     |
| VHPUR |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vehicle purchase  |
| VR001 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Professional Services, per hr                       |
| VR002 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Non-professional Services, per hr                   |
| VR003 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Reimburse RC for outside testing                    |
| VR004 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Counselor Mileage                                   |
| VR018 |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Counselor Phone, Parking, Tolls, other itemized NOS |
| VR1SP |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Professional Services, Supplemental Code            |
| VR2SP |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Non-professional Services, Supplemental Code        |
| VRAST |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Assisted Reemployment, NY only                      |
| VREDU |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Training  |
| VRLOC |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Relocation Expenses                                 |
| VRPDV |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Plan Development, NY only                           |
| VRPNE |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Placement New Employer, NY only                     |
| VRPPE |       | D      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Placement Previous Employer, NY only                |
| VRSCR |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Screening   |
| VRSUP |       | C      | 0.00 | 0.00     | 0.00     | 0.00 | XXX    | 0.00    |      | Vocational Rehab; Books & Supplies                                    |

