

U.S. DEPARTMENT OF LABOR, OFFICE OF WORKERS' COMPENSATION PROGRAMS
2009 FEE SCHEDULE MODIFIER LEVEL TABLES

File: fs09_mod_table.xls

Sort by One Modifier Level per Line

The value in each cell indicates applicable percent allowable of the assigned fee schedule maximum; blanks = modifier not applicable to this procedure
 100 indicates that this modifier allows payment under circumstance when code would not normally be paid separately.

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
1	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
2	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
3	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
4	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
5	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
6	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
7	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
8	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
9	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
10	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
11	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
12	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
13	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
14	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
15	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
16	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
17	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
18	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
19	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
20	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
21	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
22	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
23	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
24	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
25	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
26	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
27	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
28	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
29	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
30	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	0.65
31	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
32	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
33	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
34	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
35	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
36	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
37	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
38	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
39	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
40	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
41	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
42	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
43	1.35			1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
44	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
45	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
46	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
47	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
48	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
49	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
50	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
51	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
52	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
53	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
54	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
55	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
56	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
57	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
58	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
59	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
60	1.35			1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
61	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
62	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
63	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
64	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
65	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
66	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
67	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
68	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
69	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
70	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
71	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
72	1.35			1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
73	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
74	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
75	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	
76	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
77	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
78	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
79	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
80	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
81	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
82	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
83	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
84	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
85	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
86	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
87	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
88	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
89	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
90	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
91	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
92	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
93	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
94	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
95	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
96	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
97	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
98	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
99	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
100	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
101	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
102	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		0.65
103	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
104	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
105	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
106	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
107	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
108	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
109	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
110	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
111	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
112	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
113	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
114	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
115	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
116	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
117	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
118	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
119	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
120	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
121	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
122	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
123	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
124	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
125	1.35			1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
126	1.35			1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		
127	1.35			1.00	0.50	0.85	0.75						1.00	0.65
128	1.35			1.00	0.50	0.85	0.75						1.00	0.65
129	1.35			1.00	1.00	0.85	0.75						1.00	0.65
130	1.35			1.00	0.50	0.85	0.75						1.00	0.65
131	1.35			1.00	0.50	0.85	0.75						1.00	0.65
132	1.35			1.50	0.50	0.85	0.75						1.00	0.65
133	1.35			1.00	0.50	0.85	0.75						1.00	0.65
134	1.35			1.50	0.50	0.85	0.75						1.00	0.65
135	1.35			1.50	0.50	0.85	0.75						1.00	0.65
136	1.35			1.00	0.50	0.85	0.75						1.00	
137	1.35			1.00	0.50	0.85	0.75						1.00	

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
138	1.35			1.00	1.00	0.85	0.75							1.00
139	1.35			1.00	1.00	0.85	0.75							1.00
140	1.35			1.00	0.50	0.85	0.75							1.00
141	1.35			1.50	0.50	0.85	0.75							1.00
142	1.35			1.00	0.50	0.85	0.75							1.00
143	1.35			1.00	0.50	0.85	0.75							1.00
144	1.35			1.00	1.00	0.85	0.75							1.00
145	1.35			1.50	0.50	0.85	0.75							1.00
146	1.35			1.00	0.50	0.85	0.75							1.00
147	1.35			1.00	1.00	0.85	0.75							1.00
148	1.35			1.50	0.50	0.85	0.75							1.00
149	1.35			1.50	0.50	0.85	0.75							1.00
150	1.35			1.50	0.50	0.85	0.75							1.00
151	1.35			1.50	0.50	0.85	0.75							1.00
152	1.35			1.50	0.50	0.85	0.75							1.00
153	1.35			1.00	0.50	0.85	0.75							1.00
154	1.35			1.00	0.50	0.85	0.75							1.00
155	1.35			1.00	0.50	0.85	0.75							1.00
156	1.35			1.00	1.00	0.85	0.75							1.00
157	1.35			1.50	0.50	0.85	0.75							1.00
158	1.35			1.00	0.50	0.85	0.75							1.00
159	1.35			1.00	0.50	0.85	0.75							1.00
160	1.35			1.00	1.00	0.85	0.75							1.00
161	1.35			1.50	0.50	0.85	0.75							1.00
162	1.35			1.00	0.50	0.85	0.75							1.00
163	1.35			1.00	1.00	0.85	0.75							1.00
164	1.35			1.50	0.50	0.85	0.75							1.00
165	1.35			1.00	1.00	0.85	0.75							1.00
166	1.35			1.00	0.50	0.85	0.75							1.00

Level I (CPT) MODIFIERS

	22	24	25	50	51	52	53	54	55	56	57	58	59	62
Mod Level Number	Unusual Procedural Service	Unrelated E & M during post-op period	Significant separate E&M on same day (may be used for decision for surgery; global period < 90)	Bilateral procedure	Multiple procedures (not E/M) by same provider	Reduced Services (physician discretion)	Discontinued Procedure (elective; surg or med diag procedure only)	Surgical intraoperative care only (global period = 10, 90)	Postoperative mgmt only (global period = 10, 90)	Preoperative mgmt only (global period = 10, 90)	Decision for surgery (global period = 90; E&M service is day before or day of surgery)	Staged/related procedure; same phys during post-op period	Distinct procedural serv	Two Surgeons
167	1.35			1.00	1.00	0.85	0.75						1.00	
168	1.35			1.00	0.50	0.85	0.75						1.00	
169	1.35			1.00	0.50	0.85	0.75						1.00	
170	1.35			1.00	1.00	0.85	0.75						1.00	
171	1.35			1.00	0.50	0.85	0.75							0.65
172	1.35			1.00	0.50	0.85	0.75							0.65
173	1.35			1.00	0.50	0.85	0.75							0.65
174	1.35			1.00	1.00	0.85	0.75							0.65
175	1.35			1.50	0.50	0.85	0.75							0.65
176	1.35			1.00	0.50	0.85	0.75							0.65
177	1.35			1.00	0.50	0.85	0.75							0.65
178	1.35			1.00	0.50	0.85	0.75							
179	1.35			1.50	0.50	0.85	0.75							
180	1.35			1.00	0.50	0.85	0.75							
181	1.35			1.00	0.50	0.85	0.75							
182	1.35			1.50	0.50	0.85	0.75							
183	1.35			1.50	0.50	0.85	0.75							
184	1.35			1.00	0.50	0.85	0.75							
185	1.35			1.00	0.50	0.85	0.75							
186	1.35			1.50	0.50	0.85	0.75							
187	1.35			1.00	0.50	0.85	0.75							
188	1.35			1.00	0.50	0.85	0.75							
189	1.35			1.00	0.50	0.85	1.00							
190	1.35			1.00	1.00	0.85	0.75							
191	1.35			1.50	0.50	0.85	0.75							
192	1.35			1.00	0.50	0.85	0.75							
193	1.35			1.00	1.00	0.85	0.75							
194	1.35			1.50	0.50	0.85	0.75							
195	1.35			1.00	0.50	0.85	0.75							

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17	1.00			1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				0.50	0.50
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17	1.00			1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17		1.00	1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17		1.00		1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17	1.00			1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00							1.00		1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00							1.00		1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00								1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00								1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00								1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00								1.00	1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
1.00			0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17		1.00		1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				0.50	0.50
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00						1.00			1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00								1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									0.50	0.50
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17	1.00			1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				0.50	0.50
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00						1.00			1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00							1.00		0.50	0.50
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
	0.50	1.00	0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				0.50	0.50
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				0.50	0.50
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
			0.80	1.00	0.80	1.00									1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17				1.00	1.00
1.00						1.00									1.00	1.00
	0.50	1.00					0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
	0.50	1.00				1.00									0.50	0.50
	0.50	1.00				1.00									1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
							0.20	0.15	0.20		0.17				1.00	1.00
															1.00	1.00
															1.00	1.00
															1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00						1.00			1.00	1.00
						1.00									0.50	0.50
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
							0.20	0.15	0.20			0.17			1.00	1.00
															1.00	1.00
															0.50	0.50
															1.00	1.00
															1.00	1.00
															1.00	1.00
				0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				
				0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17				
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17					
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17					
			0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17					
	0.50	1.00	0.80	1.00	0.80	1.00	0.20	0.15	0.20		0.17					
	0.50	1.00	0.80	1.00	0.80	1.00										
							1.00	0.20	0.15	0.20		0.17				
							1.00	0.20	0.15	0.20		0.17				
							0.20	0.15	0.20		0.17					
							0.20	0.15	0.20		0.17					
							0.20	0.15	0.20		0.17					
							0.20	0.15	0.20		0.17					
							0.20	0.15	0.20		0.17					

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right

							0.20	0.15	0.20			0.17			0.50	0.50
							0.20	0.15	0.20			0.17				
							0.20	0.15	0.20			0.17			1.00	1.00
1.00															1.00	1.00
															1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20	0.75	0.17				1.00	1.00
							0.20	0.15	0.20	0.75	0.17				1.00	1.00
							0.20	0.15	0.20			0.17	1.00		1.00	1.00
							0.20	0.15	0.20			0.17		1.00	1.00	1.00
							0.20	0.15	0.20			0.17			0.50	0.50
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			1.00	1.00
							0.20	0.15	0.20			0.17			0.50	0.50

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
												1.00			1.00	1.00
													1.00		1.00	1.00
														1.00	1.00	1.00
															1.00	1.00
															0.50	0.50
															1.00	1.00
															1.00	1.00
															1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17	1.00			1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
1.00						1.00	0.20	0.15	0.20		0.17			1.00	1.00	1.00
1.00						1.00								1.00	1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				0.50	0.50
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17		1.00		1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17			0.50	0.50	0.50
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
															1.00	1.00
															0.50	0.50
															1.00	1.00
															1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				0.50	0.50
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00									0.50	0.50
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00	0.20	0.15	0.20		0.17				1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
							0.20	0.15	0.20		0.17				1.00	1.00
															1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right
1.00						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00									0.50	0.50
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20			0.17		1.00	1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00							1.00		1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00	0.20	0.15	0.20			0.17			1.00	1.00
						1.00									1.00	1.00
						1.00									1.00	1.00

										Level II (HCPCS) MODIFIERS						
66	73	74	76	77	78	79	80	81	82	AJ	AS	E1,E2, E3,E4	FA,F1- F9	TA,T1- T9	LT	RT
Surgical Team	Discontinued O/P Hosp/ASC Procedure Prior to Anesthesia (see SG)	Discontinued O/P Hosp/ASC Procedure After Anesthesia (see SG)	Repeat procedure same phys	Repeat procedure/a nother phys	Return to OR, related procedure during post-op global period	Unrelated procedure during post-op global period	Assistant Surgeon	Minimum Assistant Surgeon	Assistant Surgeon; resident NA	Clinical social worker	PA / NP / CNS for assistant at surgery	Eyelid(s)	Finger(s), thumb(s)	Toe(s)	Left	Right

1.00
1.00
1.00

0.75
0.75

1.00 1.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00

2.00

2.00
2.00
2.00
2.00
2.00
2.00
2.00
2.00
2.00
2.00

0.70

2.00
2.00
2.00
2.00
2.00
2.00
2.00

0.70

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00
2.00
2.00

2.00
2.00
2.00
2.00
2.00

2.00
2.00
2.00
2.00
2.00

0.70
0.70

2.00
2.00
2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00
2.00
2.00
2.00

2.00
2.00
2.00
2.00
2.00

2.00
2.00

2.00
2.00

0.70
2.00
2.00
2.00
2.00
2.00
2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00
2.00
2.00
2.00
2.00

2.00
2.00
2.00

0.70 2.00
2.00
2.00

2.00
2.00
2.00

2.00
2.00

2.00
2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

0.70 2.00
 0.70 2.00
 2.00
 2.00
 2.00
 2.00

0.70 2.00
 2.00
 2.00
 0.70 2.00
 0.70 2.00
 0.70 2.00
 0.70 2.00
 0.70 2.00
 0.70 2.00
 2.00
 2.00
 2.00
 2.00
 2.00

0.70

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

0.70

2.00
2.00

0.70

2.00
2.00
2.00
2.00

0.70
0.70
0.70
0.70

2.00
2.00
2.00
2.00
2.00
2.00
2.00
2.00
2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00

2.00

2.00

2.00

2.00

2.00

0.70

2.00

0.70

2.00

0.70

0.70

2.00

0.70

2.00

0.70

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

0.70

2.00

0.70

2.00
2.00
2.00
2.00

0.70

2.00
2.00

0.70

0.70
0.70

2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00

2.00
2.00

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00

0.70

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

0.70

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

2.00

2.00

2.00

2.00

2.00

2.00

0.70

2.00

2.00

2.00

0.70

2.00

0.70

2.00

0.70

2.00

0.70

OWCP District Office Locator Modifiers

SA	SG	01	02	03	MD	06	09	10	11	12	13	14	15	16	DC
Nurse practitioner with a physician	Ambulatory Surgical Center (ASC) Facility Fee	Boston D.O.	New York D.O.	Philadelphia D.O.	Phily D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.

0.70

2.00

0.70

0.70

2.00

1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
1.00	1.00				1.00	1.00			1.00		1.00	1.00	1.00	1.00	
	1.00														
