Mod Level Number	Unusual Procedural Service (22)	Unrelated E & M during post op period (24)	Significant separate E&M on same day (may be used for decision for surgery; global period = 90) (25)	Professional Component (26)	Bilateral procedure (50)	Multiple procedure x (not E/M) by same provider (51)	Reduced Services (physician discretion) (52)	Discontinued Procedure (elective; surg or med diag procedure only) (53)	Surgical intraoperative care only (global period = 10, 90) (54)	Postoperative mgmt only (global period = 10, 90) (55)	Preoperative mgmt only (global period = 10, 90) (56)	Decision for surgery (global period = 90; E&M service e day before or day of surgery) (57)	Staged/related procedure; same phys during post-op period (58)	Distinct procedural service (59)	Two Surgeons (62)	Surgical Team (66)	Discontinued OIP Hosp/ASC Procedure Prior to Anesthesia (see SG) (73)	Discontinued OIP Hosp/ASC Procedure After Anesthesia (see SG) (74)	Repeat procedure same phys (76)	Repeat procedure/ another phys (77)	Return to OR, related procedure during post op global period (78)	Unrelated procedure during post op global period (79)	Assistant Surgeon (80)	Minimum Assistant Surgeon (81)	Assistant Surgeon; resident NA (82)	Repeat clinical diagnostic laboratory test (91)	Anesthesia services personally performed by anesthesiologist (AA)	Clinical social worker (A2)	PA / NP / CNS for assistant at surgery (AS	Provider Attestation that the Hospital Laboratory Test(s) is not packaged under the Hospital OPPS	Left (LT)	Right (RT)	Medical direction of two, three or four concurrent anesthesia procedures (QK)	Anesthesia, CRNA medically directed (QX)	Medical direction of one CRNA by anesthesiologist (QY)	Anesthesia , CRNA medically directed (QZ)	Nurse practitioner with a physician (SA)	Ambulatory Surgical Center (SG)	Separate Encounter (X6)	Separate Structure (X5)	Separate Practitioner (XP)	Unusual Non-Overlapping Service (X1)	Boston D.O.	New York D.O.	Philadelphia D.O.	Philly D.O., northern Maryland service area	Jacksonville D.O.	Cleveland D.O.	Chicago D.O.	Kansas City D.O.	Denver D.O.	San Francisco D.O.	Seattle D.O.	Seattle D.O., Alaska service area	Dallas D.O.	National Operations D.O.
1	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00	1.00	0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																******
2	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00	1.00			1.00	1.00			0.20	0.15	0.20				0.17		0.50	0.50						1.00	1.00	1.00	1.00																	******
3	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00	1.00			1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
4	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00	1.00			1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
5	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00	1.00			1.00	1.00											1.00	1.00						1.00	1.00	1.00	1.00																	******
6	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
7	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		0.50	0.50					2.00	1.00	1.00	1.00	1.00																	******
8	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
9	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
10	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
11	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00		0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
12	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
13	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00	0.80		0.20	0.15	0.20				0.17		0.50	0.50						1.00	1.00	1.00	1.00																	******
14	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
15	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
16	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00											1.00	1.00						1.00	1.00	1.00	1.00																	******
17	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00	1.00				1.00	1.00											1.00	1.00						1.00	1.00	1.00	1.00																	******
18	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
19	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		0.50	0.50					2.00	1.00	1.00	1.00	1.00																	******
20	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
21	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
22	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
23	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00									0.50	0.50					2.00	1.00	1.00	1.00	1.00																	******
24	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
25	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
26	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00			0.20	0.15	0.20				0.17		0.50	0.50						1.00	1.00	1.00	1.00																	******
27	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
28	1.35				1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
29	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
30	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00											1.00	1.00						1.00	1.00	1.00	1.00																	******
31	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00											1.00	1.00						1.00	1.00	1.00	1.00																	******
32	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00	0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
33	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00							0.20	0.15	0.20				0.17		0.50	0.50																									******
34	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00							0.20	0.15	0.20				0.17		1.00	1.00																									******
35	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00							0.20	0.15	0.20				0.17		1.00	1.00																									******
36	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00															1.00	1.00																									******
37	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00	1.00															1.00	1.00																									******
38	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		0.50	0.50					2.00																				******
39	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
40	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
41	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00									0.50	0.50					2.00																				******
42	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00																				******
43	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00																				******
44	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00			0.20	0.15	0.20				0.17		0.50	0.50																									******
45	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00																									******
46	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00																									******
47	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00											1.00	1.00																									******
48	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00											1.00	1.00																									******
49	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		0.50	0.50					2.00																				******
50	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
51	1.35				1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
52	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00																				******
53	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00				0.70	2.00																				******
54	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00									0.50	0.50					2.00																				******
55	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00																				******
56	1.35				1.00	1.00	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00																				******
57	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00																				******
58	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00						1.00	1.00			0.20	0.15	0.20				0.17		0.50	0.50																									******
59	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00						1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00																									******
60	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00						1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00																									******
61	1.35				1.00	0.50	0.85	0.75	0.80	0.15	0.10		1.00						1.00	1.00											1.00	1.00																									******
62	1.35				1.50	0.50	0.85	0.75	0.80	0.15	0.10		1.00						1.00	1.00											1.00	1.00																									******
63	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00			0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
64	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00	1.00					1.00	1.00			0.20	0.15	0.20				0.17									1.00	1.00	1.00	1.00																	******
65	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00		0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17								2.00																				******
66	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00		1.00				1.00	1.00			0.20	0.15	0.20				0.17																										******
67	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00	0.20	0.15	0.20				0.17								2.00																				******
68	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00				0.50	1.00	1.00	1.00	0.80	1.00															2.00																				******
69	1.35					0.50	0.85	0.75	0.80	0.15	0.10		1.00										0.20	0.15	0.20				0.17																										******
70	1.35					1.00	0.85	0.75	0.80	0.15	0.10		1.00																																											******
71		1.00	1.00			1.00						1.00		1.00																						0.70		1.00	1.00	1.00																******
72		1.00	1.00			1.00						1.00		1.00																								1.00	1.00	1.00																******
73		1.00	1.00									1.00																																												******
74		1.00	1.00									1.00																										1.00	1.00	1.00																******
75		1.00				1.00								1.00																								1.00	1.00	1.00																******
76		1.00												1.00																								1.00	1.00	1.00																******
77		1.00																																																						******
78			1.00		1.00	1.00						1.00		1.00																	0.50	0.50						1.00	1.00	1.00																******
79			1.00			1.00						1.00		1.00																						0.70		1.00	1.00	1.00																******
80					1.00	0.50	0.85	0.75					1.00	1.00			0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
81					1.00	0.50	0.85	0.75					1.00	1.00			0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
82					1.50	0.50	0.85	0.75					1.00	1.00			0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
83					1.00	0.50	0.85	0.75					1.00	1.00			0.50	1.00	1.00	1.00											1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
84					1.50	0.50	0.85	0.75					1.00	1.00			0.50	1.00	1.00	1.00											1.00	1.00				0.70	2.00	1.00	1.00	1.00	1.00																	******
85					1.00	0.50	0.85	0.75						1.00	1.00	1.00	0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
86					1.00	0.50	0.85	0.75						1.00	1.00	1.00	0.50	1.00	1.00	1.00											1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
87					1.00	0.50	0.85	0.75						1.00	1.00		0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
88					1.00	0.50	0.85	0.75						1.00	1.00		0.50	1.00	1.00	1.00											1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
89					1.50	0.50	0.85	0.75						1.00	1.00		0.50	1.00	1.00	1.00											1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
90					1.00	0.50	0.85	0.75						1.00	1.00								0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
91					1.50	0.50	0.85	0.75						1.00	1.00								0.20	0.15	0.20				0.17		1.00	1.00						1.00	1.00	1.00	1.00																	******
92					1.00	0.50	0.85	0.75						1.00			0.50	1.00	1.00	1.00	0.80	1.00									1.00	1.00					2.00	1.00	1.00	1.00	1.00																	******
93					1.00	0.50	0.85	0.75						1.00			0.50	1.00	1.00	1.00			0.20	0.15	0.20				0.17		1.00

| | | |

| | | |